

Veolia Nuclear Solutions- Federal Services
Environmental Surveillance, Education, and Research Program
ISSN NUMBER 1089-5469

Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: First Quarter 2021

January 2022



Contributors:

Kevin Claver

Program conducted for the U.S. Department of Energy, Idaho Operations Office
Under Contract DE-NE0008477

By

Veolia Nuclear Solutions - Federal Services
Environmental Surveillance, Education and Research Program

Bill Doering, Program Manager
120 Technology Dr., Idaho Falls, Idaho 83401

www.idaho eser.inl.gov

DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

EXECUTIVE SUMMARY

None of the radionuclides detected in samples collected during the first quarter of 2021 could be directly linked with INL Site activities. Levels of detected radionuclides were no different than values measured historically or at other locations across the western United States. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the first quarter of 2021 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, January 1 through March 31, 2021. All sample types (media) and the sampling schedule followed during 2021 are listed in Appendix A. This report contains results for the following sample types:

- Air, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation
- Milk

Table ES-1. Summary of Results for the First Quarter of 2021.

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	There were no statistically significant differences in quarterly gross alpha or gross beta concentrations, however, statistically significant differences were determined for gross alpha concentrations measured in March and for gross beta concentrations measured during January. The gross alpha differences can be attributed to significantly lower results measured at some INL Site locations during March, whereas the gross beta differences are associated with lower results measured at some Distant locations. No result exceeded the 99%/95% upper tolerance limit (UTL) or the DCS for gross alpha or gross beta activity in air.
	Quarterly Composite	Gamma-emitting radionuclides, ⁹⁰ Sr, actinides (americium and plutonium)	No human-made gamma-emitters or ²⁴¹ Am, ²³⁸ Pu, and ^{239/249} Pu were measured in any quarterly composited sample. Strontium-90 was detected in five composite samples. The detected concentrations were well below the DCS and within historical measurements.
	Charcoal Cartridge	Iodine-131	Iodine-131 was not detected in any of the batches of charcoal cartridges counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	Four of seven results showed tritium concentrations greater than the 3s uncertainty during the quarter. No sample result exceeded the 99%/95% UTL or the DCS for tritium in air.
Precipitation	Liquid	Tritium	Nine of 22 results were greater than the 3s uncertainty. All results were below the 99%/95% UTL and were consistent with those reported across the region by the Environmental Protection

Media	Sample Type	Analysis	Results
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides	Agency and the INL Oversight Program. Forty-two milk samples were collected at seven locations (including duplicate samples and the offsite control sample from Colorado). No sample result exceeded 3s.

INTENTIONALLY BLANK

CONTENTS

1.	ESER Program Description	1
2.	The INL Site	5
3.	Air Sampling	7
	Low-Volume Air Sampling	7
	Atmospheric Moisture Sampling	10
4.	Precipitation and water Sampling	19
5.	Agricultural Product, Wildlife, and soil Sampling	21
	Milk Sampling	21
	Large Game Animal Sampling	21
6.	Quality Assurance	23
7.	References	25

FIGURES

Figure 1.	Location of the Idaho National Laboratory Site	6
Figure 2.	ESER air monitoring locations.	8
Figure 3.	Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the first quarter of 2021	11
Figure 4.	January 2021 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations	12
Figure 5.	February 2021 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations	13
Figure 6.	March 2021 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations	14
Figure 7.	Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the first quarter of 2021	15
Figure 8.	January 2021 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations	16
Figure 9.	February 2021 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location	17
Figure 10.	March 2021 gross beta concentrations in air at ESER INL Site, Boundary, and Distant location	18
Figure 11.	ESER milk sampling locations. Milk is collected at locations identified by blue circles.	22
Figure D-1.	First quarter gross alpha concentrations in air at all sampling locations.	D-3

TABLES

Table A-1. Summary of the ESER Program's Sampling Schedule.	A-1
Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed during First Quarter 2021	B-2
Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air.....	C-1
Table C-2. Weekly Iodine-131 Activity in Air	C-6
Table C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters	C-11
Table C-4. Tritium Concentrations in Atmospheric Moisture.....	C-13
Table C-5. Monthly and Weekly Tritium Concentrations in Precipitation.....	C-14
Table C-6. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk.....	C-15
Table D-1. Results of the Kruskal-Wallis one-way analysis of variance by ranks between INL Site, Boundary, and Distant sample groups by quarter and by month.....	D-1
Table D-2. Basic statistics for gross alpha results for the month of March.....	D-2
Table D-3. Results of multiple comparisons of gross alpha results between locations during the first quarter	D-2
Table D-4. Basic statistics for gross beta results for the month of January.....	D-4

LIST OF ABBREVIATIONS

AEC	Atomic Energy Commission
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	Department of Energy
DOE – ID	Department of Energy Idaho Operations Office
EAL	Environmental Assessment Laboratory
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ERAMS	Environmental Radiation Ambient Monitoring System
ESER	Environmental Surveillance, Education, and Research
ICP	Idaho Cleanup Project
INL	Idaho National Laboratory
INEL	Idaho National Engineering Laboratory
INEEL	Idaho National Engineering and Environmental Laboratory
ISU	Idaho State University
MDC	minimum detectable concentration
NRTS	National Reactor Testing Station
ORAU	Oak Ridge Associated Universities
VNSFS	Veolia Nuclear Solutions – Federal Services

LIST OF UNITS

Bq	becquerel
Ci	curie
g	gram
L	liter
μ Ci	microcurie
ml	milliliter
mrem	millirem
mR	milliRoentgen
pCi	picocurie

1. ESER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements established by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under several acts (e.g., the Clean Air Act and Safe Drinking Water Act). The requirements established by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2011a, DOE 2015a).

During calendar year 2021, environmental monitoring within the INL Site boundaries is primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors. The ESER Program focuses on surveillance off the INL Site and is managed by Veolia Nuclear Solutions-Federal Services (VNSFS).

This report contains monitoring results from the ESER Program for samples collected during the first quarter of 2021 (January 1- March 31, 2021).

The surveillance portion of the ESER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely using reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at several potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- atmospheric moisture at one INL Site location and at three locations off the INL Site
- precipitation collected at the same four locations sampled for atmospheric moisture
- drinking water collected from eight locations off the INL Site
- surface water collected from three springs located downgradient of the INL Site and from five locations along the Big Lost River, when it is flowing, on the INL Site
- agricultural products, including milk at six dairies around the INL Site, potatoes from at least seven local producers, alfalfa from three locations off the INL Site, grain (wheat and barley) from approximately 10 local producers, and lettuce from approximately eight home-owned and portable gardens on and around the INL Site
- soil from 12 locations around the INL Site biennially
- environmental dosimeters from 16 locations semi-annually
- various numbers of wildlife including bats, big game (pronghorn, mule deer, and elk) and waterfowl sampled from the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}\text{Pu}$), and americium-241 (^{241}Am) were performed by GEL Laboratories.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples, as well as additional analyses of samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet. RadNet is a nationwide environmental radiation monitoring system that monitors the nation's air, precipitation, and drinking water for radiation. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (<https://www.epa.gov/radnet>).

Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data, entry into the ESER database, and reporting in quarterly reports. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably affect the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s , where "s" is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is statistically different from background. Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the

radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection. Each laboratory currently defines a detection of radioactivity in an individual sample if the result exceeds a detection level calculated by the laboratory after the analysis of a background sample, based on calculations derived by Curie (1984). The minimum detectable concentration (MDC) is defined as the concentration at which there is a 95 percent confidence that an analyte signal will be distinguishable from an analyte-free sample.

In addition, ESER uses a three standard deviation criterion to minimize the chance that a potentially false positive result is included in the data set. A false positive result is indicated when the range encompassing the result, plus or minus the total uncertainty at three standard deviations, includes zero (e.g., 2.5 ± 1.0 ; range of -0.5 to 5.5). Statistically, the probability that a result can exceed the absolute value of its total uncertainty at three standard deviations by chance alone is less than 1 percent. A result that is greater than three times the total uncertainty of the measurement represents a statistically positive detection with over 99 percent confidence (DOE 2015b). The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being detected with confidence.

Concentrations between 2s and 3s are reported as *questionably detected*. That is, the radionuclide may be present in the sample; however, the probability that a result can exceed the absolute value of its total uncertainty at two standard deviations by chance alone may be as high as 5 percent. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a radionuclide is routinely detected at $> 3s$ at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is even less statistical confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

Data are also compared to historical measurements using the upper tolerance limit (UTL). The UTL is a value such that 99% of the population (in this case, all valid measurements made between 2011-2020) is less than the UTL with 95% confidence (EPA 2015). With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of a radionuclide is within the normal range. This means that if a concentration exceeds the UTL it does not necessarily indicate that the site is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high.

For more information concerning the ESER Program, contact VNSFS at (208) 525-8250, or visit the Program's web page (<http://www.idaho eser.inl.gov>).

INTENTIONALLY BLANK

2. THE INL SITE

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi² (2,300 km²) of the upper Snake River Plain in Southeastern Idaho (Figure 1). The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005, the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories. Battelle Energy Alliance, LLC, is responsible for the management and operations of the INL.

The Idaho Cleanup Project (ICP) Core is a separately managed effort. The ICP Core is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process. Fluor Idaho, LLC, is responsible for the ICP Core.




Figure 1. Location of the Idaho National Laboratory Site.

3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (^{131}I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the first quarter of 2021 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011b) values is provided in Appendix B.

LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the first quarter of 2021 (Figure 2). Three of these samplers are located on the INL Site, seven are situated off the INL Site near the boundary, and eight have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2020, one replicate sampler was moved to Arco (a Boundary location) and one was moved to Mud Lake (also a Boundary location). An average of 19,223 ft³ (544 m³) of air was sampled at each location, each week, at an average flow rate of 1.91 ft³/min (0.05 m³/min). Particulates in air were collected on membrane particulate filters (1.2- μm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.




Figure 2. ESER air monitoring locations.

Filters and charcoal cartridges were changed weekly at each station. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected for each location were composited quarterly and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (^{131}I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. On January 20, 2021, Main Gate had an invalid sample result due to the sampler head becoming unattached and falling on the ground near the sampler. Gross alpha concentrations measured during the quarter in individual samples ranged from a low of $(-1.3 \pm 0.09) \times 10^{-15} \mu\text{Ci/ml}$ collected at Idaho Falls on February 17, 2021, to a high of $(5.1 \pm 0.40) \times 10^{-15} \mu\text{Ci/ml}$ collected

at QA-1 (Arco) on January 6, 2021. All results were less than the Derived Concentration Standard (DCS) of 3.4×10^{-14} $\mu\text{Ci/ml}$ for ^{239}Pu (see Table B-1 of Appendix B). In addition, the results were consistent with historical data, as represented by the 99%/95% upper tolerance limit (UTL) for gross alpha activity (4.5×10^{-15} $\mu\text{Ci/ml}$). The UTL was determined using ten years of historical data (measured from 2011 through 2020) and the ProUCL statistical software (<https://www.epa.gov/land-research/proucl-software>). The 99%/95% UTL is a value such that 99% of the population (all possible air measurements) is less than the UTL with 95% confidence. With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of gross alpha is within the normal range. This means that if a concentration exceeds the UTL it does not necessarily indicate that the result is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high. None of the gross alpha measurements during the first quarter exceeded the UTL.

Gross alpha data have been tested for distribution (normally or lognormally distributed) and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, a parametric test of significance cannot be used. The nonparametric Kruskal-Wallis analysis of variance by ranks test of multiple independent groups was used to determine statistical differences between INL Site, Boundary, and Distant locations. The test assesses the hypothesis that the different samples in the comparison were drawn from the same distribution or from distributions with the same median. In the computation of the Kruskal-Wallis test, each of the N observations is replaced by a rank. That is, all the results from all the locations are combined and ranked in a single series with the smallest result replaced by rank 1 and the largest result replaced by rank N (i.e., the total number of results). The sum of the ranks in each location group (i.e., INL Site, Boundary, and Distant) is found and then averaged for each group. If the samples are from the same populations, the average ranks should be about the same, whereas if the samples are from populations with different medians, the average ranks should differ. Statistically significant difference exists between data groups if the p-value (or probability value) is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. There was no statistically significant difference among groups for the quarter, however, there was for the month of March. The results are statistically different due to the lower concentrations measured at the INL Site locations during the month of March (Table D-2).

To determine if there were any differences between stations and where the differences occur, the Kruskal-Wallis analysis of variance by ranks test was used again. No differences were determined (Table D-3).

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. All results were less than the Derived Concentration Standard (DCS) of 2.5×10^{-11} $\mu\text{Ci/ml}$ for ^{90}Sr . In addition, the results were consistent with historical data, as represented by the 99%/95% UTL for gross beta activity (6.3×10^{-14} $\mu\text{Ci/ml}$). The data were tested quarterly and generally are found to be neither normally nor log-normally distributed. Box and whiskers plots were used to present the non-parametric data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past ten years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures.

The Kruskal-Wallis analysis of variance by ranks test determined there were statistically significant differences in the gross beta data for the month of January (Table D-1). The results are statistically different due to the lower concentrations measured at the Distant locations during the month of January (Table D-4).

Iodine-131 was not detected in any of the 26 sets of charcoal cartridges measured during the first quarter. Weekly ^{131}I results for each location are listed in Table C-2.

No ^{137}Cs or other human-made gamma-emitting radionuclides were found in quarterly air composites. No ^{238}Pu , $^{239/240}\text{Pu}$, or ^{241}Am were detected either. Strontium-90, a beta-emitting radionuclide with a half-life of approximately 30 years, was detected in five composite samples. The ^{90}Sr results were far below the DCS and within concentrations measured during the period from 2011 through 2020. Results for quarterly air composites are listed in Table C-3.

ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for seven atmospheric moisture samples collected at the INL Site, Boundary, and Distant locations during the first quarter of 2021. Four of the concentrations exceeded the 3s uncertainty level for tritium, with a maximum reported value of $(6.3 \pm 1.2) \times 10^{-13} \mu\text{Ci}/\text{m}_{\text{air}}$ at Atomic City. Results are similar to those reported during the past ten years (2011-2020) and none exceed the 99%/95% UTL of $1.58 \times 10^{-12} \mu\text{Ci}/\text{m}_{\text{air}}$. All samples were significantly below the DOE DCS for tritium in air of $2.1 \times 10^{-7} \mu\text{Ci}/\text{m}_{\text{air}}$. Results are shown in Table C-4.




Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the first quarter of 2021. The DOE Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 (^{239/240}Pu) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 4. January 2021 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Main Gate (N = 3). The Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 (^{239/240}Pu) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 5. February 2021 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location. The Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 ($^{239/240}\text{Pu}$) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 6. March 2021 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location. The Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 ($^{239/240}\text{Pu}$) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the first quarter of 2021. The Derived Concentration Standard (DCS) is the concentration of strontium-90 (⁹⁰Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentration. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 8. January 2021 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Main Gate (N = 3). The Derived Concentration Standard (DCS) is the concentration of strontium-90 (⁹⁰Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 9. February 2021 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location. The Derived Concentration Standard (DCS) is the concentration of strontium-90 (⁹⁰Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 10. March 2021 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location. The Derived Concentration Standard (DCS) is the concentration of strontium-90 (⁹⁰Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population are expected to fall with 95% confidence.

4. PRECIPITATION AND WATER SAMPLING

PRECIPITATION SAMPLING

Precipitation samples are gathered when enough precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 ml. Samples are taken of monthly composites from Idaho Falls, and weekly (when available) from the EFS on the INL Site and Atomic City and Howe on the INL Site boundary. These are the same locations that atmospheric moisture samples are collected at. Precipitation samples are analyzed for tritium. Storm events in the first quarter of 2021 produced sufficient precipitation to yield 22 samples.

Tritium was measured above the 3s values in nine of the 22 samples collected during the quarter. These results are listed in Table C-5 (Appendix C). Low levels of tritium always exist in the environment as a result of cosmic ray reactions with water molecules in the upper atmosphere. Long-term data collected around the globe since 1961 by the International Atomic Energy Agency suggest that tritium levels have steadily decreased since the Nuclear Test Ban Treaty in 1963 and are close to their pre-nuclear test values (Cauquoin et al. 2015) and that there are no longer measurable remnants of fallout from nuclear weapons testing. When detected, tritium values have remained well within the historical range and the range measured across the country by the EPA Radnet program. A search of the RadNet database (https://enviro.epa.gov/enviro/erams_query_v2.simple_query) for tritium in precipitation collected in Idaho from 2007 through 2011 shows a range of -84 to 123 pCi/L. The INL Oversight Program presents tritium precipitation results for 2017 through 2020 (<https://www.deq.idaho.gov/idaho-national-laboratory-oversight/inl-oversight-program/monitoring-activities/>) and the results range from -100 to 150 pCi/L. The maximum value in the first quarter was 262 pCi/L in an EFS sample collected in February. The result was below the 99%/95% UTL of 300 pCi/L.

INTENTIONALLY BLANK

5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the third quarter, while potatoes are collected during the fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and wildlife samples available during the first quarter of 2021.

MILK SAMPLING

Milk samples were collected weekly at Idaho Falls and Terreton. Monthly samples were collected at four other locations around the INL Site (Figure 11) during the first quarter of 2021. In addition to the local locations, commercially-available organic milk (from Colorado) was purchased as a control sample each month. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on Iodine-131.

Neither ^{131}I nor ^{137}Cs was detected in any weekly or monthly samples during the first quarter. No other human-made gamma-emitting radionuclides were found either. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-6.

LARGE GAME ANIMAL SAMPLING

No big game animals killed by vehicular collisions were available for sampling during the first quarter of 2021.




Figure 11. ESER milk sampling locations. Milk is collected at locations identified by blue circles.

6. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

1. method uncertainty
2. data completeness
3. data accuracy, using spike, performance evaluation and laboratory control samples
4. data precision, using split samples, duplicate samples and recounts
5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (VNSFS 2019). Criteria established by DOE for Quality Assurance activities include:

- Quality assurance program
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

Assessments of ESER data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives. These assessments are documented in the ESER Quality Assurance Report for the First Quarter of 2021 (VNSFS 2022).

INTENTIONALLY BLANK

7. REFERENCES

- BEA, 2016, *Data Quality Objectives Supporting the Environmental Soil Monitoring Program for the INL Site*, INL/EXT-15-34909, February 2016.
- Cauquoin, A., P. Jean-Baptiste, C. Risia, É. Fourré, B. Stenni, and A. Landais, 2015, "The global distribution of natural tritium in precipitation simulated with an Atmospheric General Circulation Model and comparison with observations", *Earth and Planetary Science Letters* 427 (2015) 160–170.
http://www.lmd.jussieu.fr/~acauquoin/Mes_Publications/Cauquoin%20et%20al.%202015%20-%20EPSL.pdf.
- Currie, L.A., 1984, Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2011a, "Radiation Protection of the Public and the Environment," U.S. Department of Energy O 458.1, Administrative Change 3, February 11, 2011.
- DOE, 2011b, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.
- DOE, 2015a, "Environmental Radiological Effluent Monitoring and Environmental Surveillance", DOE-HDBK-1216-2015, March 2015.
- DOE, 2015b, Handbook for the Department of Energy's Mixed Analyte Performance Evaluation Program (MAPEP), January 2015. Available at:
<http://www.id.energy.gov/resl/mapep/handbookv15.pdf>.
- EPA, 2015, *ProUCL Version 5.1.002 Technical Guide*, EPA/600/R-07/041, October 2015.
- EPA, 2020, RadNet—Tracking Environmental Radiation Nationwide,
Web-page: <https://www.epa.gov/radnet>
- ICRP, 2009, *ICRP Publication 114: Environmental Protection: Transfer Parameters for Reference Animals and Plants*, Annals of the International Commission on Radiological Protection (ICRP), December 2009.
- Pinder, J. E. III, K. W. McLeod, D. C. Adriano, J. C. Corey, and L. Boni, 1990, "Atmospheric Deposition, Resuspension and Root Uptake of Pu in Corn and Other Grain-Producing Agroecosystems Near a Nuclear Fuel Facility," *Health Physics*, Vol. 59, pp. 853-867.
- VNSFS, 2019, Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program, VFS-ID-ESER-PROC-066, Environmental Surveillance, Education and Research Program.
- VNSFS, 2022, *Environmental Quality Assurance Report for the 1st Quarter 2021*, Environmental Surveillance, Education, and Research Program.

INTENTIONALLY BLANK

APPENDIX A
SUMMARY OF SAMPLING SCHEDULE

Table A-1. Summary of the ESER Program's Sampling Schedule.

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AIR SAMPLING				
LOW-VOLUME AIR				
Gross Alpha, Gross Beta, ¹³¹ I	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
⁹⁰ Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
ATMOSPHERIC MOISTURE				
Tritium	2 to 13 weeks	Idaho Falls	Atomic City, Howe	EFS
PRECIPITATION				
Tritium	monthly	Idaho Falls	None	None
Tritium	weekly	None	Atomic City, Howe	EFS
WATER SAMPLING				
DRINKING WATER				
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None
SURFACE WATER				
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
ENVIRONMENTAL RADIATION SAMPLING				
TLDs/OSLDs				
Gamma Radiation	semiannual	Aberdeen, Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Sugar City, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Monteview, Mud Lake	None
SOIL SAMPLING				
SOIL				
Gamma Spec, ⁹⁰ Sr, Transuranics	biennially	Carey, Blackfoot, St. Anthony	Butte City, Monteview, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None

Table A-1. (continued)

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AGRICULTURAL PRODUCT SAMPLING				
MILK				
Gamma Spec (¹³¹ I)	weekly	Idaho Falls	Terreton	None
Gamma Spec (¹³¹ I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
Tritium, ⁹⁰ Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
POTATOES				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Idaho Falls, Rupert, Shelley, Hamer, Driggs, occasional samples across the U.S.	Varies among Arco, Monteview, Mud Lake, Terreton	None
ALFALFA				
Gamma Spec, ⁹⁰ Sr	annually	Idaho Falls	Howe, Mud Lake	None
GRAIN				
Gamma Spec, ⁹⁰ Sr	annually	Varies among American Falls, Blackfoot, Carey, Idaho Falls, Rupert/Minidoka, Roberts	Varies among Arco, Monteview, Mud Lake, Taber, Terreton	None
LETTUCE				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Carey, Idaho Falls, Rigby, Sugar City	Varies among Arco, Atomic City, FAA Tower, Howe, Monteview	EFS
WILDLIFE SAMPLING				
BIG GAME				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads
WATERFOWL				
Gamma Spec, ⁹⁰ Sr, Transuranics	annually	Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewater disposal ponds

INTENTIONALLY BLANK

APPENDIX B
SUMMARY OF MDCs AND DCSs

Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed during First Quarter 2021

Sample Type	Analysis	Average Minimum Detectable Concentration ^a (MDC)	Derived Concentration Standard ^b (DCS)
Air (particulate filter) ^e	Gross alpha	5.0×10^{-16} $\mu\text{Ci/ml}$	3.4×10^{-14} $\mu\text{Ci/ml}^c$
	Gross beta	4.0×10^{-15} $\mu\text{Ci/ml}$	2.5×10^{-11} $\mu\text{Ci/ml}^d$
	¹³⁷ Cs	7.8×10^{-17} $\mu\text{Ci/ml}$	9.8×10^{-11} $\mu\text{Ci/ml}$
	⁹⁰ Sr	3.0×10^{-17} $\mu\text{Ci/ml}$	2.5×10^{-11} $\mu\text{Ci/ml}$
	²⁴¹ Am	3.7×10^{-18} $\mu\text{Ci/ml}$	4.1×10^{-14} $\mu\text{Ci/ml}$
	²³⁸ Pu	2.9×10^{-18} $\mu\text{Ci/ml}$	3.7×10^{-14} $\mu\text{Ci/ml}$
	^{239/240} Pu	3.0×10^{-18} $\mu\text{Ci/ml}$	3.4×10^{-14} $\mu\text{Ci/ml}$
Air (charcoal cartridge) ^e	¹³¹ I	8.9×10^{-16} $\mu\text{Ci/ml}$	4.1×10^{-10} $\mu\text{Ci/ml}$
Air (atmospheric moisture)	³ H	88.7 pCi/L _{water} 2.9×10^{-13} $\mu\text{Ci/ml}_{\text{air}}$	1.9×10^6 pCi/L _{water} 2.1×10^{-7} $\mu\text{Ci/ml}_{\text{air}}$
Air (precipitation)	³ H	90.6 pCi/L	1.9×10^6 pCi/L _{water}
Milk	¹³¹ I	0.6 pCi/L	1.3×10^3 pCi/L ^f
	¹³⁷ Cs	1.1 pCi/L	3.0×10^3 pCi/L ^f

- The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence. MDCs are calculated and reported by the laboratories based on actual ESER sample results following analysis.
- DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.
- Based on the most restrictive human-made alpha emitter (²³⁹Pu).
- Based on the most restrictive human-made beta emitter (⁹⁰Sr).
- The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 m³/week.
- There is no DCS established for radionuclides in milk. However, the DCS shown is for the radionuclide ingested in water.

APPENDIX C
SAMPLE ANALYSIS RESULTS

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
BOUNDARY									
ARCO	1/6/2021	3.18 ± 0.33	11.77 ± 1.24	Yes	30.30 ± 1.62	112.11 ± 5.99	Yes		
	1/13/2021	1.54 ± 0.25	5.70 ± 0.93	Yes	56.40 ± 2.18	208.68 ± 8.07	Yes		
	1/20/2021	0.71 ± 0.20	2.63 ± 0.73	Yes	34.90 ± 1.65	129.13 ± 6.11	Yes		
	1/27/2021	1.78 ± 0.25	6.59 ± 0.91	Yes	60.00 ± 2.21	222.00 ± 8.18	Yes		
	2/3/2021	0.77 ± 0.18	2.83 ± 0.65	Yes	27.90 ± 1.62	103.23 ± 5.99	Yes		
	2/10/2021	1.19 ± 0.19	4.40 ± 0.70	Yes	26.10 ± 1.60	96.57 ± 5.92	Yes		
	2/17/2021	1.09 ± 0.30	4.03 ± 1.11	Yes	45.50 ± 2.10	168.35 ± 7.77	Yes		
	2/24/2021	0.30 ± 0.18	1.10 ± 0.68	No	12.30 ± 1.21	45.51 ± 4.48	Yes		
	3/3/2021	0.73 ± 0.20	2.72 ± 0.73	Yes	17.60 ± 1.30	65.12 ± 4.81	Yes		
	3/10/2021	1.05 ± 0.23	3.89 ± 0.85	Yes	41.50 ± 1.57	153.55 ± 5.81	Yes		
	3/17/2021	1.53 ± 0.27	5.66 ± 0.98	Yes	37.20 ± 1.50	137.64 ± 5.55	Yes		
	3/24/2021	1.15 ± 0.26	4.26 ± 0.96	Yes	32.00 ± 1.46	118.40 ± 5.40	Yes		
	3/31/2021	0.69 ± 0.21	2.55 ± 0.77	Yes	22.40 ± 1.23	82.88 ± 4.55	Yes		
QA-1 (ARCO)	1/6/2021	5.11 ± 0.40	18.91 ± 1.48	Yes	44.80 ± 1.82	165.76 ± 6.73	Yes		
	1/13/2021	0.04 ± 0.13	0.14 ± 0.49	No	2.08 ± 1.46	7.70 ± 5.40	No		
	1/20/2021	0.20 ± 0.14	0.73 ± 0.52	No	27.70 ± 1.39	102.49 ± 5.14	Yes		
	1/27/2021	1.49 ± 0.21	5.51 ± 0.78	Yes	38.80 ± 1.79	143.56 ± 6.62	Yes		
	2/3/2021	0.54 ± 0.15	1.98 ± 0.54	Yes	23.20 ± 1.45	85.84 ± 5.37	Yes		
	2/10/2021	0.70 ± 0.14	2.59 ± 0.51	Yes	13.80 ± 1.28	51.06 ± 4.74	Yes		
	2/17/2021	1.94 ± 0.31	7.18 ± 1.14	Yes	31.40 ± 1.80	116.18 ± 6.66	Yes		
	2/24/2021	0.28 ± 0.17	1.05 ± 0.63	No	7.07 ± 1.01	26.16 ± 3.74	Yes		
	3/3/2021	0.73 ± 0.19	2.72 ± 0.70	Yes	10.10 ± 1.10	37.37 ± 4.07	Yes		
	3/10/2021	0.63 ± 0.20	2.33 ± 0.73	Yes	22.10 ± 1.22	81.77 ± 4.51	Yes		
	3/17/2021	1.27 ± 0.25	4.70 ± 0.93	Yes	25.80 ± 1.33	95.46 ± 4.92	Yes		
	3/24/2021	0.68 ± 0.21	2.52 ± 0.77	Yes	17.20 ± 1.07	63.64 ± 3.96	Yes		
	3/31/2021	0.86 ± 0.21	3.18 ± 0.78	Yes	15.50 ± 1.04	57.35 ± 3.85	Yes		
ATOMIC CITY	1/6/2021	4.05 ± 0.34	14.99 ± 1.25	Yes	43.50 ± 1.63	160.95 ± 6.03	Yes		
	1/13/2021	1.42 ± 0.21	5.25 ± 0.79	Yes	58.40 ± 1.90	216.08 ± 7.03	Yes		
	1/20/2021	0.40 ± 0.15	1.49 ± 0.57	No	36.10 ± 1.46	133.57 ± 5.40	Yes		
	1/27/2021	1.62 ± 0.22	5.99 ± 0.81	Yes	51.00 ± 1.92	188.70 ± 7.10	Yes		
	2/3/2021	0.52 ± 0.14	1.92 ± 0.52	Yes	29.10 ± 1.47	107.67 ± 5.44	Yes		
	2/10/2021	0.53 ± 0.14	1.96 ± 0.50	Yes	23.20 ± 1.55	85.84 ± 5.74	Yes		
	2/17/2021	1.83 ± 0.34	6.77 ± 1.26	Yes	42.00 ± 2.13	155.40 ± 7.88	Yes		
	2/24/2021	0.37 ± 0.18	1.35 ± 0.67	No	9.93 ± 1.09	36.74 ± 4.03	Yes		
	3/3/2021	0.68 ± 0.18	2.51 ± 0.67	Yes	14.60 ± 1.17	54.02 ± 4.33	Yes		
	3/10/2021	1.23 ± 0.23	4.55 ± 0.85	Yes	34.70 ± 1.39	128.39 ± 5.14	Yes		
	3/17/2021	1.29 ± 0.25	4.77 ± 0.93	Yes	39.90 ± 1.55	147.63 ± 5.74	Yes		
	3/24/2021	0.75 ± 0.21	2.77 ± 0.77	Yes	22.10 ± 1.16	81.77 ± 4.29	Yes		
	3/31/2021	1.16 ± 0.23	4.29 ± 0.85	Yes	21.10 ± 1.15	78.07 ± 4.26	Yes		
BLUE DOME	1/6/2021	2.40 ± 0.30	8.88 ± 1.09	Yes	28.20 ± 1.51	104.34 ± 5.59	Yes		
	1/12/2021	0.93 ± 0.20	3.45 ± 0.75	Yes	24.00 ± 1.74	88.80 ± 6.44	Yes		
	1/20/2021	0.40 ± 0.14	1.48 ± 0.53	No	28.30 ± 1.29	104.71 ± 4.77	Yes		
	1/27/2021	0.81 ± 0.16	3.01 ± 0.60	Yes	26.20 ± 1.58	96.94 ± 5.85	Yes		
	2/3/2021	0.45 ± 0.14	1.67 ± 0.51	Yes	21.20 ± 1.39	78.44 ± 5.14	Yes		
	2/10/2021	0.57 ± 0.13	2.12 ± 0.48	Yes	23.80 ± 1.41	88.06 ± 5.22	Yes		
	2/17/2021	1.78 ± 0.30	6.59 ± 1.11	Yes	25.40 ± 1.75	93.98 ± 6.48	Yes		
	2/24/2021	0.32 ± 0.17	1.17 ± 0.63	No	8.21 ± 1.03	30.38 ± 3.81	Yes		
	3/3/2021	0.26 ± 0.14	0.97 ± 0.52	No	10.70 ± 1.09	39.59 ± 4.03	Yes		
	3/10/2021	0.55 ± 0.19	2.05 ± 0.68	No	34.50 ± 1.43	127.65 ± 5.29	Yes		
	3/17/2021	0.93 ± 0.22	3.43 ± 0.81	Yes	25.60 ± 1.28	94.72 ± 4.74	Yes		
	3/24/2021	0.46 ± 0.19	1.68 ± 0.69	No	20.00 ± 1.12	74.00 ± 4.14	Yes		
	3/31/2021	0.75 ± 0.20	2.76 ± 0.74	Yes	17.50 ± 1.07	64.75 ± 3.96	Yes		

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
FAA TOWER	1/6/2021	2.21 ± 0.29	8.18 ± 1.08	Yes	25.20 ± 1.51	93.24 ± 5.59	Yes		
	1/13/2021	0.92 ± 0.19	3.42 ± 0.69	Yes	32.20 ± 1.67	119.14 ± 6.18	Yes		
	1/20/2021	0.20 ± 0.15	0.75 ± 0.54	No	16.00 ± 1.28	59.20 ± 4.74	Yes		
	1/27/2021	1.06 ± 0.19	3.92 ± 0.68	Yes	38.00 ± 1.79	140.60 ± 6.62	Yes		
	2/3/2021	0.60 ± 0.15	2.22 ± 0.55	Yes	18.00 ± 1.36	66.60 ± 5.03	Yes		
	2/10/2021	0.50 ± 0.13	1.86 ± 0.47	Yes	16.20 ± 1.37	59.94 ± 5.07	Yes		
	2/17/2021	-1.00 ± 0.12	-3.70 ± 0.46	No	26.40 ± 1.81	97.68 ± 6.70	Yes		
	2/24/2021	-0.02 ± 0.13	-0.07 ± 0.47	No	7.10 ± 1.00	26.27 ± 3.69	Yes		
	3/3/2021	0.31 ± 0.15	1.16 ± 0.55	No	6.65 ± 1.04	24.61 ± 3.85	Yes		
	3/10/2021	1.08 ± 0.23	4.00 ± 0.85	Yes	30.20 ± 1.36	111.74 ± 5.03	Yes		
	3/17/2021	0.84 ± 0.22	3.11 ± 0.82	Yes	27.50 ± 1.37	101.75 ± 5.07	Yes		
	3/24/2021	0.86 ± 0.22	3.17 ± 0.83	Yes	18.40 ± 1.11	68.08 ± 4.11	Yes		
	3/31/2021	0.93 ± 0.22	3.43 ± 0.80	Yes	17.50 ± 1.08	64.75 ± 4.00	Yes		
HOWE	1/6/2021	2.28 ± 0.31	8.44 ± 1.16	Yes	34.90 ± 1.70	129.13 ± 6.29	Yes		
	1/12/2021	0.70 ± 0.20	2.58 ± 0.75	Yes	32.70 ± 1.99	120.99 ± 7.36	Yes		
	1/20/2021	0.68 ± 0.16	2.50 ± 0.59	Yes	29.80 ± 1.29	110.26 ± 4.77	Yes		
	1/27/2021	1.45 ± 0.21	5.37 ± 0.79	Yes	37.80 ± 1.83	139.86 ± 6.77	Yes		
	2/3/2021	0.92 ± 0.18	3.41 ± 0.65	Yes	24.00 ± 1.48	88.80 ± 5.48	Yes		
	2/10/2021	1.10 ± 0.18	4.07 ± 0.65	Yes	18.80 ± 1.42	69.56 ± 5.25	Yes		
	2/17/2021	1.86 ± 0.32	6.88 ± 1.18	Yes	30.60 ± 1.90	113.22 ± 7.03	Yes		
	2/24/2021	0.21 ± 0.17	0.76 ± 0.61	No	8.39 ± 1.08	31.04 ± 4.00	Yes		
	3/3/2021	0.79 ± 0.20	2.92 ± 0.75	Yes	9.63 ± 1.16	35.63 ± 4.29	Yes		
	3/10/2021	0.98 ± 0.22	3.61 ± 0.80	Yes	30.60 ± 1.34	113.22 ± 4.96	Yes		
	3/17/2021	0.81 ± 0.21	2.99 ± 0.78	Yes	25.40 ± 1.29	93.98 ± 4.77	Yes		
	3/24/2021	0.71 ± 0.21	2.62 ± 0.78	Yes	22.70 ± 1.20	83.99 ± 4.44	Yes		
	3/31/2021	1.11 ± 0.23	4.11 ± 0.86	Yes	17.70 ± 1.10	65.49 ± 4.07	Yes		
MONTEVIEW	1/6/2021	3.21 ± 0.33	11.88 ± 1.22	Yes	34.20 ± 1.62	126.54 ± 5.99	Yes		
	1/12/2021	0.59 ± 0.18	2.19 ± 0.67	Yes	34.90 ± 1.85	129.13 ± 6.85	Yes		
	1/20/2021	0.68 ± 0.18	2.52 ± 0.67	Yes	35.10 ± 1.53	129.87 ± 5.66	Yes		
	1/27/2021	0.92 ± 0.14	3.42 ± 0.50	Yes	25.80 ± 1.19	95.46 ± 4.40	Yes		
	2/3/2021	0.61 ± 0.15	2.27 ± 0.57	Yes	20.30 ± 1.42	75.11 ± 5.25	Yes		
	2/10/2021	0.65 ± 0.15	2.42 ± 0.54	Yes	10.60 ± 1.38	39.22 ± 5.11	Yes		
	2/17/2021	2.38 ± 0.36	8.81 ± 1.31	Yes	29.70 ± 1.98	109.89 ± 7.33	Yes		
	2/24/2021	0.43 ± 0.20	1.60 ± 0.72	No	8.75 ± 1.11	32.38 ± 4.11	Yes		
	3/3/2021	0.67 ± 0.20	2.46 ± 0.72	Yes	11.10 ± 1.21	41.07 ± 4.48	Yes		
	3/10/2021	1.25 ± 0.24	4.63 ± 0.87	Yes	24.90 ± 1.24	92.13 ± 4.59	Yes		
	3/17/2021	0.80 ± 0.21	2.96 ± 0.78	Yes	23.80 ± 1.25	88.06 ± 4.63	Yes		
	3/24/2021	0.82 ± 0.22	3.04 ± 0.81	Yes	18.30 ± 1.11	67.71 ± 4.11	Yes		
	3/31/2021	1.06 ± 0.23	3.92 ± 0.84	Yes	17.80 ± 1.09	65.86 ± 4.03	Yes		
MUD LAKE	1/6/2021	3.58 ± 0.34	13.25 ± 1.27	Yes	38.80 ± 1.69	143.56 ± 6.25	Yes		
	1/12/2021	0.99 ± 0.21	3.66 ± 0.79	Yes	39.90 ± 1.96	147.63 ± 7.25	Yes		
	1/20/2021	0.37 ± 0.14	1.36 ± 0.50	No	27.00 ± 1.24	99.90 ± 4.59	Yes		
	1/27/2021	0.86 ± 0.17	3.17 ± 0.61	Yes	39.20 ± 1.72	145.04 ± 6.36	Yes		
	2/3/2021	0.86 ± 0.17	3.19 ± 0.62	Yes	25.00 ± 1.44	92.50 ± 5.33	Yes		
	2/10/2021	0.78 ± 0.15	2.88 ± 0.56	Yes	15.40 ± 1.35	56.98 ± 5.00	Yes		
	2/17/2021	1.84 ± 0.31	6.81 ± 1.15	Yes	31.60 ± 1.84	116.92 ± 6.81	Yes		
	2/24/2021	0.40 ± 0.18	1.47 ± 0.67	No	11.00 ± 1.10	40.70 ± 4.07	Yes		
	3/3/2021	0.86 ± 0.20	3.17 ± 0.74	Yes	13.10 ± 1.16	48.47 ± 4.29	Yes		
	3/10/2021	0.56 ± 0.18	2.08 ± 0.65	Yes	26.50 ± 1.24	98.05 ± 4.59	Yes		
	3/17/2021	0.91 ± 0.22	3.37 ± 0.81	Yes	25.40 ± 1.29	93.98 ± 4.77	Yes		
	3/24/2021	0.65 ± 0.21	2.42 ± 0.78	Yes	23.00 ± 1.22	85.10 ± 4.51	Yes		
	3/31/2021	0.83 ± 0.21	3.09 ± 0.78	Yes	16.20 ± 1.06	59.94 ± 3.92	Yes		
QA-2	1/6/2021	3.55 ± 0.34	13.14 ± 1.26	Yes	39.00 ± 1.68	144.30 ± 6.22	Yes		

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
MUD LAKE	1/12/2021	1.38 ± 0.24	5.11 ± 0.87	Yes	45.70 ± 2.02	169.09 ± 7.47	Yes		
	1/20/2021	0.55 ± 0.15	2.05 ± 0.55	Yes	32.10 ± 1.30	118.77 ± 4.81	Yes		
	1/27/2021	1.06 ± 0.18	3.92 ± 0.67	Yes	43.60 ± 1.80	161.32 ± 6.66	Yes		
	2/3/2021	0.76 ± 0.17	2.83 ± 0.63	Yes	26.40 ± 1.56	97.68 ± 5.77	Yes		
	2/10/2021	0.82 ± 0.16	3.03 ± 0.58	Yes	19.80 ± 1.45	73.26 ± 5.37	Yes		
	2/17/2021	1.05 ± 0.29	3.89 ± 1.09	Yes	38.40 ± 2.03	142.08 ± 7.51	Yes		
	2/24/2021	0.15 ± 0.15	0.56 ± 0.57	No	9.35 ± 1.07	34.60 ± 3.96	Yes		
	3/3/2021	1.11 ± 0.23	4.11 ± 0.84	Yes	13.80 ± 1.23	51.06 ± 4.55	Yes		
	3/10/2021	1.17 ± 0.23	4.33 ± 0.85	Yes	31.30 ± 1.35	115.81 ± 5.00	Yes		
	3/17/2021	1.64 ± 0.28	6.07 ± 1.04	Yes	27.40 ± 1.39	101.38 ± 5.14	Yes		
	3/24/2021	0.71 ± 0.22	2.61 ± 0.80	Yes	20.50 ± 1.18	75.85 ± 4.37	Yes		
	3/31/2021	0.76 ± 0.20	2.81 ± 0.74	Yes	19.10 ± 1.09	70.67 ± 4.03	Yes		
	DISTANT BLACKFOOT	1/6/2021	3.16 ± 0.32	11.69 ± 1.17	Yes	31.90 ± 1.53	118.03 ± 5.66	Yes	
1/13/2021	-1.07 ± 0.99	-3.96 ± 3.64	No	23.40 ± 12.60	86.58 ± 46.62	No			
1/20/2021	0.64 ± 0.18	2.37 ± 0.67	Yes	34.90 ± 1.54	129.13 ± 5.70	Yes			
1/27/2021	1.53 ± 0.20	5.66 ± 0.72	Yes	40.80 ± 1.62	150.96 ± 5.99	Yes			
2/3/2021	0.67 ± 0.16	2.49 ± 0.59	Yes	22.20 ± 1.47	82.14 ± 5.44	Yes			
2/10/2021	0.69 ± 0.14	2.55 ± 0.53	Yes	14.10 ± 1.34	52.17 ± 4.96	Yes			
2/17/2021	1.72 ± 0.30	6.36 ± 1.11	Yes	32.00 ± 1.81	118.40 ± 6.70	Yes			
2/24/2021	0.19 ± 0.15	0.71 ± 0.56	No	5.87 ± 0.94	21.72 ± 3.47	Yes			
3/3/2021	0.75 ± 0.19	2.79 ± 0.70	Yes	10.60 ± 1.10	39.22 ± 4.07	Yes			
3/10/2021	1.04 ± 0.22	3.85 ± 0.83	Yes	29.90 ± 1.35	110.63 ± 5.00	Yes			
3/17/2021	1.88 ± 0.30	6.96 ± 1.09	Yes	42.50 ± 1.63	157.25 ± 6.03	Yes			
3/24/2021	0.37 ± 0.18	1.35 ± 0.67	No	16.90 ± 1.06	62.53 ± 3.92	Yes			
3/31/2021	0.66 ± 0.20	2.45 ± 0.73	Yes	15.10 ± 1.03	55.87 ± 3.81	Yes			
CRATERS OF THE MOON	1/6/2021	2.55 ± 0.31	9.44 ± 1.15	Yes	26.70 ± 1.57	98.79 ± 5.81	Yes		
1/13/2021	0.60 ± 0.16	2.22 ± 0.61	Yes	24.90 ± 1.56	92.13 ± 5.77	Yes			
1/20/2021	0.18 ± 0.17	0.66 ± 0.64	No	25.60 ± 1.64	94.72 ± 6.07	Yes			
1/27/2021	0.97 ± 0.27	3.59 ± 1.01	Yes	57.00 ± 3.23	210.90 ± 11.95	Yes			
2/3/2021	0.58 ± 0.17	2.13 ± 0.62	Yes	25.80 ± 1.69	95.46 ± 6.25	Yes			
2/10/2021	1.22 ± 0.20	4.51 ± 0.75	Yes	17.50 ± 1.64	64.75 ± 6.07	Yes			
2/17/2021	3.05 ± 0.39	11.29 ± 1.45	Yes	35.50 ± 2.08	131.35 ± 7.70	Yes			
2/24/2021	0.28 ± 0.19	1.03 ± 0.71	No	9.66 ± 1.22	35.74 ± 4.51	Yes			
3/3/2021	0.75 ± 0.21	2.78 ± 0.76	Yes	13.10 ± 1.27	48.47 ± 4.70	Yes			
3/10/2021	1.00 ± 0.24	3.70 ± 0.87	Yes	40.10 ± 1.59	148.37 ± 5.88	Yes			
3/17/2021	1.42 ± 0.26	5.25 ± 0.97	Yes	39.10 ± 1.55	144.67 ± 5.74	Yes			
3/24/2021	0.74 ± 0.24	2.72 ± 0.87	Yes	24.30 ± 1.34	89.91 ± 4.96	Yes			
3/31/2021	0.79 ± 0.21	2.91 ± 0.79	Yes	22.70 ± 1.22	83.99 ± 4.51	Yes			
DUBOIS	1/6/2021	1.61 ± 0.26	5.96 ± 0.97	Yes	24.50 ± 1.45	90.65 ± 5.37	Yes		
1/12/2021	0.53 ± 0.17	1.97 ± 0.64	Yes	22.70 ± 1.71	83.99 ± 6.33	Yes			
1/20/2021	0.38 ± 0.14	1.41 ± 0.51	No	23.20 ± 1.20	85.84 ± 4.44	Yes			
1/27/2021	0.67 ± 0.15	2.48 ± 0.56	Yes	28.10 ± 1.60	103.97 ± 5.92	Yes			
2/3/2021	0.50 ± 0.14	1.86 ± 0.52	Yes	16.30 ± 1.32	60.31 ± 4.88	Yes			
2/10/2021	0.42 ± 0.12	1.54 ± 0.43	Yes	13.60 ± 1.29	50.32 ± 4.77	Yes			
2/17/2021	1.44 ± 0.28	5.33 ± 1.05	Yes	31.10 ± 1.78	115.07 ± 6.59	Yes			
2/24/2021	0.36 ± 0.18	1.34 ± 0.65	No	7.49 ± 1.01	27.71 ± 3.74	Yes			
3/3/2021	0.59 ± 0.17	2.18 ± 0.64	Yes	8.12 ± 1.03	30.04 ± 3.81	Yes			
3/10/2021	1.06 ± 0.22	3.92 ± 0.81	Yes	26.60 ± 1.25	98.42 ± 4.63	Yes			
3/17/2021	1.17 ± 0.23	4.33 ± 0.84	Yes	25.80 ± 1.24	95.46 ± 4.59	Yes			
3/24/2021	0.88 ± 0.22	3.27 ± 0.81	Yes	20.60 ± 1.13	76.22 ± 4.18	Yes			
3/31/2021	0.66 ± 0.18	2.42 ± 0.67	Yes	14.80 ± 0.95	54.76 ± 3.53	Yes			
IDAHO FALLS	1/6/2021	0.71 ± 0.25	2.64 ± 0.93	No	30.20 ± 1.64	111.74 ± 6.07	Yes		

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA					GROSS BETA				
		Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)			(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		
	1/12/2021	1.45 ± 0.23		5.37 ± 0.86		Yes	25.90 ± 1.74		95.83 ± 6.44	Yes	
	1/20/2021	1.11 ± 0.18		4.11 ± 0.67		Yes	27.70 ± 1.24		102.49 ± 4.59	Yes	
	1/27/2021	1.73 ± 0.22		6.40 ± 0.80		Yes	29.50 ± 1.61		109.15 ± 5.96	Yes	
	2/3/2021	1.33 ± 0.20		4.92 ± 0.73		Yes	17.10 ± 1.36		63.27 ± 5.03	Yes	
	2/10/2021	0.83 ± 0.15		3.08 ± 0.56		Yes	14.90 ± 1.29		55.13 ± 4.77	Yes	
	2/17/2021	-1.29 ± 0.09		-4.77 ± 0.33		No	26.80 ± 1.85		99.16 ± 6.85	Yes	
	2/24/2021	0.63 ± 0.21		2.32 ± 0.77		Yes	4.38 ± 0.94		16.21 ± 3.49	Yes	
	3/3/2021	1.11 ± 0.22		4.11 ± 0.83		Yes	9.85 ± 1.14		36.45 ± 4.22	Yes	
	3/10/2021	1.65 ± 0.27		6.11 ± 1.00		Yes	33.60 ± 1.44		124.32 ± 5.33	Yes	
	3/17/2021	1.85 ± 0.28		6.85 ± 1.02		Yes	24.20 ± 1.24		89.54 ± 4.59	Yes	
	3/24/2021	1.32 ± 0.25		4.88 ± 0.91		Yes	18.10 ± 1.07		66.97 ± 3.96	Yes	
	3/31/2021	0.97 ± 0.21		3.58 ± 0.78		Yes	16.00 ± 1.01		59.20 ± 3.74	Yes	
JACKSON	1/6/2021	2.57 ± 0.31		9.51 ± 1.13		Yes	16.40 ± 1.42		60.68 ± 5.25	Yes	
	1/13/2021	0.09 ± 0.14		0.33 ± 0.50		No	3.51 ± 1.47		12.99 ± 5.44	No	
	1/20/2021	0.32 ± 0.15		1.17 ± 0.57		No	20.10 ± 1.32		74.37 ± 4.88	Yes	
	1/27/2021	1.16 ± 0.20		4.29 ± 0.73		Yes	29.80 ± 1.77		110.26 ± 6.55	Yes	
	2/3/2021	0.91 ± 0.18		3.37 ± 0.66		Yes	30.90 ± 1.59		114.33 ± 5.88	Yes	
	2/10/2021	0.54 ± 0.13		2.01 ± 0.49		Yes	17.30 ± 1.42		64.01 ± 5.25	Yes	
	2/17/2021	-0.87 ± 0.14		-3.23 ± 0.52		No	23.20 ± 1.86		85.84 ± 6.88	Yes	
	2/24/2021	0.48 ± 0.20		1.76 ± 0.74		No	7.07 ± 1.05		26.16 ± 3.89	Yes	
	3/3/2021	0.34 ± 0.16		1.26 ± 0.59		No	4.42 ± 1.05		16.35 ± 3.89	Yes	
	3/10/2021	1.40 ± 0.25		5.18 ± 0.92		Yes	28.60 ± 1.32		105.82 ± 4.88	Yes	
	3/17/2021	0.17 ± 0.14		0.63 ± 0.51		No	-0.89 ± 0.53		-3.29 ± 1.98	No	
	3/24/2021	0.86 ± 0.26		3.19 ± 0.94		Yes	25.00 ± 1.40		92.50 ± 5.18	Yes	
	3/31/2021	1.18 ± 0.26		4.37 ± 0.95		Yes	20.30 ± 1.25		75.11 ± 4.63	Yes	
SUGAR CITY	1/6/2021	0.88 ± 0.24		3.24 ± 0.88		Yes	18.10 ± 1.42		66.97 ± 5.25	Yes	
	1/12/2021	0.80 ± 0.20		2.97 ± 0.74		Yes	32.70 ± 1.87		120.99 ± 6.92	Yes	
	1/20/2021	0.33 ± 0.13		1.24 ± 0.50		No	23.50 ± 1.20		86.95 ± 4.44	Yes	
	1/27/2021	0.59 ± 0.14		2.20 ± 0.52		Yes	28.60 ± 1.56		105.82 ± 5.77	Yes	
	2/3/2021	0.61 ± 0.15		2.27 ± 0.56		Yes	22.70 ± 1.42		83.99 ± 5.25	Yes	
	2/10/2021	0.57 ± 0.13		2.09 ± 0.48		Yes	18.40 ± 1.35		68.08 ± 5.00	Yes	
	2/17/2021	2.22 ± 0.32		8.21 ± 1.17		Yes	23.70 ± 1.72		87.69 ± 6.36	Yes	
	2/24/2021	0.29 ± 0.17		1.06 ± 0.63		No	6.53 ± 1.00		24.16 ± 3.70	Yes	
	3/3/2021	0.24 ± 0.14		0.88 ± 0.51		No	8.41 ± 1.06		31.12 ± 3.92	Yes	
	3/10/2021	1.05 ± 0.22		3.89 ± 0.81		Yes	28.10 ± 1.28		103.97 ± 4.74	Yes	
	3/17/2021	0.57 ± 0.19		2.12 ± 0.70		Yes	24.10 ± 1.24		89.17 ± 4.59	Yes	
	3/24/2021	0.54 ± 0.20		1.98 ± 0.73		No	18.90 ± 1.11		69.93 ± 4.11	Yes	
	3/31/2021	0.73 ± 0.20		2.71 ± 0.73		Yes	14.70 ± 0.99		54.39 ± 3.67	Yes	
INL SITE											
EFS	1/6/2021	3.17 ± 0.34		11.73 ± 1.25		Yes	37.70 ± 1.72		139.49 ± 6.36	Yes	
	1/13/2021	1.51 ± 0.23		5.59 ± 0.83		Yes	49.40 ± 1.88		182.78 ± 6.96	Yes	
	1/20/2021	0.39 ± 0.16		1.44 ± 0.58		No	29.70 ± 1.44		109.89 ± 5.33	Yes	
	1/27/2021	1.08 ± 0.19		4.00 ± 0.70		Yes	31.40 ± 1.75		116.18 ± 6.48	Yes	
	2/3/2021	0.63 ± 0.15		2.35 ± 0.56		Yes	21.80 ± 1.40		80.66 ± 5.18	Yes	
	2/10/2021	0.32 ± 0.11		1.18 ± 0.39		Yes	7.72 ± 1.23		28.56 ± 4.55	Yes	
	2/17/2021	2.35 ± 0.33		8.70 ± 1.22		Yes	30.20 ± 1.83		111.74 ± 6.77	Yes	
	2/24/2021	0.36 ± 0.18		1.34 ± 0.66		No	8.97 ± 1.05		33.19 ± 3.89	Yes	
	3/3/2021	0.23 ± 0.13		0.84 ± 0.50		No	10.60 ± 1.08		39.22 ± 4.00	Yes	
	3/10/2021	0.00 ± 0.12		-0.01 ± 0.43		No	0.39 ± 0.57		1.44 ± 2.11	No	
	3/17/2021	0.94 ± 0.22		3.49 ± 0.82		Yes	25.50 ± 1.29		94.35 ± 4.77	Yes	
	3/24/2021	0.25 ± 0.17		0.94 ± 0.63		No	19.20 ± 1.11		71.04 ± 4.11	Yes	
	3/31/2021	0.57 ± 0.18		2.11 ± 0.68		Yes	15.30 ± 1.01		56.61 ± 3.74	Yes	
MAIN GATE	1/6/2021	3.38 ± 0.32		12.51 ± 1.18		Yes	35.00 ± 1.54		129.50 ± 5.70	Yes	

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
a	1/13/2021	0.90 ± 0.19	3.32 ± 0.69	Yes	28.50 ± 1.65	105.45 ± 6.11	Yes		
	1/20/2021	±	±	No	±	±	No		
	1/27/2021	2.06 ± 0.24	7.62 ± 0.90	Yes	53.10 ± 1.95	196.47 ± 7.22	Yes		
	2/3/2021	0.65 ± 0.14	2.39 ± 0.53	Yes	22.10 ± 1.32	81.77 ± 4.88	Yes		
	2/10/2021	0.78 ± 0.16	2.89 ± 0.57	Yes	12.60 ± 1.38	46.62 ± 5.11	Yes		
	2/17/2021	1.22 ± 0.32	4.51 ± 1.17	Yes	38.20 ± 2.14	141.34 ± 7.92	Yes		
	2/24/2021	0.44 ± 0.20	1.64 ± 0.74	No	8.57 ± 1.12	31.71 ± 4.14	Yes		
	3/3/2021	0.47 ± 0.17	1.73 ± 0.64	No	11.00 ± 1.18	40.70 ± 4.37	Yes		
	3/10/2021	0.71 ± 0.20	2.63 ± 0.75	Yes	35.80 ± 1.47	132.46 ± 5.44	Yes		
	3/17/2021	0.99 ± 0.23	3.66 ± 0.85	Yes	29.80 ± 1.38	110.26 ± 5.11	Yes		
	3/24/2021	0.74 ± 0.22	2.73 ± 0.81	Yes	21.90 ± 1.21	81.03 ± 4.48	Yes		
	3/31/2021	0.61 ± 0.18	2.24 ± 0.67	Yes	16.00 ± 1.00	59.20 ± 3.68	Yes		
	VAN BUREN GATE	1/6/2021	2.47 ± 0.30	9.14 ± 1.12	Yes	29.60 ± 1.56	109.52 ± 5.77	Yes	
1/13/2021	0.87 ± 0.19	3.22 ± 0.68	Yes	28.20 ± 1.64	104.34 ± 6.07	Yes			
1/20/2021	0.04 ± 0.13	0.14 ± 0.46	No	24.40 ± 1.34	90.28 ± 4.96	Yes			
1/27/2021	1.05 ± 0.19	3.89 ± 0.68	Yes	42.40 ± 1.83	156.88 ± 6.77	Yes			
2/3/2021	0.63 ± 0.15	2.32 ± 0.55	Yes	-12.50 ± 0.85	-46.25 ± 3.13	No			
2/10/2021	0.60 ± 0.13	2.21 ± 0.48	Yes	13.30 ± 1.28	49.21 ± 4.74	Yes			
2/17/2021	1.59 ± 0.30	5.88 ± 1.11	Yes	29.80 ± 1.84	110.26 ± 6.81	Yes			
2/24/2021	0.28 ± 0.17	1.05 ± 0.63	No	8.21 ± 1.05	30.38 ± 3.89	Yes			
3/3/2021	-0.08 ± 0.09	-0.30 ± 0.32	No	-3.53 ± 0.74	-13.06 ± 2.74	No			
3/10/2021	0.81 ± 0.20	3.00 ± 0.75	Yes	29.00 ± 1.31	107.30 ± 4.85	Yes			
3/17/2021	0.63 ± 0.22	2.33 ± 0.83	No	22.10 ± 1.37	81.77 ± 5.07	Yes			
3/24/2021	0.55 ± 0.18	2.04 ± 0.65	Yes	16.70 ± 0.96	61.79 ± 3.57	Yes			
3/31/2021	0.56 ± 0.17	2.07 ± 0.64	Yes	15.40 ± 0.96	56.98 ± 3.56	Yes			

a. Invalid sample result shown in red

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
BOUNDARY								
ARCO	01/06/21	1.00	\pm	1.48	3.70	\pm	5.48	No
	01/13/21	-3.89	\pm	2.37	-14.39	\pm	8.77	No
	01/20/21	1.15	\pm	2.75	4.26	\pm	10.18	No
	01/27/21	2.28	\pm	1.72	8.44	\pm	6.36	No
	02/03/21	3.66	\pm	2.14	13.54	\pm	7.92	No
	02/10/21	-2.12	\pm	2.52	-7.84	\pm	9.32	No
	02/17/21	2.79	\pm	2.06	10.32	\pm	7.62	No
	02/24/21	0.68	\pm	1.44	2.53	\pm	5.33	No
	03/03/21	-0.19	\pm	1.42	-0.69	\pm	5.25	No
	03/10/21	-4.06	\pm	2.34	-15.02	\pm	8.66	No
	03/17/21	0.89	\pm	2.10	3.30	\pm	7.77	No
	03/24/21	1.75	\pm	2.31	6.48	\pm	8.55	No
	03/31/21	-3.44	\pm	2.27	-12.73	\pm	8.40	No
QA-1 (ARCO)	01/06/21	1.02	\pm	1.51	3.77	\pm	5.59	No
	01/13/21	-3.79	\pm	2.30	-14.02	\pm	8.51	No
	01/20/21	1.00	\pm	2.39	3.70	\pm	8.84	No
	01/27/21	2.00	\pm	1.51	7.40	\pm	5.59	No
	02/03/21	3.35	\pm	1.96	12.40	\pm	7.25	No
	02/10/21	-1.86	\pm	2.22	-6.88	\pm	8.21	No
	02/17/21	2.55	\pm	1.89	9.44	\pm	6.99	No
	02/24/21	0.64	\pm	1.34	2.35	\pm	4.96	No
	03/03/21	-0.17	\pm	1.34	-0.64	\pm	4.96	No
	03/10/21	-4.18	\pm	2.40	-15.47	\pm	8.88	No
	03/17/21	0.93	\pm	2.18	3.43	\pm	8.07	No
	03/24/21	1.61	\pm	2.13	5.96	\pm	7.88	No
	03/31/21	-3.20	\pm	2.11	-11.84	\pm	7.81	No
ATOMIC CITY	01/06/21	0.88	\pm	1.31	3.27	\pm	4.85	No
	01/13/21	-3.17	\pm	1.93	-11.73	\pm	7.14	No
	01/20/21	0.97	\pm	2.30	3.57	\pm	8.51	No
	01/27/21	2.00	\pm	1.51	7.40	\pm	5.59	No
	02/03/21	3.17	\pm	1.85	11.73	\pm	6.85	No
	02/10/21	-2.12	\pm	2.52	-7.84	\pm	9.32	No
	02/17/21	2.91	\pm	2.15	10.77	\pm	7.96	No
	02/24/21	0.64	\pm	1.34	2.35	\pm	4.96	No
	03/03/21	-0.17	\pm	1.31	-0.63	\pm	4.85	No
	03/10/21	-3.72	\pm	2.14	-13.76	\pm	7.92	No
	03/17/21	0.91	\pm	2.13	3.35	\pm	7.88	No
	03/24/21	1.55	\pm	2.04	5.74	\pm	7.55	No
	03/31/21	-3.11	\pm	2.05	-11.51	\pm	7.59	No
BLUE DOME	01/06/21	-0.03	\pm	1.28	-0.11	\pm	4.74	No
	01/12/21	-1.61	\pm	1.39	-5.96	\pm	5.14	No
	01/20/21	1.11	\pm	1.28	4.11	\pm	4.74	No
	01/27/21	-1.16	\pm	1.22	-4.29	\pm	4.51	No
	02/03/21	0.93	\pm	1.16	3.44	\pm	4.29	No
	02/10/21	-0.32	\pm	1.28	-1.17	\pm	4.74	No
	02/17/21	2.24	\pm	1.25	8.29	\pm	4.63	No
	02/24/21	2.24	\pm	1.29	8.29	\pm	4.77	No
	03/03/21	0.72	\pm	1.29	2.68	\pm	4.77	No
	03/10/21	0.57	\pm	1.31	2.12	\pm	4.85	No
	03/17/21	1.36	\pm	1.26	5.03	\pm	4.66	No

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s
FAA TOWER	03/24/21	-0.35	± 1.24	-1.28	± 4.59	No
	03/31/21	-0.20	± 1.04	-0.73	± 3.85	No
FAA TOWER	01/06/21	-0.03	± 1.31	-0.12	± 4.85	No
	01/13/21	-1.42	± 1.23	-5.25	± 4.55	No
	01/20/21	1.32	± 1.52	4.88	± 5.62	No
	01/27/21	-1.22	± 1.28	-4.51	± 4.74	No
	02/03/21	0.94	± 1.17	3.47	± 4.33	No
	02/10/21	-0.33	± 1.36	-1.24	± 5.03	No
	02/17/21	2.34	± 1.31	8.66	± 4.85	No
	02/24/21	2.30	± 1.32	8.51	± 4.88	No
	03/03/21	0.75	± 1.34	2.78	± 4.96	No
	03/10/21	0.60	± 1.37	2.22	± 5.07	No
	03/17/21	1.45	± 1.35	5.37	± 5.00	No
	03/24/21	-0.35	± 1.26	-1.30	± 4.66	No
	03/31/21	-0.20	± 1.05	-0.74	± 3.89	No
	HOWE	01/06/21	-0.03	± 1.40	-0.13	± 5.18
01/12/21		-1.78	± 1.54	-6.59	± 5.70	No
01/20/21		1.09	± 1.25	4.03	± 4.63	No
01/27/21		-1.26	± 1.32	-4.66	± 4.88	No
02/03/21		0.96	± 1.21	3.56	± 4.48	No
02/10/21		-0.33	± 1.36	-1.23	± 5.03	No
02/17/21		2.37	± 1.32	8.77	± 4.88	No
02/24/21		2.40	± 1.38	8.88	± 5.11	No
03/03/21		0.78	± 1.39	2.90	± 5.14	No
03/10/21		0.58	± 1.32	2.15	± 4.88	No
03/17/21		1.39	± 1.29	5.14	± 4.77	No
03/24/21		-0.35	± 1.26	-1.30	± 4.66	No
03/31/21		-0.20	± 1.06	-0.74	± 3.92	No
MONTEVIEW		01/06/21	-0.03	± 1.31	-0.12	± 4.85
	01/12/21	-1.60	± 1.38	-5.92	± 5.11	No
	01/20/21	1.29	± 1.49	4.77	± 5.51	No
	01/27/21	-0.80	± 0.84	-2.97	± 3.11	No
	02/03/21	0.96	± 1.21	3.56	± 4.48	No
	02/10/21	-0.36	± 1.46	-1.32	± 5.40	No
	02/17/21	2.52	± 1.41	9.32	± 5.22	No
	02/24/21	2.41	± 1.39	8.92	± 5.14	No
	03/03/21	0.81	± 1.44	3.00	± 5.33	No
	03/10/21	0.58	± 1.32	2.13	± 4.88	No
	03/17/21	1.38	± 1.28	5.11	± 4.74	No
	03/24/21	-0.35	± 1.26	-1.30	± 4.66	No
	03/31/21	-0.20	± 1.05	-0.73	± 3.89	No
	MUD LAKE	01/06/21	-0.03	± 1.32	-0.12	± 4.88
01/12/21		-1.66	± 1.43	-6.14	± 5.29	No
01/20/21		1.08	± 1.24	4.00	± 4.59	No
01/27/21		-1.15	± 1.21	-4.26	± 4.48	No
02/03/21		0.93	± 1.16	3.43	± 4.29	No
02/10/21		-0.33	± 1.34	-1.22	± 4.96	No
02/17/21		2.26	± 1.26	8.36	± 4.66	No
02/24/21		2.24	± 1.29	8.29	± 4.77	No
03/03/21		0.73	± 1.29	2.69	± 4.77	No
03/10/21		0.57	± 1.30	2.11	± 4.81	No

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)		Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)		Result > 3s
	03/17/21	1.39	\pm 1.28	5.14	\pm 4.74	No
	03/24/21	-0.36	\pm 1.29	-1.33	\pm 4.77	No
	03/31/21	-0.20	\pm 1.06	-0.74	\pm 3.92	No
QA-2 (MUD LAKE)	01/06/21	-0.03	\pm 1.30	-0.12	\pm 4.81	No
	01/12/21	-1.64	\pm 1.42	-6.07	\pm 5.25	No
	01/20/21	1.06	\pm 1.22	3.92	\pm 4.51	No
	01/27/21	-1.18	\pm 1.23	-4.37	\pm 4.55	No
	02/03/21	1.01	\pm 1.27	3.74	\pm 4.70	No
	02/10/21	-0.34	\pm 1.38	-1.25	\pm 5.11	No
	02/17/21	2.43	\pm 1.36	8.99	\pm 5.03	No
	02/24/21	2.32	\pm 1.33	8.58	\pm 4.92	No
	03/03/21	0.77	\pm 1.36	2.83	\pm 5.03	No
	03/10/21	0.58	\pm 1.32	2.13	\pm 4.88	No
	03/17/21	1.45	\pm 1.34	5.37	\pm 4.96	No
	03/24/21	-0.37	\pm 1.31	-1.35	\pm 4.85	No
	03/31/21	-0.19	\pm 1.02	-0.71	\pm 3.77	No
DISTANT						
BLACKFOOT	01/06/21	0.92	\pm 1.36	3.39	\pm 5.03	No
	01/13/21	-3.27	\pm 1.99	-12.10	\pm 7.36	No
	01/20/21	1.05	\pm 2.50	3.89	\pm 9.25	No
	01/27/21	1.71	\pm 1.29	6.33	\pm 4.77	No
	02/03/21	3.43	\pm 2.00	12.69	\pm 7.40	No
	02/10/21	-1.95	\pm 2.33	-7.22	\pm 8.62	No
	02/17/21	2.56	\pm 1.89	9.47	\pm 6.99	No
	02/24/21	0.61	\pm 1.28	2.25	\pm 4.74	No
	03/03/21	-0.17	\pm 1.31	-0.63	\pm 4.85	No
	03/10/21	-3.95	\pm 2.27	-14.62	\pm 8.40	No
	03/17/21	0.93	\pm 2.18	3.42	\pm 8.07	No
	03/24/21	1.64	\pm 2.17	6.07	\pm 8.03	No
	03/31/21	-3.26	\pm 2.15	-12.06	\pm 7.96	No
CRATERS OF THE MOON	01/06/21	1.00	\pm 1.49	3.70	\pm 5.51	No
	01/13/21	-3.25	\pm 1.97	-12.03	\pm 7.29	No
	01/20/21	1.29	\pm 3.06	4.77	\pm 11.32	No
	01/27/21	3.87	\pm 2.92	14.32	\pm 10.80	No
	02/03/21	3.94	\pm 2.30	14.58	\pm 8.51	No
	02/10/21	-2.39	\pm 2.84	-8.84	\pm 10.51	No
	02/17/21	2.95	\pm 2.18	10.92	\pm 8.07	No
	02/24/21	0.74	\pm 1.56	2.75	\pm 5.77	No
	03/03/21	-0.20	\pm 1.51	-0.73	\pm 5.59	No
	03/10/21	-4.30	\pm 2.48	-15.91	\pm 9.18	No
	03/17/21	0.91	\pm 2.15	3.38	\pm 7.96	No
	03/24/21	1.85	\pm 2.45	6.85	\pm 9.07	No
	03/31/21	-3.38	\pm 2.23	-12.51	\pm 8.25	No
DUBOIS	01/06/21	-0.03	\pm 1.27	-0.11	\pm 4.70	No
	01/12/21	-1.60	\pm 1.38	-5.92	\pm 5.11	No
	01/20/21	1.09	\pm 1.25	4.03	\pm 4.63	No
	01/27/21	-1.16	\pm 1.21	-4.29	\pm 4.48	No
	02/03/21	0.93	\pm 1.16	3.43	\pm 4.29	No
	02/10/21	-0.32	\pm 1.30	-1.18	\pm 4.81	No
	02/17/21	2.18	\pm 1.22	8.07	\pm 4.51	No
	02/24/21	2.26	\pm 1.30	8.36	\pm 4.81	No

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
	03/03/21	0.71	\pm	1.27	2.64	\pm	4.70	No
	03/10/21	0.57	\pm	1.29	2.09	\pm	4.77	No
	03/17/21	1.27	\pm	1.17	4.70	\pm	4.33	No
	03/24/21	-0.34	\pm	1.20	-1.24	\pm	4.44	No
	03/31/21	-0.18	\pm	0.96	-0.67	\pm	3.54	No
IDAHO FALLS	01/06/21	-0.03	\pm	1.42	-0.13	\pm	5.25	No
	01/12/21	-1.57	\pm	1.36	-5.81	\pm	5.03	No
	01/20/21	1.05	\pm	1.21	3.89	\pm	4.48	No
	01/27/21	-1.13	\pm	1.19	-4.18	\pm	4.40	No
	02/03/21	0.94	\pm	1.17	3.46	\pm	4.33	No
	02/10/21	-0.31	\pm	1.27	-1.16	\pm	4.70	No
	02/17/21	2.39	\pm	1.34	8.84	\pm	4.96	No
	02/24/21	2.27	\pm	1.31	8.40	\pm	4.85	No
	03/03/21	0.76	\pm	1.35	2.80	\pm	5.00	No
	03/10/21	0.60	\pm	1.38	2.23	\pm	5.11	No
JACKSON	03/17/21	1.28	\pm	1.19	4.74	\pm	4.40	No
	03/24/21	-0.32	\pm	1.17	-1.20	\pm	4.33	No
	03/31/21	-0.19	\pm	0.99	-0.69	\pm	3.64	No
	01/06/21	0.99	\pm	1.47	3.67	\pm	5.44	No
	01/13/21	-3.76	\pm	2.29	-13.91	\pm	8.47	No
	01/20/21	1.04	\pm	2.47	3.85	\pm	9.14	No
	01/27/21	2.13	\pm	1.61	7.88	\pm	5.96	No
	02/03/21	3.44	\pm	2.01	12.73	\pm	7.44	No
	02/10/21	-2.04	\pm	2.43	-7.55	\pm	8.99	No
	02/17/21	2.88	\pm	2.13	10.66	\pm	7.88	No
SUGAR CITY	02/24/21	0.66	\pm	1.39	2.45	\pm	5.14	No
	03/03/21	-0.19	\pm	1.47	-0.71	\pm	5.44	No
	03/10/21	-3.89	\pm	2.24	-14.39	\pm	8.29	No
	03/17/21	0.88	\pm	2.06	3.24	\pm	7.62	No
	03/24/21	1.95	\pm	2.58	7.22	\pm	9.55	No
	03/31/21	-3.67	\pm	2.42	-13.58	\pm	8.95	No
	01/06/21	-0.03	\pm	1.34	-0.12	\pm	4.96	No
	01/12/21	-1.64	\pm	1.42	-6.07	\pm	5.25	No
	01/20/21	1.08	\pm	1.24	4.00	\pm	4.59	No
	01/27/21	-1.11	\pm	1.17	-4.11	\pm	4.33	No
INL SITE	02/03/21	0.93	\pm	1.17	3.45	\pm	4.33	No
	02/10/21	-0.32	\pm	1.29	-1.17	\pm	4.77	No
	02/17/21	2.23	\pm	1.25	8.25	\pm	4.63	No
	02/24/21	2.31	\pm	1.33	8.55	\pm	4.92	No
	03/03/21	0.74	\pm	1.31	2.73	\pm	4.85	No
	03/10/21	0.56	\pm	1.29	2.09	\pm	4.77	No
	03/17/21	1.36	\pm	1.26	5.03	\pm	4.66	No
	03/24/21	-0.35	\pm	1.26	-1.30	\pm	4.66	No
	03/31/21	-0.19	\pm	1.02	-0.71	\pm	3.77	No
	EFS	01/06/21	1.01	\pm	1.51	3.74	\pm	5.59
01/13/21		-3.34	\pm	2.03	-12.36	\pm	7.51	No
01/20/21		1.02	\pm	2.43	3.77	\pm	8.99	No
01/27/21		2.08	\pm	1.57	7.70	\pm	5.81	No
02/03/21		3.23	\pm	1.89	11.95	\pm	6.99	No
02/10/21		-1.95	\pm	2.32	-7.22	\pm	8.58	No

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
	02/17/21	2.62	±	1.94	9.69	±	7.18	No
	02/24/21	0.63	±	1.32	2.31	±	4.88	No
	03/03/21	-0.17	±	1.31	-0.63	±	4.85	No
	03/10/21	-4.16	±	2.39	-15.39	±	8.84	No
	03/17/21	0.90	±	2.12	3.33	±	7.84	No
	03/24/21	1.64	±	2.17	6.07	±	8.03	No
	03/31/21	-3.15	±	2.08	-11.66	±	7.70	No
MAIN GATE	01/06/21	0.89	±	1.33	3.31	±	4.92	No
	01/13/21	-3.33	±	2.03	-12.32	±	7.51	No
a	01/20/21		±			±		No
	01/27/21	2.01	±	1.51	7.44	±	5.59	No
	02/03/21	2.98	±	1.74	11.03	±	6.44	No
	02/10/21	-2.06	±	2.46	-7.62	±	9.10	No
	02/17/21	3.02	±	2.23	11.17	±	8.25	No
	02/24/21	0.68	±	1.44	2.53	±	5.33	No
	03/03/21	-0.19	±	1.45	-0.70	±	5.37	No
	03/10/21	-4.12	±	2.37	-15.24	±	8.77	No
	03/17/21	0.92	±	2.15	3.39	±	7.96	No
	03/24/21	1.67	±	2.21	6.18	±	8.18	No
	03/31/21	-2.99	±	1.97	-11.06	±	7.29	No
VAN BUREN GATE	01/06/21	0.97	±	1.43	3.57	±	5.29	No
	01/13/21	-3.32	±	2.02	-12.28	±	7.47	No
	01/20/21	1.00	±	2.38	3.70	±	8.81	No
	01/27/21	2.02	±	1.52	7.47	±	5.62	No
	02/03/21	3.29	±	1.92	12.17	±	7.10	No
	02/10/21	-1.88	±	2.24	-6.96	±	8.29	No
	02/17/21	2.67	±	1.97	9.88	±	7.29	No
	02/24/21	0.64	±	1.34	2.36	±	4.96	No
	03/03/21	-0.18	±	1.34	-0.65	±	4.96	No
	03/10/21	-3.88	±	2.23	-14.36	±	8.25	No
	03/17/21	1.10	±	2.59	4.07	±	9.58	No
	03/24/21	1.38	±	1.83	5.11	±	6.77	No
	03/31/21	-2.93	±	1.93	-10.84	±	7.14	No

a. Invalid sample result shown in red

Table C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
BOUNDARY									
ARCO	3/31/2021	AMERICIUM-241	1.15	±	1.28	4.26	±	4.74	No
		CESIUM-137	13.30	±	183.00	49.21	±	677.10	No
		PLUTONIUM-238	1.11	±	1.04	4.11	±	3.85	No
		PLUTONIUM-239/240	1.11	±	1.11	4.11	±	4.11	No
QA-1 (ARCO)	3/31/2021	AMERICIUM-241	0.96	±	1.18	3.55	±	4.37	No
		CESIUM-137	-59.80	±	116.00	-221.26	±	429.20	No
		PLUTONIUM-238	1.69	±	0.98	6.25	±	3.61	No
		PLUTONIUM-239/240	1.12	±	0.79	4.14	±	2.94	No
ATOMIC CITY	3/31/2021	AMERICIUM-241	1.79	±	1.26	6.62	±	4.66	No
		CESIUM-137	-271.00	±	159.00	-1002.70	±	588.30	No
		PLUTONIUM-238	0.27	±	0.72	1.01	±	2.66	No
		PLUTONIUM-239/240	2.17	±	1.02	8.03	±	3.77	No
BLUE DOME	3/31/2021	CESIUM-137	-290.00	±	159.00	-1073.00	±	588.30	No
		STRONTIUM-90	15.60	±	10.90	57.72	±	40.33	No
FAA TOWER	3/31/2021	CESIUM-137	-217.00	±	162.00	-802.90	±	599.40	No
HOWE	3/31/2021	CESIUM-137	-117.00	±	157.00	-432.90	±	580.90	No
		STRONTIUM-90	58.90	±	9.16	217.93	±	33.89	Yes
MONTEVIEW	3/31/2021	CESIUM-137	240.00	±	136.00	888.00	±	503.20	No
MUD LAKE	3/31/2021	CESIUM-137	-88.30	±	113.00	-326.71	±	418.10	No
		STRONTIUM-90	192.00	±	11.60	710.40	±	42.92	Yes
QA-2 (MUD LAKE)	3/31/2021	CESIUM-137	-152.00	±	179.00	-562.40	±	662.30	No
		STRONTIUM-90	214.00	±	11.50	791.80	±	42.55	Yes
DISTANT									
BLACKFOOT	3/31/2021	CESIUM-137	-79.30	±	150.00	-293.41	±	555.00	No
CRATERS	3/31/2021	CESIUM-137	-3.42	±	150.00	-12.65	±	555.00	No

Table C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
DUBOIS	3/31/2021	CESIUM-137	-191.00	±	173.00	-706.70	±	640.10	No
		STRONTIUM-90	48.80	±	7.37	180.56	±	27.27	Yes
IDAHO FALLS	3/31/2021	CESIUM-137	-23.90	±	174.00	-88.43	±	643.80	No
JACKSON	3/31/2021	AMERICIUM-241	0.89	±	0.98	3.29	±	3.63	No
		CESIUM-137	42.40	±	190.00	156.88	±	703.00	No
		PLUTONIUM-238	0.75	±	1.06	2.78	±	3.92	No
		PLUTONIUM-239/240	1.12	±	1.24	4.14	±	4.59	No
SUGAR CITY	3/31/2021	AMERICIUM-241	-0.42	±	1.10	-1.54	±	4.07	No
		CESIUM-137	-61.30	±	176.00	-226.81	±	651.20	No
		PLUTONIUM-238	0.71	±	0.85	2.62	±	3.15	No
		PLUTONIUM-239/240	0.00	±	0.82	0.00	±	3.02	No
INL SITE									
EFS	3/31/2021	CESIUM-137	-94.80	±	116.00	-350.76	±	429.20	No
		STRONTIUM-90	9.91	±	9.61	36.67	±	35.56	No
MAIN GATE	3/31/2021	CESIUM-137	-204.00	±	173.00	-754.80	±	640.10	No
		STRONTIUM-90	50.20	±	12.00	185.74	±	44.40	Yes
VAN BUREN GATE	3/31/2021	AMERICIUM-241	0.00	±	1.27	0.00	±	4.70	No
		CESIUM-137	1.94	±	177.00	7.18	±	654.90	No
		PLUTONIUM-238	-0.24	±	0.64	-0.89	±	2.36	No
		PLUTONIUM-239/240	1.44	±	0.83	5.33	±	3.08	No

Table C-4. Tritium Concentrations in Atmospheric Moisture

Sampling Group and Location	Start Date	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(x 10 ⁻¹³ μCi/mL _{air})			(x 10 ⁻⁹ Bq/mL _{air})			
BOUNDARY									
ATOMIC CITY	11/12/20	02/17/21	6.33	±	1.19	23.42	±	4.40	Yes
HOWE	12/09/20	01/27/21	4.46	±	0.97	16.50	±	3.58	Yes
HOWE	01/27/21	03/24/21	1.38	±	0.76	5.11	±	2.80	No
DISTANT									
IDAHO FALLS	12/23/20	02/03/21	5.59	±	0.94	20.68	±	3.47	Yes
IDAHO FALLS	02/03/21	03/10/21	0.16	±	0.73	0.60	±	2.69	No
INL SITE									
EFS	12/09/20	01/27/21	5.85	±	1.07	21.65	±	3.96	Yes
EFS	01/27/21	03/10/21	0.64	±	0.79	2.38	±	2.90	No

Table C-5. Monthly and Weekly Tritium Concentrations in Precipitation

Location	Start Date	End Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
BOUNDARY									
ATOMIC CITY	12/30/20	01/06/21	-63.40	±	22.30	-2.35	±	0.83	No
ATOMIC CITY	01/20/21	01/27/21	63.70	±	24.70	2.36	±	0.91	No
ATOMIC CITY	01/27/21	02/03/21	92.20	±	33.10	3.41	±	1.22	No
ATOMIC CITY	03/17/21	03/24/21	150.00	±	32.70	5.55	±	1.21	Yes
HOWE	12/30/20	01/06/21	57.00	±	24.10	2.11	±	0.89	No
HOWE	01/06/21	01/12/21	-27.10	±	23.20	-1.00	±	0.86	No
HOWE	01/12/21	01/20/21	31.30	±	24.00	1.16	±	0.89	No
HOWE	01/20/21	01/27/21	64.20	±	24.40	2.38	±	0.90	No
HOWE	01/27/21	02/03/21	107.00	±	31.40	3.96	±	1.16	Yes
HOWE	03/17/21	03/24/21	60.00	±	31.60	2.22	±	1.17	No
HOWE	03/24/21	03/31/21	191.00	±	32.90	7.07	±	1.22	Yes
DISTANT									
IDAHO FALLS	12/31/20	01/29/21	65.10	±	24.20	2.41	±	0.90	No
IDAHO FALLS	02/01/21	02/26/21	75.30	±	31.20	2.79	±	1.15	No
IDAHO FALLS	03/01/21	03/31/21	165.00	±	32.30	6.11	±	1.20	Yes
INL SITE									
EFS	12/30/20	01/06/21	51.20	±	23.90	1.89	±	0.88	No
EFS	01/06/21	01/13/21	171.00	±	25.40	6.33	±	0.94	Yes
EFS	01/20/21	01/27/21	125.00	±	25.00	4.63	±	0.93	Yes
EFS	01/27/21	02/03/21	262.00	±	45.70	9.69	±	1.69	Yes
EFS	02/10/21	02/17/21	116.00	±	44.70	4.29	±	1.65	No
EFS	02/17/21	02/24/21	144.00	±	44.90	5.33	±	1.66	Yes
EFS	03/17/21	03/24/21	36.90	±	32.80	1.37	±	1.21	No
EFS	03/24/21	03/31/21	143.00	±	32.10	5.29	±	1.19	Yes

Table C-6. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

Location	Sampling Date	Iodine-131						Cesium-137								
		Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)			Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)			Result > 3s		
CONTROL	01/05/21	0.48	±	0.72	0.02	±	0.03	No	-1.00	±	0.98	-0.04	±	0.04	No	
	02/01/21	-0.25	±	1.74	-0.01	±	0.06	No	0.36	±	1.00	0.01	±	0.04	No	
	03/01/21	-0.77	±	1.18	-0.03	±	0.04	No	-0.55	±	1.36	-0.02	±	0.05	No	
DIETRICH	01/05/21	0.39	±	1.05	0.01	±	0.04	No	0.62	±	0.65	0.02	±	0.02	No	
	02/02/21	0.63	±	1.78	0.02	±	0.07	No	-0.08	±	1.32	0.00	±	0.05	No	
	03/02/21	0.41	±	1.04	0.02	±	0.04	No	1.39	±	0.68	0.05	±	0.03	No	
HOWE	01/04/21	-0.53	±	1.53	-0.02	±	0.06	No	-1.39	±	1.48	-0.05	±	0.05	No	
	02/01/21	0.97	±	1.15	0.04	±	0.04	No	1.16	±	1.42	0.04	±	0.05	No	
	03/01/21	-1.25	±	1.17	-0.05	±	0.04	No	0.09	±	1.35	0.00	±	0.05	No	
IDAHO FALLS	01/05/21	1.07	±	1.28	0.04	±	0.05	No	0.18	±	0.63	0.01	±	0.02	No	
	01/12/21	-0.79	±	1.07	-0.03	±	0.04	No	2.05	±	1.46	0.08	±	0.05	No	
	01/19/21	1.45	±	1.12	0.05	±	0.04	No	1.24	±	1.48	0.05	±	0.05	No	
	01/26/21	0.72	±	1.22	0.03	±	0.05	No	0.72	±	1.05	0.03	±	0.04	No	
	Duplicate	02/02/21	1.96	±	1.46	0.07	±	0.05	No	0.86	±	1.04	0.03	±	0.04	No
		02/02/21	-0.11	±	1.05	0.00	±	0.04	No	0.18	±	0.64	0.01	±	0.02	No
	02/09/21	-0.05	±	0.99	0.00	±	0.04	No	-1.21	±	1.48	-0.04	±	0.05	No	
	02/16/21	-0.81	±	1.09	-0.03	±	0.04	No	1.10	±	1.42	0.04	±	0.05	No	
	03/02/21	0.85	±	1.81	0.03	±	0.07	No	0.94	±	13.50	0.03	±	0.50	No	
	03/09/21	0.65	±	1.14	0.02	±	0.04	No	2.64	±	1.55	0.10	±	0.06	No	
	03/16/21	1.32	±	1.06	0.05	±	0.04	No	2.76	±	1.49	0.10	±	0.06	No	
	03/23/21	0.74	±	1.25	0.03	±	0.05	No	0.27	±	1.03	0.01	±	0.04	No	
	03/30/21	0.24	±	0.97	0.01	±	0.04	No	-1.28	±	1.50	-0.05	±	0.06	No	
MINIDOKA	01/05/21	-1.76	±	1.15	-0.07	±	0.04	No	-0.77	±	1.49	-0.03	±	0.06	No	
	Duplicate	01/05/21	-0.33	±	1.39	-0.01	±	0.05	No	-0.29	±	1.02	-0.01	±	0.04	No
		02/02/21	0.19	±	1.31	0.01	±	0.05	No	1.13	±	1.06	0.04	±	0.04	No
	03/02/21	-1.13	±	1.42	-0.04	±	0.05	No	0.14	±	0.95	0.01	±	0.04	No	
MONTEVIEW	01/05/21	-1.43	±	1.67	-0.05	±	0.06	No	-1.12	±	1.36	-0.04	±	0.05	No	
	02/01/21	2.80	±	1.14	0.10	±	0.04	No	0.06	±	0.61	0.00	±	0.02	No	
	03/01/21	-1.09	±	1.10	-0.04	±	0.04	No	0.66	±	0.66	0.02	±	0.02	No	
TERRETON	01/04/21	-0.86	±	0.99	-0.03	±	0.04	No	-0.02	±	0.62	0.00	±	0.02	No	
	01/12/21	-0.28	±	1.20	-0.01	±	0.04	No	0.78	±	1.04	0.03	±	0.04	No	
	01/20/21	0.64	±	1.48	0.02	±	0.05	No	3.96	±	1.52	0.15	±	0.06	No	
	01/26/21	0.38	±	1.00	0.01	±	0.04	No	0.88	±	1.44	0.03	±	0.05	No	
	02/01/21	-1.26	±	1.00	-0.05	±	0.04	No	0.86	±	0.69	0.03	±	0.03	No	
	02/09/21	0.71	±	1.23	0.03	±	0.05	No	0.29	±	1.02	0.01	±	0.04	No	
	02/17/21	0.32	±	1.48	0.01	±	0.05	No	-0.73	±	1.38	-0.03	±	0.05	No	
	03/01/21	0.00	±	0.97	0.00	±	0.04	No	-0.64	±	0.63	-0.02	±	0.02	No	
	Duplicate	03/01/21	-0.56	±	1.29	-0.02	±	0.05	No	1.84	±	1.08	0.07	±	0.04	No
		03/09/21	-0.73	±	1.35	-0.03	±	0.05	No	-1.12	±	1.05	-0.04	±	0.04	No
		03/17/21	-1.27	±	1.14	-0.05	±	0.04	No	0.91	±	1.02	0.03	±	0.04	No
		03/23/21	-0.82	±	1.16	-0.03	±	0.04	No	-0.14	±	1.02	-0.01	±	0.04	No
		03/31/21	0.50	±	1.21	0.02	±	0.04	No	0.44	±	1.05	0.02	±	0.04	No

INTENTIONALLY BLANK

APPENDIX D
STATISTICAL ANALYSIS RESULTS

Table D-1. Results of the Kruskal-Wallis one-way analysis of variance by ranks between INL Site, Boundary, and Distant sample groups by quarter and by month.

Gross Alpha					
Quarter	Valid N	Sum of ranks	Mean rank	H ^a	p ^b
Boundary	91	10081.50	110.7857		
Distant	78	7899.00	101.2692	2.530045	0.2822
INL Site	38	3547.50	93.3553		
January	Valid N	Sum of ranks	Mean rank	H	p
Boundary	28	968.5000	34.58929		
Distant	24	641.5000	26.72917	3.332227	0.1890
INL Site	11	406.0000	36.90909		
February	Valid N	Sum of ranks	Mean rank	H	p
Boundary	28	922.5000	32.94643		
Distant	24	756.0000	31.50000	0.1171242	0.9431
INL Site	12	401.5000	33.45833		
March	Valid N	Sum of ranks	Mean rank	H	p
Boundary	35	1539.500	43.98571		
Distant	30	1366.500	45.55000	11.43970	0.0033
INL Site	15	334.000	22.26667		
Gross Beta					
Quarter	Valid N	Sum of ranks	Mean rank	H	p
Boundary	91	10482.00	115.1868		
Distant	78	7338.50	94.0833	5.750569	0.0564
INL Site	38	3707.50	97.5658		
January	Valid N	Sum of ranks	Mean rank	H	p
Boundary	28	1084.000	38.71429		
Distant	24	513.500	21.39583	12.98938	0.0015
INL Site	11	418.500	38.04545		
February	Valid N	Sum of ranks	Mean rank	H	p
Boundary	28	1007.000	35.96429		
Distant	24	743.500	30.97917	2.009420	0.3662
INL Site	12	329.500	27.45833		
March	Valid N	Sum of ranks	Mean rank	H	p
Boundary	35	1553.500	44.38571		
Distant	30	1182.000	39.40000	2.355793	0.3079
INL Site	15	504.500	33.63333		

a. H = Kruskal Wallis test statistic calculated using mean ranks. This test assumes H is approximately distributed as χ^2 .

b. A p-value (probability value) greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red.

Table D-2. Basic statistics for gross alpha results for the month of March.

March								
Descriptive Statistics (1st-QTR-21-LVf in 1st-QTR-21_LVf) Include condition: v8='Gross Alpha',v7=3								
	Valid N	Mean	Median	Minimum	Maximum	Lower	Upper	Std.Dev.
ALL	90	0.83651	0.79350	-0.080300	1.88000	0.63000	1.06000	0.370273
Boundary	35	0.85786	0.83400	0.261000	1.53000	0.68900	1.06000	0.273071
Distant	30	0.92430	0.87250	0.17000	1.88000	0.65500	1.17000	0.436277
INL Site	15	0.53155	0.57100	-0.080300	0.99000	0.25300	0.73800	0.314440

Table D-3. Results of multiple comparisons of gross alpha results between locations during the first quarter. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red. R represents the average rank for each location.

Depend.: Coded Result (x10 ⁻¹⁵)	Multiple Comparisons p values (2-tailed); Coded Result (x10 ⁻¹⁵) (1st-QTR-21-LVf in 1st-QTR-2021_LVf) Independent (grouping) variable: GeographicName Kruskal-Wallis test: H (17, N= 233) =24.72220 p =.1011 Include condition: v8='gross beta'																	
	Arco R:166.23	Atomic City R:157.12	Blackfoot R:121.69	Blue Dome R:109.88	Craters of the Moon R:134.58	Dubois R:93.385	EFS R:106.31	FAA Tower R:103.27	Howe R:127.04	Idaho Falls R:104.31	Jackson WY R:82.077	Main Gate R:125.29	Montevieu R:111.54	Mud Lake R:127.19	Sugar City R:96.615	Van Buren R:97.038	QA-1 Arco R:101.15	QA-2 Mud Lake R:141.92
Arco	1.000000	1.000000	1.000000	1.000000	1.000000	0.897181	1.000000	1.000000	1.000000	0.223016	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Atomic City	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.694109	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Blackfoot	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Blue Dome	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Craters of the Moon	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Dubois	0.897181	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
EFS	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
FAA Tower	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Howe	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Idaho Falls	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Jackson WY	0.223016	0.694109	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Main Gate	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Montevieu	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Mud Lake	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Sugar City	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
Van Buren	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
QA-1 Arco	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	
QA-2 Mud Lake	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	




Figure D-1. First quarter gross alpha concentrations in air at all sampling locations. Number of samples (N) = 13 at each location, except for Main Gate (N = 12).

Table D-4. Basic statistics for gross beta results for the month of January.

January								
	Descriptive Statistics (1st-QTR-21-LVf in 1st-QTR-21_LVf) Include condition: v8='Gross Beta',v7=1							
	Valid N	Mean	Median	Minimum	Maximum	Lower Quartile	Upper Quartile	Std.Dev.
ALL	71	32.55901	30.30000	2.080000	60.00000	25.90000	38.80000	11.02341
Boundary	28	35.67143	34.90000	16.000000	60.00000	28.25000	39.00000	10.503050
Distant	24	27.07125	26.30000	3.510000	57.00000	23.30000	30.00000	9.557238
INL Site	11	35.40000	31.40000	24.400000	53.10000	28.50000	42.40000	9.307631