Gonzales Stoller Surveillance, LLC Environmental Surveillance, Education, and Research Program ISSN NUMBER 1089-5469

# Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: First Quarter 2012

September 2012



Contributors: Russ Mitchell, Marilyn Case

Program conducted for the U.S. Department of Energy, Idaho Operations Office Under Contract DE-NE0000300

By Gonzales Stoller Surveillance, LLC
Environmental Surveillance, Education, and Research Program
Douglas K. Halford, Program Manager
120 Technology Dr., Idaho Falls, Idaho 83401
www.gsseser.com

### **EXECUTIVE SUMMARY**

None of the radionuclides detected in samples collected during the first quarter of 2012 could be directly linked with INL Site activities. Levels of detected radionuclides were no different than values measured at other locations across the western United States. All detected radionuclide concentrations were well below guidelines set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the first quarter of 2012 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, January 1 through March 31, 2012. All sample types (media) and the sampling schedule followed during 2012 are listed in Appendix A. Specifically, this report contains the results for the following:

- Air sampling, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation sampling
- Milk sampling

Table E-1 Summary of results for the First Quarter of 2012.

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	No statistical differences were noted in either gross alpha or gross beta data on any quarterly or monthly comparisons. Some weekly comparisons showed statistical differences that appeared to be normal variability in the gross data. No result exceeded the DCS for gross alpha or gross beta activity in air.
		Gamma-emitting radionuclides, <sup>90</sup> Sr, actinides (americium and plutonium)	No human-made gamma-emitting radionuclides, <sup>90</sup> Sr, or actinides were detected.
	Charcoal Cartridge	lodine-131	No lodine-131 was found on any first quarter charcoal cartridges.
Atmospheric Moisture	Liquid	Tritium	Four of the seven reported results had tritium concentrations greater than the 3s uncertainty. No sample result exceeded the DCS for tritium in air. Results were consistent with historical measurements.
Precipitation	Liquid	Tritium	Eleven samples were collected. Six of the results were greater than the 3s uncertainty. The concentrations were consistent with those reported across the region by the Environmental Protection Agency and with previous results.
Milk	Liquid	lodine-131, other gamma-emitting radionuclides	No lodine-131 or other human-made gamma-emitting radionuclides were detected.
Large Game Animals	Tissue	Gamma-emitting radionuclides	No game animals were available for sampling during the quarter.

#### LIST OF ABBREVIATIONS

AEC Atomic Energy Commission

CFA Central Facilities Area

DCS Derived Concentration Standard

DOE Department of Energy

DOE – ID Department of Energy Idaho Operations Office

EAL Environmental Assessment Laboratory

EFS Experimental Field Station

EPA Environmental Protection Agency

ERAMS Environmental Radiation Ambient Monitoring System
ESER Environmental Surveillance, Education, and Research

GSS Gonzales Stoller Surveillance, LLC

ICP Idaho Cleanup Project

INL Idaho National Laboratory

INEL Idaho National Engineering Laboratory

INEEL Idaho National Engineering and Environmental Laboratory

ISU Idaho State University

MDC minimum detectable concentration NRTS National Reactor Testing Station

# **LIST OF UNITS**

Bq becquerel

Ci curie g gram

L liter

μCi microcurie
mL milliliter
pCi picocurie

#### 1. ESER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under a number of acts (e.g. the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2003). During calendar year 2012, environmental monitoring within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors, while monitoring outside the INL Site boundaries was conducted under the Environmental Surveillance, Education, and Research (ESER) Program. At the beginning of the first quarter of 2011, the ESER Program became led by a new partnership between S.M. Stoller and Jerome Gonzales Management Systems, Inc. with the support of the previous team members. This partnership is named Gonzales Stoller Surveillance, LLC (GSS). The ESER Program was led by GSS in cooperation with its team members, including the University of Idaho, Idaho State University (ISU), ALS Environmental, and the Wildlife Conservation Society.

This report contains monitoring results from the ESER Program for samples collected during the first quarter of 2012 (January 1-March 31, 2012).

The surveillance portion of the ESER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely through the use of reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- moisture in air at four locations around the INL Site
- precipitation from three locations on and around the INL Site
- drinking water from eight locations and surface water from three locations around the INL Site
- agricultural products, including milk at six dairies around the INL Site, potatoes from at least five local producers, wheat from approximately 10 local producers, and lettuce from approximately nine home-owned and portable gardens on and around the INL
- soil from 12 locations around the INL Site biennially
- environmental dosimeters from 15 locations semi-annually
- various numbers of wildlife including big game (pronghorn, mule deer, and elk) and waterfowl sampled on and near the INL Site.

Table A-1 in Appendix A lists samples, sampling locations and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Beginning with second quarter samples, analyses requiring radiochemistry including strontium-90 (90 Sr), plutonium-238 (238 Pu), plutonium-239/240 (239/240 Pu), and americium-241 (241 Am) were performed by a new laboratory—ALS Environmental of Fort Collins, Colorado.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident, the EPA may request additional sampling be performed through RadNet [previously known as the Environmental Radiation Ambient Monitoring System (ERAMS) network] (EPA 2011). The EPA established the ERAMS network in 1973 with an emphasis on identifying trends in the accumulation of long-lived radionuclides in the environment. ERAMS was renamed RadNet in 2005 to reflect a new mission. RadNet is comprised of a nationwide network of sampling stations that provide air, precipitation, drinking water, and milk samples. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (<a href="http://www.epa.gov/narel/radnet/">http://www.epa.gov/narel/radnet/</a>).

Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data and for preparing quarterly reports on results from the environmental surveillance program. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably have an effect on the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s, where "s" is the estimated sample standard deviation ( $\sigma$ ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is

statistically different from background. The ESER has adopted guidelines developed by the United States Geological Survey (Bartholomay, et al. 2003), based on an extension of a method proposed by Currie (1984), to interpret analytical results and make decisions concerning detection. Most of the following discussion is taken from Bartholomay et al (2003).

Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). Instrument signals for the target and blank vary randomly about the true signals and may overlap making it difficult to distinguish between radionuclide activities in blank and in environmental samples (Figure 1). That is, the variability around the sample result may substantially overlap the variability around a net activity of zero for samples with no radioactivity. In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection.




Figure 1. Example of overlap of blank and sample measurement distributions.

In the laboratory, instrument signals must exceed a critical level of 1.6s before the qualitative decision can be made as to whether the radionuclide was detected in a sample. At 1.6s there is about a 95-percent probability that the correct conclusion—not detected—will be made. Given a large number of samples, approximately 5 percent of the samples with measured concentrations greater than or equal to 1.6s, which were concluded as being detected, might not contain the radionuclide. These are referred to as false positives. For purposes of simplicity and consistency with past reporting, the ESER has rounded the 1.6s critical level estimate to 2s.

Once the critical level has been defined, the minimum detectable concentration may be determined. Concentrations that equal 3s represent a measurement at the detection level or minimum detectable concentration. For true concentrations of 3s or greater, there is a greater than 99-percent probability that the radionuclide was detected in the target sample. In a large number of samples, the conclusion—not detected—will be made in less than one percent of the samples with true concentrations at the minimum detectable concentration of 3s. These

measurements are known as false negatives. The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being "detected with confidence."

Concentrations between 2s and 3s are reported as "questionably detected". That is, the radionuclide may be present in the sample; however, the detection may not be reliable. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a particular radionuclide is typically detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is little confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value  $\pm$  one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

For more information concerning the ESER Program, contact GSS at (208) 525-8250, or visit the Program's web page (<a href="http://www.gsseser.com">http://www.gsseser.com</a>).

The INL Site

#### 2. THE INL SITE

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi² (2300 km²) of the upper Snake River Plain in Southeastern Idaho. The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005 the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories.

The cleanup operation, the ICP, is now a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions by 2012.



### 3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (<sup>131</sup>I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the first quarter of 2012 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011) values is provided in Appendix B.

#### LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the first quarter of 2012 (Figure 2). Three of these samplers are located on the INL Site, nine are situated off the INL Site near the boundary, and six have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2012, one replicate sampler was moved to Monteview (a Boundary location) and one was moved to Arco (also a Boundary location). An average of 20,657 ft³ (585 m³) of air was sampled at each location, each week, at an average flow rate of 2.05 ft³/min (0.06 m³/min). Particulates in air were collected on membrane particulate filters (1.2-µm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.




Figure 2. Low-volume air sampler locations.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for <sup>90</sup>Sr, <sup>238</sup>Pu, <sup>239/240</sup>Pu, and <sup>241</sup>Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (<sup>131</sup>I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of <sup>131</sup>I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha data are tested for normality prior to statistical analyses, and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, the nonparametric Kruskal-Wallis test of multiple independent groups was used to test for statistical differences between INL Site, Boundary, and Distant locations. The use of nonparametric tests, such as Kruskal-Wallis, gives less weight to outlier and extreme values thus allowing a more appropriate comparison of data groups. A statistically significant difference exists between data groups if the (p) value is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. For the quarter, there was no statistical difference noted.

Comparisons of gross alpha concentrations were made for each month of the quarter. Again the Kruskal-Wallis test of multiple independent groups was used to determine if statistical differences exist between INL Site, Boundary, and Distant data groups. No statistical differences in gross alpha concentrations between groups were noted during any month of the quarter (Table D-1).

As an additional check, comparisons between gross alpha concentrations measured at Boundary and Distant locations were made on a weekly basis. The Mann-Whitney U test was used to compare the Boundary and Distant data because it is the most powerful nonparametric alternative to the t-test for independent samples. INL Site sample results were not included in this analysis because the onsite data, collected at only three locations, are not representative of the entire INL Site and would not aid in determining offsite impacts. In the first quarter, there were two weeks (January 4 and February 8) where a statistical difference existed between the two sample groups (Table D-2). In the first case, the Boundary group was statistically higher than the Distant group. This appears to be primarily due to a relatively higher concentration at Monteview, which appears to have had some mechanical problems during the week. In the second case, the Distant group was higher than the Boundary group, with a common winter pattern of higher gross alpha concentrations at the valley locations (Blackfoot, Idaho Falls, and Rexburg).

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. The data were tested and found to be neither normally nor log-normally distributed. Box and whiskers plots were used for presentation of the data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past five years, and because these values could not be attributed to mistakes in

1st Quarter 2012 3-2 September 2012




Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the first quarter of 2012.




Figure 4. January gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 5. February gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location, except Atomic City and Monteview (N = 4).




Figure 6. March gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the first quarter of 2012.




Figure 8. January gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 9. February gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location, except Atomic City and Monteview (N = 4).




Figure 10. March gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.

collection, analysis, or reporting procedures. No statistical differences were noted in the quarterly data using the Kruskal-Wallace test (Table D-1).

Comparisons of gross beta concentrations were made for each month of the quarter. Statistical data are presented in Table D-1. No statistical differences were found during any month of the quarter.

Comparison of weekly Boundary and Distant gross beta data sets, using the Mann Whitney U test, showed statistical differences between Boundary and Distant measurements during two weeks (January 18 and February 1) during the quarter (Table D-1). In both cases, the Boundary group was statistically higher than the Distant group. Analysis of the data did not indicate any unusual values. During January 18, all of the sampling locations had concentrations in a fairly narrow and typical range. February 1 also had a fairly typical distribution. It is likely the weekly statistical differences were normal variations in the gross beta data.

lodine-131 was not found in any charcoal cartridges measured during the first quarter. Weekly <sup>131</sup>I results for each location are listed in Table C-2 of Appendix C.

Weekly filters for the first quarter of 2012 were composited by location. All samples were analyzed for gamma-emitting radionuclides, including <sup>137</sup>Cs. Selected composites were also analyzed for <sup>90</sup>Sr, <sup>238</sup>Pu, <sup>239/240</sup>Pu, and <sup>241</sup>Am. The first sets of composites sent to the laboratory were lost when the custody seal on the shipping container apparently was broken during transit. Remaining composites were then sent as replacements. Results are reported in Table C-3, Appendix C.

#### ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for seven atmospheric moisture samples collected during the first quarter of 2012. Four of these exceeded the 3s uncertainty level for tritium, with similar results to those reported previously. All samples were significantly below the DOE DCS for tritium in air of 1.4  $\times$  10<sup>-8</sup>  $_{\mu}$ Ci/mL $_{air}$  with a maximum reported value of 5.1 x 10<sup>-13</sup>  $_{\mu}$ Ci/mL $_{air}$  at Rexburg. Available results are shown in Table C-4, Appendix C.

1st Quarter 2012 3-1 September 2012

# 4. PRECIPITATION AND WATER SAMPLING

#### PRECIPITATION SAMPLING

Precipitation samples are gathered when sufficient precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls and CFA, and weekly from the EFS. Precipitation samples are analyzed for tritium. Storm events in the first quarter of 2012 produced sufficient precipitation to yield 11 samples.

Tritium was measured above the 3s values in six of the 11 samples. Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere. Data for first quarter precipitation samples collected by the ESER Program averaged 83 pCi/L, which is well within the historical range and the range measured by the EPA Radnet program in samples from Region 10, which includes Idaho (EPA 2011). These results are listed in Table C-5 (Appendix C).

1st Quarter 2012 4-2 September 2012



# 5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Lettuce and grain are sampled during the third quarter, while potatoes are collected during the fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and agricultural products samples available during the first quarter of 2012.

#### MILK SAMPLING

Milk samples were collected weekly in Idaho Falls. Monthly samples were collected at six other locations around the INL Site (Figure 10) during the first quarter of 2012. In addition, commercially-available organic milk was purchased as a control sample. All samples were analyzed for gamma emitting radionuclides.

lodine-131 and other human-made radionuclides were not detected in any weekly or monthly samples during the first quarter. Data for <sup>131</sup>I and <sup>137</sup>Cs in milk samples are listed in Appendix C, Table C-6.




Figure 10. ESER milk sampling locations.

1st Quarter 2012 5-1 September 2012

# LARGE GAME ANIMAL SAMPLING

No large game animals were available for sampling during the first quarter.

1st Quarter 2012 5-1 September 2012

# 6. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

- 1. method uncertainty
- 2. data completeness
- 3. data accuracy, using spike, performance evaluation and laboratory control samples
- 4. data precision, using split samples, duplicate samples and recounts
- 5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (GSS 2011). The following table summarizes the results of the quality assurance program for the first quarter of 2012.

QA Sample Type	Number of Sample Results	Number of Results Meeting Criteria	Percentage Meeting Criteria
Spikes/Laboratory Control Samples	245	245	100.0
Field Duplicates	58	55	94.8
Laboratory Splits	33	33	100.0
Recounts	211	211	100.0
Blanks	70	68	97.1
Method Uncertainty	1781	1766	99.2

1st Quarter 2012 6-2 September 2012

### 7. REFERENCES

- Bartholomay, R.C., Knobel, L.L., and Rousseau, J.P., 2003, Field Methods and Quality Plan for Quality-of-Water Activities, U.S. Geological Survey, Idaho National Engineering and Environmental Laboratory, Idaho, DOE/ID-22182, January 2003.
- Currie, L.A., 1984, Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2003, "Environmental Management System," U.S. Department of Energy Order 450.1, January 2003.
- DOE, 2011, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.
- EPA, 2011, RadNet—Tracking Environmental Radiation Nationwide, Web-page: <a href="http://www.epa.gov/narel/radnet/">http://www.epa.gov/narel/radnet/</a>
- GSS, 2011, Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program, Environmental Surveillance, Education and Research Program, January 2011.

1st Quarter 2012 7-1 September 2012

# APPENDIX A SUMMARY OF SAMPLING SCHEDULE

 Table A-1.
 Summary of the ESER Program's Sampling Schedule

Sample Type	Collection	LOCATIONS			
Analysis	Frequency	Distant	Boundary	INL Site	
AIR SAMPLING					
LOW-VOLUME AIF	?				
Gross Alpha, Gross Beta, <sup>131</sup> I	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Rexburg	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren	
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Rexburg	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren	
<sup>90</sup> Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule	
ATMOSPHERIC M	OISTURE				
Tritium	2 to 13 weeks	Blackfoot, Idaho Falls, Rexburg	Atomic City	None	
PRECIPITATION					
Tritium	monthly	Idaho Falls	None	CFA	
Tritium	weekly	None	None	EFS	
DRINKING WATER	?				
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None	
SURFACE WATER					
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)	
ENVIRONMENTA	L RADIATIO	N SAMPLING			
TLDs					
Gamma Radiation	semiannual	Aberdeen, Blackfoot (2), Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Rexburg, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Monteview, Mud Lake	None	
SOIL SAMPLING	SOIL SAMPLING				
SOIL	SOIL				
Gamma Spec, <sup>90</sup> Sr, Transuranics	biennially	Carey, Crystal Ice Caves (Aberdeen), Blackfoot, St. Anthony	Butte City, Monteview, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None	

1st Quarter 2012 A - 1 September 2012

Table A-1. Summary of the ESER Program's Sampling Schedule (continued)

Sample Type	Collection		LOCATIONS			
Analysis	Frequency	Distant	Boundary	INL Site		
FOODSTUFF SAMPLING						
MILK						
Gamma Spec ( <sup>131</sup> I)	weekly	Idaho Falls	None	None		
Gamma Spec ( <sup>131</sup> I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None		
Tritium, <sup>90</sup> Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None		
POTATOES						
Gamma Spec, <sup>90</sup> Sr	annually	Blackfoot, Idaho Falls, Rupert, Shelley, occasional samples across the U.S.	Arco, Monteview, Mud Lake, Terreton	None		
GRAIN						
Gamma Spec, <sup>90</sup> Sr	annually	American Falls, Blackfoot, Carey Idaho Falls, Minidoka, Roberts	Arco, Monteview, Mud Lake, Taber, Terreton	None		
LETTUCE						
Gamma Spec, <sup>90</sup> Sr	annually	Blackfoot, Carey, Idaho Falls	Arco, Atomic City, FAA Tower, Howe, Monteview	EFS		
BIG GAME						
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads		
WATERFOWL						
Gamma Spec, <sup>90</sup> Sr, Transuranics	annually	Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewater disposal ponds		

1st Quarter 2012 A - 2 September 2012

## APPENDIX B SUMMARY OF MDCs AND DCSs

Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed During First Quarter 2012

Sample Type	Analysis	Approximate Minimum Detectable Concentration <sup>a</sup> (MDC)	Derived Concentration Standard <sup>b</sup> (DCS)
	Gross alpha <sup>c</sup>	3.73 x 10 <sup>-16</sup> μCi/mL	4 x 10 <sup>-14</sup> μCi/mL
	Gross beta <sup>d</sup>	1.21 x 10 <sup>-15</sup> μCi/mL	2.4 x 10 <sup>-13</sup> μCi/mL
	Specific gamma (137Cs)	1.69 x 10 <sup>-16</sup> μCi/mL	3.9 x 10 <sup>-10</sup> µCi/mL
<b>Air</b> (particulate filter) <sup>e</sup>	<sup>241</sup> Am	3.85 x 10 <sup>-18</sup> μCi/mL	4.1 x 10 <sup>-14</sup> μCi/mL
(particulate inter)	<sup>238</sup> Pu	2.05 x 10 <sup>-18</sup> μCi/mL	3.7 x 10 <sup>-14</sup> μCi/mL
	<sup>239/240</sup> Pu	2.66 x 10 <sup>-18</sup> μCi/mL	3.4 x 10 <sup>-14</sup> μCi/mL
	<sup>90</sup> Sr	2.30 x 10 <sup>-17</sup> μCi/mL	2.5 x 10 <sup>-11</sup> μCi/mL
Air (charcoal cartridge) <sup>e</sup>	<sup>131</sup>	1.19 x 10 <sup>-15</sup> μCi/mL	4.1 x 10 <sup>-10</sup> μCi/mL
Air (atmospheric moisture)	<sup>3</sup> H	115.3 pCi/L <sub>water</sub>	1.4 x 10 <sup>-8</sup> µCi/mL <sub>air</sub>
Air (precipitation)	<sup>3</sup> H	125.4 pCi/L	1.9 x 10 <sup>-3</sup> µCi/mL
BACIL-	<sup>131</sup>	0.57 pCi/L	
Milk	<sup>137</sup> Cs	1.13 pCi/L	

a The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence and precision of plus or minus 100 percent under a specified set of typical laboratory measurement conditions.

1st Quarter 2012 B - 1 September 2012

b DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.

c The DCS for gross alpha is equivalent to the DCSs for <sup>241</sup>Am.

d The DCS for gross beta is equivalent to the DCSs for <sup>228</sup>Ra

e The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 m³/week.

## APPENDIX C SAMPLE ANALYSIS RESULTS

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

					GROSS ALPHA							GROSS BETA			
Sampling Group	Sampling			certainty			certainty				certainty			certainty	
and Location	Date	(x 1	10 <sup>-15</sup> μCi	/mL)	(x 1	0 <sup>-11</sup> Bq	/mL)	Result > 3s	(x 1	0 <sup>-15</sup> μCi	/mL)	(x 1	0 <sup>-11</sup> Bq/	/mL)	Result > 3s
BOUNDARY															
ARCO	1/4/2012	0.93	±	0.14	3.45	±	0.53	Yes	19.90	±	0.55	73.63	±	2.02	Yes
	1/11/2012	1.80	±	0.17	6.66	±	0.64	Yes	38.40	±	0.70	142.08	±	2.57	Yes
	1/18/2012	1.05	±	0.15	3.89	±	0.57	Yes	32.40	±	0.71	119.88	±	2.61	Yes
	1/25/2012	0.42	±	0.10	1.57	±	0.36	Yes	8.45	±	0.39	31.27	±	1.46	Yes
	2/1/2012	0.60	±	0.12	2.21	±	0.43	Yes	23.80	±	0.57	88.06	±	2.11	Yes
	2/8/2012	1.00	±	0.14	3.70	±	0.51	Yes	35.50	±	0.68	131.35	±	2.50	Yes
	2/15/2012	1.56	±	0.17	5.77	±	0.63	Yes	42.70	±	0.75	157.99	±	2.79	Yes
	2/22/2012	0.57	±	0.11	2.12	±	0.42	Yes	16.70	±	0.49	61.79	±	1.81	Yes
	2/29/2012	0.38	±	0.11	1.42	±	0.40	Yes	19.20	±	0.77	71.04	±	2.85	Yes
	3/7/2012	0.46	±	0.14	1.71	±	0.50	Yes	19.40	±	0.84	71.78	±	3.12	Yes
	3/14/2012	0.89 0.48	±	0.15	3.31	±	0.54	Yes Yes	42.50	±	1.07	157.25	±	3.96 2.79	Yes Yes
	3/21/2012		±	0.12	1.76	±	0.46		14.50	±	0.75	53.65	±		
QA-1 (ARCO)	3/28/2012	1.08 0.57	±	0.16 0.12	4.00 2.12	±	0.60	Yes Yes	33.30 19.60	±	1.02 0.55	123.21 72.52	±	3.77 2.02	Yes Yes
QA-1 (ARCO)	1/4/2012 1/11/2012	1.33	± ±	0.12	4.92	±	0.46	Yes	37.00	±	0.68	136.90	± ±	2.53	Yes
	1/18/2012	1.43	±	0.15	5.29	±	0.57	Yes	45.10	±	0.66	166.87	±	3.59	Yes
	1/25/2012	0.40	±	0.21	1.49	±	0.76	Yes	8.00	±	0.38	29.60	±	1.42	Yes
	2/1/2012	0.40	±	0.10	2.75	±	0.35	Yes	22.10	±	0.55	81.77	±	2.04	Yes
	2/8/2012	1.09	±	0.12	4.03	±	0.43	Yes	36.20	±	0.68	133.94	±	2.50	Yes
	2/15/2012	1.35	±	0.14	5.00	±	0.52	Yes	38.30	±	0.69	141.71	±	2.55	Yes
	2/22/2012	0.57	±	0.10	2.11	±	0.40	Yes	14.20	±	0.45	52.54	±	1.66	Yes
	2/29/2012	0.59	±	0.12	2.19	±	0.45	Yes	21.20	±	0.80	78.44	±	2.95	Yes
	3/7/2012	0.63	±	0.14	2.32	±	0.52	Yes	19.80	±	0.83	73.26	±	3.07	Yes
	3/14/2012	0.99	±	0.15	3.67	±	0.56	Yes	43.20	±	1.06	159.84	±	3.92	Yes
	3/21/2012	0.43	±	0.12	1.58	±	0.44	Yes	14.70	±	0.74	54.39	±	2.72	Yes
	3/28/2012	1.58	±	0.19	5.85	±	0.70	Yes	32.60	±	1.05	120.62	±	3.89	Yes
ATOMIC CITY	1/4/2012	0.72	±	0.15	2.67	±	0.54	Yes	21.60	±	0.61	79.92	±	2.27	Yes
	1/11/2012	1.41	±	0.17	5.22	±	0.64	Yes	44.60	±	0.80	165.02	±	2.97	Yes
	1/18/2012	1.06	±	0.16	3.92	±	0.59	Yes	28.90	±	0.69	106.93	±	2.56	Yes
	1/25/2012	0.30	±	0.10	1.10	±	0.37	No	8.34	±	0.45	30.86	±	1.65	Yes
	2/1/2012	0.75	±	0.14	2.78	±	0.53	Yes	21.80	±	0.63	80.66	±	2.33	Yes
	2/8/2012	1.11	±	0.16	4.11	±	0.58	Yes	33.80	±	0.72	125.06	±	2.68	Yes
	2/15/2012	1.23	±	0.17	4.55	±	0.63	Yes	38.90	±	0.79	143.93	±	2.91	Yes
	2/22/2012	0.59	±	0.12	2.18	±	0.46	Yes	15.30	±	0.51	56.61	±	1.89	Yes
a	2/29/2012		±			±		No		±			±		No
	3/7/2012	0.61	±	0.16	2.26	±	0.58	Yes	18.30	±	0.90	67.71	±	3.32	Yes
	3/14/2012	1.85	±	0.25	6.85	±	0.93	Yes	65.10	±	1.66	240.87	±	6.14	Yes
	3/21/2012	0.51	±	0.14	1.90	±	0.50	Yes	16.30	±	0.83	60.31	±	3.05	Yes
	3/28/2012	1.15	±	0.18	4.26	±	0.67	Yes	34.00	±	1.12	125.80	±	4.14	Yes
BLUE DOME	1/4/2012	1.03	±	0.14	3.81	±	0.53	Yes	21.30	±	0.55	78.81	±	2.02	Yes
	1/11/2012	1.15	±	0.16	4.26	±	0.57	Yes	35.70	±	0.71	132.09	±	2.63	Yes
	1/18/2012	0.77	±	0.13	2.86	±	0.50	Yes	25.60	±	0.62	94.72	±	2.30	Yes
	1/25/2012	0.45	±	0.10	1.65	±	0.38	Yes	8.37	±	0.41	30.97	±	1.50	Yes
	2/1/2012	0.61	±	0.12	2.25	±	0.45	Yes	21.10	±	0.57	78.07	±	2.10	Yes
	2/8/2012	0.90	±	0.14	3.33	±	0.51	Yes	29.10	±	0.65	107.67	±	2.39	Yes
	2/15/2012	0.95	±	0.14	3.52	±	0.53	Yes	33.90	±	0.69	125.43	±	2.53	Yes
	2/22/2012	0.54	±	0.11	1.99	±	0.41	Yes	15.30	±	0.48	56.61	±	1.78	Yes
	2/29/2012	0.60	±	0.13	2.23	±	0.47	Yes	19.90	±	0.82	73.63	±	3.02	Yes
	3/7/2012	0.72	±	0.16	2.67	±	0.58	Yes	20.90	±	0.90	77.33	±	3.33	Yes
	3/14/2012	1.16	±	0.17	4.29	±	0.62	Yes	43.30	±	1.12	160.21	±	4.14	Yes
	3/21/2012	0.50	±	0.13	1.83	±	0.47	Yes	13.30	±	0.75	49.21	±	2.77	Yes
FAA TOWER	3/28/2012	1.08	±	0.16	4.00	±	0.60	Yes	32.00	±	1.02	118.40	±	3.77	Yes
FAA IUWEK	1/4/2012	1.25	±	0.16	4.63	±	0.60	Yes	23.10	±	0.60	85.47	±	2.22	Yes
	1/11/2012	1.39	±	0.17	5.14	±	0.61	Yes	36.70	±	0.72	135.79	±	2.66	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

	_				GROSS ALPHA				GROSS BETA  Result ± 1s Uncertainty Result ± 1s Uncertainty						
Sampling Group and Location	Sampling Date		± 1s Und 10 <sup>-15</sup> μCi	certainty /mL)		: 1s Un 0 <sup>-11</sup> Bq	certainty /mL)	Result > 3s		1s Und 15 µCi/			1s Und ) <sup>-11</sup> Bq/		Result > 3s
and Location	1/18/2012	0.83	±	0.14	3.07	±	0.50	Yes	23.50	<u>±</u>	0.59	86.95	, <u>Б</u> ц,	2.19	Yes
	1/25/2012	0.24	±	0.09	0.90	±	0.32	No	7.65	±	0.40	28.31	±	1.47	Yes
	2/1/2012	0.72	±	0.13	2.66	±	0.48	Yes	11.80	±	0.47	43.66	±	1.73	Yes
	2/8/2012	1.12	±	0.15	4.14	±	0.56	Yes	31.90	±	0.68	118.03	±	2.52	Yes
	2/15/2012	0.67	±	0.13	2.46	±	0.48	Yes	34.70	±	0.70	128.39	±	2.59	Yes
	2/22/2012	0.32	±	0.10	1.17	±	0.38	Yes	13.50	±	0.48	49.95	±	1.78	Yes
	2/29/2012	0.70	±	0.14	2.60	±	0.52	Yes	19.30	±	0.86	71.41	±	3.17	Yes
	3/7/2012	0.30	±	0.14	1.10	±	0.51	No	18.50	±	0.88	68.45	±	3.25	Yes
	3/14/2012	0.99	±	0.16	3.64	±	0.61	Yes	43.60	±	1.16	161.32	±	4.29	Yes
	3/21/2012	0.51	±	0.13	1.89	±	0.50	Yes	17.00	±	0.84	62.90	±	3.09	Yes
	3/28/2012	1.17	±	0.17	4.33	±	0.64	Yes	31.50	±	1.05	116.55	±	3.89	Yes
HOWE	1/4/2012	1.31	±	0.17	4.85	±	0.64	Yes	23.70	±	0.63	87.69	±	2.33	Yes
	1/11/2012	1.66	±	0.19	6.14	±	0.69	Yes	42.60	±	0.80	157.62	±	2.97	Yes
	1/18/2012	0.96	±	0.15	3.53	±	0.55	Yes	24.70	±	0.63	91.39	±	2.33	Yes
	1/25/2012	0.32	±	0.10	1.20	±	0.36	Yes	8.25	±	0.43	30.53	±	1.57	Yes
	2/1/2012	1.15	±	0.16	4.26	±	0.58	Yes	26.10	±	0.65	96.57	±	2.39	Yes
	2/8/2012	1.21	±	0.16	4.48	±	0.60	Yes	30.50	±	0.70	112.85	±	2.58	Yes
	2/15/2012	1.60	±	0.18	5.92	±	0.67	Yes	40.90	±	0.78	151.33	±	2.87	Yes
	2/22/2012	0.82	±	0.14	3.04	±	0.52	Yes	17.40	±	0.55	64.38	±	2.03	Yes
	2/29/2012	0.99	±	0.16	3.68	±	0.59	Yes	19.80	±	0.88	73.26	±	3.24	Yes
	3/7/2012	0.50	±	0.15	1.85	±	0.56	Yes	20.10	±	0.92	74.37	±	3.39	Yes
	3/14/2012	1.25	±	0.18	4.63	±	0.67	Yes	41.60	±	1.18	153.92	±	4.37	Yes
	3/21/2012	0.52	±	0.14	1.92	±	0.52	Yes	13.80	±	0.82	51.06	±	3.02	Yes
	3/28/2012	1.04	±	0.18	3.85	±	0.67	Yes	36.80	±	1.18	136.16	±	4.37	Yes
MONTEVIEW	1/4/2012	2.36	±	0.25	8.73	±	0.94	Yes	33.00	±	0.85	122.10	±	3.13	Yes
	1/11/2012	1.49	±	0.17	5.51	±	0.63	Yes	35.30	±	0.71	130.61	±	2.61	Yes
	1/18/2012	1.21	±	0.16	4.48	±	0.57	Yes	25.90	±	0.62	95.83	±	2.29	Yes
	1/25/2012	0.46	±	0.11	1.70	±	0.42	Yes	9.38	±	0.46	34.71	±	1.71	Yes
	2/1/2012	0.79	±	0.14	2.94	±	0.50	Yes	22.60	±	0.60	83.62	±	2.21	Yes
	2/8/2012	1.16	±	0.15	4.29	±	0.57	Yes	31.00	±	0.67	114.70	±	2.48	Yes
	2/15/2012	0.95	±	0.14	3.53	±	0.53	Yes	37.10	±	0.71	137.27	±	2.62	Yes
	2/22/2012	0.72	±	0.16	2.66	±	0.58	Yes	17.40	±	0.63	64.38	±	2.35	Yes
a	2/29/2012		±			±		No		±			±		No
	3/7/2012	0.78	±	0.16	2.88	±	0.59	Yes	20.00	±	0.89	74.00	±	3.31	Yes
	3/14/2012	1.37	±	0.18	5.07	±	0.65	Yes	43.30	±	1.11	160.21	±	4.11	Yes
	3/21/2012	0.54	±	0.13	1.98	±	0.48	Yes	15.20	±	0.78	56.24	±	2.88	Yes
	3/28/2012	1.46	±	0.19	5.40	±	0.68	Yes	32.00	±	1.05	118.40	±	3.89	Yes
QA-2	1/4/2012	1.06	±	0.17	3.92	±	0.62	Yes	23.80	±	0.65	88.06	±	2.41	Yes
(MONTEVIEW)	1/11/2012	1.44	±	0.18	5.33	±	0.67	Yes	37.30	±	0.78	138.01	±	2.88	Yes
	1/18/2012	1.37	±	0.17	5.07	±	0.64	Yes	23.70	±	0.64	87.69	±	2.36	Yes
	1/25/2012	0.51	±	0.12	1.88	±	0.43	Yes	8.91	±	0.45	32.97	±	1.67	Yes
	2/1/2012	0.95	±	0.15	3.53	±	0.56	Yes	23.40	±	0.64	86.58	±	2.36	Yes
	2/8/2012	0.84	±	0.15	3.10	±	0.54	Yes	31.50	±	0.72	116.55	±	2.67	Yes
	2/15/2012	1.33	±	0.18	4.92	±	0.66	Yes	41.70	±	0.82	154.29	±	3.04	Yes
	2/22/2012	0.50	±	0.15	1.84	±	0.57	Yes	17.30	±	0.68	64.01	±	2.50	Yes
a	2/29/2012		±			±		No		±			±		No
a	3/7/2012		±			±		No		±			±		No
	3/14/2012	1.07	±	0.13	3.96	±	0.49	Yes	38.90	±	0.88	143.93	±	3.27	Yes
	3/21/2012	0.37	±	0.12	1.38	±	0.44	Yes	15.60	±	0.78	57.72	±	2.89	Yes
	3/28/2012	1.32	±	0.18	4.88	±	0.67	Yes	29.70	±	1.03	109.89	±	3.81	Yes
MUD LAKE	1/4/2012	1.83	±	0.20	6.77	±	0.74	Yes	29.70	±	0.70	109.89	±	2.60	Yes
	1/11/2012	2.31	±	0.22	8.55	±	0.80	Yes	51.20	±	0.88	189.44	±	3.26	Yes
	1/18/2012	1.67	±	0.19	6.18	±	0.68	Yes	29.70	±	0.69	109.89	±	2.55	Yes
		1.04	±	0.15	3.85	±	0.55	Yes	9.96	±	0.46	36.85	±	1.72	Yes
	1/25/2012	1.04	x	0.15	5.05	_	0.00	163	3.30	<u> </u>	0.40	30.03	x	1.72	163
	1/25/2012 2/1/2012	1.30	±	0.17	4.81	±	0.63	Yes	24.80	±	0.65	91.76	±	2.41	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

	_				GROSS ALPHA				GROSS BETA						
Sampling Group and Location	Sampling Date		± 1s Un 10 <sup>-15</sup> μCi	certainty /mL)		± 1s Un 0 <sup>-11</sup> Bq	certainty /mL)	Result > 3s		: 1s Und 0 <sup>-15</sup> µCi,	certainty /mL)		1s Un 0 <sup>-11</sup> Bq/	certainty /mL)	Result > 3s
una Eddation	2/15/2012	1.16	±	0.16	4.29	±	0.59	Yes	41.40	±	0.77	153.18	±	2.85	Yes
	2/22/2012	0.96	±	0.15	3.54	±	0.57	Yes	16.90	±	0.56	62.53	±	2.08	Yes
	2/29/2012	1.65	±	0.18	6.11	±	0.65	Yes	21.20	±	0.83	78.44	±	3.05	Yes
	3/7/2012	0.83	±	0.18	3.07	±	0.66	Yes	23.90	±	1.03	88.43	±	3.81	Yes
	3/14/2012	0.91	±	0.17	3.36	±	0.63	Yes	50.70	±	1.29	187.59	±	4.77	Yes
	3/21/2012	0.72	±	0.16	2.66	±	0.59	Yes	17.50	±	0.92	64.75	±	3.41	Yes
	3/28/2012	1.23	±	0.18	4.55	±	0.68	Yes	32.40	±	1.10	119.88	±	4.07	Yes
DISTANT															
BLACKFOOT CMS	1/4/2012	0.86	±	0.16	3.17	±	0.60	Yes	24.50	±	0.68	90.65	±	2.53	Yes
	1/11/2012	1.90	±	0.21	7.03	±	0.76	Yes	42.70	±	0.84	157.99	±	3.12	Yes
	1/18/2012	0.88	±	0.14	3.24	±	0.52	Yes	22.70	±	0.60	83.99	±	2.21	Yes
	1/25/2012	0.31	±	0.10	1.15	±	0.37	Yes	8.99	±	0.44	33.26	±	1.64	Yes
	2/1/2012	0.86	±	0.15	3.17	±	0.55	Yes	20.60	±	0.62	76.22	±	2.28	Yes
	2/8/2012	1.77	±	0.19	6.55	±	0.71	Yes	37.60	±	0.77	139.12	±	2.85	Yes
	2/15/2012	1.83	±	0.22	6.77	±	0.81	Yes	41.60	±	0.90	153.92	±	3.33	Yes
	2/22/2012	0.73	±	0.16	2.70	±	0.60	Yes	14.60	±	0.62	54.02	±	2.29	Yes
	2/29/2012	0.86	±	0.18	3.17	±	0.66	Yes	27.60	±	1.13	102.12	±	4.18	Yes
	3/7/2012	0.48	±	0.18	1.78	±	0.65	No	21.00	±	1.07	77.70	±	3.96	Yes
	3/14/2012	1.91	±	0.24	7.07	±	0.90	Yes	58.60	±	1.52	216.82	±	5.62	Yes
	3/21/2012	0.46	±	0.16	1.69	±	0.60	No	23.80	±	1.11	88.06	±	4.11	Yes
	3/28/2012	1.52	±	0.23	5.62	±	0.86	Yes	37.40	±	1.36	138.38	±	5.03	Yes
CRATERS OF	1/4/2012	0.37	±	0.12	1.37	±	0.46	Yes	17.00	±	0.56	62.90	±	2.06	Yes
THE MOON	1/11/2012	1.28	±	0.17	4.74	±	0.63	Yes	34.10	±	0.73	126.17	±	2.70	Yes
	1/18/2012	1.14	±	0.16	4.22	±	0.59	Yes	25.10	±	0.64	92.87	±	2.38	Yes
	1/25/2012	0.30	±	0.10	1.10	±	0.37	No	7.08	±	0.42	26.20	±	1.55	Yes
	2/1/2012	0.75	±	0.14	2.77	±	0.50	Yes	19.60	±	0.58	72.52	±	2.14	Yes
	2/8/2012	1.34	±	0.17	4.96	±	0.64	Yes	36.80	±	0.77	136.16	±	2.84	Yes
	2/15/2012	1.08	±	0.17	4.00	±	0.63	Yes	34.40	±	0.78	127.28	±	2.87	Yes
	2/22/2012	0.55	±	0.12	2.04	±	0.44	Yes	14.90	±	0.50	55.13	±	1.86	Yes
	2/29/2012	0.53	±	0.12	1.95	±	0.45	Yes	18.00	±	0.79	66.60	±	2.90	Yes
	3/7/2012	0.60	±	0.16	2.23	±	0.58	Yes	16.70	±	0.88	61.79	±	3.24	Yes
	3/14/2012	1.18	±	0.17	4.37	±	0.62	Yes	40.50	±	1.09	149.85	±	4.03	Yes
	3/21/2012	0.42	±	0.13	1.56	±	0.48	Yes	13.20	±	0.79	48.84	±	2.93	Yes
	3/28/2012	0.60	±	0.14	2.22	±	0.51	Yes	27.80	±	0.97	102.86	±	3.59	Yes
DUBOIS	1/4/2012	1.00	±	0.16	3.70	±	0.58	Yes	21.20	±	0.60	78.44	±	2.20	Yes
	1/11/2012	1.24	±	0.17	4.59	±	0.62	Yes	35.80	±	0.74	132.46	±	2.75	Yes
	1/18/2012	1.12	±	0.15	4.14	±	0.56	Yes	21.60	±	0.58	79.92	±	2.16	Yes
	1/25/2012	1.40	±	0.16	5.18	±	0.60	Yes	10.50	±	0.45	38.85	±	1.68	Yes
	2/1/2012	0.47	±	0.12	1.74	±	0.45	Yes	20.10	±	0.60	74.37	±	2.21	Yes
	2/8/2012	1.08	±	0.16	4.00	±	0.58	Yes	31.40	±	0.72	116.18	±	2.65	Yes
	2/15/2012	1.04	±	0.15	3.85	±	0.57	Yes	36.80	±	0.73	136.16	±	2.70	Yes
	2/22/2012	0.57	±	0.12	2.09	±	0.44	Yes	14.20	±	0.49	52.54	±	1.82	Yes
	2/29/2012	0.64	±	0.13	2.35	±	0.49	Yes	17.80	±	0.81	65.86	±	2.98	Yes
	3/7/2012	0.47	±	0.15	1.73	±	0.56	Yes	19.50	±	0.93	72.15	±	3.43	Yes
	3/14/2012	0.89	±	0.16	3.30	±	0.58	Yes	42.60	±	1.13	157.62	±	4.18	Yes
	3/21/2012	1.15	±	0.17	4.26	±	0.64	Yes	16.40	±	0.87	60.68	±	3.22	Yes
	3/28/2012	0.96	±	0.17	3.57	±	0.61	Yes	24.30	±	0.98	89.91	±	3.61	Yes
IDAHO FALLS	1/4/2012	0.79	±	0.14	2.94	±	0.53	Yes	20.90	±	0.58	77.33	±	2.16	Yes
	1/11/2012	1.99	±	0.19	7.36	±	0.70	Yes	34.20	±	0.69	126.54	±	2.57	Yes
	1/18/2012	1.41	±	0.17	5.22	±	0.61	Yes	22.30	±	0.59	82.51	±	2.19	Yes
	1/25/2012	0.67	±	0.12	2.48	±	0.44	Yes	8.81	±	0.42	32.60	±	1.55	Yes
	2/1/2012	0.93	±	0.14	3.43	±	0.53	Yes	19.60	±	0.57	72.52	±	2.12	Yes
	2/8/2012	1.37	±	0.16	5.07	±	0.60	Yes	32.40	±	0.69	119.88	±	2.53	Yes
		0.93	±	0.14	3.43	±	0.50	Yes	30.80		0.63	113.96		2.33	Yes
	2/15/2012	0.93	±	0.14	3.43	<u> </u>	0.50	162	30.00	±	0.03	113.90	±	2.33	162
	2/15/2012 2/22/2012	0.93	±	0.14	2.55	±	0.44	Yes	12.20	±	0.44	45.14	±	2.33 1.61	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

	<u> </u>				GROSS ALPHA				GROSS BETA						
Sampling Group	Sampling		± 1s Unα Ι0 <sup>-15</sup> μCi	certainty		± 1s Un  0 <sup>-11</sup> Bq	certainty	Describe C		± 1s Unα 0 <sup>-15</sup> μCi	certainty		: 1s Un 0 <sup>-11</sup> Bq	certainty	Daniel C
and Location	Date		•	•	•		•	Result > 3s		•	,	•			Result > 3s
	3/7/2012	0.47	±	0.14	1.75	±	0.51	Yes	17.70	±	0.83	65.49	±	3.06	Yes
	3/14/2012	1.72	±	0.19	6.36	±	0.69	Yes	41.70	±	1.07	154.29	±	3.96	Yes
	3/21/2012	0.45	±	0.13	1.67	±	0.47	Yes	17.50	±	0.82	64.75	±	3.02	Yes
IAOKOONI	3/28/2012	1.32	±	0.17	4.88	±	0.64	Yes	28.80	±	0.99	106.56	±	3.64	Yes
JACKSON	1/4/2012	0.82	±	0.13	3.04	±	0.50	Yes	21.00	±	0.55	77.70	±	2.02	Yes
	1/11/2012	1.57	±	0.17	5.81	±	0.62	Yes	36.80	±	0.70	136.16	±	2.58	Yes
	1/18/2012	0.01	±	0.08	0.03	±	0.30	No	23.80	±	0.60	88.06	±	2.22	Yes
	1/25/2012	0.25	±	0.08	0.91	±	0.29	Yes	8.17	±	0.37	30.23	±	1.36	Yes Yes
	2/1/2012	0.80 1.29	±	0.12	2.96	±	0.46	Yes	17.70 36.90	±	0.50 0.75	65.49	±	1.84 2.78	
	2/8/2012		±	0.17	4.77	±	0.61	Yes		±		136.53	±		Yes
	2/15/2012	1.47	±	0.16	5.44	±	0.59	Yes	37.20	±	0.69	137.64	±	2.53	Yes
	2/22/2012	0.69	±	0.12	2.55	±	0.43	Yes	17.10	±	0.49	63.27	±	1.79	Yes
	2/29/2012	0.84	±	0.14	3.10	±	0.51	Yes	22.50	±	0.83	83.25	±	3.06	Yes
	3/7/2012	0.67	±	0.14	2.49	±	0.53	Yes	22.40	±	0.86	82.88	±	3.19	Yes
	3/14/2012	2.02	±	0.20	7.47	±	0.75	Yes	59.80	±	1.25	221.26	±	4.63	Yes
	3/21/2012	0.87	±	0.14	3.20	±	0.53	Yes	24.40	±	0.87	90.28	±	3.23	Yes
DEVELIDO ONO	3/28/2012	0.94	±	0.16	3.49	±	0.60	Yes	28.20	±	1.00	104.34	±	3.70	Yes
REXBURG CMS	1/4/2012	0.86	±	0.15	3.17	±	0.57	Yes	22.30	±	0.63	82.51	±	2.32	Yes
	1/11/2012	1.44	±	0.18	5.33	±	0.67	Yes	35.20	±	0.76	130.24	±	2.80	Yes
	1/18/2012	0.89	±	0.14	3.30	±	0.53	Yes	22.60	±	0.60	83.62	±	2.21	Yes
	1/25/2012	0.48	±	0.11	1.78	±	0.40	Yes	8.47	±	0.42	31.34	±	1.55	Yes
	2/1/2012	0.82	±	0.14	3.02	±	0.50	Yes	20.00	±	0.57	74.00	±	2.10	Yes
	2/8/2012	1.49	±	0.17	5.51	±	0.64	Yes	33.80	±	0.72	125.06	±	2.67	Yes
	2/15/2012	1.77	±	0.25	6.55	±	0.94	Yes	39.30	±	1.01	145.41	±	3.74	Yes
	2/22/2012	0.82	±	0.18	3.02	±	0.65	Yes	14.40	±	0.65	53.28	±	2.39	Yes
	2/29/2012	0.66	±	0.18	2.43	±	0.65	Yes	21.80	±	1.13	80.66	±	4.18	Yes
	3/7/2012	0.86	±	0.22	3.17	±	0.83	Yes	19.00	±	1.18	70.30	±	4.37	Yes
	3/14/2012	1.80	±	0.26	6.66	±	0.97	Yes	58.40	±	1.68	216.08	±	6.22	Yes
	3/21/2012	0.96	±	0.21	3.55	±	0.79	Yes	23.00	±	1.22	85.10	±	4.51	Yes
W. A.E.	3/28/2012	1.32	±	0.24	4.88	±	0.89	Yes	35.50	±	1.43	131.35	±	5.29	Yes
INL SITE															
EFS	1/4/2012	0.53	±	0.13	1.96	±	0.48	Yes	22.30	±	0.60	82.51	±	2.23	Yes
	1/11/2012	1.21	±	0.16	4.48	±	0.61	Yes	46.60	±	0.82	172.42	±	3.03	Yes
	1/18/2012	0.96	±	0.14	3.55	±	0.53	Yes	26.00	±	0.62	96.20	±	2.30	Yes
	1/25/2012	0.40	±	0.10	1.49	±	0.38	Yes	7.93	±	0.42	29.34	±	1.55	Yes
	2/1/2012	0.62	±	0.13	2.31	±	0.47	Yes	14.50	±	0.52	53.65	±	1.91	Yes
	2/8/2012	1.29	±	0.17	4.77	±	0.61	Yes	34.40	±	0.73	127.28	±	2.69	Yes
	2/15/2012	0.68	±	0.13	2.51	±	0.48	Yes	39.00	±	0.72	144.30	±	2.67	Yes
	2/22/2012	0.64	±	0.12	2.36	±	0.45	Yes	16.30	±	0.51	60.31	±	1.88	Yes
	2/29/2012	0.51	±	0.12	1.87	±	0.45	Yes	18.90	±	0.81	69.93	±	3.00	Yes
	3/7/2012	0.57	±	0.15	2.11	±	0.57	Yes	21.80	±	0.93	80.66	±	3.45	Yes
	3/14/2012	0.90	±	0.15	3.34	±	0.55	Yes	42.20	±	1.07	156.14	±	3.96	Yes
	3/21/2012	0.26	±	0.11	0.95	±	0.41	No	15.10	±	0.77	55.87	±	2.83	Yes
	3/28/2012	1.33	±	0.18	4.92	±	0.66	Yes	36.40	±	1.10	134.68	±	4.07	Yes
MAIN GATE	1/4/2012	0.82	±	0.15	3.04	±	0.54	Yes	21.60	±	0.60	79.92	±	2.21	Yes
	1/11/2012	1.36	±	0.17	5.03	±	0.63	Yes	44.90	±	0.80	166.13	±	2.96	Yes
	1/18/2012	1.17	±	0.16	4.33	±	0.57	Yes	25.00	±	0.62	92.50	±	2.29	Yes
	1/25/2012	0.47	±	0.13	1.75	±	0.48	Yes	11.20	±	0.56	41.44	±	2.05	Yes
	2/1/2012	0.82	±	0.14	3.05	±	0.51	Yes	21.90	±	0.60	81.03	±	2.21	Yes
	2/8/2012	1.15	±	0.16	4.26	±	0.59	Yes	37.70	±	0.75	139.49	±	2.79	Yes
	2/15/2012	1.00	±	0.15	3.69	±	0.55	Yes	37.80	±	0.73	139.86	±	2.70	Yes
	2/22/2012	0.63	±	0.12	2.33	±	0.45	Yes	15.80	±	0.51	58.46	±	1.87	Yes
	2/29/2012	0.73	±	0.14	2.68	±	0.51	Yes	19.70	±	0.83	72.89	±	3.08	Yes
	3/7/2012	0.60	±	0.15	2.23	±	0.57	Yes	20.10	±	0.91	74.37	±	3.35	Yes
	3/7/2012 3/14/2012	0.60	±	0.15	2.23 3.54	±	0.57	Yes Yes	20.10 45.50	±	0.91 1.15	74.37 168.35	±	3.35 4.26	Yes Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

		GROSS ALPHA								GROSS BETA						
Sampling Group and Location	Sampling Date		± 1s Unα 10 <sup>-15</sup> μCi	certainty /mL)		± 1s Un 0 <sup>-11</sup> Bq	certainty /mL)	Result > 3s		: 1s Unα 0 <sup>-15</sup> μCi	certainty /mL)		1s Und 0 <sup>-11</sup> Bq/	ertainty mL)	Result > 3s	
	3/28/2012	1.31	±	0.17	4.85	±	0.64	Yes	29.80	±	1.00	110.26	±	3.70	Yes	
VAN BUREN GATE	1/4/2012	0.90	±	0.15	3.34	±	0.55	Yes	19.40	±	0.57	71.78	±	2.11	Yes	
	1/11/2012	1.55	±	0.18	5.74	±	0.65	Yes	42.60	±	0.78	157.62	±	2.87	Yes	
	1/18/2012	0.84	±	0.14	3.12	±	0.51	Yes	26.70	±	0.63	98.79	±	2.35	Yes	
	1/25/2012	0.51	±	0.11	1.89	±	0.41	Yes	8.08	±	0.42	29.90	±	1.55	Yes	
	2/1/2012	0.99	±	0.15	3.66	±	0.55	Yes	21.90	±	0.60	81.03	±	2.22	Yes	
	2/8/2012	1.24	±	0.16	4.59	±	0.60	Yes	33.70	±	0.71	124.69	±	2.64	Yes	
	2/15/2012	1.05	±	0.15	3.89	±	0.55	Yes	37.40	±	0.72	138.38	±	2.66	Yes	
	2/22/2012	0.45	±	0.11	1.68	±	0.41	Yes	16.10	±	0.51	59.57	±	1.87	Yes	
	2/29/2012	0.52	±	0.13	1.94	±	0.47	Yes	18.80	±	0.83	69.56	±	3.05	Yes	
	3/7/2012	0.32	±	0.13	1.17	±	0.50	No	18.80	±	0.86	69.56	±	3.19	Yes	
	3/14/2012	1.00	±	0.16	3.70	±	0.58	Yes	40.30	±	1.07	149.11	±	3.96	Yes	
	3/21/2012	0.64	±	0.14	2.37	±	0.52	Yes	16.10	±	0.82	59.57	±	3.02	Yes	
	3/28/2012	1.21	±	0.17	4.48	±	0.64	Yes	32.30	±	1.05	119.51	±	3.89	Yes	
<ul> <li>a. Invalid Sample Resul</li> </ul>	t															

TABLE C-2. Weekly lodine-131 Activity in Air.

Sampling Group	Sampling	Result ± 1	ls Ur	certainty	Result ±	1s Un	certainty	
and Location	Date	(x 10 <sup>-</sup>	<sup>15</sup> μC	i/mL)	(x 10	) <sup>-11</sup> Bq	/mL)	Result > 3s
BOUNDARY		•		•	•		•	
ARCO	01/04/2012	1.62	±	0.98	6.00	±	3.62	No
	01/11/2012	-0.96	±	0.87	-3.54	±	3.23	No
	01/18/2012	0.86	±	0.87	3.19	±	3.23	No
	01/25/2012	0.15	±	0.91	0.56	±	3.37	No
	02/01/2012	-0.23	±	0.91	-0.86	±	3.37	No
	02/08/2012	-2.22	±	1.63	-8.20	±	6.01	No
	02/15/2012	-0.56	±	1.69	-2.08	±	6.27	No
	02/22/2012	-0.97	±	1.58	-3.58	±	5.84	No
	02/29/2012	-1.04	±	1.57	-3.85	±	5.81	No
	03/07/2012	-2.07	±	1.59	-7.65	±	5.89	No
	03/14/2012	-1.28	±	1.90	-4.74	±	7.03	No
	03/21/2012	-1.99	±	1.52	-7.35	±	5.63	No
	03/28/2012	-0.48	±	1.65	-1.77	±	6.12	No
QA-1	01/04/2012	1.63	<u></u>	0.98	6.03	<u></u>	3.64	No
(ARCO)	01/04/2012	-0.96	±	0.88	-3.55	±	3.24	No
(AROO)	01/11/2012	0.86	±	0.87	3.17	±	3.22	No
	01/15/2012	0.00	±	0.90	0.55	±	3.32	No
	02/01/2012	-0.23	±	0.90	-0.85	±	3.34	No
	02/08/2012	-2.18	±	1.60	-8.05	±	5.90	No
	02/05/2012	-0.52	±	1.57	-0.03	±	5.82	No
	02/13/2012	-0.52	±	1.52	-3.45	±	5.62	No
	02/29/2012	-1.04	±	1.56	-3.43	±	5.78	No
	03/07/2012	-1.04		1.52	-3.63 -7.30		5.62	No
	03/14/2012	-1.97 -1.24	±	1.85	-7.30 -4.60	±	6.83	No
	03/21/2012	-1.24 -1.92	± ±	1.65	-4.00 -7.10	± ±	5.44	No
	03/28/2012	-0.50	±	1.73	-1.85	±	6.39	No
ATOMIC CITY	01/04/2012	1.86	_ <u>+</u> 	1.12	6.88	<u>-</u>	4.15	No
ATOMIO OTT	01/11/2012	-1.11	±	1.01	-4.09	±	3.74	No
	01/11/2012	1.04	±	1.06	3.85	±	3.74	No
	01/15/2012	0.18	±	1.10	0.68	±	4.07	No
	02/01/2012	-0.29	±	1.15	-1.08	±	4.24	No
	02/08/2012	-2.59	±	1.90	-9.57	±	7.02	No
	02/05/2012	-0.65	±	1.97	-2.42	±	7.02	No
	02/13/2012	-1.10		1.79	-2.42 -4.07		6.63	No
a	02/29/2012	-1.10	±	1.79	-4.07	±	0.03	No
a	03/07/2012	-2.31	± ±	1.78	-8.53	± ±	6.57	No
	03/14/2012	-2.00	±	2.96	-7.39		10.97	No
	03/21/2012	-2.00 -2.16	±	1.65	-7.39 -7.98	± ±	6.11	No
	03/28/2012	-0.55	±	1.92	-2.05	±	7.09	No
BLUE DOME	01/04/2012	-0.37	±	0.84	-1.38	<u>÷</u> ±	3.10	No
DEOL DOINE	01/11/2012	-0.03	±	0.89	-0.11	±	3.31	No
	01/11/2012	-1.03	±	0.87	-3.82	±	3.21	No
	01/15/2012	-0.62	±	0.89	-2.28	±	3.30	No
	02/01/2012	-0.04	±	0.90	-0.13	±	3.33	No
	02/08/2012	0.50	±	1.62	1.85	±	5.99	No
	02/05/2012	-2.17	±	1.56	-8.03	±	5.76	No
	02/22/2012	-1.24	±	1.49	-4.58	±	5.50	No
	02/29/2012	-1.71	±	1.57	-6.32	±	5.81	No
	03/07/2012	0.51	±	1.55	1.89	±	5.74	No
	03/14/2012	-0.38	±	1.59	-1.40	±	5.87	No
	00/17/2012	0.00	-	1.00	1.70	-	0.07	140

TABLE C-2. Weekly lodine-131 Activity in Air.

Sampling Group	Sampling	Result ± 1	s Ur	certainty	Result ±	1s Un	certainty	
and Location	Date	(x 10 <sup>-</sup>	<sup>15</sup> μC	i/mL)	(x 10	) <sup>-11</sup> Bq	/mL)	Result > 3s
BOUNDARY		,		•	,	•	•	
	03/21/2012	0.32	±	1.57	1.18	±	5.82	No
	03/28/2012	0.20	±	1.57	0.73	±	5.80	No
FAA TOWER	01/04/2012	-0.41	±	0.93	-1.54	±	3.44	No
	01/11/2012	-0.03	±	0.90	-0.11	±	3.32	No
	01/18/2012	-1.01	±	0.85	-3.72	±	3.13	No
	01/25/2012	-0.62	±	0.90	-2.31	±	3.34	No
	02/01/2012	-0.04	±	0.94	-0.13	±	3.46	No
	02/08/2012	0.51	±	1.65	1.89	±	6.12	No
	02/15/2012	-2.21	±	1.59	-8.19	±	5.87	No
	02/22/2012	-1.35	±	1.62	-4.98	±	5.98	No
	02/29/2012	-1.86	±	1.71	-6.89	±	6.33	No
	03/07/2012	0.54	±	1.63	1.98	±	6.03	No
	03/14/2012	-0.40	±	1.68	-1.49	±	6.23	No
	03/21/2012	0.34	±	1.66	1.25	±	6.14	No
	03/28/2012	0.21	±	1.66	0.77	±	6.14	No
HOWE	01/04/2012	-0.44	_ <u></u> _	0.99	-1.63		3.67	No
	01/11/2012	-0.03	±	0.97	-0.12	±	3.58	No
	01/18/2012	-1.08	±	0.91	-4.00	±	3.36	No
	01/25/2012	-0.67	±	0.96	-2.46	±	3.56	No
	02/01/2012	-0.04	±	0.97	-0.14	±	3.58	No
	02/08/2012	0.55	±	1.78	2.03	±	6.57	No
	02/15/2012	-2.33	±	1.67	-8.63	±	6.18	No
	02/22/2012	-1.42	±	1.70	-5.25	±	6.30	No
	02/29/2012	-1.89	±	1.74	-7.01	±	6.43	No
	03/07/2012	0.54	±	1.65	2.00	±	6.09	No
	03/14/2012	-0.42	±	1.77	-1.56	±	6.54	No
	03/21/2012	0.42	±	1.76	1.32	±	6.50	No
	03/28/2012	0.30	±	1.85	0.86	±	6.83	No
MONTEVIEW	01/04/2012	-0.58	_ <u></u> _	1.30	-2.14	<u>+</u>	4.80	No
WONTEVIEW	01/04/2012	-0.03	±	0.89	-0.11	±	3.28	No
	01/11/2012	-1.02	±	0.85	-3.76	±	3.16	No
	01/15/2012	-0.71	±	1.02	-2.61	±	3.78	No
	02/01/2012	-0.71	±	0.94	-0.14	±	3.47	No
	02/08/2012					±	6.09	No
	02/05/2012	0.51 -2.14	±	1.64 1.54	1.88 -7.93		5.68	No
	02/13/2012	-2.14 -1.79	± ±	2.15	-7.93 -6.62	±	7.94	No
2	02/29/2012	-1.79		2.13	-0.02	±	7.34	No
a	03/07/2012	0.51	±	1.56	1.90	±	5.78	No
	03/14/2012	-0.37	±			±	5.78	No
	03/21/2012	-0.37 0.32	±	1.56 1.57	-1.38 1.18	±	5.76 5.80	No
	03/28/2012		±			±		
QA-2	01/04/2012	0.21 -0.47	<u>±</u>	1.63 1.05	0.76		6.03	No No
(MONTEVIEW)	01/04/2012	-0.47 -0.03	±		-1.73 -0.12	±	3.88 3.75	No No
(IVIOINI L VIEVV)	01/11/2012		±	1.01		±		
		-1.13 0.70	±	0.95	-4.19	±	3.52	No No
	01/25/2012	-0.70	±	1.01	-2.60	±	3.75	No No
	02/01/2012	-0.04	±	1.02	-0.15	±	3.78	No
	02/08/2012	0.57	±	1.85	2.11	±	6.83	No
	02/15/2012	-2.55	±	1.83	-9.43	±	6.76	No
_	02/22/2012	-1.98	±	2.38	-7.32	±	8.79	No
a	02/29/2012		±			±		No

TABLE C-2. Weekly lodine-131 Activity in Air.

Sampling Group	Sampling			certainty			certainty	
and Location	Date	(x 10	) <sup>-15</sup> µC	i/mL)	(x 10	) <sup>-11</sup> Bq	/mL)	Result > 3s
BOUNDARY								
а	03/07/2012		±			±		No
	03/14/2012	-0.27	±	1.14	-1.01	±	4.22	No
	03/21/2012	0.32	±	1.58	1.18	±	5.84	No
	03/28/2012	0.21	±	1.65	0.77	±	6.10	No
MUD LAKE	01/04/2012	-0.45	±	1.02	-1.68	±	3.76	No
	01/11/2012	-0.03	±	0.99	-0.12	±	3.65	No
	01/18/2012	-1.11	±	0.93	-4.09	±	3.43	No
	01/25/2012	-0.69	±	1.00	-2.54	±	3.68	No
	02/01/2012	-0.04	±	1.01	-0.15	±	3.74	No
	02/08/2012	0.57	±	1.85	2.11	±	6.83	No
	02/15/2012	-2.29	±	1.64	-8.47	±	6.07	No
	02/22/2012	-1.50	±	1.80	-5.55	±	6.66	No
	02/29/2012	-1.64	±	1.50	-6.06	±	5.57	No
	03/07/2012	0.59	±	1.78	2.17	±	6.60	No
	03/14/2012	-0.43	±	1.81	-1.60	±	6.68	No
	03/21/2012	0.38	±	1.87	1.41	±	6.93	No
	03/28/2012	0.22	±	1.75	0.82	±	6.47	No
DISTANT								
BLACKFOOT CMS	01/04/2012	2.04	±	1.23	7.54	±	4.55	No
	01/11/2012	-1.24	±	1.13	-4.59	±	4.19	No
	01/18/2012	1.19	±	1.21	4.42	±	4.48	No
	01/25/2012	0.18	±	1.05	0.65	±	3.89	No
	02/01/2012	-0.29	±	1.15	-1.08	±	4.24	No
	02/08/2012	-2.66	±	1.95	-9.85	±	7.23	No
	02/15/2012	-0.78	±	2.37	-2.90	±	8.75	No
	02/22/2012	-1.51	±	2.46	-5.59	±	9.11	No
	02/29/2012	-1.54	±	2.33	-5.71	±	8.61	No
	03/07/2012	-2.82	±	2.17	-10.43	±	8.03	No
	03/14/2012	-1.86	±	2.76	-6.88	±	10.21	No
	03/21/2012	-2.81	±	2.15	-10.41	±	7.97	No
-	03/28/2012	-0.71	±	2.45	-2.62	±	9.06	No
CRATERS	01/04/2012	1.85	±	1.12	6.85	±	4.13	No
	01/11/2012	-1.15	±	1.05	-4.26	±	3.89	No
	01/18/2012	1.01	±	1.03	3.74	±	3.79	No
	01/25/2012	0.18	±	1.08	0.67	±	4.00	No
	02/01/2012	-0.27	±	1.07	-1.01	±	3.95	No
	02/08/2012	-2.68	±	1.97	-9.93	±	7.28	No
	02/15/2012	-0.70	±	2.11	-2.59	±	7.82	No
	02/22/2012	-1.08	±	1.76	-4.00	±	6.52	No
	02/29/2012	-1.10	±	1.67	-4.09	±	6.16	No
	03/07/2012	-2.31	±	1.78	-8.55	±	6.58	No
	03/14/2012	-1.37	±	2.04	-5.09	±	7.55	No
	03/21/2012	-2.24	±	1.71	-8.29	±	6.34	No
DUDOIS	03/28/2012	-0.51	±	1.75	-1.87	±	6.49	No
DUBOIS	01/04/2012	-0.43	±	0.97	-1.61	±	3.60	No
	01/11/2012	-0.03	±	0.97	-0.11	±	3.58	No
	01/18/2012	-1.04	±	0.87	-3.85	±	3.23	No
	01/25/2012	-0.64	±	0.93	-2.38	±	3.45	No
	02/01/2012	-0.04	±	1.01	-0.15	±	3.75	No
	02/08/2012	0.56	±	1.82	2.08	±	6.72	No

TABLE C-2. Weekly lodine-131 Activity in Air.

Sampling Group	Sampling	Result ± 1	ls Ur	certainty	Result ±	1s Un	certainty	
and Location	Date	(x 10 <sup>-</sup>	<sup>15</sup> μC	i/mL)	(x 10	<sup>-11</sup> Bq	ı/mL)	Result > 3s
BOUNDARY		,		,	•		· · · · · · · · · · · · · · · · · · ·	
	02/15/2012	-2.28	±	1.64	-8.45	±	6.05	No
	02/22/2012	-1.35	±	1.62	-4.98	±	5.98	No
	02/29/2012	-1.77	±	1.62	-6.54	±	6.01	No
	03/07/2012	0.56	±	1.70	2.07	±	6.29	No
	03/14/2012	-0.39	±	1.64	-1.45	±	6.08	No
	03/21/2012	0.35	±	1.71	1.28	±	6.31	No
	03/28/2012	0.22	±	1.73	0.81	±	6.42	No
IDAHO FALLS	01/04/2012	-0.42	_ <u></u> _	0.95	-1.57	<u></u>	3.51	No
1571110171220	01/11/2012	-0.03	±	0.88	-0.10	±	3.26	No
	01/18/2012	-1.04	±	0.88	-3.86	±	3.24	No
	01/25/2012	-0.63	±	0.92	-2.34	±	3.39	No
	02/01/2012	-0.04	±	0.95	-0.14	±	3.52	No
	02/08/2012	0.51		1.65	1.88		6.10	No
	02/05/2012	-2.02	±	1.65		±	5.34	No
			±		-7.46	±		
	02/22/2012	-1.22	±	1.46	-4.50	±	5.40	No
	02/29/2012	-1.74	±	1.59	-6.43	±	5.90	No
	03/07/2012	0.49	±	1.50	1.83	±	5.56	No
	03/14/2012	-0.36	±	1.50	-1.33	±	5.56	No
	03/21/2012	0.32	±	1.59	1.19	±	5.87	No
	03/28/2012	0.20	±	1.56	0.73	±	5.77	No
JACKSON	01/04/2012	1.56	±	0.94	5.77	±	3.48	No
	01/11/2012	-1.00	±	0.91	-3.69	±	3.37	No
	01/18/2012	0.96	±	0.98	3.56	±	3.61	No
	01/25/2012	0.14	±	0.84	0.52	±	3.10	No
	02/01/2012	-0.23	±	0.89	-0.84	±	3.29	No
	02/08/2012	-2.57	±	1.89	-9.52	±	6.98	No
	02/15/2012	-0.60	±	1.80	-2.20	±	6.65	No
	02/22/2012	-0.93	±	1.52	-3.45	±	5.63	No
	02/29/2012	-1.05	±	1.59	-3.90	±	5.88	No
	03/07/2012	-1.97	±	1.51	-7.28	±	5.60	No
	03/14/2012	-1.31	±	1.94	-4.84	±	7.18	No
	03/21/2012	-1.85	±	1.42	-6.84	±	5.24	No
	03/28/2012	-0.52	±	1.80	-1.93	±	6.67	No
REXBURG CMS	01/04/2012	-0.46	±	1.02	-1.69	±	3.78	No
	01/11/2012	-0.03	±	1.01	-0.12	±	3.73	No
	01/18/2012	-1.05	±	0.88	-3.89	±	3.27	No
	01/25/2012	-0.64	±	0.93	-2.38	±	3.44	No
	02/01/2012	-0.04	±	0.93	-0.13	±	3.45	No
	02/08/2012	0.54	±	1.74	1.99	±	6.45	No
	02/15/2012	-3.85	±	2.76	-14.23	±	10.20	No
	02/22/2012	-2.03	±	2.44	-7.52	±	9.03	No
	02/29/2012	-2.65	±	2.43	-9.80	±	9.00	No
	03/07/2012	0.78	±	2.38	2.90	±	8.80	No
	03/14/2012	-0.61	±	2.56	-2.27	±	9.48	No
	03/21/2012	0.51	±	2.49	1.87	±	9.22	No
	03/28/2012	0.31	±	2.49	1.07	±	9.49	No
INL SITE	55,25,2012	0.02		2.00	1.20		5.75	140
EFS	04/04/2042	4 70	-	1.07	6 57		2.07	NI.
EFO	01/04/2012	1.78	±	1.07	6.57	±	3.97	No No
	01/11/2012	-1.10	±	1.01	-4.08	±	3.72	No
	01/18/2012	1.06	±	1.07	3.92	±	3.98	No

TABLE C-2. Weekly lodine-131 Activity in Air.

Sampling Group	Sampling			certainty	Result ±	1s Un	certainty		
and Location	Date	(x 10	<sup>-15</sup> μC	i/mL)	(x 10	<sup>-11</sup> Bq	/mL)	Result > 3s	
BOUNDARY									
	01/25/2012	0.17	±	1.02	0.63	±	3.79	No	
	02/01/2012	-0.27	±	1.06	-1.00	±	3.92	No	
	02/08/2012	-2.57	±	1.89	-9.52	±	6.98	No	
	02/15/2012	-0.56	±	1.69	-2.07	±	6.26	No	
	02/22/2012	-1.04	±	1.70	-3.85	±	6.29	No	
	02/29/2012	-1.13	±	1.71	-4.19	±	6.32	No	
	03/07/2012	-2.26	±	1.74	-8.36	±	6.44	No	
	03/14/2012	-1.29	±	1.91	-4.77	±	7.08	No	
	03/21/2012	-2.04	±	1.56	-7.56	±	5.79	No	
	03/28/2012	-0.50	±	1.75	-1.87	±	6.46	No	
MAIN GATE	01/04/2012	1.77	±	1.07	6.56	±	3.96	No	
	01/11/2012	-1.09	±	0.99	-4.02	±	3.67	No	
	01/18/2012	0.99	±	1.01	3.67	±	3.72	No	
	01/25/2012	0.22	±	1.32	0.82	±	4.88	No	
	02/01/2012	-0.27	±	1.04	-0.98	±	3.84	No	
	02/08/2012	-2.55	±	1.87	-9.45	±	6.93	No	
	02/15/2012	-0.58	±	1.77	-2.16	±	6.53	No	
	02/22/2012	-1.05	±	1.71	-3.88	±	6.34	No	
	02/29/2012	-1.15	±	1.73	-4.25	±	6.42	No	
	03/07/2012	-2.24	±	1.73	-8.30	±	6.39	No	
	03/14/2012	-1.39	±	2.06	-5.14	±	7.63	No	
	03/21/2012	-2.10	±	1.61	-7.78	±	5.96	No	
	03/28/2012	-0.49	±	1.69	-1.81	±	6.26	No	
VAN BUREN GATE	01/04/2012	1.77	±	1.07	6.54	±	3.95	No	
	01/11/2012	-1.07	±	0.98	-3.98	±	3.63	No	
	01/18/2012	0.98	±	0.99	3.63	±	3.68	No	
	01/25/2012	0.17	±	1.02	0.63	±	3.77	No	
	02/01/2012	-0.27	±	1.05	-0.99	±	3.88	No	
	02/08/2012	-2.53	±	1.86	-9.36	±	6.87	No	
	02/15/2012	-0.57	±	1.73	-2.12	±	6.41	No	
	02/22/2012	-1.04	±	1.70	-3.87	±	6.31	No	
	02/29/2012	-1.16	±	1.76	-4.31	±	6.49	No	
	03/07/2012	-2.19	±	1.69	-8.10	±	6.23	No	
	03/14/2012	-1.34	±	1.99	-4.96	±	7.36	No	
	03/21/2012	-2.12	±	1.62	-7.83	±	5.99	No	
	03/28/2012	-0.51	±	1.76	-1.89	±	6.53	No	
a. Invalid Sample Resu	ult								

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group	Sampling	A control of		Result ± 1s Uncertainty (x 10 <sup>-18</sup> µCi/mL)				ncertainty	D 14 . 0 .
and Location	Date	Analyte	(x 10	μC	/mL)	(x 10	) B(	q/mL)	Result > 3s
BOUNDARY	2/21/2012	CESIUM-137	44.50		00.00	10.55		000.04	
ARCO	3/31/2012		-11.50	±	98.20	-42.55	±	363.34	No
ARCO (QA-1)	3/31/2012	CESIUM-137	81.60	±	93.20	301.92	±	344.84	No
ATOMIC CITY	3/31/2012	CESIUM-137	-208.00	±	127.00	-769.60	±	469.90	No
	3/31/2012	STRONTIUM-90	8.94	±	6.67	33.06	±	24.69	No
BLUE DOME	3/31/2012	CESIUM-137	-87.10	±	103.00	-322.27	±	381.10	No
FAA TOWER	3/31/2012	AMERICIUM-241	0.61	±	0.84	2.25	±	3.09	No
	3/31/2012	CESIUM-137	-40.60	±	121.00	-150.22	±	447.70	No
	3/31/2012	PLUTONIUM-238	1.15	±	0.57	4.24	±	2.10	No
	3/31/2012	PLUTONIUM-239/240	1.59	±	0.83	5.90	±	3.09	No
HOWE	3/31/2012	CESIUM-137	154.00	±	91.90	569.80	±	340.03	No
MONTEVIEW	3/31/2012	CESIUM-137	-112.00	±	123.00	-414.40	±	455.10	No
MONTEVIEW (QA-2)	3/31/2012	CESIUM-137	-197.00	±	158.00	-728.90	±	584.60	No
MUD LAKE	3/31/2012	CESIUM-137	-41.70	±	91.70	-154.29	±	339.29	No
DISTANT									
BLACKFOOT	3/31/2012	CESIUM-137	-33.20	±	135.00	-122.84	±	499.50	No
CRATERS	3/31/2012	CESIUM-137	125.00	±	114.00	462.50	±	421.80	No
	3/31/2012	STRONTIUM-90	3.88	±	5.80	14.35	±	21.47	No
DUBOIS	3/31/2012	CESIUM-137	-218.00	±	1380.00	-806.60	±	5106.00	No
	3/31/2012	STRONTIUM-90	13.20	±	5.92	48.84	±	21.90	No
IDAHO FALLS	3/31/2012	CESIUM-137	6.73	±	104.00	24.90	±	384.80	No
JACKSON	3/31/2012	CESIUM-137	-74.90	±	108.00	-277.13	±	399.60	No
REXBURG CMS	3/31/2012	AMERICIUM-241	0.32	±	1.08	1.20	±	3.98	No
	3/31/2012	CESIUM-137	7.33	±	147.00	27.12	±	543.90	No
	3/31/2012	PLUTONIUM-238	0.91	±	0.81	3.38	±	2.99	No
	3/31/2012	PLUTONIUM-239/240	1.52	±	0.92	5.62	±	3.40	No
INL SITE									
EFS	3/31/2012	CESIUM-137	82.80	±	88.10	306.36	±	325.97	No
MAIN GATE	3/31/2012	CESIUM-137	-16.40	±	111.00	-60.68	±	410.70	No
VAN BUREN GATE	3/31/2012	CESIUM-137	-81.00	±	103.00	-299.70	±	381.10	No

**TABLE C-4. Tritium Concentrations in Atmospheric Moisture.** 

Sampling Group and Location	Start Date	Sampling Date	Result ± (x 10		ncertainty i/mL <sub>air)</sub>			ncertainty /mL <sub>air)</sub>	Collection Medium	Result > 3s
BOUNDARY										
ATOMIC CITY	12/28/2011	2/1/2012	1.70	±	0.96	6.29	±	3.56	Molecular Sieve	No
DISTANT										
BLACKFOOT	12/21/2011	01/25/2012	3.99	±	0.93	14.76	±	3.43	Molecular Sieve	Yes
BLACKFOOT	01/25/2012	02/22/2012	3.58	±	1.00	13.25	±	3.69	Molecular Sieve	Yes
IDAHO FALLS	12/05/2011	01/12/2012	2.93	±	1.00	10.84	±	3.71	Molecular Sieve	No
IDAHO FALLS	01/12/2012	02/15/2012	2.75	±	1.28	10.17	±	4.73	Molecular Sieve	No
REXBURG	12/07/2011	01/18/2012	4.82	±	1.01	17.84	±	3.75	Molecular Sieve	Yes
REXBURG	01/18/2012	02/22/2012	5.09	±	1.33	18.85	±	4.93	Molecular Sieve	Yes

TABLE C-5. Monthly and Weekly Tritium Concentrations in Precipitation.

			Result ± 1s Uncertainty			Result ±	Result ± 1s Uncertainty				
Location	Start Date	<b>End Date</b>		(pCi/L	)		(Bq/L)		Result > 3s		
IDAHO FALLS	12/1/2011	1/2/2012	-6.45	±	26.20	-0.24	±	0.97	No		
	1/2/2012	2/1/2012	55.10	±	27.40	2.04	±	1.01	No		
	2/1/2012	3/1/2012	105.00	±	28.80	3.89	±	1.07	Yes		
CFA	12/1/2011	1/3/2012	28.20	±	26.90	1.04	±	1.00	No		
	1/3/2012	2/1/2012	70.10	±	28.10	2.59	±	1.04	No		
	2/1/2012	3/1/2012	86.50	±	28.20	3.20	±	1.04	Yes		
EFS	1/18/2012	1/25/2012	107.00	±	28.50	3.96	±	1.05	Yes		
	1/25/2012	2/1/2012	129.00	±	29.00	4.77	±	1.07	Yes		
	2/8/2012	2/15/2012	135.00	±	29.50	5.00	±	1.09	Yes		
	2/15/2012	2/22/2012	147.00	±	29.50	5.44	±	1.09	Yes		
	3/14/2012	3/21/2012	61.30	±	28.20	2.27	±	1.04	No		

Table C-6. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

				lodir	ne-131	lodine-131		Cesium-137							
	Sampling	Result	± 1s U	ncertainty			certainty	•	Result ± 1s Uncertainty Result ± 1s Uncertainty						•
Location	Date		(pCi <sup>†</sup> /	L)	(	(Bq <sup>‡</sup> /L	)	Result > 3s		(pCi/L	)		(Bq/L	)	Result > 3s
BLACKFOOT															
	03/11/12	1.03	±	0.99	0.038	±	0.037	No	0.93	±	0.88	0.034	±	0.033	No
CONTROL															
	01/03/12	3.01	±	2.04	0.111	±	0.076	No	-1.69	±	1.39	-0.063	±	0.051	No
	02/07/12	0.10	±	1.79	0.004	±	0.066	No	2.59	±	1.43	0.096	±	0.053	No
	03/06/12	-2.72	±	1.78	-0.101	±	0.066	No	-0.60	±	0.01	-0.022	±	0.001	No
DIETRICH															
	01/03/12	0.90	±	1.54	0.033	±	0.057	No	1.28	±	1.34	0.047	±	0.050	No
	02/07/12	-0.35	±	1.18	-0.013	±	0.044	No	0.63	±	1.37	0.023	±	0.051	No
	03/06/12	-0.46	±	1.12	-0.017	±	0.041	No	0.29	±	1.42	0.011	±	0.053	No
HOWE															
	01/03/12	1.95	±	1.27	0.072	±	0.047	No	-0.85	±	0.92	-0.032	±	0.034	No
	02/07/12	-0.38	±	1.64	-0.014	±	0.061	No	-0.41	±	1.44	-0.015	±	0.053	No
	03/06/12	-1.77	±	0.98	-0.066	±	0.036	No	-0.82	±	0.77	-0.030	±	0.028	No
IDAHO FALLS															
	01/03/12	-0.90	±	0.99	-0.033	±	0.037	No	0.72	±	0.78	0.026	±	0.029	No
	01/10/12	-2.03	±	1.62	-0.075	±	0.060	No	-0.65	±	1.36	-0.024	±	0.050	No
	01/17/12	-0.06	±	0.93	-0.002	±	0.035	No	0.61	±	0.75	0.022	±	0.028	No
	01/24/12	1.31	±	1.50	0.049	±	0.056	No	0.08	±	1.38	0.003	±	0.051	No
	01/31/12	0.09	±	0.92	0.003	±	0.034	No	0.95	±	0.79	0.035	±	0.029	No
	02/07/12	-0.55	±	0.92	-0.020	±	0.034	No	0.30	±	0.76	0.011	±	0.028	No
	02/14/12	0.96	±	0.92	0.036	±	0.034	No	-0.76	±	0.83	-0.028	±	0.031	No
	02/21/12	-0.03	±	0.94	-0.001	±	0.035	No	0.96	±	0.77	0.036	±	0.028	No
	02/28/12	-0.46	±	0.95	-0.017	±	0.035	No	-0.68	±	0.76	-0.025	±	0.028	No
	03/06/12	0.36	±	0.93	0.013	±	0.034	No	0.70	±	0.79	0.026	±	0.029	No
	03/13/12	0.58	±	0.91	0.021	±	0.034	No	0.87	±	0.78	0.032	±	0.029	No
	03/20/12	-0.67	±	0.88	-0.025	±	0.032	No	0.05	±	0.78	0.002	±	0.029	No
	03/27/12	0.80	±	0.94	0.029	±	0.035	No	-0.67	±	0.84	-0.025	±	0.031	No
RUPERT		0.00		0.01	0.020		0.000	110	0.01		0.01	0.020		0.001	110
	01/03/12	3.75	±	1.58	0.139	±	0.059	No	0.90	±	1.35	0.033	±	0.050	No
Duplicate	01/03/12	2.14	±	1.72	0.079	±	0.064	No	1.43	±	1.45	0.053	±	0.054	No
Duplicate	02/07/12	-0.83	±	0.87	-0.031	±	0.032	No	0.36	±	0.82	0.033	±	0.034	No
	03/06/12	0.07	±	0.86	0.003	±	0.032	No	1.11	±	0.86	0.041	±	0.032	No
TERRETON	30/03/12	0.01		0.00	0.003		0.002	140	1.11		0.00	0.041		0.002	110
TERRETOR	01/03/12	2.57	±	3.22	0.095	±	0.119	No	1.29	±	1.39	0.048	±	0.051	No
	02/07/12	1.68	±	1.27	0.093	±	0.119	No	-0.33	±	1.48	-0.012	±	0.051	No
	03/06/12			1.39	-0.006		0.047	No						0.053	
Duplicate	03/06/12	-0.16 2.83	±	1.76	-0.006 0.105	±	0.051	INO	0.08	±	1.44	0.003 0.050	±	0.053	No

## APPENDIX D STATISTICAL ANALYSIS RESULTS

**TABLE C-4. Tritium Concentrations in Atmospheric Moisture.** 

Sampling Group and Location	Start Date	Sampling Date	Result ± (x 10		ncertainty i/mL <sub>air)</sub>			ncertainty /mL <sub>air)</sub>	Collection Medium	Result > 3s
BOUNDARY										
ATOMIC CITY	12/28/2011	2/1/2012	1.70	±	0.96	6.29	±	3.56	Molecular Sieve	No
DISTANT										
BLACKFOOT	12/21/2011	01/25/2012	3.99	±	0.93	14.76	±	3.43	Molecular Sieve	Yes
BLACKFOOT	01/25/2012	02/22/2012	3.58	±	1.00	13.25	±	3.69	Molecular Sieve	Yes
IDAHO FALLS	12/05/2011	01/12/2012	2.93	±	1.00	10.84	±	3.71	Molecular Sieve	No
IDAHO FALLS	01/12/2012	02/15/2012	2.75	±	1.28	10.17	±	4.73	Molecular Sieve	No
REXBURG	12/07/2011	01/18/2012	4.82	±	1.01	17.84	±	3.75	Molecular Sieve	Yes
REXBURG	01/18/2012	02/22/2012	5.09	±	1.33	18.85	±	4.93	Molecular Sieve	Yes

Table D-1. Results of the Kruskal-Wallace statistical test between INL Site, Boundary and Distant sample groups by month.

Parameter	P <sup>a</sup>						
Gross Alpha							
Quarter	0.37						
January	0.46						
February	0.52						
March	0.79						
Gross Beta							
Quarter	0.87						
January	0.58						
February	0.89						
March	0.91						
A 'p' value greater than 0.05 signifies no statistical difference between data groups.							

Table D-2. Statistical difference in weekly gross alpha and gross beta concentrations measured at Boundary and Distant locations.

		Mann-Whitney U test
Parameter	Week	P <sup>a</sup>
Gross Alpha		
	January 4	0.03
	January 11	1.00
	January 18	0.89
	January 25	0.72
	February 1	0.78
	February 8	0.02
	February 15	0.48
	February 22	0.89
	February 29	0.47
	March 7	0.89
	March 14	0.20
	March 21	1.00
	March 28	0.78
Gross Beta		
	January 4	0.15
	January 11	0.12
	January 18	0.01
	January 25	0.78
	February 1	0.03
	February 8	0.22
	February 15	0.48
	February 22	0.09
	February 29	1.00
	March 7	0.57
	March 14	1.00
	March 21	0.10
	March 28	0.25
	iviaiCH 26	0.25

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups.

1st Quarter 2012 D-2 September 2012