

Gonzales Stoller Surveillance, LLC
Environmental Surveillance, Education, and Research Program
ISSN NUMBER 1089-5469

Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: Second Quarter 2012

December 2012



*Contributors:
Russ Mitchell, Marilyn Case*

Program conducted for the U.S. Department of Energy, Idaho Operations Office
Under Contract DE-NE0000300

By Gonzales Stoller Surveillance, LLC
Environmental Surveillance, Education, and Research Program
Douglas K. Halford, Program Manager
120 Technology Dr., Idaho Falls, Idaho 83401
www.gsseser.com

EXECUTIVE SUMMARY

None of the radionuclides detected in samples collected during the second quarter of 2012 could be directly linked with INL Site activities. Levels of detected radionuclides were no different than values measured at other locations across the western United States. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the second quarter of 2012 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, April 1 through June 30, 2012. All sample types (media) and the sampling schedule followed during 2012 are listed in Appendix A. Specifically, this report contains the results for the following:

- Air sampling, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation and drinking/surface water sampling
- Milk and large game animal sampling
- Environmental radiation measurements

Table E-1 Summary of results for the Second Quarter of 2012.

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	Gross alpha concentrations were statistically higher at Distant locations than at Boundary and INL Site locations for the quarter and during June. This does not indicate an impact from INL Site operations. No statistical differences were noted in gross beta data on any quarterly or monthly comparisons. No result exceeded the DCS for gross alpha or gross beta activity in air.
		Gamma-emitting radionuclides, ⁹⁰ Sr, actinides (americium and plutonium)	No human-made gamma-emitting radionuclides or actinides were detected. The original set of Strontium-90 analyses was invalidated due to detection of strontium in the blank. Remaining composites were sent. Strontium-90 was detected at four of five locations at similar concentrations to those found throughout 2011.
	Charcoal Cartridge	Iodine-131	No Iodine-131 was found on any second quarter charcoal cartridges.
Atmospheric Moisture	Liquid	Tritium	Ten of the 14 results had tritium concentrations greater than the 3s uncertainty. No sample result exceeded the DCS for tritium in air. Results were consistent with historical measurements.
Precipitation	Liquid	Tritium	Eight samples were collected. Six of the results were greater than the 3s uncertainty. The concentrations were consistent with those reported across the region by the Environmental Protection Agency and with previous results.
Drinking/surface water	Liquid	Gross alpha, gross beta, tritium	Gross alpha was not detected. Gross beta was detected in most samples from naturally-occurring radioactivity. Tritium was detected in only two samples. Concentrations were similar to those measured historically in drinking and surface water.
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides, ⁹⁰ Sr, tritium	No Iodine-131 or other human-made gamma-emitting radionuclides were detected. Strontium-90 was detected in five of seven samples, including an out-of-state sample. The highest concentration was at the upper end of the recent range, but within historical measurements. Tritium was detected in two milk samples, with concentrations similar to those found in other liquid

			media.
Large Game Animals	Tissue	Gamma-emitting radionuclides	One game animal was sampled during the quarter. No humanmade radionuclides were detected.
Environmental Dosimeters	Environmental radiation	External radioactivity	The average measurements over the six-month period were 0.32 mrem/day at boundary and 0.33 mrem/day at distant locations.

LIST OF ABBREVIATIONS

AEC	Atomic Energy Commission
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	Department of Energy
DOE – ID	Department of Energy Idaho Operations Office
EAL	Environmental Assessment Laboratory
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ERAMS	Environmental Radiation Ambient Monitoring System
ESER	Environmental Surveillance, Education, and Research
GSS	Gonzales Stoller Surveillance, LLC
ICP	Idaho Cleanup Project
INL	Idaho National Laboratory
INEL	Idaho National Engineering Laboratory
INEEL	Idaho National Engineering and Environmental Laboratory
ISU	Idaho State University
MDC	minimum detectable concentration
NRTS	National Reactor Testing Station

LIST OF UNITS

Bq	becquerel
Ci	curie
g	gram
L	liter
μ Ci	microcurie
mL	milliliter
pCi	picocurie

1. ESEER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under a number of acts (e.g. the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2003). During calendar year 2012, environmental monitoring within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors, while monitoring outside the INL Site boundaries was conducted under the Environmental Surveillance, Education, and Research (ESEER) Program. At the beginning of the first quarter of 2011, the ESEER Program became led by a new partnership between S.M. Stoller and Jerome Gonzales Management Systems, Inc. with the support of the previous team members. This partnership is named Gonzales Stoller Surveillance, LLC (GSS). The ESEER Program was led by GSS in cooperation with its team members, including the University of Idaho, Idaho State University (ISU), ALS Environmental, and the Wildlife Conservation Society.

This report contains monitoring results from the ESEER Program for samples collected during the second quarter of 2012 (April 1-June 30, 2012).

The surveillance portion of the ESEER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely through the use of reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- moisture in air at four locations around the INL Site
- precipitation from three locations on and around the INL Site
- drinking water from eight locations and surface water from three locations around the INL Site
- agricultural products, including milk at six dairies around the INL Site, potatoes from at least five local producers, wheat from approximately 10 local producers, and lettuce from approximately nine home-owned and portable gardens on and around the INL
- soil from 12 locations around the INL Site biennially
- environmental dosimeters from 15 locations semi-annually
- various numbers of wildlife including big game (pronghorn, mule deer, and elk) and waterfowl sampled on and near the INL Site.

Table A-1 in Appendix A lists samples, sampling locations and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Beginning with second quarter samples, analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}\text{Pu}$), and americium-241 (^{241}Am) were performed by a new laboratory—ALS Environmental of Fort Collins, Colorado.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident, the EPA may request additional sampling be performed through RadNet [previously known as the Environmental Radiation Ambient Monitoring System (ERAMS) network] (EPA 2011). The EPA established the ERAMS network in 1973 with an emphasis on identifying trends in the accumulation of long-lived radionuclides in the environment. ERAMS was renamed RadNet in 2005 to reflect a new mission. RadNet is comprised of a nationwide network of sampling stations that provide air, precipitation, drinking water, and milk samples. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (<http://www.epa.gov/narel/radnet/>).

Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data and for preparing quarterly reports on results from the environmental surveillance program. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably have an effect on the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s , where "s" is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is

statistically different from background. The ESER has adopted guidelines developed by the United States Geological Survey (Bartholomay, et al. 2003), based on an extension of a method proposed by Currie (1984), to interpret analytical results and make decisions concerning detection. Most of the following discussion is taken from Bartholomay et al (2003).

Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). Instrument signals for the target and blank vary randomly about the true signals and may overlap making it difficult to distinguish between radionuclide activities in blank and in environmental samples (Figure 1). That is, the variability around the sample result may substantially overlap the variability around a net activity of zero for samples with no radioactivity. In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection.




Figure 1. Example of overlap of blank and sample measurement distributions.

In the laboratory, instrument signals must exceed a critical level of 1.6s before the qualitative decision can be made as to whether the radionuclide was detected in a sample. At 1.6s there is about a 95-percent probability that the correct conclusion—not detected—will be made. Given a large number of samples, approximately 5 percent of the samples with measured concentrations greater than or equal to 1.6s, which were concluded as being detected, might not contain the radionuclide. These are referred to as false positives. For purposes of simplicity and consistency with past reporting, the ESER has rounded the 1.6s critical level estimate to 2s.

Once the critical level has been defined, the minimum detectable concentration may be determined. Concentrations that equal 3s represent a measurement at the detection level or minimum detectable concentration. For true concentrations of 3s or greater, there is a greater than 99-percent probability that the radionuclide was detected in the target sample. In a large number of samples, the conclusion—not detected—will be made in less than one percent of the samples with true concentrations at the minimum detectable concentration of 3s. These

measurements are known as false negatives. The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being “detected with confidence.”

Concentrations between 2s and 3s are reported as “questionably detected”. That is, the radionuclide may be present in the sample; however, the detection may not be reliable. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a particular radionuclide is typically detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is little confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

For more information concerning the ESER Program, contact GSS at (208) 525-8250, or visit the Program’s web page (<http://www.gsseser.com>).

2. THE INL SITE

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi² (2300 km²) of the upper Snake River Plain in Southeastern Idaho. The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005 the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories.

The cleanup operation, the ICP, is now a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions by 2012.



3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (^{131}I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the second quarter of 2012 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011) values is provided in Appendix B.

LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the second quarter of 2012 (Figure 2). Three of these samplers are located on the INL Site, nine are situated off the INL Site near the boundary, and six have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2012, one replicate sampler was moved to Montevieu (a Boundary location) and one was moved to Arco (also a Boundary location). An average of 19,919 ft³ (564 m³) of air was sampled at each location, each week, at an average flow rate of 1.98 ft³/min (0.06 m³/min). Particulates in air were collected on membrane particulate filters (1.2- μm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.




Figure 2. Low-volume air sampler locations.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (^{131}I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha data are tested for normality prior to statistical analyses, and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, the nonparametric Kruskal-Wallis test of multiple independent groups was used to test for statistical differences between INL Site, Boundary, and Distant locations. The use of nonparametric tests, such as Kruskal-Wallis, gives less weight to outlier and extreme values thus allowing a more appropriate comparison of data groups. A statistically significant difference exists between data groups if the (p) value is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. For the quarter, there was a statistical difference noted. However, as indicated by Figure 3, the Distant group was higher than the Boundary and INL Site groups. This is the opposite of what would be expected if the INL Site was having an impact on gross alpha concentrations. Somewhat higher gross alpha concentrations were noted at the valley locations of Blackfoot, Idaho Falls, and Rexburg.

Comparisons of gross alpha concentrations were made for each month of the quarter. Again the Kruskal-Wallis test of multiple independent groups was used to determine if statistical differences exist between INL Site, Boundary, and Distant data groups. A statistical difference in gross alpha concentrations between groups was noted during June (Table D-1). A similar pattern to the quarterly concentrations was noted, with the highest monthly values at the Distant stations and the lowest at the INL Site locations.

As an additional check, comparisons between gross alpha concentrations measured at Boundary and Distant locations were made on a weekly basis. The Mann-Whitney U test was used to compare the Boundary and Distant data because it is the most powerful nonparametric alternative to the t-test for independent samples. INL Site sample results were not included in this analysis because the onsite data, collected at only three locations, are not representative of the entire INL Site and would not aid in determining offsite impacts. In the second quarter, there were no weeks where a statistical difference existed between the two sample groups (Table D-2).

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. The data were tested and found to be neither normally nor log-normally distributed. Box and whiskers plots were used for presentation of the data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past five years, and because these values could not be attributed to mistakes in




Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the second quarter of 2012.




Figure 4. April gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 5. May gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location, except Blackfoot and Howe (N = 4).




Figure 6. June gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Dubois (N = 3).




Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the second quarter of 2012.




Figure 8. April gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 9. May gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location, except Blackfoot and Howe (N = 4).




Figure 10. June gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Dubois (N = 3).

collection, analysis, or reporting procedures. No statistical differences were noted in the quarterly data using the Kruskal-Wallis test (Table D-1).

Comparisons of gross beta concentrations were made for each month of the quarter. Statistical data are presented in Table D-1. No statistical differences were found during any month of the quarter.

Comparison of weekly Boundary and Distant gross beta data sets, using the Mann Whitney U test, showed no statistical differences between Boundary and Distant measurements during any week of the quarter (Table D-1).

Iodine-131 was not found in any charcoal cartridges measured during the second quarter. Weekly ^{131}I results for each location are listed in Table C-2 of Appendix C.

Weekly filters for the second quarter of 2012 were composited by location. All samples were analyzed for gamma-emitting radionuclides, including ^{137}Cs . Selected composites were also analyzed for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am . Results are reported in Table C-3, Appendix C.

No ^{137}Cs , ^{238}Pu , $^{239/240}\text{Pu}$, or ^{241}Am were detected. Data from the original set of composites analyzed for ^{90}Sr were invalidated because ^{90}Sr was detected in the blank sample analyzed with the set. A set of remaining composites were then sent for analysis. Strontium-90 was detected in four of the five of the composites analyzed. Similar concentrations were found at the Distant and Boundary locations, and concentrations were similar to those detected during the final three quarters of 2011 after a more sensitive analytical method went into use.

ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for 14 atmospheric moisture samples collected during the second quarter of 2012. Ten of these exceeded the 3s uncertainty level for tritium, with similar results to those reported previously. All samples were significantly below the DOE DCS for tritium in air of $1.4 \times 10^{-8} \mu\text{Ci}/\text{mL}_{\text{air}}$ with a maximum reported value of $11.8 \times 10^{-13} \mu\text{Ci}/\text{mL}_{\text{air}}$ at Rexburg. Results are shown in Table C-4, Appendix C.

4. PRECIPITATION AND WATER SAMPLING

PRECIPITATION SAMPLING

Precipitation samples are gathered when sufficient precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls and CFA, and weekly from the EFS. Precipitation samples are analyzed for tritium. Storm events in the second quarter of 2012 produced sufficient precipitation to yield eight samples.

Tritium was measured above the 3s values in six of the eight samples. Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere. Data for second quarter precipitation samples collected by the ESER Program averaged 119 pCi/L, which is well within the historical range and the range measured by the EPA Radnet program in samples from Region 10, which includes Idaho (EPA 2011). These results are listed in Table C-5 (Appendix C).

WATER SAMPLING

. Drinking water samples were collected at eight locations (plus a duplicate). A control sample of bottled water was also prepared. Surface water samples were collected at three Thousand Springs locations and five locations on the Big Lost River during its brief period of flow. A sample was also collected from the Birch Creek outflow at the northern INL Site boundary. All samples were analyzed for gross alpha, gross beta, and tritium. Results are listed in Table C-6 of Appendix C.

Gross alpha activity was not detected in any samples. Gross beta activity was detected in all of the drinking water samples except the control sample and in all of the surface water samples, except for the Big Lost River sample from the US20/26 Rest Area. Concentrations were generally similar to previous results from drinking and surface water sampling. Natural levels of radioactive decay products of thorium and uranium exist in the Snake River Plain Aquifer and are the likely source of the measured concentrations. Tritium was also detected in two of the drinking water samples and three of the surface water samples. The concentrations were similar to those found in atmospheric moisture and precipitation samples and was consistent with previous years.

Samples from the Big Lost River and Birch Creek were also analyzed for gamma-emitting radionuclides. No humanmade gamma-emitting radionuclides were detected in any of the samples.



5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Lettuce and grain are sampled during the third quarter, while potatoes are collected during the fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and agricultural products samples available during the second quarter of 2012.

MILK SAMPLING

Milk samples were collected weekly in Idaho Falls. Monthly samples were collected at six other locations around the INL Site (Figure 11) during the second quarter of 2012. In addition, commercially-available organic milk was purchased as a control sample. All samples were analyzed for gamma emitting radionuclides. Samples from May were also analyzed for ^{90}Sr and tritium.

Iodine-131 and other human-made radionuclides were not detected in any weekly or monthly samples during the second quarter. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-7.

Results for ^{90}Sr and tritium are listed in Appendix C, Table C-8. Strontium-90 was detected in five of seven samples, including the control sample. The maximum concentration of 2.13 pCi/L is just outside the range of concentrations for the past five years but well within the historical range.

Tritium was detected in two samples. All results were similar to those previously measured.




Figure 11. ESER milk sampling locations.

LARGE GAME ANIMAL SAMPLING

One large game animal was available for sampling during the second quarter. Samples were collected of muscle, liver, and thyroid tissue. No humanmade gamma-emitting radionuclides were detected in any of the tissues. Results are found in Appendix C, Table C-9.

6. ENVIRONMENTAL RADIATION

An array of thermoluminescent dosimeters (TLDs) is distributed throughout the Eastern Snake River Plain to monitor for environmental radiation (Figure 11). In November 2011 the ESER Program also placed optically stimulated luminescent dosimeters (OSLDs) in the same locations as the TLDs to run a side-by-side comparison of the two dosimeter technologies. TLDs and OSLDs are changed out in May and again in November after six months in the field. The results of the TLDs exposed from November 2011 through April 2012 are discussed below. Final results for the initial set of OSLDs were not available but will be discussed in the next quarterly report.




Figure 11. TLD/OSLD locations.

Similar to the low-volume air results the environmental dosimeter locations are also divided into Boundary and Distant groupings. Boundary average exposure rates ranged from a low of 0.31 mR/day at Blue Dome to a high of 0.40 mR/day at Mud Lake. The overall Boundary average was 0.35 mR/day. The Distant group had a high of 0.42 mR/day at Rexburg and a low of 0.31 mR/day at the Dubois location. The overall average Distant value was 0.36 mR/day. There was no statistical difference between Boundary and Distant locations and all values are consistent with past readings. All results are listed in Appendix C, Table C-10

7. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

1. method uncertainty
2. data completeness
3. data accuracy, using spike, performance evaluation and laboratory control samples
4. data precision, using split samples, duplicate samples and recounts
5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (GSS 2012). The following table summarizes the results of the quality assurance program for the second quarter of 2012.

QA Sample Type	Number of Sample Results	Number of Results Meeting Criteria	Percentage Meeting Criteria
Spikes/Laboratory Control Samples	371	365	98.4
Field Duplicates	69	68	98.6
Laboratory Splits	41	41	100.0
Recounts	205	205	100.0
Blanks	75	72	96.0
Method Uncertainty	1913	1766	99.1

8. REFERENCES

- Bartholomay, R.C., Knobel, L.L., and Rousseau, J.P., 2003, *Field Methods and Quality Plan for Quality-of-Water Activities, U.S. Geological Survey, Idaho National Engineering and Environmental Laboratory, Idaho*, DOE/ID-22182, January 2003.
- Currie, L.A., 1984, *Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements*, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2003, "Environmental Management System," U.S. Department of Energy Order 450.1, January 2003.
- DOE, 2011, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.
- EPA, 2011, RadNet—Tracking Environmental Radiation Nationwide, Web-page: <http://www.epa.gov/narel/radnet/>
- GSS, 2012, *Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program*, Environmental Surveillance, Education and Research Program, April 2012.

APPENDIX A
SUMMARY OF SAMPLING SCHEDULE

Table A-1. Summary of the ESER Program's Sampling Schedule

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AIR SAMPLING				
<i>LOW-VOLUME AIR</i>				
Gross Alpha, Gross Beta, ¹³¹ I	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Rexburg	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Rexburg	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
⁹⁰ Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
<i>ATMOSPHERIC MOISTURE</i>				
Tritium	2 to 13 weeks	Blackfoot, Idaho Falls, Rexburg	Atomic City	None
<i>PRECIPITATION</i>				
Tritium	monthly	Idaho Falls	None	CFA
Tritium	weekly	None	None	EFS
<i>DRINKING WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None
<i>SURFACE WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
ENVIRONMENTAL RADIATION SAMPLING				
<i>TLDs</i>				
Gamma Radiation	semiannual	Aberdeen, Blackfoot (2), Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Rexburg, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Monteview, Mud Lake	None
SOIL SAMPLING				
<i>SOIL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	biennially	Carey, Crystal Ice Caves (Aberdeen), Blackfoot, St. Anthony	Butte City, Monteview, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None

Table A-1. Summary of the ESER Program's Sampling Schedule (continued)

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
FOODSTUFF SAMPLING				
<i>MILK</i>				
Gamma Spec (¹³¹ I)	weekly	Idaho Falls	None	None
Gamma Spec (¹³¹ I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
Tritium, ⁹⁰ Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
<i>POTATOES</i>				
Gamma Spec, ⁹⁰ Sr	annually	Blackfoot, Idaho Falls, Rupert, Shelley, occasional samples across the U.S.	Arco, Monteview, Mud Lake, Terreton	None
<i>GRAIN</i>				
Gamma Spec, ⁹⁰ Sr	annually	American Falls, Blackfoot, Carey Idaho Falls, Minidoka, Roberts	Arco, Monteview, Mud Lake, Taber, Terreton	None
<i>LETTUCE</i>				
Gamma Spec, ⁹⁰ Sr	annually	Blackfoot, Carey, Idaho Falls	Arco, Atomic City, FAA Tower, Howe, Monteview	EFS
<i>BIG GAME</i>				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads
<i>WATERFOWL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	annually	Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewater disposal ponds

APPENDIX B
SUMMARY OF MDCs AND DCSs

Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed during Second Quarter 2012

Sample Type	Analysis	Approximate Minimum Detectable Concentration ^a (MDC)	Derived Concentration Standard ^b (DCS)
Air (particulate filter) ^e	Gross alpha ^c	3.77×10^{-16} $\mu\text{Ci/mL}$	4×10^{-14} $\mu\text{Ci/mL}$
	Gross beta ^d	1.09×10^{-15} $\mu\text{Ci/mL}$	2.4×10^{-13} $\mu\text{Ci/mL}$
	²⁴¹ Am	4.85×10^{-18} $\mu\text{Ci/mL}$	4.1×10^{-14} $\mu\text{Ci/mL}$
	²³⁸ Pu	3.27×10^{-18} $\mu\text{Ci/mL}$	3.7×10^{-14} $\mu\text{Ci/mL}$
	^{239/240} Pu	5.28×10^{-18} $\mu\text{Ci/mL}$	3.4×10^{-14} $\mu\text{Ci/mL}$
	⁹⁰ Sr	2.87×10^{-17} $\mu\text{Ci/mL}$	2.5×10^{-11} $\mu\text{Ci/mL}$
Air (charcoal cartridge) ^e	¹³¹ I	5.85×10^{-16} $\mu\text{Ci/mL}$	4.1×10^{-10} $\mu\text{Ci/mL}$
Air (atmospheric moisture)	³ H	120.6 pCi/L _{water}	1.4×10^{-8} $\mu\text{Ci/mL}_{\text{air}}$
Air (precipitation)	³ H	121.6 pCi/L	1.9×10^{-3} $\mu\text{Ci/mL}$
Water	³ H	122.4 pCi/L	1.9×10^{-3} $\mu\text{Ci/mL}$
Milk	¹³¹ I	0.50 pCi/L	--
	¹³⁷ Cs	1.09 pCi/L	--
	⁹⁰ Sr	0.39 pCi/L	--
<p>a The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence and precision of plus or minus 100 percent under a specified set of typical laboratory measurement conditions.</p> <p>b DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.</p> <p>c The DCS for gross alpha is equivalent to the DCSs for ²⁴¹Am.</p> <p>d The DCS for gross beta is equivalent to the DCSs for ²²⁸Ra</p> <p>e The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 m³/week.</p>			

APPENDIX C
SAMPLE ANALYSIS RESULTS

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA						GROSS BETA									
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s			Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY																	
ARCO	4/4/2012	1.01	±	0.15	3.74	±	0.56	Yes	22.30	±	0.89	82.51	±	3.30	Yes		
	4/11/2012	1.09	±	0.14	4.03	±	0.53	Yes	20.60	±	0.53	76.22	±	1.95	Yes		
	4/18/2012	0.87	±	0.14	3.20	±	0.50	Yes	14.10	±	0.46	52.17	±	1.69	Yes		
	4/25/2012	1.26	±	0.15	4.66	±	0.57	Yes	20.50	±	0.53	75.85	±	1.97	Yes		
	5/2/2012	0.85	±	0.13	3.15	±	0.49	Yes	16.60	±	0.50	61.42	±	1.83	Yes		
	5/9/2012	1.09	±	0.15	4.03	±	0.54	Yes	21.20	±	0.53	78.44	±	1.96	Yes		
	5/16/2012	1.30	±	0.16	4.81	±	0.60	Yes	26.80	±	0.61	99.16	±	2.25	Yes		
	5/23/2012	0.91	±	0.14	3.38	±	0.51	Yes	21.60	±	0.55	79.92	±	2.02	Yes		
	5/30/2012	0.89	±	0.14	3.29	±	0.52	Yes	11.70	±	0.39	43.29	±	1.44	Yes		
	6/6/2012	1.26	±	0.15	4.66	±	0.56	Yes	16.20	±	0.49	59.94	±	1.82	Yes		
	6/13/2012	0.99	±	0.15	3.66	±	0.55	Yes	16.06	±	0.87	59.43	±	3.23	Yes		
	6/20/2012	0.67	±	0.13	2.46	±	0.50	Yes	20.40	±	0.54	75.48	±	2.00	Yes		
	6/27/2012	0.88	±	0.15	3.26	±	0.54	Yes	21.70	±	0.56	80.29	±	2.06	Yes		
	QA-1 (ARCO)	4/4/2012	0.92	±	0.14	3.41	±	0.52	Yes	20.30	±	0.83	75.11	±	3.06	Yes	
4/11/2012		1.40	±	0.16	5.18	±	0.58	Yes	22.50	±	0.55	83.25	±	2.04	Yes		
4/18/2012		0.62	±	0.12	2.30	±	0.44	Yes	13.20	±	0.44	48.84	±	1.62	Yes		
4/25/2012		1.45	±	0.16	5.37	±	0.60	Yes	21.60	±	0.55	79.92	±	2.02	Yes		
5/2/2012		1.09	±	0.14	4.03	±	0.53	Yes	16.20	±	0.48	59.94	±	1.79	Yes		
5/9/2012		1.23	±	0.15	4.55	±	0.55	Yes	21.50	±	0.53	79.55	±	1.95	Yes		
5/16/2012		1.54	±	0.17	5.70	±	0.63	Yes	26.60	±	0.60	98.42	±	2.20	Yes		
5/23/2012		1.52	±	0.16	5.62	±	0.60	Yes	22.80	±	0.55	84.36	±	2.02	Yes		
5/30/2012		0.69	±	0.12	2.55	±	0.45	Yes	10.60	±	0.35	39.22	±	1.30	Yes		
6/6/2012		1.36	±	0.16	5.03	±	0.58	Yes	18.30	±	0.52	67.71	±	1.92	Yes		
6/13/2012		1.00	±	0.15	3.71	±	0.57	Yes	13.78	±	0.90	51.00	±	3.33	Yes		
6/20/2012		0.90	±	0.14	3.33	±	0.52	Yes	19.60	±	0.52	72.52	±	1.92	Yes		
6/27/2012		1.05	±	0.15	3.89	±	0.55	Yes	21.40	±	0.54	79.18	±	2.00	Yes		
ATOMIC CITY		4/4/2012	0.80	±	0.15	2.97	±	0.54	Yes	20.10	±	0.88	74.37	±	3.26	Yes	
	4/11/2012	1.04	±	0.15	3.85	±	0.57	Yes	22.70	±	0.60	83.99	±	2.20	Yes		
	4/18/2012	0.88	±	0.18	3.24	±	0.67	Yes	15.20	±	0.62	56.24	±	2.31	Yes		
	4/25/2012	1.07	±	0.16	3.96	±	0.59	Yes	22.90	±	0.61	84.73	±	2.25	Yes		
	5/2/2012	1.54	±	0.19	5.70	±	0.72	Yes	19.10	±	0.62	70.67	±	2.28	Yes		
	5/9/2012	1.29	±	0.17	4.77	±	0.63	Yes	22.30	±	0.60	82.51	±	2.21	Yes		
	5/16/2012	1.39	±	0.18	5.14	±	0.65	Yes	30.20	±	0.67	111.74	±	2.47	Yes		
	5/23/2012	1.25	±	0.17	4.63	±	0.62	Yes	25.90	±	0.64	95.83	±	2.35	Yes		
	5/30/2012	0.63	±	0.13	2.34	±	0.48	Yes	11.90	±	0.40	44.03	±	1.49	Yes		
	6/6/2012	1.60	±	0.18	5.92	±	0.68	Yes	21.50	±	0.61	79.55	±	2.25	Yes		
	6/13/2012	0.87	±	0.16	3.20	±	0.58	Yes	17.16	±	0.95	63.50	±	3.51	Yes		
	6/20/2012	1.05	±	0.17	3.89	±	0.63	Yes	21.10	±	0.60	78.07	±	2.22	Yes		
	6/27/2012	1.11	±	0.16	4.11	±	0.61	Yes	23.80	±	0.60	88.06	±	2.23	Yes		
	BLUE DOME	4/4/2012	1.24	±	0.19	4.59	±	0.71	Yes	25.00	±	1.10	92.50	±	4.07	Yes	
4/11/2012		1.10	±	0.15	4.07	±	0.54	Yes	20.60	±	0.54	76.22	±	1.99	Yes		
4/18/2012		0.74	±	0.13	2.72	±	0.48	Yes	13.50	±	0.46	49.95	±	1.70	Yes		
4/25/2012		1.21	±	0.17	4.48	±	0.61	Yes	24.20	±	0.62	89.54	±	2.29	Yes		
5/2/2012		1.09	±	0.16	4.03	±	0.60	Yes	16.00	±	0.54	59.20	±	2.01	Yes		
5/9/2012		1.24	±	0.17	4.59	±	0.64	Yes	22.00	±	0.61	81.40	±	2.27	Yes		
5/16/2012		1.83	±	0.21	6.77	±	0.78	Yes	29.80	±	0.72	110.26	±	2.66	Yes		
5/23/2012		1.70	±	0.21	6.29	±	0.76	Yes	26.40	±	0.70	97.68	±	2.60	Yes		
5/30/2012		1.05	±	0.17	3.89	±	0.61	Yes	10.10	±	0.42	37.37	±	1.54	Yes		
6/6/2012		1.47	±	0.19	5.44	±	0.71	Yes	18.20	±	0.63	67.34	±	2.32	Yes		
6/13/2012		0.96	±	0.15	3.54	±	0.55	Yes	16.55	±	0.85	61.24	±	3.14	Yes		
6/20/2012		1.07	±	0.18	3.96	±	0.67	Yes	21.50	±	0.64	79.55	±	2.38	Yes		
6/27/2012		1.01	±	0.18	3.74	±	0.65	Yes	24.30	±	0.67	89.91	±	2.48	Yes		
FAA TOWER		4/4/2012	0.75	±	0.14	2.78	±	0.53	Yes	20.50	±	0.89	75.85	±	3.27	Yes	
	4/11/2012	1.55	±	0.18	5.74	±	0.65	Yes	22.60	±	0.59	83.62	±	2.18	Yes		

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA		
		Result ± 1s Uncertainty (x 10 ¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ¹¹ Bq/mL)	Result > 3s	Result ± 1s Uncertainty (x 10 ¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ¹¹ Bq/mL)	Result > 3s
	4/18/2012	0.47 ± 0.12	1.75 ± 0.45	Yes	14.20 ± 0.49	52.54 ± 1.81	Yes
	4/25/2012	1.00 ± 0.15	3.69 ± 0.56	Yes	21.30 ± 0.58	78.81 ± 2.14	Yes
	5/2/2012	0.89 ± 0.14	3.29 ± 0.53	Yes	15.40 ± 0.51	56.98 ± 1.88	Yes
	5/9/2012	1.31 ± 0.17	4.85 ± 0.63	Yes	21.70 ± 0.59	80.29 ± 2.16	Yes
	5/16/2012	1.50 ± 0.18	5.55 ± 0.68	Yes	29.30 ± 0.67	108.41 ± 2.47	Yes
	5/23/2012	1.42 ± 0.18	5.25 ± 0.65	Yes	27.40 ± 0.65	101.38 ± 2.41	Yes
	5/30/2012	0.56 ± 0.12	2.08 ± 0.46	Yes	10.30 ± 0.37	38.11 ± 1.37	Yes
	6/6/2012	1.50 ± 0.18	5.55 ± 0.66	Yes	19.90 ± 0.59	73.63 ± 2.16	Yes
	6/13/2012	0.76 ± 0.14	2.80 ± 0.53	Yes	14.21 ± 0.89	52.57 ± 3.30	Yes
	6/20/2012	0.88 ± 0.15	3.26 ± 0.55	Yes	17.90 ± 0.53	66.23 ± 1.95	Yes
	6/27/2012	0.91 ± 0.15	3.36 ± 0.56	Yes	21.50 ± 0.57	79.55 ± 2.12	Yes
HOWE	4/4/2012	1.45 ± 0.19	5.37 ± 0.70	Yes	22.40 ± 0.99	82.88 ± 3.64	Yes
	4/11/2012	1.26 ± 0.16	4.66 ± 0.59	Yes	22.00 ± 0.58	81.40 ± 2.13	Yes
	4/18/2012	0.77 ± 0.14	2.86 ± 0.50	Yes	13.20 ± 0.47	48.84 ± 1.73	Yes
	4/25/2012	2.13 ± 0.21	7.88 ± 0.77	Yes	23.20 ± 0.62	85.84 ± 2.30	Yes
	5/2/2012	1.17 ± 0.17	4.33 ± 0.61	Yes	15.70 ± 0.54	58.09 ± 1.99	Yes
a	5/9/2012	±	±	No	±	±	No
	5/16/2012	1.12 ± 0.16	4.14 ± 0.60	Yes	27.60 ± 0.65	102.12 ± 2.39	Yes
	5/23/2012	1.54 ± 0.19	5.70 ± 0.70	Yes	25.00 ± 0.66	92.50 ± 2.43	Yes
	5/30/2012	0.86 ± 0.14	3.18 ± 0.53	Yes	10.20 ± 0.38	37.74 ± 1.41	Yes
	6/6/2012	1.38 ± 0.17	5.11 ± 0.64	Yes	17.60 ± 0.57	65.12 ± 2.11	Yes
	6/13/2012	1.51 ± 0.20	5.58 ± 0.72	Yes	17.48 ± 1.02	64.67 ± 3.78	Yes
	6/20/2012	0.58 ± 0.15	2.13 ± 0.54	Yes	23.40 ± 0.63	86.58 ± 2.33	Yes
	6/27/2012	1.13 ± 0.16	4.18 ± 0.60	Yes	21.30 ± 0.57	78.81 ± 2.12	Yes
MONTEVIEW	4/4/2012	1.07 ± 0.15	3.96 ± 0.56	Yes	19.00 ± 0.83	70.30 ± 3.06	Yes
	4/11/2012	1.42 ± 0.17	5.25 ± 0.61	Yes	23.80 ± 0.59	88.06 ± 2.16	Yes
	4/18/2012	0.79 ± 0.13	2.92 ± 0.49	Yes	14.60 ± 0.47	54.02 ± 1.74	Yes
	4/25/2012	1.75 ± 0.19	6.48 ± 0.69	Yes	20.90 ± 0.58	77.33 ± 2.13	Yes
	5/2/2012	1.59 ± 0.18	5.88 ± 0.67	Yes	15.80 ± 0.53	58.46 ± 1.95	Yes
	5/9/2012	1.62 ± 0.18	5.99 ± 0.67	Yes	21.20 ± 0.58	78.44 ± 2.14	Yes
	5/16/2012	1.77 ± 0.19	6.55 ± 0.72	Yes	29.80 ± 0.67	110.26 ± 2.49	Yes
	5/23/2012	1.85 ± 0.20	6.85 ± 0.75	Yes	26.60 ± 0.67	98.42 ± 2.49	Yes
	5/30/2012	0.57 ± 0.13	2.10 ± 0.48	Yes	9.69 ± 0.38	35.85 ± 1.42	Yes
	6/6/2012	1.32 ± 0.17	4.88 ± 0.64	Yes	19.70 ± 0.60	72.89 ± 2.22	Yes
	6/13/2012	1.16 ± 0.16	4.30 ± 0.61	Yes	16.27 ± 0.90	60.18 ± 3.32	Yes
	6/20/2012	1.00 ± 0.17	3.68 ± 0.61	Yes	22.30 ± 0.61	82.51 ± 2.25	Yes
	6/27/2012	1.23 ± 0.17	4.55 ± 0.62	Yes	20.60 ± 0.57	76.22 ± 2.10	Yes
QA-2 (MONTEVIEW)	4/4/2012	1.28 ± 0.17	4.74 ± 0.62	Yes	21.40 ± 0.90	79.18 ± 3.33	Yes
	4/11/2012	1.41 ± 0.17	5.22 ± 0.61	Yes	21.80 ± 0.57	80.66 ± 2.11	Yes
	4/18/2012	0.88 ± 0.14	3.24 ± 0.53	Yes	14.00 ± 0.48	51.80 ± 1.78	Yes
	4/25/2012	1.43 ± 0.17	5.29 ± 0.64	Yes	22.30 ± 0.60	82.51 ± 2.21	Yes
	5/2/2012	1.18 ± 0.16	4.37 ± 0.58	Yes	15.20 ± 0.51	56.24 ± 1.87	Yes
	5/9/2012	1.30 ± 0.17	4.81 ± 0.61	Yes	22.50 ± 0.59	83.25 ± 2.16	Yes
	5/16/2012	1.54 ± 0.18	5.70 ± 0.67	Yes	26.80 ± 0.63	99.16 ± 2.35	Yes
	5/23/2012	1.22 ± 0.17	4.51 ± 0.62	Yes	26.70 ± 0.65	98.79 ± 2.40	Yes
	5/30/2012	0.68 ± 0.14	2.52 ± 0.50	Yes	9.77 ± 0.38	36.15 ± 1.40	Yes
	6/6/2012	1.22 ± 0.17	4.51 ± 0.61	Yes	19.60 ± 0.59	72.52 ± 2.18	Yes
	6/13/2012	1.32 ± 0.17	4.90 ± 0.64	Yes	15.82 ± 0.93	58.55 ± 3.45	Yes
	6/20/2012	0.84 ± 0.15	3.10 ± 0.56	Yes	20.70 ± 0.58	76.59 ± 2.13	Yes
	6/27/2012	1.06 ± 0.16	3.92 ± 0.59	Yes	21.30 ± 0.57	78.81 ± 2.12	Yes
MUD LAKE	4/4/2012	2.19 ± 0.21	8.10 ± 0.79	Yes	20.80 ± 0.95	76.96 ± 3.53	Yes
	4/11/2012	1.30 ± 0.17	4.81 ± 0.61	Yes	22.60 ± 0.60	83.62 ± 2.21	Yes
	4/18/2012	0.97 ± 0.15	3.58 ± 0.56	Yes	14.20 ± 0.50	52.54 ± 1.84	Yes
	4/25/2012	1.17 ± 0.17	4.33 ± 0.64	Yes	25.70 ± 0.66	95.09 ± 2.45	Yes
	5/2/2012	1.23 ± 0.17	4.55 ± 0.61	Yes	15.40 ± 0.53	56.98 ± 1.96	Yes
	5/9/2012	1.60 ± 0.18	5.92 ± 0.67	Yes	23.10 ± 0.60	85.47 ± 2.21	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ¹¹ Bq/mL)	
	5/16/2012	1.85 ± 0.20	6.85 ± 0.75	Yes	30.20 ± 0.70	111.74 ± 2.59	Yes		
	5/23/2012	1.63 ± 0.19	6.03 ± 0.70	Yes	27.20 ± 0.67	100.64 ± 2.46	Yes		
	5/30/2012	0.46 ± 0.13	1.69 ± 0.48	Yes	11.60 ± 0.42	42.92 ± 1.56	Yes		
	6/6/2012	1.37 ± 0.18	5.07 ± 0.66	Yes	19.80 ± 0.61	73.26 ± 2.25	Yes		
	6/13/2012	2.30 ± 0.22	8.50 ± 0.83	Yes	16.39 ± 1.00	60.65 ± 3.70	Yes		
	6/20/2012	0.85 ± 0.16	3.15 ± 0.57	Yes	19.30 ± 0.57	71.41 ± 2.10	Yes		
	6/27/2012	1.43 ± 0.18	5.29 ± 0.66	Yes	22.60 ± 0.59	83.62 ± 2.19	Yes		
DISTANT									
BLACKFOOT CMS	4/4/2012	1.89 ± 0.25	6.99 ± 0.93	Yes	25.10 ± 1.26	92.87 ± 4.66	Yes		
	4/11/2012	1.48 ± 0.21	5.48 ± 0.77	Yes	24.50 ± 0.73	90.65 ± 2.70	Yes		
	4/18/2012	1.26 ± 0.21	4.66 ± 0.76	Yes	16.90 ± 0.65	62.53 ± 2.42	Yes		
	4/25/2012	1.46 ± 0.21	5.40 ± 0.79	Yes	24.80 ± 0.75	91.76 ± 2.79	Yes		
	5/2/2012	1.33 ± 0.20	4.92 ± 0.73	Yes	18.50 ± 0.66	68.45 ± 2.42	Yes		
	5/9/2012	1.72 ± 0.22	6.36 ± 0.82	Yes	26.90 ± 0.75	99.53 ± 2.76	Yes		
	5/16/2012	1.51 ± 0.22	5.59 ± 0.83	Yes	32.00 ± 0.83	118.40 ± 3.08	Yes		
a	5/23/2012	2.73 ± 0.49	10.10 ± 1.82	Yes	40.90 ± 1.67	151.33 ± 6.18	Yes		
	5/30/2012	0.63 ± 0.22	2.35 ± 0.83	No	16.00 ± 0.70	59.20 ± 2.59	Yes		
	6/6/2012	2.36 ± 0.28	8.73 ± 1.02	Yes	26.40 ± 0.86	97.68 ± 3.17	Yes		
	6/13/2012	1.78 ± 0.24	6.57 ± 0.87	Yes	18.60 ± 1.18	68.83 ± 4.37	Yes		
	6/20/2012	0.91 ± 0.24	3.38 ± 0.88	Yes	25.00 ± 0.89	92.50 ± 3.30	Yes		
	6/27/2012	1.53 ± 0.27	5.66 ± 1.01	Yes	27.30 ± 0.92	101.01 ± 3.42	Yes		
CRATERS OF THE MOON	4/4/2012	0.82 ± 0.15	3.05 ± 0.54	Yes	18.60 ± 0.87	68.82 ± 3.22	Yes		
	4/11/2012	1.30 ± 0.16	4.81 ± 0.59	Yes	21.60 ± 0.57	79.92 ± 2.09	Yes		
	4/18/2012	0.75 ± 0.14	2.76 ± 0.51	Yes	14.80 ± 0.50	54.76 ± 1.85	Yes		
	4/25/2012	0.94 ± 0.14	3.48 ± 0.53	Yes	17.70 ± 0.52	65.49 ± 1.93	Yes		
	5/2/2012	1.07 ± 0.15	3.96 ± 0.56	Yes	16.00 ± 0.51	59.20 ± 1.89	Yes		
	5/9/2012	1.05 ± 0.15	3.89 ± 0.55	Yes	21.40 ± 0.56	79.18 ± 2.05	Yes		
	5/16/2012	1.26 ± 0.17	4.66 ± 0.62	Yes	26.90 ± 0.63	99.53 ± 2.33	Yes		
	5/23/2012	1.35 ± 0.17	5.00 ± 0.62	Yes	23.70 ± 0.60	87.69 ± 2.22	Yes		
	5/30/2012	0.73 ± 0.14	2.69 ± 0.51	Yes	13.50 ± 0.43	49.95 ± 1.57	Yes		
	6/6/2012	1.07 ± 0.15	3.96 ± 0.56	Yes	18.50 ± 0.55	68.45 ± 2.04	Yes		
	6/13/2012	0.80 ± 0.14	2.95 ± 0.53	Yes	15.33 ± 0.84	56.72 ± 3.12	Yes		
	6/20/2012	0.61 ± 0.14	2.27 ± 0.51	Yes	17.70 ± 0.53	65.49 ± 1.98	Yes		
	6/27/2012	0.92 ± 0.15	3.39 ± 0.57	Yes	21.50 ± 0.58	79.55 ± 2.14	Yes		
DUBOIS	4/4/2012	1.40 ± 0.19	5.18 ± 0.68	Yes	22.80 ± 0.98	84.36 ± 3.64	Yes		
	4/11/2012	1.13 ± 0.16	4.18 ± 0.57	Yes	20.10 ± 0.56	74.37 ± 2.07	Yes		
	4/18/2012	1.30 ± 0.17	4.81 ± 0.64	Yes	14.20 ± 0.52	52.54 ± 1.91	Yes		
	4/25/2012	1.60 ± 0.19	5.92 ± 0.71	Yes	22.30 ± 0.63	82.51 ± 2.35	Yes		
	5/2/2012	1.10 ± 0.15	4.07 ± 0.57	Yes	15.00 ± 0.51	55.50 ± 1.87	Yes		
	5/9/2012	1.37 ± 0.16	5.07 ± 0.61	Yes	20.60 ± 0.55	76.22 ± 2.04	Yes		
	5/16/2012	1.84 ± 0.20	6.81 ± 0.73	Yes	29.20 ± 0.67	108.04 ± 2.48	Yes		
	5/23/2012	1.34 ± 0.17	4.96 ± 0.62	Yes	23.90 ± 0.60	88.43 ± 2.23	Yes		
	5/30/2012	0.72 ± 0.14	2.65 ± 0.51	Yes	9.66 ± 0.38	35.74 ± 1.42	Yes		
	6/6/2012	1.09 ± 0.16	4.03 ± 0.58	Yes	18.70 ± 0.56	69.19 ± 2.09	Yes		
	6/13/2012	1.38 ± 0.18	5.10 ± 0.67	Yes	15.90 ± 0.97	58.83 ± 3.57	Yes		
	6/20/2012	1.16 ± 0.17	4.29 ± 0.64	Yes	17.40 ± 0.56	64.38 ± 2.06	Yes		
a	6/27/2012	-0.72 ± 0.49	-2.65 ± 1.82	No	17.80 ± 1.98	65.86 ± 7.33	Yes		
IDAHO FALLS	4/4/2012	1.56 ± 0.18	5.77 ± 0.67	Yes	21.80 ± 0.92	80.66 ± 3.39	Yes		
	4/11/2012	1.58 ± 0.17	5.85 ± 0.61	Yes	19.80 ± 0.52	73.26 ± 1.94	Yes		
	4/18/2012	0.84 ± 0.13	3.12 ± 0.48	Yes	12.40 ± 0.43	45.88 ± 1.59	Yes		
	4/25/2012	1.81 ± 0.18	6.70 ± 0.67	Yes	21.10 ± 0.56	78.07 ± 2.05	Yes		
	5/2/2012	1.04 ± 0.14	3.85 ± 0.53	Yes	15.56 ± 0.49	57.58 ± 1.81	Yes		
	5/9/2012	2.22 ± 0.19	8.21 ± 0.71	Yes	22.80 ± 0.56	84.36 ± 2.06	Yes		
	5/16/2012	1.77 ± 0.18	6.55 ± 0.67	Yes	27.20 ± 0.60	100.64 ± 2.23	Yes		
	5/23/2012	2.00 ± 0.20	7.40 ± 0.75	Yes	24.80 ± 0.64	91.76 ± 2.38	Yes		
	5/30/2012	0.96 ± 0.17	3.54 ± 0.61	Yes	10.70 ± 0.43	39.59 ± 1.60	Yes		

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA			
		Result ± 1s Uncertainty (x 10 ¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ¹¹ Bq/mL)	Result > 3s	Result ± 1s Uncertainty (x 10 ¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ¹¹ Bq/mL)	Result > 3s	
JACKSON	6/6/2012	1.45 ± 0.19	5.37 ± 0.71	Yes	20.90 ± 0.66	77.33 ± 2.43	Yes	
	6/13/2012	1.52 ± 0.18	5.64 ± 0.66	Yes	16.89 ± 0.90	62.47 ± 3.32	Yes	
	6/20/2012	1.68 ± 0.21	6.22 ± 0.76	Yes	20.20 ± 0.62	74.74 ± 2.28	Yes	
	6/27/2012	2.26 ± 0.23	8.36 ± 0.85	Yes	21.40 ± 0.63	79.18 ± 2.34	Yes	
	4/4/2012	1.04 ± 0.16	3.85 ± 0.60	Yes	22.90 ± 0.95	84.73 ± 3.53	Yes	
	4/11/2012	1.18 ± 0.16	4.37 ± 0.58	Yes	25.10 ± 0.61	92.87 ± 2.26	Yes	
	4/18/2012	0.80 ± 0.22	2.96 ± 0.83	Yes	16.10 ± 0.78	59.57 ± 2.90	Yes	
	4/25/2012	1.31 ± 0.16	4.85 ± 0.61	Yes	23.30 ± 0.59	86.21 ± 2.17	Yes	
	5/2/2012	1.31 ± 0.15	4.85 ± 0.55	Yes	18.90 ± 0.50	69.93 ± 1.85	Yes	
	5/9/2012	1.62 ± 0.17	5.99 ± 0.64	Yes	27.40 ± 0.61	101.38 ± 2.24	Yes	
	5/16/2012	1.34 ± 0.17	4.96 ± 0.62	Yes	31.20 ± 0.65	115.44 ± 2.41	Yes	
	5/23/2012	1.98 ± 0.19	7.33 ± 0.71	Yes	26.40 ± 0.62	97.68 ± 2.28	Yes	
	5/30/2012	0.81 ± 0.13	3.00 ± 0.48	Yes	11.20 ± 0.37	41.44 ± 1.37	Yes	
REXBURG CMS	6/6/2012	1.61 ± 0.17	5.96 ± 0.64	Yes	25.30 ± 0.60	93.61 ± 2.22	Yes	
	6/13/2012	1.01 ± 0.16	3.75 ± 0.59	Yes	18.13 ± 0.93	67.06 ± 3.43	Yes	
	6/20/2012	1.10 ± 0.16	4.07 ± 0.60	Yes	24.50 ± 0.60	90.65 ± 2.21	Yes	
	6/27/2012	1.28 ± 0.17	4.74 ± 0.62	Yes	26.50 ± 0.62	98.05 ± 2.28	Yes	
	4/4/2012	1.62 ± 0.24	5.99 ± 0.88	Yes	25.20 ± 1.26	93.24 ± 4.66	Yes	
	4/11/2012	1.49 ± 0.21	5.51 ± 0.78	Yes	26.20 ± 0.76	96.94 ± 2.80	Yes	
	4/18/2012	0.84 ± 0.18	3.10 ± 0.67	Yes	17.30 ± 0.65	64.01 ± 2.42	Yes	
	4/25/2012	1.70 ± 0.23	6.29 ± 0.83	Yes	22.90 ± 0.73	84.73 ± 2.70	Yes	
	5/2/2012	1.71 ± 0.24	6.33 ± 0.88	Yes	18.80 ± 0.73	69.56 ± 2.69	Yes	
	5/9/2012	2.22 ± 0.27	8.21 ± 1.01	Yes	26.80 ± 0.85	99.16 ± 3.14	Yes	
	5/16/2012	1.98 ± 0.26	7.33 ± 0.94	Yes	35.20 ± 0.90	130.24 ± 3.33	Yes	
	5/23/2012	2.43 ± 0.29	8.99 ± 1.05	Yes	31.30 ± 0.91	115.81 ± 3.37	Yes	
	5/30/2012	0.73 ± 0.18	2.70 ± 0.67	Yes	11.70 ± 0.52	43.29 ± 1.91	Yes	
INL SITE	6/6/2012	2.14 ± 0.26	7.92 ± 0.96	Yes	21.40 ± 0.78	79.18 ± 2.87	Yes	
	6/13/2012	1.69 ± 0.25	6.26 ± 0.92	Yes	15.09 ± 1.32	55.85 ± 4.88	Yes	
	6/20/2012	1.31 ± 0.24	4.85 ± 0.87	Yes	24.00 ± 0.81	88.80 ± 2.99	Yes	
	6/27/2012	1.38 ± 0.24	5.11 ± 0.88	Yes	27.00 ± 0.84	99.90 ± 3.10	Yes	
	EFS	4/4/2012	1.08 ± 0.16	4.00 ± 0.59	Yes	22.50 ± 0.92	83.25 ± 3.39	Yes
		4/11/2012	1.14 ± 0.15	4.22 ± 0.56	Yes	22.30 ± 0.56	82.51 ± 2.09	Yes
		4/18/2012	0.94 ± 0.15	3.47 ± 0.54	Yes	14.30 ± 0.48	52.91 ± 1.78	Yes
		4/25/2012	1.30 ± 0.16	4.81 ± 0.60	Yes	21.00 ± 0.56	77.70 ± 2.06	Yes
		5/2/2012	0.98 ± 0.15	3.62 ± 0.54	Yes	16.40 ± 0.51	60.68 ± 1.88	Yes
		5/9/2012	1.40 ± 0.16	5.18 ± 0.60	Yes	21.80 ± 0.55	80.66 ± 2.05	Yes
		5/16/2012	1.48 ± 0.17	5.48 ± 0.64	Yes	27.30 ± 0.62	101.01 ± 2.28	Yes
		5/23/2012	1.50 ± 0.17	5.55 ± 0.62	Yes	22.90 ± 0.57	84.73 ± 2.09	Yes
		5/30/2012	0.66 ± 0.13	2.46 ± 0.49	Yes	11.90 ± 0.40	44.03 ± 1.49	Yes
6/6/2012		1.20 ± 0.16	4.44 ± 0.58	Yes	19.80 ± 0.56	73.26 ± 2.07	Yes	
6/13/2012		1.08 ± 0.16	3.99 ± 0.59	Yes	15.54 ± 0.91	57.50 ± 3.38	Yes	
6/20/2012		0.90 ± 0.15	3.31 ± 0.54	Yes	20.20 ± 0.55	74.74 ± 2.02	Yes	
6/27/2012		0.90 ± 0.15	3.34 ± 0.55	Yes	20.30 ± 0.55	75.11 ± 2.03	Yes	
MAIN GATE	4/4/2012	0.98 ± 0.15	3.63 ± 0.56	Yes	22.00 ± 0.90	81.40 ± 3.32	Yes	
	4/11/2012	1.17 ± 0.16	4.33 ± 0.57	Yes	22.90 ± 0.58	84.73 ± 2.14	Yes	
	4/18/2012	0.66 ± 0.13	2.45 ± 0.48	Yes	14.30 ± 0.48	52.91 ± 1.78	Yes	
	4/25/2012	1.25 ± 0.16	4.63 ± 0.61	Yes	21.10 ± 0.58	78.07 ± 2.13	Yes	
	5/2/2012	0.85 ± 0.14	3.14 ± 0.51	Yes	15.80 ± 0.50	58.46 ± 1.85	Yes	
	5/9/2012	1.01 ± 0.15	3.74 ± 0.54	Yes	22.10 ± 0.56	81.77 ± 2.06	Yes	
	5/16/2012	1.25 ± 0.16	4.63 ± 0.60	Yes	26.10 ± 0.61	96.57 ± 2.24	Yes	
	5/23/2012	1.31 ± 0.16	4.85 ± 0.60	Yes	25.00 ± 0.60	92.50 ± 2.21	Yes	
	5/30/2012	0.57 ± 0.13	2.11 ± 0.47	Yes	11.70 ± 0.40	43.29 ± 1.47	Yes	
	6/6/2012	1.24 ± 0.16	4.59 ± 0.59	Yes	18.10 ± 0.54	66.97 ± 2.01	Yes	
	6/13/2012	0.97 ± 0.15	3.57 ± 0.55	Yes	15.58 ± 0.88	57.64 ± 3.27	Yes	
	6/20/2012	0.54 ± 0.13	2.00 ± 0.48	Yes	18.50 ± 0.53	68.45 ± 1.97	Yes	

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA		
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	Result > 3s
VAN BUREN GATE	6/27/2012	0.87 ± 0.15	3.23 ± 0.56	Yes	20.60 ± 0.56	76.22 ± 2.08	Yes
	4/4/2012	0.67 ± 0.13	2.48 ± 0.49	Yes	20.60 ± 0.85	76.22 ± 3.15	Yes
	4/11/2012	1.47 ± 0.17	5.44 ± 0.63	Yes	24.00 ± 0.60	88.80 ± 2.21	Yes
	4/18/2012	0.76 ± 0.13	2.80 ± 0.50	Yes	13.90 ± 0.47	51.43 ± 1.75	Yes
	4/25/2012	1.19 ± 0.16	4.40 ± 0.58	Yes	21.20 ± 0.56	78.44 ± 2.08	Yes
	5/2/2012	1.11 ± 0.15	4.11 ± 0.55	Yes	16.00 ± 0.50	59.20 ± 1.84	Yes
	5/9/2012	1.71 ± 0.18	6.33 ± 0.66	Yes	21.80 ± 0.56	80.66 ± 2.08	Yes
	5/16/2012	1.73 ± 0.18	6.40 ± 0.67	Yes	26.90 ± 0.62	99.53 ± 2.28	Yes
	5/23/2012	1.17 ± 0.15	4.33 ± 0.57	Yes	22.40 ± 0.56	82.88 ± 2.08	Yes
	5/30/2012	0.63 ± 0.13	2.31 ± 0.48	Yes	12.20 ± 0.40	45.14 ± 1.48	Yes
	6/6/2012	1.14 ± 0.15	4.22 ± 0.57	Yes	18.80 ± 0.55	69.56 ± 2.04	Yes
	6/13/2012	0.71 ± 0.14	2.61 ± 0.51	Yes	14.72 ± 0.89	54.46 ± 3.31	Yes
	6/20/2012	0.67 ± 0.14	2.49 ± 0.52	Yes	21.20 ± 0.57	78.44 ± 2.10	Yes
	6/27/2012	0.96 ± 0.15	3.57 ± 0.57	Yes	19.50 ± 0.55	72.15 ± 2.03	Yes
a. Invalid Sample Result							

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
ARCO	04/04/2012	-0.95	±	1.70	-3.50	±	6.30	No
	04/11/2012	0.52	±	1.64	1.94	±	6.08	No
	04/18/2012	-0.22	±	1.62	-0.80	±	6.00	No
	04/25/2012	-3.34	±	1.62	-12.34	±	6.00	No
	05/02/2012	-0.70	±	1.67	-2.58	±	6.19	No
	05/09/2012	-0.01	±	1.61	-0.04	±	5.95	No
	05/16/2012	-1.40	±	1.71	-5.20	±	6.34	No
	05/23/2012	-1.53	±	1.65	-5.67	±	6.11	No
	05/30/2012	0.70	±	1.81	2.59	±	6.69	No
	06/06/2012	-1.79	±	1.70	-6.62	±	6.27	No
	06/13/2012	-0.50	±	1.78	-1.84	±	6.59	No
	06/20/2012	-0.65	±	1.68	-2.39	±	6.21	No
	06/27/2012	-1.65	±	1.70	-6.10	±	6.28	No
QA-1 (ARCO)	04/04/2012	-0.89	±	1.60	-3.29	±	5.92	No
	04/11/2012	0.53	±	1.65	1.95	±	6.12	No
	04/18/2012	-0.21	±	1.58	-0.78	±	5.84	No
	04/25/2012	-3.35	±	1.63	-12.39	±	6.02	No
	05/02/2012	-0.68	±	1.63	-2.51	±	6.03	No
	05/09/2012	-0.01	±	1.59	-0.03	±	5.89	No
	05/16/2012	-1.36	±	1.65	-5.02	±	6.12	No
	05/23/2012	-1.47	±	1.58	-5.42	±	5.85	No
	05/30/2012	0.63	±	1.63	2.33	±	6.02	No
	06/06/2012	-1.81	±	1.71	-6.68	±	6.33	No
	06/13/2012	-0.44	±	1.59	-1.64	±	5.87	No
	06/20/2012	-0.62	±	1.60	-2.28	±	5.93	No
	06/27/2012	-1.58	±	1.63	-5.86	±	6.03	No
ATOMIC CITY	04/04/2012	-1.00	±	1.80	-3.69	±	6.64	No
	04/11/2012	0.60	±	1.89	2.23	±	6.99	No
	04/18/2012	-0.34	±	2.54	-1.25	±	9.39	No
	04/25/2012	-3.88	±	1.89	-14.35	±	6.98	No
	05/02/2012	-0.91	±	2.18	-3.36	±	8.05	No
	05/09/2012	-0.01	±	1.91	-0.04	±	7.06	No
	05/16/2012	-1.51	±	1.84	-5.59	±	6.82	No
	05/23/2012	-1.73	±	1.86	-6.39	±	6.90	No
	05/30/2012	0.73	±	1.89	2.71	±	6.99	No
	06/06/2012	-2.10	±	1.99	-7.77	±	7.37	No
	06/13/2012	-0.52	±	1.86	-1.91	±	6.87	No
	06/20/2012	-0.75	±	1.95	-2.78	±	7.23	No
	06/27/2012	-1.77	±	1.82	-6.53	±	6.72	No
BLUE DOME	04/04/2012	-3.25	±	2.02	-12.04	±	7.48	No
	04/11/2012	-1.15	±	1.55	-4.24	±	5.75	No
	04/18/2012	-0.87	±	1.56	-3.23	±	5.76	No
	04/25/2012	-1.57	±	1.74	-5.81	±	6.44	No
	05/02/2012	-2.59	±	1.84	-9.59	±	6.82	No
	05/09/2012	-3.21	±	1.86	-11.86	±	6.89	No
	05/16/2012	1.82	±	1.96	6.75	±	7.25	No
	05/23/2012	-1.51	±	2.21	-5.59	±	8.16	No
	05/30/2012	-0.16	±	1.98	-0.59	±	7.33	No
	06/06/2012	-2.81	±	2.11	-10.40	±	7.82	No
	06/13/2012	-1.59	±	2.06	-5.90	±	7.63	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	06/20/2012	-0.89	±	2.17	-3.28	±	8.01	No
	06/27/2012	-0.29	±	2.01	-1.08	±	7.43	No
FAA TOWER	04/04/2012	-2.65	±	1.65	-9.81	±	6.10	No
	04/11/2012	-1.24	±	1.69	-4.60	±	6.25	No
	04/18/2012	-0.94	±	1.67	-3.46	±	6.17	No
	04/25/2012	-1.53	±	1.70	-5.67	±	6.28	No
	05/02/2012	-2.38	±	1.69	-8.79	±	6.25	No
	05/09/2012	-2.97	±	1.73	-11.00	±	6.39	No
	05/16/2012	1.63	±	1.75	6.03	±	6.47	No
	05/23/2012	-1.30	±	1.89	-4.80	±	7.00	No
	05/30/2012	-0.13	±	1.64	-0.49	±	6.07	No
	06/06/2012	-2.38	±	1.79	-8.81	±	6.62	No
	06/13/2012	-1.28	±	1.66	-4.75	±	6.15	No
	06/20/2012	-0.72	±	1.76	-2.66	±	6.50	No
	06/27/2012	-0.24	±	1.68	-0.90	±	6.20	No
HOWE	04/04/2012	-2.87	±	1.78	-10.61	±	6.59	No
	04/11/2012	-1.22	±	1.65	-4.51	±	6.12	No
	04/18/2012	-0.91	±	1.63	-3.38	±	6.02	No
	04/25/2012	-1.61	±	1.79	-5.97	±	6.62	No
	05/02/2012	-2.58	±	1.83	-9.53	±	6.78	No
	05/09/2012	-3.17	±	1.84	-11.72	±	6.82	No
	05/16/2012	1.60	±	1.72	5.93	±	6.37	No
	05/23/2012	-1.40	±	2.04	-5.18	±	7.56	No
	05/30/2012	-0.14	±	1.71	-0.51	±	6.33	No
	06/06/2012	-2.46	±	1.85	-9.11	±	6.85	No
	06/13/2012	-1.43	±	1.85	-5.28	±	6.83	No
	06/20/2012	-0.81	±	1.98	-3.00	±	7.33	No
	06/27/2012	-0.25	±	1.68	-0.91	±	6.23	No
MONTEVIEW	04/04/2012	-2.42	±	1.50	-8.95	±	5.56	No
	04/11/2012	-1.19	±	1.61	-4.40	±	5.97	No
	04/18/2012	-0.87	±	1.55	-3.21	±	5.73	No
	04/25/2012	-1.53	±	1.69	-5.65	±	6.27	No
	05/02/2012	-2.46	±	1.75	-9.10	±	6.47	No
	05/09/2012	-2.97	±	1.73	-11.00	±	6.40	No
	05/16/2012	1.64	±	1.76	6.05	±	6.49	No
	05/23/2012	-1.39	±	2.03	-5.15	±	7.52	No
	05/30/2012	-0.15	±	1.79	-0.54	±	6.64	No
	06/06/2012	-2.51	±	1.89	-9.28	±	6.98	No
	06/13/2012	-1.39	±	1.79	-5.13	±	6.64	No
	06/20/2012	-0.79	±	1.93	-2.92	±	7.13	No
	06/27/2012	-0.25	±	1.69	-0.91	±	6.27	No
QA-2 (MONTEVIEW)	04/04/2012	-2.56	±	1.59	-9.46	±	5.88	No
	04/11/2012	-1.21	±	1.64	-4.48	±	6.07	No
	04/18/2012	-0.92	±	1.64	-3.40	±	6.05	No
	04/25/2012	-1.55	±	1.72	-5.75	±	6.38	No
	05/02/2012	-2.37	±	1.68	-8.77	±	6.23	No
	05/09/2012	-2.90	±	1.69	-10.74	±	6.25	No
	05/16/2012	1.59	±	1.70	5.87	±	6.30	No
	05/23/2012	-1.31	±	1.91	-4.84	±	7.07	No
	05/30/2012	-0.14	±	1.75	-0.52	±	6.48	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	06/06/2012	-2.44	±	1.84	-9.03	±	6.79	No
	06/13/2012	-1.28	±	1.66	-4.74	±	6.13	No
	06/20/2012	-0.76	±	1.85	-2.80	±	6.84	No
	06/27/2012	-0.25	±	1.70	-0.92	±	6.28	No
MUD LAKE								
	04/04/2012	-2.69	±	1.67	-9.94	±	6.17	No
	04/11/2012	-1.27	±	1.72	-4.70	±	6.38	No
	04/18/2012	-0.96	±	1.72	-3.56	±	6.35	No
	04/25/2012	-1.69	±	1.88	-6.26	±	6.95	No
	05/02/2012	-2.53	±	1.80	-9.35	±	6.65	No
	05/09/2012	-2.94	±	1.71	-10.88	±	6.32	No
	05/16/2012	1.72	±	1.85	6.37	±	6.83	No
	05/23/2012	-1.35	±	1.97	-4.99	±	7.28	No
	05/30/2012	-0.15	±	1.88	-0.56	±	6.96	No
	06/06/2012	-2.54	±	1.91	-9.40	±	7.07	No
	06/13/2012	-1.42	±	1.84	-5.26	±	6.80	No
	06/20/2012	-0.77	±	1.89	-2.86	±	6.98	No
	06/27/2012	-0.25	±	1.71	-0.92	±	6.32	No
DISTANT								
BLACKFOOT CMS								
	04/04/2012	-1.46	±	2.63	-5.41	±	9.73	No
	04/11/2012	0.80	±	2.52	2.98	±	9.33	No
	04/18/2012	-0.34	±	2.56	-1.27	±	9.49	No
	04/25/2012	-5.26	±	2.56	-19.46	±	9.46	No
	05/02/2012	-1.02	±	2.45	-3.78	±	9.07	No
	05/09/2012	-0.01	±	2.46	-0.05	±	9.11	No
	05/16/2012	-2.12	±	2.59	-7.86	±	9.58	No
a	05/23/2012	-6.24	±	6.73	-23.08	±	24.90	No
	05/30/2012	1.49	±	3.83	5.50	±	14.18	No
	06/06/2012	-3.23	±	3.06	-11.97	±	11.34	No
	06/13/2012	-0.88	±	3.17	-3.27	±	11.74	No
	06/20/2012	-1.28	±	3.34	-4.74	±	12.34	No
	06/27/2012	-3.28	±	3.37	-12.13	±	12.48	No
CRATERS								
	04/04/2012	-1.01	±	1.82	-3.75	±	6.75	No
	04/11/2012	0.57	±	1.79	2.12	±	6.64	No
	04/18/2012	-0.24	±	1.81	-0.90	±	6.70	No
	04/25/2012	-3.57	±	1.74	-13.21	±	6.42	No
	05/02/2012	-0.75	±	1.80	-2.78	±	6.68	No
	05/09/2012	-0.01	±	1.74	-0.04	±	6.45	No
	05/16/2012	-1.48	±	1.81	-5.49	±	6.70	No
	05/23/2012	-1.67	±	1.80	-6.18	±	6.66	No
	05/30/2012	0.74	±	1.91	2.74	±	7.06	No
	06/06/2012	-1.98	±	1.88	-7.33	±	6.95	No
	06/13/2012	-0.53	±	1.89	-1.95	±	6.99	No
	06/20/2012	-0.69	±	1.81	-2.57	±	6.69	No
	06/27/2012	-1.77	±	1.83	-6.57	±	6.76	No
DUBOIS								
	04/04/2012	-2.84	±	1.77	-10.52	±	6.53	No
	04/11/2012	-1.24	±	1.68	-4.59	±	6.23	No
	04/18/2012	-1.02	±	1.82	-3.78	±	6.74	No
	04/25/2012	-1.72	±	1.91	-6.38	±	7.07	No
	05/02/2012	-2.40	±	1.70	-8.87	±	6.30	No
	05/09/2012	-2.78	±	1.62	-10.29	±	5.98	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	05/16/2012	1.64	±	1.76	6.06	±	6.51	No
	05/23/2012	-1.25	±	1.82	-4.62	±	6.74	No
	05/30/2012	-0.14	±	1.79	-0.54	±	6.62	No
	06/06/2012	-2.34	±	1.76	-8.67	±	6.52	No
	06/13/2012	-1.40	±	1.81	-5.18	±	6.71	No
	06/20/2012	-0.80	±	1.95	-2.96	±	7.23	No
a	06/27/2012	-1.61	±	11.05	-5.96	±	40.88	No
IDAHO FALLS								
	04/04/2012	-2.56	±	1.59	-9.49	±	5.89	No
	04/11/2012	-1.12	±	1.51	-4.13	±	5.60	No
	04/18/2012	-0.83	±	1.47	-3.06	±	5.45	No
	04/25/2012	-1.43	±	1.58	-5.28	±	5.85	No
	05/02/2012	-2.22	±	1.58	-8.22	±	5.85	No
	05/09/2012	-2.64	±	1.53	-9.75	±	5.67	No
	05/16/2012	1.44	±	1.55	5.34	±	5.73	No
	05/23/2012	-1.35	±	1.97	-5.00	±	7.30	No
	05/30/2012	-0.17	±	2.04	-0.61	±	7.55	No
	06/06/2012	-2.80	±	2.11	-10.37	±	7.80	No
	06/13/2012	-1.63	±	2.11	-6.04	±	7.81	No
	06/20/2012	-0.85	±	2.09	-3.16	±	7.73	No
	06/27/2012	-0.29	±	1.98	-1.07	±	7.32	No
JACKSON								
	04/04/2012	-1.04	±	1.87	-3.85	±	6.92	No
	04/11/2012	0.59	±	1.83	2.16	±	6.78	No
	04/18/2012	-0.46	±	3.47	-1.72	±	12.85	No
	04/25/2012	-3.59	±	1.74	-13.27	±	6.45	No
	05/02/2012	-0.65	±	1.55	-2.39	±	5.74	No
	05/09/2012	-0.01	±	1.69	-0.04	±	6.26	No
	05/16/2012	-1.42	±	1.73	-5.24	±	6.39	No
	05/23/2012	-1.62	±	1.75	-6.00	±	6.47	No
	05/30/2012	0.66	±	1.71	2.45	±	6.31	No
	06/06/2012	-1.84	±	1.74	-6.81	±	6.45	No
	06/13/2012	-0.47	±	1.70	-1.75	±	6.29	No
	06/20/2012	-0.67	±	1.75	-2.49	±	6.49	No
	06/27/2012	-1.69	±	1.74	-6.26	±	6.44	No
REXBURG CMS								
	04/04/2012	-3.95	±	2.45	-14.61	±	9.07	No
	04/11/2012	-1.72	±	2.33	-6.35	±	8.61	No
	04/18/2012	-1.32	±	2.36	-4.89	±	8.72	No
	04/25/2012	-2.14	±	2.37	-7.92	±	8.79	No
	05/02/2012	-3.70	±	2.63	-13.70	±	9.74	No
	05/09/2012	-4.78	±	2.78	-17.70	±	10.29	No
	05/16/2012	2.39	±	2.56	8.82	±	9.47	No
	05/23/2012	-2.08	±	3.04	-7.70	±	11.24	No
	05/30/2012	-0.21	±	2.58	-0.77	±	9.53	No
	06/06/2012	-3.60	±	2.71	-13.31	±	10.01	No
	06/13/2012	-2.36	±	3.05	-8.72	±	11.28	No
	06/20/2012	-1.19	±	2.91	-4.41	±	10.78	No
	06/27/2012	-0.40	±	2.71	-1.47	±	10.04	No
INL SITE								
EFS								
	04/04/2012	-0.98	±	1.76	-3.63	±	6.53	No
	04/11/2012	0.56	±	1.74	2.06	±	6.46	No
	04/18/2012	-0.23	±	1.75	-0.86	±	6.47	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	04/25/2012	-3.55	±	1.73	-13.15	±	6.39	No
	05/02/2012	-0.74	±	1.76	-2.72	±	6.53	No
	05/09/2012	-0.01	±	1.71	-0.04	±	6.33	No
	05/16/2012	-1.42	±	1.73	-5.24	±	6.39	No
	05/23/2012	-1.55	±	1.67	-5.72	±	6.17	No
	05/30/2012	0.74	±	1.90	2.72	±	7.02	No
	06/06/2012	-1.94	±	1.84	-7.19	±	6.81	No
	06/13/2012	-0.50	±	1.78	-1.84	±	6.59	No
	06/20/2012	-0.66	±	1.71	-2.44	±	6.34	No
	06/27/2012	-1.69	±	1.74	-6.24	±	6.42	No
MAIN GATE								
	04/04/2012	-0.96	±	1.73	-3.57	±	6.41	No
	04/11/2012	0.57	±	1.79	2.11	±	6.62	No
	04/18/2012	-0.23	±	1.75	-0.87	±	6.48	No
	04/25/2012	-3.73	±	1.81	-13.79	±	6.70	No
	05/02/2012	-0.73	±	1.76	-2.71	±	6.51	No
	05/09/2012	-0.01	±	1.71	-0.04	±	6.34	No
	05/16/2012	-1.42	±	1.73	-5.25	±	6.40	No
	05/23/2012	-1.60	±	1.73	-5.93	±	6.39	No
	05/30/2012	0.72	±	1.87	2.68	±	6.91	No
	06/06/2012	-1.96	±	1.86	-7.25	±	6.87	No
	06/13/2012	-0.52	±	1.85	-1.91	±	6.85	No
	06/20/2012	-0.67	±	1.75	-2.49	±	6.48	No
	06/27/2012	-1.74	±	1.79	-6.44	±	6.63	No
VAN BUREN GATE								
	04/04/2012	-0.94	±	1.69	-3.48	±	6.26	No
	04/11/2012	0.58	±	1.82	2.15	±	6.73	No
	04/18/2012	-0.23	±	1.73	-0.85	±	6.39	No
	04/25/2012	-3.56	±	1.73	-13.16	±	6.40	No
	05/02/2012	-0.72	±	1.72	-2.65	±	6.37	No
	05/09/2012	-0.01	±	1.74	-0.04	±	6.45	No
	05/16/2012	-1.43	±	1.74	-5.28	±	6.43	No
	05/23/2012	-1.55	±	1.68	-5.75	±	6.20	No
	05/30/2012	0.72	±	1.84	2.65	±	6.82	No
	06/06/2012	-1.95	±	1.85	-7.22	±	6.84	No
	06/13/2012	-0.48	±	1.73	-1.78	±	6.40	No
	06/20/2012	-0.68	±	1.77	-2.52	±	6.55	No
	06/27/2012	-1.73	±	1.78	-6.40	±	6.58	No

a. Invalid Sample Result

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹³ Bq/mL)			Result > 3s
BOUNDARY									
ARCO	6/30/2012	CESIUM-137	45.50	±	84.00	168.35	±	310.80	No
ARCO (QA-1)	6/30/2012	CESIUM-137	17.80	±	137.00	65.86	±	506.90	No
ATOMIC CITY	6/30/2012	CESIUM-137	-115.00	±	165.00	-425.50	±	610.50	No
		STRONTIUM-90	52.20	±	10.50	193.14	±	38.85	Yes
BLUE DOME	6/30/2012	AMERICIUM-241	0.67	±	1.01	2.49	±	3.74	No
		CESIUM-137	0.89	±	124.00	3.28	±	458.80	No
		PLUTONIUM-238	0.00	±	1.73	0.00	±	6.42	No
		PLUTONIUM-239/240	4.23	±	2.03	15.64	±	7.50	No
FAA TOWER	6/30/2012	CESIUM-137	17.30	±	158.00	64.01	±	584.60	No
		STRONTIUM-90	64.20	±	10.70	237.54	±	39.59	Yes
HOWE	6/30/2012	CESIUM-137	-88.20	±	115.00	-326.34	±	425.50	No
MONTEVIEW	6/30/2012	AMERICIUM-241	0.98	±	0.94	3.63	±	3.49	No
		CESIUM-137	72.40	±	94.40	267.88	±	349.28	No
		PLUTONIUM-238	0.89	±	1.09	3.30	±	4.04	No
		PLUTONIUM-239/240	1.33	±	1.47	4.91	±	5.45	No
MONTEVIEW (QA-2)	6/30/2012	AMERICIUM-241	1.29	±	1.34	4.77	±	4.95	No
		CESIUM-137	-56.70	±	77.30	-209.79	±	286.01	No
		PLUTONIUM-238	0.62	±	0.76	2.28	±	2.80	No
		PLUTONIUM-239/240	-0.31	±	0.75	-1.14	±	2.79	No
MUD LAKE	6/30/2012	CESIUM-137	80.50	±	124.00	297.85	±	458.80	No
DISTANT									
BLACKFOOT	6/30/2012	AMERICIUM-241	0.25	±	1.36	0.93	±	5.05	No
		CESIUM-137	33.70	±	192.00	124.69	±	710.40	No
		PLUTONIUM-238	2.12	±	1.05	7.86	±	3.88	No
		PLUTONIUM-239/240	0.00	±	1.46	0.00	±	5.41	No
CRATERS	6/30/2012	CESIUM-137	-140.00	±	112.00	-518.00	±	414.40	No
		STRONTIUM-90	61.30	±	10.50	226.81	±	38.85	Yes
DUBOIS	6/30/2012	CESIUM-137	186.00	±	135.00	688.20	±	499.50	No
		STRONTIUM-90	98.90	±	15.40	365.93	±	56.98	Yes
IDAHO FALLS	6/30/2012	CESIUM-137	-11.80	±	158.00	-43.66	±	584.60	No

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹³ Bq/mL)			Result > 3s
JACKSON	6/30/2012	AMERICIUM-241	-0.34	±	0.76	-1.25	±	2.82	No
		CESIUM-137	184.00	±	119.00	680.80	±	440.30	No
		PLUTONIUM-238	0.98	±	0.78	3.63	±	2.88	No
		PLUTONIUM-239/240	1.46	±	1.10	5.41	±	4.07	No
REXBURG CMS	6/30/2012	CESIUM-137	-139.00	±	195.00	-514.30	±	721.50	No
		STRONTIUM-90	31.80	±	12.10	117.66	±	44.77	No
INL SITE									
EFS	6/30/2012	CESIUM-137	-95.90	±	88.10	-354.83	±	325.97	No
MAIN GATE	6/30/2012	AMERICIUM-241	0.51	±	1.07	1.90	±	3.97	No
		CESIUM-137	128.00	±	109.00	473.60	±	403.30	No
		PLUTONIUM-238	1.24	±	0.77	4.59	±	2.84	No
		PLUTONIUM-239/240	0.93	±	0.82	3.44	±	3.04	No
VAN BUREN GATE	6/30/2012	CESIUM-137	13.50	±	120.00	49.95	±	444.00	No

TABLE C-4. Tritium Concentrations in Atmospheric Moisture.

Sampling Group and Location	Start Date	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Collection Medium	Result > 3s
			(x 10 ⁻¹³ μCi/mL _{air})			(x 10 ⁻⁹ Bq/mL _{air})				
BOUNDARY										
ATOMIC CITY	03/07/2012	04/04/2012	2.48	±	1.33	9.17	±	4.93	Molecular Sieve	No
ATOMIC CITY	04/04/2012	05/03/2012	6.93	±	1.28	25.63	±	4.73	Molecular Sieve	Yes
ATOMIC CITY	05/03/2012	05/30/2012	6.34	±	1.33	23.47	±	4.91	Molecular Sieve	Yes
ATOMIC CITY	05/30/2012	06/27/2012	4.10	±	1.40	15.18	±	5.17	Molecular Sieve	No
DISTANT										
BLACKFOOT	03/21/2012	04/11/2012	5.43	±	1.12	20.09	±	4.13	Molecular Sieve	Yes
BLACKFOOT	04/11/2012	05/03/2012	3.74	±	1.13	13.82	±	4.19	Molecular Sieve	Yes
BLACKFOOT	05/03/2012	05/23/2012	4.66	±	1.22	17.23	±	4.50	Molecular Sieve	Yes
IDAHO FALLS	03/19/2012	04/18/2012	3.04	±	1.45	11.25	±	5.35	Molecular Sieve	No
IDAHO FALLS	04/18/2012	05/09/2012	6.43	±	1.83	23.79	±	6.77	Molecular Sieve	Yes
IDAHO FALLS	05/09/2012	06/07/2012	11.71	±	2.13	43.32	±	7.87	Molecular Sieve	Yes
IDAHO FALLS	06/07/2012	06/27/2012	6.78	±	2.00	25.09	±	7.38	Molecular Sieve	Yes
REXBURG	03/28/2012	05/02/2012	7.51	±	1.67	27.77	±	6.17	Molecular Sieve	Yes
REXBURG	05/02/2012	05/23/2012	4.23	±	1.73	15.65	±	6.41	Molecular Sieve	No
REXBURG	05/23/2012	06/06/2012	11.81	±	2.61	43.71	±	9.67	Molecular Sieve	Yes

TABLE C-5. Monthly and Weekly Tritium Concentrations in Precipitation.

Location	Start Date	End Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
IDAHO FALLS	3/1/2012	4/2/2012	50.90	±	28.30	1.88	±	1.05	No
	4/2/2012	5/1/2012	18.30	±	27.70	0.68	±	1.02	No
	5/1/2012	6/4/2012	166.00	±	30.20	6.14	±	1.12	Yes
CFA	3/1/2012	4/2/2012	113.00	±	29.30	4.18	±	1.08	Yes
	4/2/2012	4/30/2012	99.80	±	29.40	3.69	±	1.09	Yes
	4/30/2012	6/4/2012	167.00	±	29.30	6.18	±	1.08	Yes
EFS	5/23/2012	5/30/2012	162.00	±	29.20	5.99	±	1.08	Yes
	5/30/2012	6/6/2012	177.00	±	29.50	6.55	±	1.09	Yes

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

Location	Analyte	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
SURFACE WATER									
Alpheus Spring	GROSS ALPHA	5/7/12	0.82	±	0.51	0.03	±	0.02	No
	GROSS BETA		6.98	±	0.68	0.26	±	0.03	Yes
	TRITIUM		-1.42	±	26.79	-0.05	±	0.99	No
Bill Jones Fish Farm	GROSS ALPHA	5/7/12	0.68	±	0.46	0.03	±	0.02	No
	GROSS BETA		2.41	±	0.60	0.09	±	0.02	Yes
	TRITIUM		21.59	±	27.32	0.80	±	1.01	No
Clear Springs	GROSS ALPHA	5/7/12	1.09	±	0.46	0.04	±	0.02	No
	GROSS BETA		3.48	±	0.58	0.13	±	0.02	Yes
	TRITIUM		-40.48	±	25.86	-1.50	±	0.96	No
Big Lost River at Rest Area	GROSS ALPHA	6/8/12	-0.06	±	0.40	0.00	±	0.01	No
	GROSS BETA		1.53	±	0.56	0.06	±	0.02	No
	TRITIUM		79.79	±	28.44	2.96	±	1.05	No
Big Lost River at INTEC	GROSS ALPHA	6/8/12	0.25	±	0.48	0.01	±	0.02	No
	GROSS BETA		3.07	±	0.61	0.11	±	0.02	Yes
	TRITIUM		92.66	±	27.89	3.43	±	1.03	Yes
Big Lost River at EFS	GROSS ALPHA	6/8/12	0.28	±	0.50	0.01	±	0.02	No
	GROSS BETA		2.60	±	0.61	0.10	±	0.02	Yes
	TRITIUM		82.02	±	27.67	3.04	±	1.02	No
Big Lost River at NRF	GROSS ALPHA	6/8/12	0.72	±	0.53	0.03	±	0.02	No
	GROSS BETA		3.21	±	0.62	0.12	±	0.02	Yes
	TRITIUM		116.12	±	28.40	4.30	±	1.05	Yes
Big Lost River at Sinks	GROSS ALPHA	6/8/12	0.18	±	0.45	0.01	±	0.02	No
	GROSS BETA		4.24	±	0.64	0.16	±	0.02	Yes
	TRITIUM		127.63	±	28.64	4.73	±	1.06	Yes
Big Lost River Control (Birch Creek)	GROSS ALPHA	6/8/12	2.70	±	0.64	0.10	±	0.02	Yes
	GROSS BETA		76.81	±	28.38	2.84	±	1.05	No
	TRITIUM		1.09	±	0.46	0.04	±	0.02	No
DRINKING WATER									
Atomic City	GROSS ALPHA	5/9/12	0.09	±	0.47	0.00	±	0.02	No
	GROSS BETA		3.78	±	0.60	0.14	±	0.02	Yes
	TRITIUM		83.48	±	28.95	3.09	±	1.07	No
Control	GROSS ALPHA	5/11/12	0.19	±	0.21	0.01	±	0.01	No
	GROSS BETA		-0.45	±	0.48	-0.02	±	0.02	No
	TRITIUM		31.71	±	27.46	1.17	±	1.02	No
Craters of the Moon	GROSS ALPHA	5/9/12	0.92	±	0.41	0.03	±	0.02	No
	GROSS BETA		2.63	±	0.62	0.10	±	0.02	Yes
	TRITIUM		52.02	±	28.27	1.93	±	1.05	No
Howe	GROSS ALPHA	5/9/12	0.65	±	0.48	0.02	±	0.02	No
	GROSS BETA		4.50	±	0.60	0.17	±	0.02	Yes
	TRITIUM		81.97	±	28.91	3.04	±	1.07	No
Idaho Falls	GROSS ALPHA	5/10/12	0.72	±	0.55	0.03	±	0.02	No

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

	GROSS BETA		2.59	±	0.58	0.10	±	0.02	Yes
	TRITIUM		53.05	±	28.29	1.96	±	1.05	No
Minidoka	GROSS ALPHA	5/7/12	0.98	±	0.53	0.04	±	0.02	No
	GROSS BETA		3.44	±	0.59	0.13	±	0.02	Yes
	TRITIUM		46.03	±	27.94	1.70	±	1.03	No
Mud Lake	GROSS ALPHA	5/9/12	0.79	±	0.38	0.03	±	0.01	No
	GROSS BETA		5.45	±	0.68	0.20	±	0.03	Yes
	TRITIUM		80.28	±	28.67	2.97	±	1.06	No
Rest Area	GROSS ALPHA	5/9/12	1.13	±	0.46	0.04	±	0.02	No
	GROSS BETA		3.08	±	0.64	0.11	±	0.02	Yes
	TRITIUM		186.08	±	30.33	6.89	±	1.12	Yes
Rest Area (Duplicate)	GROSS ALPHA	5/9/12	0.43	±	0.42	0.02	±	0.02	No
	GROSS BETA		2.42	±	0.60	0.09	±	0.02	Yes
	TRITIUM		122.27	±	29.38	4.53	±	1.09	Yes
Shoshone	GROSS ALPHA	5/7/12	0.56	±	0.42	0.02	±	0.02	No
	GROSS BETA		3.30	±	0.55	0.12	±	0.02	Yes
	TRITIUM		80.72	±	28.81	2.99	±	1.07	No

Table C-7. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

Location	Sampling Date	Iodine-131					Cesium-137				
		Result ± 1s Uncertainty (pCi [†] /L)		Result ± 1s Uncertainty (Bq [†] /L)		Result > 3s	Result ± 1s Uncertainty (pCi/L)		Result ± 1s Uncertainty (Bq/L)		Result > 3s
BLACKFOOT											
	04/08/12	2.46 ± 1.02	0.091 ± 0.038	No	-0.09 ± 0.86	-0.003 ± 0.032	No				
	05/01/12	0.19 ± 1.92	0.007 ± 0.071	No	-1.44 ± 1.42	-0.053 ± 0.053	No				
	06/05/12	-0.69 ± 1.38	-0.026 ± 0.051	No	2.36 ± 1.43	0.087 ± 0.053	No				
Duplicate	06/05/12	-2.68 ± 1.90	-0.099 ± 0.070	No	-1.02 ± 1.43	-0.038 ± 0.053	No				
CONTROL											
	04/03/12	0.25 ± 1.74	0.009 ± 0.064	No	1.54 ± 1.41	0.057 ± 0.052	No				
	05/01/12	-0.75 ± 0.94	-0.028 ± 0.035	No	1.26 ± 0.86	0.047 ± 0.032	No				
	06/05/12	-0.59 ± 0.96	-0.022 ± 0.036	No	2.07 ± 0.87	0.077 ± 0.032	No				
DIETRICH											
	04/03/12	0.35 ± 0.86	0.013 ± 0.032	No	1.41 ± 0.85	0.052 ± 0.031	No				
	05/01/12	-0.58 ± 1.15	-0.021 ± 0.043	No	0.46 ± 1.36	0.017 ± 0.050	No				
	06/05/12	-1.09 ± 1.18	-0.040 ± 0.044	No	1.98 ± 1.38	0.073 ± 0.051	No				
HOWE											
	04/03/12	0.49 ± 0.91	0.018 ± 0.034	No	-0.92 ± 0.80	-0.034 ± 0.029	No				
	05/01/12	1.95 ± 1.66	0.072 ± 0.061	No	0.38 ± 1.41	0.014 ± 0.052	No				
	06/05/12	-1.68 ± 1.68	-0.062 ± 0.062	No	0.97 ± 1.43	0.036 ± 0.053	No				
IDAHO FALLS											
	04/03/12	0.11 ± 0.93	0.004 ± 0.034	No	0.66 ± 0.78	0.024 ± 0.029	No				
Duplicate	04/03/12	0.65 ± 1.17	0.024 ± 0.043	No	-0.84 ± 1.43	-0.031 ± 0.053	No				
	04/10/12	0.59 ± 0.86	0.022 ± 0.032	No	0.45 ± 0.79	0.017 ± 0.029	No				
	04/17/12	1.10 ± 1.19	0.041 ± 0.044	No	1.20 ± 1.36	0.044 ± 0.050	No				
	04/24/12	-1.16 ± 0.94	-0.043 ± 0.035	No	1.25 ± 0.76	0.046 ± 0.028	No				
	05/01/12	0.14 ± 0.94	0.005 ± 0.035	No	-0.58 ± 0.78	-0.021 ± 0.029	No				
	05/08/12	-0.58 ± 1.22	-0.022 ± 0.045	No	-0.17 ± 1.51	-0.006 ± 0.056	No				
	05/15/12	-1.01 ± 0.96	-0.037 ± 0.036	No	0.67 ± 0.75	0.025 ± 0.028	No				
	05/22/12	0.04 ± 0.96	0.001 ± 0.035	No	1.57 ± 0.76	0.058 ± 0.028	No				
	05/29/12	1.00 ± 0.92	0.037 ± 0.034	No	0.20 ± 0.76	0.008 ± 0.028	No				
	06/05/12	0.50 ± 0.95	0.018 ± 0.035	No	-1.96 ± 0.81	-0.073 ± 0.030	No				
	06/12/12	-1.95 ± 0.95	-0.072 ± 0.035	No	-0.01 ± 0.76	0.000 ± 0.028	No				
	06/19/12	-1.03 ± 0.95	-0.038 ± 0.035	No	0.36 ± 0.78	0.013 ± 0.029	No				
	06/26/12	0.06 ± 0.95	0.002 ± 0.035	No	0.08 ± 0.80	0.003 ± 0.030	No				
RUPERT											
	04/03/12	-1.75 ± 1.66	-0.065 ± 0.061	No	0.76 ± 1.39	0.028 ± 0.051	No				
	05/01/12	0.76 ± 0.88	0.028 ± 0.032	No	1.08 ± 0.83	0.040 ± 0.031	No				
	06/05/12	-0.22 ± 1.04	-0.008 ± 0.039	No	0.87 ± 0.78	0.032 ± 0.029	No				
TERRETON											
	04/03/12	1.90 ± 1.36	0.070 ± 0.050	No	-0.60 ± 1.44	-0.022 ± 0.053	No				
	05/01/12	-0.89 ± 1.03	-0.033 ± 0.038	No	0.15 ± 0.82	0.006 ± 0.030	No				
	06/05/12	1.51 ± 0.87	0.056 ± 0.032	No	0.12 ± 0.87	0.004 ± 0.032	No				

Table C-8. Strontium-90 and Tritium Concentrations in Milk

Strontium-90								
Location	Sampling Date	Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)			Result > 3s
BLACKFOOT	05/01/12	0.87	±	0.16	0.032	±	0.006	Yes
CONTROL	05/01/12	0.95	±	0.16	0.035	±	0.006	Yes
DIETRICH	05/01/12	0.62	±	0.13	0.023	±	0.005	Yes
HOWE	05/01/12	2.13	±	0.28	0.079	±	0.011	Yes
IDAHO FALLS	05/01/12	0.45	±	0.14	0.017	±	0.005	Yes
RUPERT	05/01/12	0.30	±	0.12	0.011	±	0.004	No
TERRETON	05/01/12	0.07	±	0.11	0.003	±	0.004	No
Tritium								
		Concentration ± 1s (pCi/L)			Concentration ± 1s (Bq/L)			Result > 3s
CONTROL	05/01/12	83.70	±	28.40	3.100	±	1.052	No
DIETRICH	05/01/12	139.00	±	29.20	5.148	±	1.081	Yes
HOWE	05/01/12	77.30	±	28.20	2.863	±	1.044	No
IDAHO FALLS	05/01/12	108.00	±	28.50	4.000	±	1.056	Yes
RUPERT	05/01/12	78.80	±	27.90	2.919	±	1.033	No
TERRETON	05/01/12	76.20	±	28.20	2.822	±	1.044	No

Table C-9. Cesium-137 and Iodine-131 Concentrations in Large Game Animals

Species	Collection		Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
	Date	Tissue		(pCi/kg wet weight)			(x 10 ⁻² Bq/kg wet weight)			
PRONGHORN	4/10/2012	Liver	¹³¹ I	1.38	±	1.47	5.11	±	5.44	No
			¹³⁷ Cs	-0.97	±	3.56	-3.59	±	13.17	No
PRONGHORN	4/10/2012	Muscle	¹³¹ I	2.40	±	0.86	8.88	±	3.17	No
			¹³⁷ Cs	1.01	±	1.75	3.74	±	6.48	No
PRONGHORN	4/10/2012	Thyroid	¹³¹ I	167.74	±	162.90	620.65	±	602.74	No
			¹³⁷ Cs	-48.71	±	140.81	-180.23	±	520.98	No

Table C-10. Environmental Radiation Measurements.

Location	Start Date	End Date	Radiation Measurement \pm 2s Uncertainty mR	Exposure mR/day
BOUNDARY				
ARCO	11/2/2011	5/2/2012	65.1 \pm 12.8	0.36
ATOMIC CITY	11/2/2011	5/2/2012	68.1 \pm 13.3	0.37
BIRCH CREEK	11/2/2011	5/2/2012	59.5 \pm 11.7	0.33
BLUE DOME	11/2/2011	5/2/2012	56.1 \pm 11.0	0.31
HOWE	11/2/2011	5/2/2012	64.9 \pm 12.7	0.36
MONTEVIEW	11/2/2011	5/2/2012	63.4 \pm 12.4	0.35
MUD LAKE	11/2/2011	5/2/2012	72.8 \pm 14.3	0.40
Boundary Average				0.35
DISTANT				
ABERDEEN	11/1/2011	5/1/2012	67.1 \pm 13.2	0.37
BLACKFOOT	11/2/2011	5/2/2012	62.2 \pm 12.2	0.34
BLACKFOOT CMS	11/2/2011	5/2/2012	60.2 \pm 11.8	0.33
CRATERS	11/2/2011	5/2/2012	62.4 \pm 12.2	0.34
DUBOIS	11/2/2011	5/2/2012	56.0 \pm 11.0	0.31
IDAHO FALLS	11/2/2011	5/2/2012	65.2 \pm 12.8	0.36
MINIDOKA	11/1/2011	5/1/2012	60.1 \pm 11.8	0.33
REXBURG	11/2/2011	5/2/2012	76.9 \pm 15.1	0.42
ROBERTS	11/1/2011	5/1/2012	72.1 \pm 14.1	0.40
Distant Average				0.36
OUT-OF-STATE				
JACKSON	10/28/2011	4/30/2012	55.0 \pm 10.8	0.30

APPENDIX D
STATISTICAL ANALYSIS RESULTS

Table D-1. Results of the Kruskal-Wallace statistical test between INL Site, Boundary and Distant sample groups by month.

Parameter	P^a
Gross Alpha	
Quarter	0.00
April	0.06
May	0.20
June	0.00
Gross Beta	
Quarter	0.21
April	0.67
May	0.75
June	0.20
a. A 'p' value greater than 0.05 signifies no statistical difference between data groups.	

Table D-2. Statistical difference in weekly gross alpha and gross beta concentrations measured at Boundary and Distant locations.

Parameter	Mann-Whitney U test	
	Week	P ^a
Gross Alpha		
	April 4	0.32
	April 11	0.22
	April 18	0.32
	April 25	0.48
	May 2	0.67
	May 9	0.13
	May 16	0.62
	May 23	0.22
	May 30	0.48
	June 6	0.57
	June 13	0.32
	June 20	0.09
	June 27	0.09
Gross Beta		
	April 4	0.20
	April 11	0.78
	April 18	0.15
	April 25	0.21
	May 2	0.62
	May 9	0.26
	May 16	0.57
	May 23	0.52
	May 30	0.35
	June 6	0.12
	June 13	0.89
	June 20	0.78
	June 27	0.19

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups.