Gonzales Stoller Surveillance, LLC
Environmental Surveillance, Education, and Research Program
ISSN NUMBER 1089-5469

Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: Third Quarter 2013

February 2014

Contributors:
Russ Mitchell, Marilyn Case

Program conducted for the U.S. Department of Energy, Idaho Operations Office
Under Contract DE-NE0000300

By Gonzales Stoller Surveillance, LLC
Environmental Surveillance, Education, and Research Program
Douglas K. Halford, Program Manager
120 Technology Dr., Idaho Falls, Idaho 83401
www.gsseser.com

EXECUTIVE SUMMARY

None of the radionuclides detected in samples collected during the third quarter of 2013 could be directly linked with INL Site activities. Levels of detected radionuclides were no different than values measured at other locations across the western United States. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the third quarter of 2013 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, July 1 through September 30, 2013. All sample types (media) and the sampling schedule followed during 2013 are listed in Appendix A. Specifically, this report contains the results for the following:

- Air sampling, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation sampling
- Milk, lettuce, and grain sampling
- Large game animal sampling

Table E-1 Summary of results for the Third Quarter of 2013.

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	Gross alpha and gross beta concentrations were statistically the same for Distant, Boundary, and INL Site sample groups for the quarter and for each month. There was one week where a statistical difference was noted in gross alpha and gross beta concentrations, but it appeared due primarily to an unusually low result at one sampling location. No result exceeded the DCS for gross alpha or gross beta activity in air.
		Gamma-emitting radionuclides, ^{90}Sr, actinides (americium and plutonium)	No human-made gamma-emitting were detected. Plutonium-239/240 was reported in one composite at just above the minimum detectable concentration. Strontium-90 was detected in four of six composite, with the highest result at 0.0002 percent of the DCS.
	Charcoal Cartridge	Iodine-131	Iodine-131 was not detected in any of the 26 batches counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	Sixteen of the 23 sample results showed tritium concentrations greater than the 3s uncertainty during the quarter. No sample result exceeded the DCS for tritium in air. Results were consistent at all four sample locations.
Precipitation	Liquid	Tritium	Nine samples were collected. All of the results were greater than the 3s uncertainty. The concentrations were consistent with those reported across the region by the Environmental Protection Agency and with previous results.
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides	No Iodine-131 or other human-made gamma emitting radionuclides were detected.
Lettuce	Vegetation	Gamma-emitting radionuclides, ^{90}Sr	No human-made gamma-emitting radionuclides were found in the ten samples analyzed. Strontium-90 was above the minimum detectable concentration in seven samples at levels consistent with fallout

			from weapons testing.
Grain	Vegetation	Gamma-emitting radionuclides, ^{90}Sr	No human-made gamma-emitting radionuclides or ^{90}Sr were found.
Large Game Animals	Tissue	Gamma-emitting radionuclides	Three game animals killed on INL Site roads were sampled. Cesium-137 was detected in the liver of one pronghorn. The detected value was within the range expected from background concentrations of this radionuclide in soil.

LIST OF ABBREVIATIONS

AEC	Atomic Energy Commission
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	Department of Energy
DOE – ID	Department of Energy Idaho Operations Office
EAL	Environmental Assessment Laboratory
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ERAMS	Environmental Radiation Ambient Monitoring System
ESER	Environmental Surveillance, Education, and Research
GSS	Gonzales Stoller Surveillance, LLC
ICP	Idaho Cleanup Project
INL	Idaho National Laboratory
INEL	Idaho National Engineering Laboratory
INEEL	Idaho National Engineering and Environmental Laboratory
ISU	Idaho State University
MDC	minimum detectable concentration
NRTS	National Reactor Testing Station

LIST OF UNITS

Bq	becquerel
Ci	curie
g	gram
L	liter
µCi	microcurie
mL	milliliter
pCi	picocurie

1. ESER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under a number of acts (e.g. the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2003). During calendar year 2013, environmental monitoring within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors, while monitoring outside the INL Site boundaries was conducted under the Environmental Surveillance, Education, and Research (ESER) Program. At the beginning of the first quarter of 2011, the ESER Program became led by a new partnership between S.M. Stoller and Jerome Gonzales Management Systems, Inc. with the support of the previous team members. This partnership is named Gonzales Stoller Surveillance, LLC (GSS).The ESER Program was led by GSS in cooperation with its team members, including the University of Idaho, Idaho State University (ISU), and ALS Environmental.

This report contains monitoring results from the ESER Program for samples collected during the third quarter of 2013 (July 1-September 30, 2013).

The surveillance portion of the ESER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely through the use of reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- moisture in air at four locations around the INL Site
- precipitation from three locations on and around the INL Site
- drinking water from eight locations and surface water from three locations around the INL Site
- agricultural products, including milk at seven dairies around the INL Site, potatoes from at least six local producers, alfalfa from a local producer, wheat/barley from approximately 10 local producers, and lettuce from approximately nine home-owned and portable gardens on and around the INL
- soil from 13 locations around the INL Site biennially
- environmental dosimeters from 17 locations semi-annually
- various numbers of wildlife including big game (pronghorn, mule deer, and elk) and waterfowl sampled on and near the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}$Pu), and americium-241 (^{241}Am) were performed by ALS Environmental of Fort Collins, Colorado.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet [previously known as the Environmental Radiation Ambient Monitoring System (ERAMS) network] (EPA 2013). The EPA established the ERAMS network in 1973 with an emphasis on identifying trends in the accumulation of long-lived radionuclides in the environment. ERAMS was renamed RadNet in 2005 to reflect a new mission. RadNet is comprised of a nationwide network of sampling stations that provide air, precipitation, drinking water, and milk samples. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (http://www.epa.gov/narel/radnet/).

Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data and for preparing quarterly reports on results from the environmental surveillance program. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably have an effect on the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, *s*, where "*s*" is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is

statistically different from background. The ESER has adopted guidelines developed by the United States Geological Survey (Bartholomay, et al. 2003), based on an extension of a method proposed by Currie (1984), to interpret analytical results and make decisions concerning detection. Most of the following discussion is taken from Bartholomay et al (2003).

Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). Instrument signals for the target and blank vary randomly about the true signals and may overlap making it difficult to distinguish between radionuclide activities in blank and in environmental samples (Figure 1).That is, the variability around the sample result may substantially overlap the variability around a net activity of zero for samples with no radioactivity. In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection.



Figure 1. Example of overlap of blank and sample measurement distributions.

In the laboratory, instrument signals must exceed a critical level of 1.6s before the qualitative decision can be made as to whether the radionuclide was detected in a sample. At 1.6s there is about a 95-percent probability that the correct conclusion—not detected—will be made. Given a large number of samples, approximately 5 percent of the samples with measured concentrations greater than or equal to 1.6s, which were concluded as being detected, might not contain the radionuclide. These are referred to as false positives. For purposes of simplicity and consistency with past reporting, the ESER has rounded the 1.6s critical level estimate to 2s.

Once the critical level has been defined, the minimum detectable concentration may be determined. Concentrations that equal 3s represent a measurement at the detection level or minimum detectable concentration. For true concentrations of 3s or greater, there is a greater than 99-percent probability that the radionuclide was detected in the target sample. In a large number of samples, the conclusion—not detected—will be made in less than one percent of the samples with true concentrations at the minimum detectable concentration of 3s. These

measurements are known as false negatives. The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being “detected with confidence.”

Concentrations between 2s and 3s are reported as “questionably detected”. That is, the radionuclide may be present in the sample; however, the detection may not be reliable. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a particular radionuclide is typically detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is little confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value ± one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

For more information concerning the ESER Program, contact GSS at (208) 525-8250, or visit the Program’s web page (http://www. gsseser.com).

2. THE INL SITE

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi^2 (2300 km^2) of the upper Snake River Plain in Southeastern Idaho. The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005 the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories.

The cleanup operation, the ICP, is now a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process.

3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (^{131}I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the third quarter of 2013 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011) values is provided in Appendix B.

LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the third quarter of 2013 (Figure 2). Three of these samplers are located on the INL Site, nine are situated off the INL Site near the boundary, and six have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2012, one replicate sampler was moved to Monteview (a Boundary location) and one was moved to Arco (also a Boundary location). An average of 18,191 ft^3 (515 m^3) of air was sampled at each location, each week, at an average flow rate of 1.80 ft^3/min (0.05 m^3/min). Particulates in air were collected on membrane particulate filters (1.2-µm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.

During the third quarter of 2013, the sampler at Rexburg was relocated to Sugar City. Also during the third quarter, samples were not obtained throughout August and September at the Main Gate sampling location. A power outage occurred that required extensive electrical work to rebuild the power supply system to the sampler.



Figure 2. Low-volume air sampler locations.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ^{90}Sr, ^{238}Pu, $^{239/240}Pu$, and ^{241}Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (^{131}I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha data are tested for normality prior to statistical analyses, and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, the nonparametric Kruskal-Wallis test of multiple independent groups was used to test for statistical differences between INL Site, Boundary, and Distant locations. The use of nonparametric tests, such as Kruskal-Wallis, gives less weight to outlier and extreme values thus allowing a more appropriate comparison of data groups. A statistically significant difference exists between data groups if the (p) value is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. For the quarter, there was no statistical difference noted in the data, as the p-value was above 0.05.

Comparisons of gross alpha concentrations were made for each month of the quarter. Again the Kruskal-Wallis test of multiple independent groups was use d to determine if statistical differences exist between INL Site, Boundary, and Distant data groups. No statistical differences in gross alpha concentrations between groups were noted during any month (Table D-1).

As an additional check, comparisons between gross alpha concentrations measured at Boundary and Distant locations were made on a weekly basis. The Mann-Whitney U test was used to compare the Boundary and Distant data because it is the most powerful nonparametric alternative to the t-test for independent samples. INL Site sample results were not included in this analysis because the onsite data, collected at only three locations, are not representative of the entire INL Site and would not aid in determining offsite impacts. In the third quarter, there was one week, the week of September 18, where a statistical difference existed between the two sample groups (Table D-2). During this week, gross alpha concentrations were higher at Boundary locations than at Distant locations. A review of data from this week shows gross alpha concentrations overall were about average, with lower concentrations in the valley locations (particularly Blackfoot and Idaho Falls). This probably represents a random variability in the data.

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. The data were tested and found to be neither normally nor log-normally distributed. Box and whiskers plots were used for presentation of the data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past five years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures. No statistical differences were noted in the quarterly data or during any month of the quarter using the Kruskal-Wallis test (Table D-1).

Comparison of weekly Boundary and Distant gross beta data sets, using the Mann Whitney U test, showed a statistical difference between Boundary and Distant measurements during one week of the third quarter (Table D-1). As with the gross alpha data, the week of September 18 had Boundary locations statistically greater than the Distant locations. Gross beta concentrations were similar at all locations except for a much lower value found at the Blackfoot station. The cause for this is unknown as no equipment problems were noted at this location during that week.

Iodine-131 was not detected in any of the 26 sets of charcoal cartridges measured during the third quarter. Weekly ^{131}I results for each location are listed in Table C-2 of Appendix C.

No ^{137}Cs or other human-made gamma-emitting radionuclides were found in quarterly composites. Plutonium-239/240 was reported on the composite from the duplicate sampler at Monteview. The concentration found was just above the minimum detectable concentration and this radionuclide was not detected on the regular air sampler located at Monteview, indicating the result might be a false positive.

Strontium-90 was detected in four of the six composites analyzed. Concentrations were similar to those that have consistently been measured beginning in the second half of 2011. During this period similar concentrations have found at Distant, Boundary, and INL Site locations, with no discernible pattern. In the third quarter, detectable results were found at one Boundary location (and its duplicate sampler), one Distant location, and one INL Site location. The highest concentration was found at Arco (4.10×10^{-17} μCi/mL), which represents 0.0002 percent of the Derived Concentration Standard.

All quarterly composite results are found in Appendix C, Table C-3.



Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the third quarter of 2013.



Figure 4. July gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location, except Main Gate (N = 3).



Figure 5. August gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Main Gate (N = 0).



Figure 6. September gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Main Gate (N = 0).



Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the third quarter of 2013.



Figure 8. July gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location, except Main Gate (N = 3).



Figure 9. August gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Main Gate (N = 0).



Figure 10. September gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except Main Gate (N = 0).

ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for 23 atmospheric moisture samples collected during the third quarter of 2013. Sixteen of these exceeded the 3s uncertainty level for tritium, with similar results to those reported previously. All samples were significantly below the DOE DCS for tritium in air of 1.4×10^{-8} $\mu Ci/mL_{air}$ with a maximum reported value of 13.8×10^{-13} $\mu Ci/mL_{air}$ at Sugar City. Results are shown in Table C-4, Appendix C.

4. PRECIPITATION AND WATER SAMPLING

PRECIPITATION SAMPLING

Precipitation samples are gathered when sufficient precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls and CFA, and weekly from the EFS. Precipitation samples are analyzed for tritium. Storm events in the third quarter of 2013 produced sufficient precipitation to yield only nine samples.

Tritium was measured above the 3s values in all of the nine samples. These results are listed in Table C-5 (Appendix C). Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere and detectable tritium is sometimes found in ESER samples. When detected, tritium values have remained well within the historical range and the range measured across the country by the EPA Radnet program (EPA 2013).

5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the third quarter, while potatoes are collected during the fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and agricultural products samples available during the third quarter of 2013.

MILK SAMPLING

Milk samples were collected weekly in Idaho Falls. Monthly samples were collected at six other locations around the INL Site (Figure 11) during the third quarter of 2013. In addition, commercially-available organic milk was purchased as a control sample. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on Iodine-131.

Iodine-131 was not detected in any weekly or monthly samples during the third quarter. No other human-made gamma-emitting radionuclides were found either. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-6.



Figure 11. ESER milk sampling locations

LETTUCE SAMPLING

Lettuce sampling was completed during the third quarter. A total of ten samples were collected, including a commercially-available sample from the grocery store. No human-made gamma-emitting radionuclides were found in any of the ten samples. Strontium-90 was detected in seven of the samples analyzed. Strontium-90 is present in the environment as a residual of fallout from aboveground nuclear weapons testing, which occurred between 1945 and 1980. This is the likely source for the measured results. Data for ^{137}Cs and ^{90}Sr in all lettuce samples taken during the third quarter are listed in Appendix C, Table C-7.

During the summer of 2020, a review of Table C-7 determined the activity concentrations and uncertainty values for ^{90}Sr were correct, however, the concentrations and uncertainty values listed for ^{137}Cs were incorrect. The 1-sigma and 2-sigma uncertainty values for ^{137}Cs were inadvertently copied and entered into the ^{137}Cs results table. The ^{137}Cs concentrations and uncertainty values were updated with the correct values. Cesium-137 was not found in any of the samples analyzed. In addition, the review revealed the unit of concentration listed in the column headings were incorrect. Prior to 2010, concentrations were reported in either pCi/g or pCi/kg. In 2010, the concentration unit of pCi/kg was adopted for reporting radionuclide concentrations in soil and biota (vegetation and animals). The reasons for doing this include: 1) the use of one unit (pCi/kg) ensures consistency and comparability in reporting concentrations in various media, 2) the use of one unit (pCi/kg) minimizes mistakes (due to confusion about units) in data entry into the database, and 3) the unit of pCi/kg was selected because it is the unit associated with models that are used for dose calculations and the results tend to be whole numbers (e.g. 14 pCi/kg versus 0.014 pCi/g). The column headings have been updated to the correct units of concentration (pCi/kg and Bq/kg).

GRAIN SAMPLING

Grain sampling (wheat and barley) was completed during the third quarter of 2013. A total of nine grain samples (including one duplicate) were collected from local grain growers. In addition, a commercially-available sample was obtained from outside the local area. All samples were analyzed for gamma-emitting radionuclides and ^{90}Sr. No human-made gamma-emitting radionuclides or ^{90}Sr were detected in any grain sample. Data for ^{137}Cs and ^{90}Sr in all grain samples taken during the third quarter are listed in Appendix C, Table C-8.

LARGE GAME ANIMAL SAMPLING

Three large game animals (two pronghorn and one elk) were sampled in the third quarter. Muscle samples were collected from all three animals; liver and thyroid samples were each obtained from two of the three animals. All samples were analyzed for gamma-emitting radionuclides and results are listed in Appendix C, Table C-9. Cesium-137 was detected in the liver of one of the pronghorn at a concentration of 7.62 pCi/kg. This is within the range of 4 to 11 pCi/kg that would be expected as normal background concentrations of ^{137}Cs based on a study of game animals throughout the western United States.

A review of Table C-9, performed in the summer of 2020, identified the ^{137}Cs result and uncertainty values listed for a thyroid sample collected from an elk on September 5, 2013 were incorrect. In addition, the ^{137}Cs uncertainty values listed for the muscle sample collected from a pronghorn on September 9, 2013 were incorrect. The incorrect values appear to be due to inadvertently listing the wrong values for the analyte. The result and uncertainty values were updated with the correct values. Cesium-137 was not detected in either of the two samples.

6. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

1. method uncertainty
2. data completeness
3. data accuracy, using spike, performance evaluation and laboratory control samples
4. data precision, using split samples, duplicate samples and recounts
5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (GSS 2012). Criteria established by DOE for Quality Assurance activities include:

- Quality assurance program
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

Assessments of ESER data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives. These assessments are documented in the ESER Quality Assurance for the Third Quarter of 2013 (GSS 2013).

7. REFERENCES

Bartholomay, R.C., Knobel, L.L., and Rousseau, J.P., 2003, *Field Methods and Quality Plan for Quality-of-Water Activities, U.S. Geological Survey, Idaho National Engineering and Environmental Laboratory, Idaho*, DOE/ID-22182, January 2003.

Currie, L.A., 1984, *Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements*, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.

DOE, 2003, "Environmental Management System," U.S. Department of Energy Order 450.1, January 2003.

DOE, 2011, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.

EPA, 2013, RadNet—Tracking Environmental Radiation Nationwide, Web-page: http://www.epa.gov/narel/radnet/

GSS, 2012, *Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program*, Environmental Surveillance, Education and Research Program, April 2012.

GSS, 2013, *Environmental Quality Assurance Report 3rd Quarter 2013*, Environmental Surveillance, Education and Research Program, February 2014.

APPENDIX A

SUMMARY OF SAMPLING SCHEDULE

Table A-1. Summary of the ESER Program's Sampling Schedule

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AIR SAMPLING				
LOW-VOLUME AIR				
Gross Alpha, Gross Beta, ^{131}I	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Rexburg	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Rexburg	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
^{90}Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
ATMOSPHERIC MOISTURE				
Tritium	2 to 13 weeks	Blackfoot, Idaho Falls, Rexburg	Atomic City	None
PRECIPITATION				
Tritium	monthly	Idaho Falls	None	CFA
Tritium	weekly	None	None	EFS
DRINKING WATER				
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None
SURFACE WATER				
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
ENVIRONMENTAL RADIATION SAMPLING				
TLDs				
Gamma Radiation	semiannual	Aberdeen, Blackfoot (2), Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Rexburg, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Monteview, Mud Lake	None
SOIL SAMPLING				
SOIL				
Gamma Spec, ^{90}Sr, Transuranics	biennially	Carey, Crystal Ice Caves (Aberdeen), Blackfoot, St. Anthony	Butte City, Monteview, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None

Table A-1. Summary of the ESER Program's Sampling Schedule (continued)

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
FOODSTUFF SAMPLING				
MILK				
Gamma Spec (^{131}I)	weekly	Idaho Falls	None	None
Gamma Spec (^{131}I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
Tritium, ^{90}Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
POTATOES				
Gamma Spec, ^{90}Sr	annually	Blackfoot, Idaho Falls, Rupert, Shelley, occasional samples across the U.S.	Arco, Monteview, Mud Lake, Terreton	None
ALFALFA				
Gamma Spec, ^{90}Sr	annually	Mud Lake	None	None
GRAIN				
Gamma Spec, ^{90}Sr	annually	American Falls, Blackfoot, Idaho Falls, Minidoka, Roberts	Arco, Monteview, Mud Lake, Taber, Terreton	None
LETTUCE				
Gamma Spec, ^{90}Sr	annually	Blackfoot, Carey, Idaho Falls, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview	EFS
BIG GAME				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads
WATERFOWL				
Gamma Spec, ^{90}Sr, Transuranics	annually	Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewater disposal ponds

APPENDIX B

SUMMARY OF MDCs AND DCSs

Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed during Third Quarter 2013

Sample Type	Analysis	Approximate Minimum Detectable Concentration[a] (MDC)	Derived Concentration Standard[b] (DCS)
Air (particulate filter)[e]	Gross alpha[c]	4.01×10^{-16} µCi/mL	4×10^{-14} µCi/mL
	Gross beta[d]	1.26×10^{-15} µCi/mL	2.4×10^{-13} µCi/mL
	^{137}Cs	1.11×10^{-16} µCi/mL	3.9×10^{-10} µCi/mL
	^{90}Sr	2.15×10^{-17} µCi/mL	2.5×10^{-11} µCi/mL
	^{238}Pu	3.09×10^{-18} µCi/mL	3.7×10^{-14} µCi/mL
	$^{239/240}$Pu	5.80×10^{-18} µCi/mL	3.4×10^{-14} µCi/mL
	^{241}Am	6.68×10^{-18} µCi/mL	4.1×10^{-14} µCi/mL
Air (charcoal cartridge)[e]	^{131}I	4.31×10^{-16} µCi/mL	2.3×10^{-19} µCi/mL
Air (atmospheric moisture)	^{3}H	76.5 pCi/L_{water}	2.1×10^{-7} $\mu Ci/mL_{air}$
Air (precipitation)	^{3}H	77.4 pCi/L	1.9×10^{-3} µCi/mL
Milk	^{131}I	0.61 pCi/L	--
	^{137}Cs	0.75 pCi/L	--

a The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence and precision of plus or minus 100 percent under a specified set of typical laboratory measurement conditions.

b DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.

c The DCS for gross alpha is equivalent to the DCSs for ^{241}Am.

d The DCS for gross beta is equivalent to the DCSs for ^{228}Ra

e The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 m^3/week.

APPENDIX C

SAMPLE ANALYSIS RESULTS

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	GROSS ALPHA Result > 3s	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	GROSS BETA Result > 3s
BOUNDARY							
ARCO	7/3/2013	1.08 ± 0.15	4.00 ± 0.56	Yes	24.60 ± 0.60	91.02 ± 2.23	Yes
	7/10/2013	1.58 ± 0.18	5.85 ± 0.66	Yes	29.90 ± 0.69	110.63 ± 2.54	Yes
	7/17/2013	1.34 ± 0.16	4.96 ± 0.60	Yes	27.00 ± 0.63	99.90 ± 2.31	Yes
	7/24/2013	2.42 ± 0.22	8.95 ± 0.80	Yes	29.60 ± 0.69	109.52 ± 2.54	Yes
	7/31/2013	1.13 ± 0.21	4.18 ± 0.78	Yes	17.10 ± 0.55	63.27 ± 2.04	Yes
	8/7/2013	1.52 ± 0.18	5.62 ± 0.67	Yes	24.40 ± 0.60	90.28 ± 2.20	Yes
	8/14/2013	1.49 ± 0.18	5.51 ± 0.65	Yes	24.40 ± 0.60	90.28 ± 2.23	Yes
	8/21/2013	3.07 ± 0.25	11.36 ± 0.93	Yes	26.30 ± 0.67	97.31 ± 2.49	Yes
	8/28/2013	1.33 ± 0.16	4.92 ± 0.60	Yes	21.50 ± 0.56	79.55 ± 2.06	Yes
	9/4/2013	2.50 ± 0.22	9.25 ± 0.80	Yes	23.20 ± 0.59	85.84 ± 2.18	Yes
	9/11/2013	1.03 ± 0.15	3.81 ± 0.55	Yes	20.30 ± 0.54	75.11 ± 2.00	Yes
	9/18/2013	1.53 ± 0.18	5.66 ± 0.67	Yes	30.80 ± 0.67	113.96 ± 2.46	Yes
	9/25/2013	1.23 ± 0.17	4.55 ± 0.62	Yes	21.00 ± 0.56	77.70 ± 2.08	Yes
QA-1 (ARCO)	7/3/2013	1.29 ± 0.16	4.77 ± 0.59	Yes	25.80 ± 0.61	95.46 ± 2.25	Yes
	7/10/2013	1.24 ± 0.15	4.59 ± 0.56	Yes	25.00 ± 0.60	92.50 ± 2.21	Yes
	7/17/2013	1.33 ± 0.16	4.92 ± 0.58	Yes	27.50 ± 0.62	101.75 ± 2.28	Yes
	7/24/2013	2.13 ± 0.21	7.88 ± 0.76	Yes	27.00 ± 0.66	99.90 ± 2.44	Yes
	7/31/2013	1.42 ± 0.22	5.25 ± 0.81	Yes	16.30 ± 0.54	60.31 ± 1.99	Yes
	8/7/2013	1.49 ± 0.18	5.51 ± 0.65	Yes	22.40 ± 0.57	82.88 ± 2.09	Yes
	8/14/2013	1.74 ± 0.18	6.44 ± 0.67	Yes	23.60 ± 0.58	87.32 ± 2.13	Yes
	8/21/2013	2.72 ± 0.25	10.06 ± 0.91	Yes	26.30 ± 0.69	97.31 ± 2.55	Yes
	8/28/2013	1.39 ± 0.16	5.14 ± 0.60	Yes	23.30 ± 0.56	86.21 ± 2.07	Yes
	9/4/2013	2.05 ± 0.20	7.59 ± 0.74	Yes	21.70 ± 0.58	80.29 ± 2.13	Yes
	9/11/2013	1.35 ± 0.16	5.00 ± 0.59	Yes	19.70 ± 0.52	72.89 ± 1.93	Yes
	9/18/2013	1.35 ± 0.16	5.00 ± 0.61	Yes	27.70 ± 0.60	102.49 ± 2.23	Yes
	9/25/2013	1.04 ± 0.15	3.85 ± 0.56	Yes	20.50 ± 0.53	75.85 ± 1.98	Yes
ATOMIC CITY	7/3/2013	1.54 ± 0.19	5.70 ± 0.69	Yes	26.00 ± 0.67	96.20 ± 2.49	Yes
	7/10/2013	1.39 ± 0.17	5.14 ± 0.63	Yes	26.50 ± 0.66	98.05 ± 2.44	Yes
	7/17/2013	1.78 ± 0.20	6.59 ± 0.74	Yes	33.60 ± 0.75	124.32 ± 2.78	Yes
	7/24/2013	2.23 ± 0.22	8.25 ± 0.81	Yes	31.10 ± 0.73	115.07 ± 2.69	Yes
	7/31/2013	0.94 ± 0.21	3.49 ± 0.78	Yes	19.70 ± 0.59	72.89 ± 2.20	Yes
	8/7/2013	1.71 ± 0.20	6.33 ± 0.74	Yes	28.40 ± 0.66	105.08 ± 2.46	Yes
	8/14/2013	1.42 ± 0.18	5.25 ± 0.67	Yes	27.20 ± 0.65	100.64 ± 2.41	Yes
	8/21/2013	2.47 ± 0.23	9.14 ± 0.84	Yes	27.40 ± 0.68	101.38 ± 2.50	Yes
	8/28/2013	1.37 ± 0.19	5.07 ± 0.68	Yes	25.50 ± 0.67	94.35 ± 2.46	Yes
	9/4/2013	1.85 ± 0.20	6.85 ± 0.74	Yes	24.60 ± 0.63	91.02 ± 2.35	Yes
	9/11/2013	0.92 ± 0.16	3.39 ± 0.58	Yes	22.40 ± 0.62	82.88 ± 2.28	Yes
	9/18/2013	1.55 ± 0.19	5.74 ± 0.71	Yes	29.90 ± 0.70	110.63 ± 2.58	Yes
	9/25/2013	1.24 ± 0.18	4.59 ± 0.67	Yes	22.20 ± 0.62	82.14 ± 2.30	Yes
BLUE DOME	7/3/2013	1.23 ± 0.15	4.55 ± 0.57	Yes	23.80 ± 0.58	88.06 ± 2.16	Yes
	7/10/2013	1.10 ± 0.15	4.07 ± 0.54	Yes	26.40 ± 0.61	97.68 ± 2.27	Yes
	7/17/2013	1.17 ± 0.16	4.33 ± 0.58	Yes	29.00 ± 0.66	107.30 ± 2.43	Yes
	7/24/2013	1.81 ± 0.19	6.70 ± 0.71	Yes	31.40 ± 0.69	116.18 ± 2.56	Yes
	7/31/2013	1.27 ± 0.23	4.70 ± 0.86	Yes	16.20 ± 0.58	59.94 ± 2.14	Yes
	8/7/2013	1.36 ± 0.17	5.03 ± 0.64	Yes	27.80 ± 0.62	102.86 ± 2.29	Yes
	8/14/2013	1.76 ± 0.19	6.51 ± 0.72	Yes	25.80 ± 0.64	95.46 ± 2.35	Yes
	8/21/2013	4.18 ± 0.30	15.47 ± 1.12	Yes	26.40 ± 0.71	97.68 ± 2.63	Yes
	8/28/2013	1.30 ± 0.16	4.81 ± 0.60	Yes	22.40 ± 0.57	82.88 ± 2.10	Yes
	9/4/2013	2.45 ± 0.22	9.07 ± 0.83	Yes	25.00 ± 0.63	92.50 ± 2.34	Yes
	9/11/2013	1.07 ± 0.15	3.96 ± 0.56	Yes	22.00 ± 0.56	81.40 ± 2.06	Yes
	9/18/2013	1.26 ± 0.16	4.66 ± 0.61	Yes	31.10 ± 0.65	115.07 ± 2.40	Yes
	9/25/2013	0.80 ± 0.14	2.97 ± 0.53	Yes	21.50 ± 0.55	79.55 ± 2.05	Yes
FAA TOWER	7/3/2013	1.57 ± 0.19	5.81 ± 0.70	Yes	26.10 ± 0.67	96.57 ± 2.49	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s
	7/10/2013	1.07 ± 0.16	3.96 ± 0.57	Yes	27.10 ± 0.66	100.27 ± 2.45	Yes
	7/17/2013	1.54 ± 0.19	5.70 ± 0.70	Yes	33.40 ± 0.75	123.58 ± 2.76	Yes
	7/24/2013	2.11 ± 0.21	7.81 ± 0.77	Yes	31.20 ± 0.71	115.44 ± 2.64	Yes
	7/31/2013	0.98 ± 0.21	3.64 ± 0.77	Yes	18.90 ± 0.58	69.93 ± 2.14	Yes
	8/7/2013	1.39 ± 0.18	5.14 ± 0.67	Yes	25.90 ± 0.63	95.83 ± 2.33	Yes
	8/14/2013	1.80 ± 0.19	6.66 ± 0.71	Yes	24.40 ± 0.61	90.28 ± 2.26	Yes
	8/21/2013	1.95 ± 0.21	7.22 ± 0.78	Yes	23.20 ± 0.65	85.84 ± 2.41	Yes
	8/28/2013	1.96 ± 0.21	7.25 ± 0.77	Yes	24.40 ± 0.64	90.28 ± 2.38	Yes
	9/4/2013	2.10 ± 0.21	7.77 ± 0.79	Yes	24.80 ± 0.65	91.76 ± 2.39	Yes
	9/11/2013	1.11 ± 0.17	4.11 ± 0.63	Yes	24.70 ± 0.65	91.39 ± 2.39	Yes
	9/18/2013	1.42 ± 0.19	5.25 ± 0.68	Yes	29.20 ± 0.69	108.04 ± 2.53	Yes
	9/25/2013	1.10 ± 0.17	4.07 ± 0.64	Yes	20.60 ± 0.60	76.22 ± 2.22	Yes
HOWE	7/3/2013	0.93 ± 0.16	3.44 ± 0.59	Yes	26.20 ± 0.68	96.94 ± 2.52	Yes
	7/10/2013	1.45 ± 0.17	5.37 ± 0.64	Yes	25.70 ± 0.65	95.09 ± 2.39	Yes
	7/17/2013	1.64 ± 0.19	6.07 ± 0.71	Yes	28.70 ± 0.70	106.19 ± 2.59	Yes
	7/24/2013	2.08 ± 0.21	7.70 ± 0.77	Yes	29.10 ± 0.70	107.67 ± 2.58	Yes
	7/31/2013	1.21 ± 0.22	4.48 ± 0.80	Yes	17.70 ± 0.56	65.49 ± 2.09	Yes
	8/7/2013	1.22 ± 0.17	4.51 ± 0.64	Yes	24.30 ± 0.61	89.91 ± 2.24	Yes
	8/14/2013	1.80 ± 0.20	6.66 ± 0.73	Yes	26.30 ± 0.65	97.31 ± 2.40	Yes
	8/21/2013	3.00 ± 0.25	11.10 ± 0.94	Yes	24.90 ± 0.67	92.13 ± 2.48	Yes
	8/28/2013	1.21 ± 0.18	4.48 ± 0.66	Yes	23.40 ± 0.65	86.58 ± 2.39	Yes
	9/4/2013	2.15 ± 0.22	7.96 ± 0.80	Yes	23.90 ± 0.64	88.43 ± 2.35	Yes
	9/11/2013	1.00 ± 0.16	3.70 ± 0.61	Yes	22.10 ± 0.62	81.77 ± 2.30	Yes
	9/18/2013	1.06 ± 0.17	3.92 ± 0.61	Yes	28.40 ± 0.67	105.08 ± 2.46	Yes
	9/25/2013	0.82 ± 0.16	3.02 ± 0.58	Yes	23.20 ± 0.63	85.84 ± 2.31	Yes
MONTEVIEW	7/3/2013	1.66 ± 0.20	6.14 ± 0.73	Yes	25.70 ± 0.69	95.09 ± 2.55	Yes
	7/10/2013	1.58 ± 0.19	5.85 ± 0.68	Yes	29.10 ± 0.70	107.67 ± 2.60	Yes
	7/17/2013	1.97 ± 0.22	7.29 ± 0.80	Yes	31.40 ± 0.76	116.18 ± 2.82	Yes
	7/24/2013	1.33 ± 0.18	4.92 ± 0.66	Yes	29.70 ± 0.71	109.89 ± 2.61	Yes
	7/31/2013	1.69 ± 0.47	6.25 ± 1.73	Yes	22.20 ± 1.13	82.14 ± 4.18	Yes
	8/7/2013	1.14 ± 0.18	4.22 ± 0.66	Yes	24.80 ± 0.64	91.76 ± 2.38	Yes
	8/14/2013	1.99 ± 0.21	7.36 ± 0.78	Yes	28.70 ± 0.68	106.19 ± 2.53	Yes
	8/21/2013	2.75 ± 0.23	10.18 ± 0.86	Yes	29.80 ± 0.68	110.26 ± 2.52	Yes
	8/28/2013	1.79 ± 0.25	6.62 ± 0.91	Yes	23.00 ± 0.78	85.10 ± 2.88	Yes
	9/4/2013	2.08 ± 0.22	7.70 ± 0.80	Yes	23.60 ± 0.65	87.32 ± 2.39	Yes
	9/11/2013	0.91 ± 0.16	3.36 ± 0.59	Yes	22.20 ± 0.63	82.14 ± 2.32	Yes
	9/18/2013	1.45 ± 0.19	5.37 ± 0.72	Yes	28.90 ± 0.71	106.93 ± 2.61	Yes
	9/25/2013	1.25 ± 0.19	4.63 ± 0.68	Yes	20.90 ± 0.62	77.33 ± 2.29	Yes
QA-2	7/3/2013	1.27 ± 0.18	4.70 ± 0.66	Yes	27.10 ± 0.70	100.27 ± 2.60	Yes
(MONTEVIEW)	7/10/2013	1.39 ± 0.18	5.14 ± 0.67	Yes	29.10 ± 0.73	107.67 ± 2.70	Yes
	7/17/2013	1.77 ± 0.21	6.55 ± 0.76	Yes	32.70 ± 0.77	120.99 ± 2.85	Yes
	7/24/2013	1.43 ± 0.18	5.29 ± 0.68	Yes	30.00 ± 0.71	111.00 ± 2.64	Yes
	7/31/2013	1.61 ± 0.25	5.96 ± 0.94	Yes	19.50 ± 0.63	72.15 ± 2.35	Yes
	8/7/2013	1.74 ± 0.21	6.44 ± 0.79	Yes	27.10 ± 0.69	100.27 ± 2.56	Yes
	8/14/2013	1.92 ± 0.21	7.10 ± 0.79	Yes	29.00 ± 0.71	107.30 ± 2.62	Yes
	8/21/2013	2.49 ± 0.23	9.21 ± 0.84	Yes	31.20 ± 0.71	115.44 ± 2.61	Yes
	8/28/2013	1.33 ± 0.19	4.92 ± 0.69	Yes	24.70 ± 0.67	91.39 ± 2.48	Yes
	9/4/2013	2.10 ± 0.22	7.77 ± 0.81	Yes	26.70 ± 0.68	98.79 ± 2.53	Yes
	9/11/2013	1.44 ± 0.20	5.33 ± 0.73	Yes	24.50 ± 0.69	90.65 ± 2.53	Yes
	9/18/2013	1.79 ± 0.21	6.62 ± 0.79	Yes	30.20 ± 0.73	111.74 ± 2.71	Yes
	9/25/2013	1.59 ± 0.21	5.88 ± 0.78	Yes	23.10 ± 0.67	85.47 ± 2.49	Yes
MUD LAKE	7/3/2013	1.16 ± 0.17	4.29 ± 0.62	Yes	24.10 ± 0.65	89.17 ± 2.41	Yes
	7/10/2013	1.59 ± 0.19	5.88 ± 0.71	Yes	28.40 ± 0.73	105.08 ± 2.70	Yes
	7/17/2013	1.45 ± 0.19	5.37 ± 0.70	Yes	31.30 ± 0.75	115.81 ± 2.78	Yes
	7/24/2013	2.00 ± 0.22	7.40 ± 0.81	Yes	32.60 ± 0.78	120.62 ± 2.89	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	GROSS ALPHA Result > 3s	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	GROSS BETA Result > 3s
	7/31/2013	1.43 ± 0.24	5.29 ± 0.87	Yes	17.70 ± 0.59	65.49 ± 2.18	Yes
	8/7/2013	2.06 ± 0.23	7.62 ± 0.84	Yes	28.90 ± 0.71	106.93 ± 2.63	Yes
	8/14/2013	1.76 ± 0.21	6.51 ± 0.78	Yes	29.70 ± 0.73	109.89 ± 2.71	Yes
	8/21/2013	2.14 ± 0.22	7.92 ± 0.80	Yes	30.50 ± 0.71	112.85 ± 2.62	Yes
	8/28/2013	2.37 ± 0.23	8.77 ± 0.86	Yes	23.30 ± 0.66	86.21 ± 2.45	Yes
	9/4/2013	2.34 ± 0.23	8.66 ± 0.85	Yes	26.00 ± 0.68	96.20 ± 2.50	Yes
	9/11/2013	1.50 ± 0.20	5.55 ± 0.72	Yes	23.10 ± 0.65	85.47 ± 2.42	Yes
	9/18/2013	1.24 ± 0.19	4.59 ± 0.69	Yes	30.50 ± 0.73	112.85 ± 2.72	Yes
	9/25/2013	1.06 ± 0.18	3.92 ± 0.65	Yes	22.30 ± 0.63	82.51 ± 2.33	Yes
DISTANT							
BLACKFOOT	7/3/2013	1.28 ± 0.16	4.74 ± 0.61	Yes	19.80 ± 0.58	73.26 ± 2.13	Yes
	7/10/2013	0.80 ± 0.14	2.96 ± 0.51	Yes	19.20 ± 0.59	71.04 ± 2.18	Yes
	7/17/2013	0.85 ± 0.15	3.14 ± 0.54	Yes	23.60 ± 0.63	87.32 ± 2.33	Yes
	7/24/2013	1.07 ± 0.17	3.96 ± 0.61	Yes	22.80 ± 0.65	84.36 ± 2.39	Yes
	7/31/2013	1.26 ± 0.24	4.66 ± 0.87	Yes	15.90 ± 0.59	58.83 ± 2.17	Yes
	8/7/2013	1.33 ± 0.19	4.92 ± 0.71	Yes	19.80 ± 0.61	73.26 ± 2.25	Yes
	8/14/2013	0.73 ± 0.17	2.70 ± 0.63	Yes	63.80 ± 1.00	236.06 ± 3.69	Yes
	8/21/2013	1.85 ± 0.21	6.85 ± 0.76	Yes	21.70 ± 0.63	80.29 ± 2.33	Yes
	8/28/2013	0.73 ± 0.14	2.71 ± 0.53	Yes	16.00 ± 0.54	59.20 ± 2.01	Yes
	9/4/2013	1.40 ± 0.18	5.18 ± 0.68	Yes	17.40 ± 0.57	64.38 ± 2.12	Yes
	9/11/2013	0.78 ± 0.15	2.87 ± 0.55	Yes	17.90 ± 0.57	66.23 ± 2.10	Yes
	9/18/2013	0.75 ± 0.15	2.79 ± 0.54	Yes	17.40 ± 0.56	64.38 ± 2.06	Yes
	9/25/2013	1.12 ± 0.17	4.14 ± 0.62	Yes	14.70 ± 0.52	54.39 ± 1.92	Yes
CRATERS OF THE MOON	7/3/2013	1.47 ± 0.18	5.44 ± 0.65	Yes	25.00 ± 0.64	92.50 ± 2.37	Yes
	7/10/2013	1.47 ± 0.18	5.44 ± 0.65	Yes	27.50 ± 0.67	101.75 ± 2.49	Yes
	7/17/2013	1.62 ± 0.18	5.99 ± 0.68	Yes	28.90 ± 0.68	106.93 ± 2.51	Yes
	7/24/2013	2.51 ± 0.23	9.29 ± 0.86	Yes	27.40 ± 0.71	101.38 ± 2.61	Yes
	7/31/2013	1.30 ± 0.25	4.81 ± 0.93	Yes	17.00 ± 0.63	62.90 ± 2.31	Yes
	8/7/2013	1.45 ± 0.19	5.37 ± 0.69	Yes	24.90 ± 0.63	92.13 ± 2.31	Yes
	8/14/2013	1.93 ± 0.20	7.14 ± 0.75	Yes	25.00 ± 0.63	92.50 ± 2.34	Yes
	8/21/2013	4.21 ± 0.30	15.58 ± 1.11	Yes	24.70 ± 0.69	91.39 ± 2.54	Yes
	8/28/2013	1.02 ± 0.15	3.77 ± 0.57	Yes	21.70 ± 0.58	80.29 ± 2.15	Yes
	9/4/2013	3.00 ± 0.25	11.10 ± 0.93	Yes	21.90 ± 0.63	81.03 ± 2.31	Yes
	9/11/2013	0.77 ± 0.15	2.85 ± 0.54	Yes	23.00 ± 0.61	85.10 ± 2.27	Yes
	9/18/2013	1.16 ± 0.17	4.29 ± 0.64	Yes	29.00 ± 0.68	107.30 ± 2.51	Yes
	9/25/2013	1.04 ± 0.16	3.85 ± 0.60	Yes	20.10 ± 0.56	74.37 ± 2.09	Yes
DUBOIS	7/3/2013	1.28 ± 0.17	4.74 ± 0.64	Yes	23.40 ± 0.64	86.58 ± 2.36	Yes
	7/10/2013	1.43 ± 0.18	5.29 ± 0.67	Yes	27.80 ± 0.70	102.86 ± 2.58	Yes
	7/17/2013	1.53 ± 0.18	5.66 ± 0.68	Yes	29.70 ± 0.70	109.89 ± 2.60	Yes
	7/24/2013	1.79 ± 0.20	6.62 ± 0.75	Yes	32.90 ± 0.75	121.73 ± 2.78	Yes
	7/31/2013	1.18 ± 0.23	4.37 ± 0.84	Yes	16.90 ± 0.58	62.53 ± 2.16	Yes
	8/7/2013	1.34 ± 0.19	4.96 ± 0.71	Yes	29.30 ± 0.70	108.41 ± 2.60	Yes
	8/14/2013	1.98 ± 0.21	7.33 ± 0.78	Yes	28.50 ± 0.68	105.45 ± 2.53	Yes
	8/21/2013	3.03 ± 0.26	11.21 ± 0.95	Yes	29.50 ± 0.72	109.15 ± 2.65	Yes
	8/28/2013	2.48 ± 0.22	9.18 ± 0.83	Yes	24.30 ± 0.63	89.91 ± 2.33	Yes
	9/4/2013	2.27 ± 0.22	8.40 ± 0.82	Yes	26.90 ± 0.67	99.53 ± 2.46	Yes
	9/11/2013	1.09 ± 0.17	4.03 ± 0.62	Yes	23.50 ± 0.64	86.95 ± 2.35	Yes
	9/18/2013	1.08 ± 0.18	4.00 ± 0.65	Yes	30.50 ± 0.72	112.85 ± 2.68	Yes
	9/25/2013	0.93 ± 0.16	3.45 ± 0.60	Yes	19.30 ± 0.58	71.41 ± 2.15	Yes
IDAHO FALLS	7/3/2013	1.51 ± 0.17	5.59 ± 0.62	Yes	21.90 ± 0.57	81.03 ± 2.11	Yes
	7/10/2013	1.44 ± 0.16	5.33 ± 0.60	Yes	24.50 ± 0.60	90.65 ± 2.23	Yes
	7/17/2013	2.20 ± 0.20	8.14 ± 0.72	Yes	27.30 ± 0.62	101.01 ± 2.31	Yes
	7/24/2013	1.76 ± 0.19	6.51 ± 0.70	Yes	30.20 ± 0.68	111.74 ± 2.52	Yes
	7/31/2013	0.82 ± 0.20	3.05 ± 0.73	Yes	17.70 ± 0.55	65.49 ± 2.05	Yes
	8/7/2013	2.46 ± 0.37	9.10 ± 1.37	Yes	26.30 ± 1.06	97.31 ± 3.92	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	GROSS ALPHA Result > 3s	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	GROSS BETA Result > 3s
	8/14/2013	1.68 ± 0.18	6.22 ± 0.66	Yes	24.80 ± 0.59	91.76 ± 2.18	Yes
	8/21/2013	2.32 ± 0.21	8.58 ± 0.76	Yes	28.20 ± 0.63	104.34 ± 2.34	Yes
	8/28/2013	0.95 ± 0.14	3.53 ± 0.53	Yes	21.20 ± 0.55	78.44 ± 2.02	Yes
	9/4/2013	1.66 ± 0.18	6.14 ± 0.68	Yes	22.40 ± 0.58	82.88 ± 2.15	Yes
	9/11/2013	1.41 ± 0.17	5.22 ± 0.64	Yes	24.70 ± 0.60	91.39 ± 2.22	Yes
	9/18/2013	0.80 ± 0.14	2.95 ± 0.52	Yes	26.80 ± 0.61	99.16 ± 2.26	Yes
	9/25/2013	0.97 ± 0.15	3.59 ± 0.55	Yes	18.20 ± 0.52	67.34 ± 1.91	Yes
JACKSON	7/3/2013	1.29 ± 0.18	4.77 ± 0.67	Yes	28.60 ± 0.72	105.82 ± 2.65	Yes
	7/10/2013	1.79 ± 0.20	6.62 ± 0.75	Yes	33.20 ± 0.78	122.84 ± 2.87	Yes
	7/17/2013	1.46 ± 0.19	5.40 ± 0.70	Yes	36.60 ± 0.79	135.42 ± 2.93	Yes
	7/24/2013	2.25 ± 0.23	8.33 ± 0.84	Yes	36.70 ± 0.81	135.79 ± 2.98	Yes
	7/31/2013	0.97 ± 0.23	3.59 ± 0.84	Yes	22.80 ± 0.66	84.36 ± 2.44	Yes
	8/7/2013	1.85 ± 0.22	6.85 ± 0.82	Yes	33.90 ± 0.77	125.43 ± 2.84	Yes
	8/14/2013	2.02 ± 0.22	7.47 ± 0.80	Yes	30.80 ± 0.72	113.96 ± 2.65	Yes
	8/21/2013	2.36 ± 0.23	8.73 ± 0.84	Yes	32.10 ± 0.73	118.77 ± 2.71	Yes
	8/28/2013	1.19 ± 0.17	4.40 ± 0.64	Yes	27.40 ± 0.68	101.38 ± 2.50	Yes
	9/4/2013	2.00 ± 0.21	7.40 ± 0.79	Yes	30.40 ± 0.71	112.48 ± 2.62	Yes
	9/11/2013	1.13 ± 0.17	4.18 ± 0.64	Yes	27.70 ± 0.69	102.49 ± 2.54	Yes
	9/18/2013	1.44 ± 0.19	5.33 ± 0.71	Yes	26.30 ± 0.68	97.31 ± 2.50	Yes
	9/25/2013	1.34 ± 0.19	4.96 ± 0.71	Yes	23.60 ± 0.65	87.32 ± 2.41	Yes
REXBURG	7/3/2013	1.68 ± 0.20	6.22 ± 0.74	Yes	27.10 ± 0.70	100.27 ± 2.60	Yes
	7/10/2013	1.81 ± 0.21	6.70 ± 0.76	Yes	29.40 ± 0.74	108.78 ± 2.75	Yes
	7/17/2013	1.43 ± 0.19	5.29 ± 0.70	Yes	30.90 ± 0.74	114.33 ± 2.75	Yes
	7/24/2013	1.48 ± 0.19	5.48 ± 0.70	Yes	29.90 ± 0.73	110.63 ± 2.70	Yes
	7/31/2013	0.99 ± 0.23	3.65 ± 0.86	Yes	19.70 ± 0.64	72.89 ± 2.37	Yes
SUGAR CITY	8/7/2013	1.45 ± 0.20	5.37 ± 0.74	Yes	28.50 ± 0.71	105.45 ± 2.61	Yes
	8/14/2013	1.55 ± 0.20	5.74 ± 0.73	Yes	27.30 ± 0.69	101.01 ± 2.56	Yes
	8/21/2013	2.57 ± 0.23	9.51 ± 0.83	Yes	28.60 ± 0.67	105.82 ± 2.46	Yes
	8/28/2013	1.38 ± 0.19	5.11 ± 0.68	Yes	23.90 ± 0.65	88.43 ± 2.40	Yes
	9/4/2013	2.37 ± 0.23	8.77 ± 0.83	Yes	25.70 ± 0.65	95.09 ± 2.42	Yes
	9/11/2013	1.59 ± 0.20	5.88 ± 0.73	Yes	25.80 ± 0.67	95.46 ± 2.48	Yes
	9/18/2013	0.95 ± 0.17	3.52 ± 0.62	Yes	25.40 ± 0.67	93.98 ± 2.49	Yes
	9/25/2013	1.10 ± 0.17	4.07 ± 0.64	Yes	21.10 ± 0.61	78.07 ± 2.25	Yes
INL SITE							
EFS	7/3/2013	1.00 ± 0.16	3.70 ± 0.58	Yes	26.10 ± 0.66	96.57 ± 2.46	Yes
	7/10/2013	1.43 ± 0.17	5.29 ± 0.63	Yes	27.10 ± 0.65	100.27 ± 2.42	Yes
	7/17/2013	1.07 ± 0.15	3.96 ± 0.56	Yes	26.70 ± 0.64	98.79 ± 2.35	Yes
	7/24/2013	2.20 ± 0.21	8.14 ± 0.77	Yes	28.10 ± 0.67	103.97 ± 2.49	Yes
	7/31/2013	1.15 ± 0.22	4.26 ± 0.81	Yes	17.30 ± 0.58	64.01 ± 2.13	Yes
	8/7/2013	1.42 ± 0.18	5.25 ± 0.65	Yes	25.40 ± 0.60	93.98 ± 2.22	Yes
	8/14/2013	1.79 ± 0.19	6.62 ± 0.70	Yes	26.20 ± 0.62	96.94 ± 2.28	Yes
	8/21/2013	2.48 ± 0.22	9.18 ± 0.82	Yes	25.70 ± 0.64	95.09 ± 2.36	Yes
	8/28/2013	1.64 ± 0.19	6.07 ± 0.69	Yes	23.50 ± 0.61	86.95 ± 2.25	Yes
	9/4/2013	2.24 ± 0.21	8.29 ± 0.78	Yes	23.40 ± 0.61	86.58 ± 2.26	Yes
	9/11/2013	0.79 ± 0.14	2.93 ± 0.50	Yes	19.90 ± 0.53	73.63 ± 1.98	Yes
	9/18/2013	1.20 ± 0.17	4.44 ± 0.64	Yes	30.70 ± 0.69	113.59 ± 2.55	Yes
	9/25/2013	0.85 ± 0.15	3.16 ± 0.57	Yes	22.10 ± 0.59	81.77 ± 2.20	Yes
MAIN GATE	7/3/2013	1.33 ± 0.17	4.92 ± 0.64	Yes	26.40 ± 0.66	97.68 ± 2.46	Yes
	7/10/2013	1.57 ± 0.18	5.81 ± 0.67	Yes	28.70 ± 0.69	106.19 ± 2.53	Yes
	7/17/2013	1.53 ± 0.21	5.66 ± 0.76	Yes	31.10 ± 0.79	115.07 ± 2.93	Yes
a	7/24/2013	±	±	No	±	±	No
a	7/31/2013	±	±	No	±	±	No
a	8/7/2013	±	±	No	±	±	No
a	8/14/2013	±	±	No	±	±	No
a	8/21/2013	±	±	No	±	±	No

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS ALPHA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)	GROSS BETA Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s
a	8/28/2013	±	±	No	±	±	No
a	9/4/2013	±	±	No	±	±	No
a	9/11/2013	±	±	No	±	±	No
a	9/18/2013	±	±	No	±	±	No
a	9/25/2013	±	±	No	±	±	No
VAN BUREN GATE	7/3/2013	1.30 ± 0.17	4.81 ± 0.61	**Yes**	25.80 ± 0.64	95.46 ± 2.35	**Yes**
	7/10/2013	1.52 ± 0.17	5.62 ± 0.63	**Yes**	26.80 ± 0.64	99.16 ± 2.37	**Yes**
	7/17/2013	1.15 ± 0.16	4.26 ± 0.57	**Yes**	29.00 ± 0.65	107.30 ± 2.41	**Yes**
	7/24/2013	2.08 ± 0.21	7.70 ± 0.76	**Yes**	30.30 ± 0.70	112.11 ± 2.58	**Yes**
	7/31/2013	1.37 ± 0.23	5.07 ± 0.86	**Yes**	16.50 ± 0.58	61.05 ± 2.13	**Yes**
	8/7/2013	1.58 ± 0.19	5.85 ± 0.68	**Yes**	26.60 ± 0.62	98.42 ± 2.29	**Yes**
	8/14/2013	1.17 ± 0.16	4.33 ± 0.60	**Yes**	26.40 ± 0.62	97.68 ± 2.29	**Yes**
	8/21/2013	2.66 ± 0.24	9.84 ± 0.88	**Yes**	26.20 ± 0.68	96.94 ± 2.50	**Yes**
	8/28/2013	1.14 ± 0.16	4.22 ± 0.58	**Yes**	22.90 ± 0.58	84.73 ± 2.15	**Yes**
	9/4/2013	2.09 ± 0.21	7.73 ± 0.76	**Yes**	24.30 ± 0.61	89.91 ± 2.27	**Yes**
	9/11/2013	0.84 ± 0.14	3.10 ± 0.53	**Yes**	21.00 ± 0.57	77.70 ± 2.09	**Yes**
	9/18/2013	1.45 ± 0.18	5.37 ± 0.65	**Yes**	29.80 ± 0.66	110.26 ± 2.42	**Yes**
	9/25/2013	1.17 ± 0.17	4.33 ± 0.63	**Yes**	22.70 ± 0.60	83.99 ± 2.22	**Yes**

a. Invalid sample results due to power outage

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)			Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
BOUNDARY								
ARCO	07/03/2013	-1.66	±	1.11	-6.14	±	4.11	No
	07/10/2013	-1.26	±	1.24	-4.67	±	4.60	No
	07/17/2013	0.72	±	1.09	2.68	±	4.02	No
	07/24/2013	-0.43	±	1.16	-1.59	±	4.28	No
	07/31/2013	0.69	±	1.13	2.55	±	4.19	No
	08/07/2013	-1.46	±	1.10	-5.40	±	4.06	No
	08/14/2013	-0.05	±	1.14	-0.20	±	4.21	No
	08/21/2013	-0.24	±	1.23	-0.88	±	4.54	No
	08/28/2013	2.10	±	1.14	7.78	±	4.22	No
	09/04/2013	1.20	±	1.13	4.45	±	4.17	No
	09/11/2013	-1.14	±	1.09	-4.23	±	4.02	No
	09/18/2013	0.55	±	1.14	2.03	±	4.22	No
	09/25/2013	-0.20	±	1.07	-0.76	±	3.97	No
QA-1	07/03/2013	-1.63	±	1.09	-6.03	±	4.04	No
(ARCO)	07/10/2013	-1.14	±	1.12	-4.20	±	4.14	No
	07/17/2013	0.69	±	1.04	2.56	±	3.85	No
	07/24/2013	-0.43	±	1.16	-1.59	±	4.28	No
	07/31/2013	0.68	±	1.12	2.51	±	4.13	No
	08/07/2013	-1.42	±	1.07	-5.25	±	3.96	No
	08/14/2013	-0.05	±	1.07	-0.19	±	3.97	No
	08/21/2013	-0.25	±	1.28	-0.92	±	4.75	No
	08/28/2013	2.01	±	1.09	7.43	±	4.03	No
	09/04/2013	1.21	±	1.13	4.46	±	4.19	No
	09/11/2013	-1.09	±	1.04	-4.05	±	3.84	No
	09/18/2013	0.50	±	1.04	1.85	±	3.84	No
	09/25/2013	-0.19	±	1.00	-0.71	±	3.69	No
ATOMIC CITY	07/03/2013	-1.93	±	1.29	-7.13	±	4.78	No
	07/10/2013	-1.29	±	1.27	-4.77	±	4.71	No
	07/17/2013	0.85	±	1.27	3.13	±	4.71	No
	07/24/2013	-0.46	±	1.23	-1.69	±	4.55	No
	07/31/2013	0.72	±	1.18	2.65	±	4.36	No
	08/07/2013	-1.58	±	1.19	-5.84	±	4.40	No
	08/14/2013	-0.06	±	1.20	-0.21	±	4.44	No
	08/21/2013	-0.23	±	1.20	-0.86	±	4.44	No
	08/28/2013	2.53	±	1.37	9.36	±	5.07	No
	09/04/2013	1.31	±	1.23	4.83	±	4.54	No
	09/11/2013	-1.33	±	1.26	-4.92	±	4.67	No
	09/18/2013	0.61	±	1.26	2.24	±	4.65	No
	09/25/2013	-0.23	±	1.22	-0.86	±	4.51	No
BLUE DOME	07/03/2013	-1.64	±	0.98	-6.07	±	3.62	No
	07/10/2013	0.40	±	1.03	1.49	±	3.80	No
	07/17/2013	-1.20	±	1.01	-4.45	±	3.75	No
	07/24/2013	2.14	±	1.13	7.90	±	4.17	No
	07/31/2013	-1.01	±	1.12	-3.73	±	4.13	No
	08/07/2013	-0.44	±	0.98	-1.63	±	3.64	No
	08/14/2013	1.63	±	1.17	6.04	±	4.32	No
	08/21/2013	2.29	±	1.36	8.49	±	5.03	No
	08/28/2013	-0.19	±	0.97	-0.71	±	3.60	No
	09/04/2013	0.09	±	1.07	0.34	±	3.97	No
	09/11/2013	0.07	±	0.95	0.26	±	3.50	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)			Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
BOUNDARY								
	09/18/2013	0.20	±	0.95	0.74	±	3.51	No
	09/25/2013	-0.80	±	0.97	-2.94	±	3.60	No
FAA TOWER	07/03/2013	-1.96	±	1.17	-7.26	±	4.34	No
	07/10/2013	0.45	±	1.15	1.67	±	4.26	No
	07/17/2013	-1.35	±	1.14	-5.00	±	4.22	No
	07/24/2013	2.26	±	1.19	8.38	±	4.42	No
	07/31/2013	-0.94	±	1.04	-3.46	±	3.84	No
	08/07/2013	-0.48	±	1.07	-1.77	±	3.94	No
	08/14/2013	1.59	±	1.13	5.88	±	4.20	No
	08/21/2013	2.18	±	1.29	8.08	±	4.79	No
	08/28/2013	-0.22	±	1.13	-0.83	±	4.19	No
	09/04/2013	0.10	±	1.12	0.35	±	4.15	No
	09/11/2013	0.08	±	1.13	0.31	±	4.16	No
	09/18/2013	0.23	±	1.09	0.86	±	4.05	No
	09/25/2013	-0.94	±	1.14	-3.46	±	4.23	No
HOWE	07/03/2013	-2.01	±	1.20	-7.44	±	4.45	No
	07/10/2013	0.45	±	1.14	1.65	±	4.21	No
	07/17/2013	-1.36	±	1.14	-5.02	±	4.23	No
	07/24/2013	2.28	±	1.20	8.45	±	4.46	No
	07/31/2013	-0.93	±	1.03	-3.43	±	3.80	No
	08/07/2013	-0.47	±	1.05	-1.74	±	3.88	No
	08/14/2013	1.67	±	1.19	6.18	±	4.41	No
	08/21/2013	2.17	±	1.29	8.04	±	4.76	No
	08/28/2013	-0.23	±	1.18	-0.87	±	4.38	No
	09/04/2013	0.09	±	1.12	0.35	±	4.13	No
	09/11/2013	0.08	±	1.13	0.31	±	4.20	No
	09/18/2013	0.22	±	1.06	0.83	±	3.93	No
	09/25/2013	-0.93	±	1.13	-3.44	±	4.20	No
MONTEVIEW	07/03/2013	-2.06	±	1.23	-7.62	±	4.55	No
	07/10/2013	0.47	±	1.21	1.75	±	4.47	No
	07/17/2013	-1.47	±	1.24	-5.43	±	4.58	No
	07/24/2013	2.31	±	1.22	8.56	±	4.52	No
	07/31/2013	-2.29	±	2.53	-8.46	±	9.38	No
	08/07/2013	-0.51	±	1.15	-1.90	±	4.24	No
	08/14/2013	1.72	±	1.23	6.36	±	4.54	No
	08/21/2013	1.96	±	1.16	7.27	±	4.31	No
	08/28/2013	-0.32	±	1.62	-1.19	±	5.99	No
	09/04/2013	0.10	±	1.16	0.36	±	4.29	No
	09/11/2013	0.08	±	1.15	0.31	±	4.25	No
	09/18/2013	0.25	±	1.16	0.91	±	4.30	No
	09/25/2013	-0.98	±	1.19	-3.62	±	4.42	No
QA-2 (MONTEVIEW)	07/03/2013	-2.05	±	1.23	-7.59	±	4.53	No
	07/10/2013	0.50	±	1.29	1.87	±	4.77	No
	07/17/2013	-1.45	±	1.22	-5.36	±	4.52	No
	07/24/2013	2.35	±	1.24	8.68	±	4.58	No
	07/31/2013	-1.05	±	1.17	-3.89	±	4.32	No
	08/07/2013	-0.54	±	1.21	-2.01	±	4.49	No
	08/14/2013	1.80	±	1.29	6.67	±	4.76	No
	08/21/2013	2.02	±	1.20	7.49	±	4.44	No
	08/28/2013	-0.24	±	1.21	-0.89	±	4.47	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)			Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
BOUNDARY								
	09/04/2013	0.10	±	1.17	0.37	±	4.34	No
	09/11/2013	0.09	±	1.24	0.34	±	4.60	No
	09/18/2013	0.25	±	1.19	0.93	±	4.42	No
	09/25/2013	-1.05	±	1.29	-3.89	±	4.76	No
MUD LAKE	07/03/2013	-1.96	±	1.17	-7.26	±	4.33	No
	07/10/2013	0.51	±	1.31	1.90	±	4.85	No
	07/17/2013	-1.43	±	1.21	-5.31	±	4.47	No
	07/24/2013	2.57	±	1.36	9.51	±	5.02	No
	07/31/2013	-0.99	±	1.10	-3.66	±	4.06	No
	08/07/2013	-0.55	±	1.22	-2.02	±	4.50	No
	08/14/2013	1.89	±	1.35	6.98	±	4.99	No
	08/21/2013	2.07	±	1.23	7.67	±	4.54	No
	08/28/2013	-0.24	±	1.22	-0.90	±	4.52	No
	09/04/2013	0.10	±	1.17	0.37	±	4.33	No
	09/11/2013	0.09	±	1.19	0.32	±	4.42	No
	09/18/2013	0.25	±	1.20	0.94	±	4.42	No
	09/25/2013	-0.96	±	1.18	-3.57	±	4.36	No
DISTANT								
BLACKFOOT	07/03/2013	-1.78	±	1.19	-6.59	±	4.41	No
	07/10/2013	-1.33	±	1.31	-4.93	±	4.86	No
	07/17/2013	0.81	±	1.21	2.99	±	4.49	No
	07/24/2013	-0.47	±	1.26	-1.73	±	4.66	No
	07/31/2013	0.78	±	1.28	2.89	±	4.75	No
	08/07/2013	-1.74	±	1.31	-6.44	±	4.85	No
	08/14/2013	-0.06	±	1.31	-0.23	±	4.85	No
	08/21/2013	-0.24	±	1.26	-0.90	±	4.66	No
	08/28/2013	2.46	±	1.33	9.10	±	4.93	No
	09/04/2013	1.39	±	1.30	5.14	±	4.82	No
	09/11/2013	-1.35	±	1.28	-4.99	±	4.73	No
	09/18/2013	0.60	±	1.25	2.24	±	4.64	No
	09/25/2013	-0.22	±	1.17	-0.83	±	4.34	No
CRATERS	07/03/2013	-1.82	±	1.22	-6.73	±	4.51	No
	07/10/2013	-1.30	±	1.28	-4.80	±	4.73	No
	07/17/2013	0.79	±	1.19	2.93	±	4.40	No
	07/24/2013	-0.47	±	1.28	-1.76	±	4.73	No
	07/31/2013	0.83	±	1.37	3.07	±	5.06	No
	08/07/2013	-1.57	±	1.18	-5.80	±	4.36	No
	08/14/2013	-0.06	±	1.21	-0.21	±	4.48	No
	08/21/2013	-0.25	±	1.31	-0.94	±	4.86	No
	08/28/2013	2.25	±	1.22	8.32	±	4.51	No
	09/04/2013	1.37	±	1.29	5.08	±	4.77	No
	09/11/2013	-1.30	±	1.24	-4.82	±	4.57	No
	09/18/2013	0.59	±	1.23	2.19	±	4.55	No
	09/25/2013	-0.21	±	1.11	-0.78	±	4.10	No
DUBOIS	07/03/2013	-1.93	±	1.15	-7.15	±	4.27	No
	07/10/2013	0.48	±	1.23	1.79	±	4.57	No
	07/17/2013	-1.33	±	1.12	-4.92	±	4.14	No
	07/24/2013	2.38	±	1.26	8.81	±	4.65	No
	07/31/2013	-1.00	±	1.11	-3.71	±	4.11	No
	08/07/2013	-0.53	±	1.18	-1.95	±	4.36	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)			Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
BOUNDARY								
	08/14/2013	1.72	±	1.23	6.37	±	4.55	No
	08/21/2013	2.17	±	1.28	8.01	±	4.75	No
	08/28/2013	-0.22	±	1.09	-0.80	±	4.05	No
	09/04/2013	0.09	±	1.11	0.35	±	4.11	No
	09/11/2013	0.08	±	1.13	0.31	±	4.18	No
	09/18/2013	0.25	±	1.17	0.91	±	4.31	No
	09/25/2013	-0.93	±	1.13	-3.42	±	4.18	No
IDAHO FALLS	07/03/2013	-1.68	±	1.00	-6.21	±	3.71	No
	07/10/2013	0.41	±	1.05	1.52	±	3.87	No
	07/17/2013	-1.14	±	0.96	-4.23	±	3.56	No
	07/24/2013	2.14	±	1.13	7.93	±	4.18	No
	07/31/2013	-0.90	±	1.00	-3.34	±	3.71	No
	08/07/2013	-1.10	±	2.45	-4.07	±	9.08	No
	08/14/2013	1.47	±	1.05	5.45	±	3.89	No
	08/21/2013	1.80	±	1.07	6.66	±	3.95	No
	08/28/2013	-0.19	±	0.95	-0.70	±	3.52	No
	09/04/2013	0.09	±	1.01	0.32	±	3.72	No
	09/11/2013	0.07	±	0.99	0.27	±	3.66	No
	09/18/2013	0.20	±	0.96	0.75	±	3.55	No
	09/25/2013	-0.79	±	0.97	-2.92	±	3.57	No
JACKSON	07/03/2013	-2.01	±	1.34	-7.43	±	4.97	No
	07/10/2013	-1.45	±	1.43	-5.36	±	5.29	No
	07/17/2013	0.87	±	1.31	3.23	±	4.86	No
	07/24/2013	-0.49	±	1.31	-1.80	±	4.84	No
	07/31/2013	0.78	±	1.28	2.88	±	4.74	No
	08/07/2013	-1.78	±	1.34	-6.60	±	4.97	No
	08/14/2013	-0.06	±	1.29	-0.23	±	4.78	No
	08/21/2013	-0.24	±	1.23	-0.88	±	4.56	No
	08/28/2013	2.47	±	1.34	9.12	±	4.94	No
	09/04/2013	1.36	±	1.28	5.05	±	4.74	No
	09/11/2013	-1.38	±	1.31	-5.11	±	4.85	No
	09/18/2013	0.63	±	1.31	2.34	±	4.86	No
	09/25/2013	-0.24	±	1.26	-0.89	±	4.67	No
REXBURG	07/03/2013	-2.06	±	1.23	-7.61	±	4.54	No
	07/10/2013	0.52	±	1.32	1.91	±	4.87	No
	07/17/2013	-1.42	±	1.20	-5.26	±	4.44	No
	07/24/2013	2.43	±	1.28	9.00	±	4.75	No
	07/31/2013	-1.07	±	1.19	-3.96	±	4.39	No
SUGAR CITY	08/07/2013	-0.54	±	1.21	-2.01	±	4.48	No
	08/14/2013	1.82	±	1.30	6.75	±	4.82	No
	08/21/2013	1.95	±	1.15	7.21	±	4.27	No
	08/28/2013	-0.23	±	1.17	-0.86	±	4.34	No
	09/04/2013	0.09	±	1.11	0.35	±	4.12	No
	09/11/2013	0.09	±	1.16	0.31	±	4.28	No
	09/18/2013	0.25	±	1.18	0.92	±	4.35	No
	09/25/2013	-0.94	±	1.15	-3.49	±	4.27	No
INL SITE								
EFS	07/03/2013	-1.89	±	1.26	-6.98	±	4.67	No
	07/10/2013	-1.25	±	1.23	-4.62	±	4.56	No
	07/17/2013	0.75	±	1.13	2.77	±	4.17	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty ($\times 10^{-15}$ µCi/mL)			Result ± 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
BOUNDARY								
	07/24/2013	-0.43	±	1.16	-1.59	±	4.29	No
	07/31/2013	0.73	±	1.20	2.70	±	4.44	No
	08/07/2013	-1.44	±	1.09	-5.34	±	4.02	No
	08/14/2013	-0.05	±	1.11	-0.20	±	4.12	No
	08/21/2013	-0.22	±	1.14	-0.82	±	4.22	No
	08/28/2013	2.30	±	1.25	8.51	±	4.61	No
	09/04/2013	1.26	±	1.19	4.68	±	4.39	No
	09/11/2013	-1.14	±	1.08	-4.21	±	4.00	No
	09/18/2013	0.59	±	1.22	2.17	±	4.50	No
	09/25/2013	-0.22	±	1.14	-0.80	±	4.20	No
MAIN GATE	07/03/2013	-1.86	±	1.25	-6.89	±	4.61	No
	07/10/2013	-1.30	±	1.28	-4.81	±	4.74	No
	07/17/2013	0.98	±	1.48	3.64	±	5.47	No
a	07/24/2013		±			±		No
a	07/31/2013		±			±		No
a	08/07/2013		±			±		No
a	08/14/2013		±			±		No
a	08/21/2013		±			±		No
a	08/28/2013		±			±		No
a	09/04/2013		±			±		No
a	09/11/2013		±			±		No
a	09/18/2013		±			±		No
a	09/25/2013		±			±		No
VAN BUREN GATE	07/03/2013	-1.76	±	1.18	-6.51	±	4.36	No
	07/10/2013	-1.22	±	1.20	-4.51	±	4.44	No
	07/17/2013	0.73	±	1.10	2.71	±	4.08	No
	07/24/2013	-0.43	±	1.17	-1.61	±	4.33	No
	07/31/2013	0.74	±	1.22	2.75	±	4.53	No
	08/07/2013	-1.47	±	1.11	-5.44	±	4.10	No
	08/14/2013	-0.05	±	1.13	-0.20	±	4.18	No
	08/21/2013	-0.24	±	1.24	-0.89	±	4.59	No
	08/28/2013	2.16	±	1.17	8.01	±	4.34	No
	09/04/2013	1.25	±	1.17	4.61	±	4.33	No
	09/11/2013	-1.21	±	1.14	-4.46	±	4.24	No
	09/18/2013	0.55	±	1.14	2.02	±	4.20	No
	09/25/2013	-0.22	±	1.13	-0.80	±	4.19	No

a. Invalid sample results due to power outage

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty ($\times 10^{-18}$ µCi/mL)			Result ± 1s Uncertainty ($\times 10^{-13}$ Bq/mL)			Result > 3s
BOUNDARY									
ARCO	9/25/2013	CESIUM-137	84.30	±	146.00	311.91	±	540.20	No
		STRONTIUM-90	41.00	±	7.57	151.70	±	28.01	**Yes**
ARCO (QA-1)	9/25/2013	CESIUM-137	57.50	±	119.00	212.75	±	440.30	No
		STRONTIUM-90	24.50	±	6.47	90.65	±	23.94	**Yes**
ATOMIC CITY	9/25/2013	CESIUM-137	-109.00	±	200.00	-403.30	±	740.00	No
		STRONTIUM-90	9.08	±	7.10	33.60	±	26.27	No
BLUE DOME	9/25/2013	CESIUM-137	-30.70	±	124.00	-113.59	±	458.80	No
FAA TOWER	9/25/2013	AMERICIUM-241	-1.32	±	1.20	-4.88	±	4.44	No
		CESIUM-137	-118.00	±	163.00	-436.60	±	603.10	No
		PLUTONIUM-238	0.61	±	0.86	2.25	±	3.18	No
		PLUTONIUM-239/240	2.73	±	0.93	10.10	±	3.46	No
HOWE	9/25/2013	CESIUM-137	-53.90	±	142.00	-199.43	±	525.40	No
MONTEVIEW	9/25/2013	AMERICIUM-241	-2.56	±	1.16	-9.47	±	4.29	No
		CESIUM-137	-46.80	±	144.00	-173.16	±	532.80	No
		PLUTONIUM-238	2.69	±	0.97	9.95	±	3.60	No
		PLUTONIUM-239/240	2.68	±	0.97	9.92	±	3.59	No
MONTEVIEW (QA-2)	9/25/2013	AMERICIUM-241	-0.52	±	1.21	-1.91	±	4.48	No
		CESIUM-137	-68.90	±	172.00	-254.93	±	636.40	No
		PLUTONIUM-238	2.33	±	1.30	8.62	±	4.81	No
		PLUTONIUM-239/240	3.66	±	1.14	13.54	±	4.22	**Yes**
MUD LAKE	9/25/2013	AMERICIUM-241	-0.15	±	1.21	-0.55	±	4.48	No
		CESIUM-137	-65.10	±	171.00	-240.87	±	632.70	No
		PLUTONIUM-238	1.80	±	0.86	6.66	±	3.17	No
		PLUTONIUM-239/240	1.79	±	1.01	6.62	±	3.74	No
DISTANT									
BLACKFOOT	9/25/2013	CESIUM-137	25.80	±	142.00	95.46	±	525.40	No
CRATERS	9/25/2013	AMERICIUM-241	-1.73	±	1.26	-6.40	±	4.66	No
		CESIUM-137	-101.00	±	162.00	-373.70	±	599.40	No
		PLUTONIUM-238	1.55	±	0.83	5.74	±	3.06	No
		PLUTONIUM-239/240	2.16	±	0.94	7.99	±	3.48	No
DUBOIS	9/25/2013	CESIUM-137	170.00	±	149.00	629.00	±	551.30	No
IDAHO FALLS	9/25/2013	CESIUM-137	96.40	±	96.00	356.68	±	355.20	No

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty ($\times 10^{-18}$ µCi/mL)			Result ± 1s Uncertainty ($\times 10^{-13}$ Bq/mL)			Result > 3s
JACKSON	9/25/2013	CESIUM-137	-67.80	±	169.00	-250.86	±	625.30	No
		STRONTIUM-90	20.70	±	7.43	76.59	±	27.49	No
REXBURG	9/25/2013	CESIUM-137	-18.90	±	144.00	-69.93	±	532.80	No
		STRONTIUM-90	25.00	±	7.68	92.50	±	28.42	**Yes**
INL SITE									
EFS	9/25/2013	AMERICIUM-241	-1.38	±	1.02	-5.11	±	3.77	No
		CESIUM-137	149.00	±	99.10	551.30	±	366.67	No
		PLUTONIUM-238	2.32	±	0.95	8.58	±	3.51	No
		PLUTONIUM-239/240	2.06	±	0.75	7.62	±	2.76	No
MAIN GATE	9/25/2013	AMERICIUM-241	-8.46	±	4.68	-31.30	±	17.32	No
		CESIUM-137	349.00	±	607.00	1291.30	±	2245.90	No
		PLUTONIUM-238	5.49	±	3.39	20.31	±	12.54	No
		PLUTONIUM-239/240	9.60	±	5.70	35.52	±	21.09	No
VAN BUREN GATE	9/25/2013	CESIUM-137	31.70	±	149.00	117.29	±	551.30	No
		STRONTIUM-90	22.60	±	6.74	83.62	±	24.94	**Yes**

TABLE C-4. Tritium Concentrations in Atmospheric Moisture

Sampling Group and Location	Start Date	Sampling Date	Result ± 1s Uncertainty ($\times 10^{-13}$ µCi/mL$_{air}$)			Result ± 1s Uncertainty ($\times 10^{-9}$ Bq/mL$_{air}$)			Result > 3s
BOUNDARY									
ATOMIC CITY	06/26/2013	07/17/2013	7.11	±	1.79	26.30	±	6.61	**Yes**
ATOMIC CITY	07/17/2013	08/07/2013	4.92	±	1.20	18.21	±	4.43	**Yes**
ATOMIC CITY	08/07/2013	08/29/2013	2.72	±	1.32	10.07	±	4.88	No
ATOMIC CITY	08/29/2013	09/18/2013	5.40	±	1.53	19.97	±	5.67	**Yes**
DISTANT									
BLACKFOOT	06/19/2013	07/10/2013	8.75	±	2.21	32.37	±	8.19	**Yes**
BLACKFOOT	07/10/2013	07/31/2013	13.48	±	2.08	49.88	±	7.71	**Yes**
BLACKFOOT	07/31/2013	08/14/2013	7.87	±	1.57	29.14	±	5.83	**Yes**
BLACKFOOT	08/14/2013	08/28/2013	4.53	±	1.67	16.76	±	6.17	No
BLACKFOOT	08/28/2013	09/11/2013	6.90	±	1.68	25.52	±	6.21	**Yes**
BLACKFOOT	09/11/2013	09/25/2013	5.72	±	1.79	21.17	±	6.62	**Yes**
IDAHO FALLS	06/13/2013	07/01/2013	3.11	±	1.11	11.51	±	4.11	No
IDAHO FALLS	07/01/2013	07/10/2013	1.03	±	1.92	3.83	±	7.11	No
IDAHO FALLS	07/10/2013	07/24/2013	3.08	±	1.47	11.40	±	5.44	No
IDAHO FALLS	07/24/2013	08/07/2013	7.57	±	1.51	28.00	±	5.60	**Yes**
IDAHO FALLS	08/07/2013	08/26/2013	5.60	±	1.29	20.71	±	4.78	**Yes**
IDAHO FALLS	08/26/2013	09/11/2013	6.30	±	1.49	23.31	±	5.50	**Yes**
IDAHO FALLS	09/11/2013	09/25/2013	7.25	±	1.63	26.82	±	6.02	**Yes**
REXBURG	06/19/2013	07/03/2013	11.17	±	2.44	41.33	±	9.04	**Yes**
REXBURG	07/03/2013	07/17/2013	5.75	±	2.44	21.27	±	9.03	No
REXBURG	07/17/2013	07/31/2013	3.52	±	2.46	13.04	±	9.09	No
SUGAR CITY	07/31/2013	08/14/2013	10.24	±	2.14	37.88	±	7.91	**Yes**
SUGAR CITY	08/14/2013	09/04/2013	9.16	±	2.71	33.89	±	10.02	**Yes**
SUGAR CITY	09/04/2013	09/25/2013	13.85	±	2.99	51.23	±	11.06	**Yes**

TABLE C-5. Monthly and Weekly Tritium Concentrations in Precipitation

Location	Start Date	End Date	Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)			Result > 3s
IDAHO FALLS	6/3/2013	7/1/2013	118.00	±	21.70	4.37	±	0.80	**Yes**
	7/1/2013	8/1/2013	94.30	±	21.60	3.49	±	0.80	**Yes**
	8/1/2013	9/3/2013	130.00	±	22.30	4.81	±	0.83	**Yes**
CFA	6/3/2013	7/1/2013	151.00	±	22.40	5.59	±	0.83	**Yes**
	7/1/2013	8/1/2013	90.60	±	21.60	3.35	±	0.80	**Yes**
EFS	6/26/2013	7/3/2013	132.00	±	22.20	4.88	±	0.82	**Yes**
	7/10/2013	7/17/2013	104.00	±	21.70	3.85	±	0.80	**Yes**
	7/24/2013	7/31/2013	94.80	±	21.70	3.51	±	0.80	**Yes**
	9/11/2013	9/18/2013	99.50	±	21.90	3.68	±	0.81	**Yes**

Table C-6. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

Location	Sampling Date	Iodine-131 Result ± 1s Uncertainty (pCi†/L)			Iodine-131 Result ± 1s Uncertainty (Bq‡/L)			Iodine-131 Result > 3s	Cesium-137 Result ± 1s Uncertainty (pCi/L)			Cesium-137 Result ± 1s Uncertainty (Bq/L)			Cesium-137 Result > 3s
BLACKFOOT	07/01/13	0.24	±	1.18	0.009	±	0.044	No	1.80	±	0.86	0.067	±	0.032	No
	08/04/13	-1.75	±	1.43	-0.065	±	0.053	No	3.49	±	1.54	0.129	±	0.057	No
CONTROL	07/02/13	3.50	±	2.05	0.130	±	0.076	No	-0.99	±	1.44	-0.037	±	0.053	No
	08/06/13	-2.71	±	1.65	-0.100	±	0.061	No	1.80	±	1.53	0.067	±	0.057	No
	09/03/13	2.02	±	1.98	0.075	±	0.073	No	-0.89	±	1.41	-0.033	±	0.052	No
DIETRICH	07/02/13	-0.34	±	0.94	-0.013	±	0.035	No	0.72	±	0.89	0.027	±	0.033	No
	08/06/13	-4.06	±	1.90	-0.150	±	0.070	No	-0.44	±	1.39	-0.016	±	0.051	No
	09/03/13	-0.02	±	1.15	-0.001	±	0.043	No	-2.21	±	1.56	-0.082	±	0.058	No
FORT HALL	07/01/13	0.05	±	0.95	0.002	±	0.035	No	1.20	±	0.84	0.044	±	0.031	No
	08/05/13	-0.48	±	1.76	-0.018	±	0.065	No	1.19	±	1.40	0.044	±	0.052	No
	09/02/13	0.42	±	1.76	0.016	±	0.065	No	-0.54	±	1.43	-0.020	±	0.053	No
HOWE	07/02/13	2.17	±	1.15	0.080	±	0.043	No	-0.14	±	1.43	-0.005	±	0.053	No
	08/06/13	1.05	±	1.40	0.039	±	0.052	No	1.24	±	1.48	0.046	±	0.055	No
	09/03/13	-1.71	±	1.06	-0.063	±	0.039	No	-0.27	±	0.77	-0.010	±	0.029	No
IDAHO FALLS	07/02/13	0.07	±	0.84	0.003	±	0.031	No	1.35	±	0.89	0.050	±	0.033	No
	07/09/13	0.55	±	1.26	0.020	±	0.047	No	-0.14	±	1.41	-0.005	±	0.052	No
	07/16/13	0.26	±	1.21	0.009	±	0.045	No	0.88	±	1.41	0.032	±	0.052	No
	07/23/13	0.54	±	1.18	0.020	±	0.044	No	0.14	±	1.53	0.005	±	0.057	No
	07/30/13	1.42	±	1.22	0.053	±	0.045	No	-0.71	±	1.48	-0.026	±	0.055	No
	08/06/13	1.97	±	0.99	0.073	±	0.037	No	1.10	±	0.82	0.041	±	0.030	No
	08/13/13	0.04	±	0.90	0.001	±	0.033	No	0.76	±	0.78	0.028	±	0.029	No
	08/20/13	-0.88	±	0.99	-0.033	±	0.037	No	0.06	±	0.86	0.002	±	0.032	No
	08/27/13	0.42	±	1.16	0.016	±	0.043	No	1.40	±	1.50	0.052	±	0.056	No
	09/03/13	0.55	±	0.93	0.020	±	0.034	No	-0.21	±	0.77	-0.008	±	0.029	No
	09/10/13	0.82	±	1.14	0.030	±	0.042	No	3.57	±	1.55	0.132	±	0.057	No
	09/17/13	0.96	±	1.20	0.036	±	0.044	No	1.31	±	1.51	0.049	±	0.056	No
	09/24/13	-0.37	±	1.21	-0.014	±	0.045	No	-0.28	±	1.60	-0.010	±	0.059	No
RUPERT	07/02/13	-0.74	±	1.05	-0.027	±	0.039	No	-1.42	±	0.82	-0.053	±	0.030	No
Duplicate	07/02/13	-3.77	±	1.91	-0.140	±	0.071	No	-1.09	±	1.43	-0.040	±	0.053	No
	08/06/13	-0.99	±	1.13	-0.037	±	0.042	No	0.82	±	0.80	0.030	±	0.030	No
	09/03/13	-0.88	±	0.99	-0.032	±	0.037	No	-0.39	±	0.86	-0.014	±	0.032	No
TERRETON	07/02/13	0.91	±	1.44	0.034	±	0.053	No	0.69	±	1.33	0.025	±	0.049	No
	08/06/13	-0.38	±	1.17	-0.014	±	0.043	No	-0.15	±	0.88	-0.006	±	0.033	No
	09/03/13	-0.35	±	1.30	-0.013	±	0.048	No	-0.88	±	1.61	-0.033	±	0.060	No
Duplicate	09/03/13	0.83	±	1.09	0.031	±	0.040	No	-0.60	±	0.86	-0.022	±	0.032	No

Table C-7. Cesium-137 and Strontium-90 Concentrations in Lettuce

Location	Sampling Date	Cesium-137 Result ± 1s Uncertainty[a] pCi/kg[b]			Cesium-137 Result ± 1s Uncertainty[a] (x 10^{-2} Bq/kg)[b]			Result > 3s
ARCO	07/17/2013	-0.37	±	42.20	-1.35	±	156.30	No
ATOMIC CITY	07/17/2013	16.80	±	34.40	62.22	±	127.41	No
BLACKFOOT	08/10/2013	-49.40	±	44.70	-182.96	±	165.56	No
CONTROL	08/05/2013	-32.20	±	36.90	-119.26	±	136.67	No
EFS	07/17/2013	34.10	±	37.80	126.30	±	140.00	No
FAA TOWER	07/17/2013	58.10	±	36.60	215.19	±	135.56	No
IDAHO FALLS	08/06/2013	-59.30	±	38.00	-219.63	±	140.74	No
MONTEVIEW	07/10/2013	-103.00	±	46.20	-381.48	±	171.11	No
SUGAR CITY	08/12/2013	-0.11	±	20.10	-0.41	±	74.44	No
SUGAR CITY (Duplicate)	08/12/2013	-6.59	±	32.40	-24.41	±	120.00	No
		Strontium-90						
		Result ± 1s Uncertainty pCi/kg[b]			**Result ± 1s Uncertainty (x 10^{-2} Bq/kg)[b]**			**Result > 3s**
ARCO	07/17/2013	42.60	±	8.78	157.78	±	32.52	**Yes**
ATOMIC CITY	07/17/2013	95.30	±	12.80	352.96	±	47.41	**Yes**
BLACKFOOT	08/10/2013	6.83	±	4.81	25.30	±	17.81	No
CONTROL	08/05/2013	-2.94	±	4.56	-10.89	±	16.89	No
EFS	07/17/2013	45.10	±	8.40	167.04	±	31.11	**Yes**
FAA TOWER	07/17/2013	66.70	±	10.20	247.04	±	37.78	**Yes**
IDAHO FALLS	08/06/2013	26.60	±	5.70	98.52	±	21.11	**Yes**
MONTEVIEW	07/10/2013	45.50	±	8.31	168.52	±	30.78	**Yes**
SUGAR CITY	08/12/2013	30.20	±	20.70	111.85	±	76.67	No
SUGAR CITY (Duplicate)	08/12/2013	44.00	±	6.88	162.96	±	25.48	**Yes**

[a] A review of the table, performed in the summer of 2020, revealed that the ^{137}Cs result and uncertainty values listed were incorrect. The ^{137}Cs result and uncertainty values were updated to the correct values. For further discussion, see Lettuce Sampling in Section 5.

[b] During the summer of 2020, a review of the table determined the unit of concentration listed in the column headings were incorrect. The column headings have been updated to the correct units of concentration (pCi/kg and Bq/kg). For further discussion see Lettuce Sampling in Section 5.

Table C-8. Gamma-emitting Radionuclides and Strontium-90 in Grain

Location	Sampling Date	Cesium-137 Result ± 1s Uncertainty pCi/kg			Cesium-137 Result ± 1s Uncertainty Bq/kg			Result > 3s
AMERICAN FALLS	08/06/13	-1.39	±	1.25	-0.05	±	0.05	No
ARCO	08/21/13	-2.28	±	1.59	-0.08	±	0.06	No
CONTROL	08/13/13	-168.00	±	56.60	-6.22	±	2.10	No
HOWE	08/29/13	-2.08	±	1.67	-0.08	±	0.06	No
HOWE (Dulicate)	08/29/13	3.79	±	1.71	0.14	±	0.06	No
IDAHO FALLS	08/12/13	-2.54	±	3.42	-0.09	±	0.13	No
MORELAND	08/07/13	-0.36	±	1.25	-0.01	±	0.05	No
ROBERTS	08/16/13	-2.14	±	1.70	-0.08	±	0.06	No
RUPERT	08/06/13	-6.30	±	2.86	-0.23	±	0.11	No
TERRETON	08/29/13	0.20	±	2.44	0.01	±	0.09	No
		Strontium-90						
		Result ± 1s Uncertainty pCi/kg			**Result ± 1s Uncertainty Bq/kg**			
AMERICAN FALLS	08/06/13	-5.98	±	5.21	-0.22	±	0.19	No
ARCO	08/21/13	7.70	±	6.38	0.29	±	0.24	No
CONTROL	08/13/13	-9.70	±	6.08	-0.36	±	0.23	No
HOWE	08/29/13	-2.11	±	6.40	-0.08	±	0.24	No
HOWE (Dulicate)	08/29/13	14.30	±	7.01	0.53	±	0.26	No
IDAHO FALLS	08/12/13	-10.50	±	7.74	-0.39	±	0.29	No
MORELAND	08/07/13	0.10	±	5.55	0.00	±	0.21	No
ROBERTS	08/16/13	4.46	±	6.80	0.17	±	0.25	No
RUPERT	08/06/13	16.90	±	6.23	0.63	±	0.23	No
TERRETON	08/29/13	-2.84	±	5.56	-0.11	±	0.21	No

Table C-9. Gamma-emitting Radionuclides in Large Game Animals

Species	Collection Date	Tissue	Analyte	Result ± 1s Uncertainty (pCi/kg wet weight)			Result ± 1s Uncertainty (x 10^{-2} Bq/kg wet weight)			Result > 3s
PRONGHORN	8/1/2013	Liver	^{131}I	-10.30	±	5.61	-38.11	±	20.76	No
			^{137}Cs	7.62	±	2.31	28.19	±	8.55	**Yes**
PRONGHORN	8/1/2013	Muscle	^{131}I	-8.60	±	6.00	-31.82	±	22.20	No
			^{137}Cs	3.95	±	2.80	14.62	±	10.36	No
PRONGHORN	8/1/2013	Thyroid	^{131}I	174.00	±	287.00	643.80	±	1061.90	No
			^{137}Cs	-26.00	±	190.00	-96.20	±	703.00	No
ELK	9/5/2013	Muscle	^{131}I	-2.47	±	2.61	-9.14	±	9.66	No
			^{137}Cs	2.90	±	1.44	10.73	±	5.33	No
ELK	9/5/2013	Thyroid	^{131}I	-54.50	±	106.00	-201.65	±	392.20	No
			^{137}Cs[a]	-112.00	±	76.10	-414.40	±	281.57	No
PRONGHORN	9/9/2013	Liver	^{131}I	-4.07	±	3.44	-15.06	±	12.73	No
			^{137}Cs	3.73	±	3.19	13.80	±	11.80	No
PRONGHORN	9/9/2013	Muscle	^{131}I	-3.06	±	2.72	-11.32	±	10.06	No
			^{137}Cs[b]	-0.35	±	1.52	-1.30	±	5.62	No

[a] A review of the table, performed in the summer of 2020, revealed that the result and uncertainty values listed were incorrect. The values were updated with the correct values. For further discussion, see Large Game Animal Sampling in Section 5.

[b] In the summer of 2020, a review of the table determined that the uncertainty values listed were incorrect. The values were updated with the correct values. For further discussion, see Large Game Animal Sampling in Section 5.

APPENDIX D

STATISTICAL ANALYSIS RESULTS

Table D-1. Results of the Kruskal-Wallis statistical test between INL Site, Boundary and Distant sample groups by month.

Parameter	P[a]
Gross Alpha	
Quarter	0.43
July	0.74
August	0.71
September	0.68
Gross Beta	
Quarter	0.84
July	0.82
August	0.67
September	0.72

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups.

Table D-2. Statistical difference in weekly gross alpha and gross beta concentrations measured at Boundary and Distant locations.

		Mann-Whitney U test
Parameter	**Week**	**P[a]**
Gross Alpha		
	July 3	0.63
	July 10	0.67
	July 17	0.78
	July 24	0.48
	July 31	0.39
	August 7	0.57
	August 14	0.78
	August 21	0.78
	August 28	0.15
	September 4	0.57
	September 11	0.67
	September 18	0.03
	September 25	0.94
Gross Beta		
	July 3	0.63
	July 10	1.00
	July 17	0.48
	July 24	0.89
	July 31	0.62
	August 7	0.39
	August 14	0.32
	August 21	0.78
	August 28	0.67
	September 4	0.89
	September 11	0.13
	September 18	0.04
	September 25	0.12

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups.