

Gonzales Stoller Surveillance, LLC
Environmental Surveillance, Education, and Research Program
ISSN NUMBER 1089-5469

Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: Third Quarter 2014

February 2015



*Contributors:
Russ Mitchell, Marilyn Case*

Program conducted for the U.S. Department of Energy, Idaho Operations Office
Under Contract DE-NE0000300

By Gonzales Stoller Surveillance, LLC
Environmental Surveillance, Education, and Research Program
Douglas K. Halford, Program Manager
120 Technology Dr., Idaho Falls, Idaho 83401
www.gsseser.com

EXECUTIVE SUMMARY

None of the radionuclides detected in samples collected during the third quarter of 2014 could be directly linked with INL Site activities. Levels of detected radionuclides were no different than values measured at other locations across the western United States. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the third quarter of 2014 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, July 1 through September 30, 2014. All sample types (media) and the sampling schedule followed during 2014 are listed in Appendix A. Specifically, this report contains the results for the following:

- Air sampling, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation sampling
- Milk, lettuce, and grain sampling
- Large game animal sampling
- Soil sampling

Table E-1 Summary of results for the Third Quarter of 2014.

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	Gross alpha and gross beta concentrations were statistically the same for Distant, Boundary, and INL Site sample groups for the quarter, for each month of the quarter, and each week of the quarter. No result exceeded the DCS for gross alpha or gross beta activity in air.
		Gamma-emitting radionuclides, ⁹⁰ Sr, actinides (americium and plutonium)	No human-made gamma-emitting radionuclides, ⁹⁰ Sr, or actinides were detected.
	Charcoal Cartridge	Iodine-131	Iodine-131 was not detected in any of the 26 batches counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	Thirteen of the 23 sample results showed tritium concentrations greater than the 3s uncertainty during the quarter. No sample result exceeded the DCS for tritium in air.
Precipitation	Liquid	Tritium	Ten samples were collected. Five of the results were greater than the 3s uncertainty. The concentrations were consistent with those reported across the region by the Environmental Protection Agency and with previous results.
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides	No Iodine-131 or other human-made gamma emitting radionuclides were detected.
Lettuce	Vegetation	Gamma-emitting radionuclides, ⁹⁰ Sr	No human-made gamma-emitting radionuclides were found in the nine samples analyzed. Strontium-90 was above the minimum detectable concentration in all of the locally-grown samples at levels consistent with fallout from weapons testing.
Grain	Vegetation	Gamma-emitting radionuclides, ⁹⁰ Sr	No human-made gamma-emitting radionuclides were found in any of the ten samples collected. Strontium-90 was detected in one sample at a low concentration.
Large Game Animals	Tissue	Gamma-emitting radionuclides	No human-made gamma-emitting radionuclides were found in the tissues of one game

			animal sampled in the third quarter.
Soil	Solid	Gamma emitting radionuclides, ⁹⁰ Sr, ²⁴¹ Am, and plutonium	Cesium-137 was detected in all 14 samples collected. Strontium-90 was detected in seven of the samples and Plutonium-239/240 was found in six samples. The origin of these nuclides is probably deposition of fallout from atmospheric nuclear weapons testing and concentrations over time are consistent with their relative half-lives.

LIST OF ABBREVIATIONS

AEC	Atomic Energy Commission
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	Department of Energy
DOE – ID	Department of Energy Idaho Operations Office
EAL	Environmental Assessment Laboratory
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ERAMS	Environmental Radiation Ambient Monitoring System
ESER	Environmental Surveillance, Education, and Research
GSS	Gonzales Stoller Surveillance, LLC
ICP	Idaho Cleanup Project
INL	Idaho National Laboratory
INEL	Idaho National Engineering Laboratory
INEEL	Idaho National Engineering and Environmental Laboratory
ISU	Idaho State University
MDC	minimum detectable concentration
NRTS	National Reactor Testing Station

LIST OF UNITS

Bq	becquerel
Ci	curie
g	gram
L	liter
μ Ci	microcurie
mL	milliliter
pCi	picocurie

1. ESER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under a number of acts (e.g. the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2003). During calendar year 2014, environmental monitoring within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors, while monitoring outside the INL Site boundaries was conducted under the Environmental Surveillance, Education, and Research (ESER) Program. At the beginning of the first quarter of 2011, the ESER Program became led by a new partnership between S.M. Stoller and Jerome Gonzales Management Systems, Inc. with the support of the previous team members. This partnership is named Gonzales Stoller Surveillance, LLC (GSS). The ESER Program was led by GSS in cooperation with its team members, including the University of Idaho, Idaho State University (ISU), and ALS Environmental.

This report contains monitoring results from the ESER Program for samples collected during the third quarter of 2014 (July 1-September 30, 2014).

The surveillance portion of the ESER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely through the use of reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- moisture in air at four locations around the INL Site
- precipitation from three locations on and around the INL Site
- drinking water from eight locations and surface water from three locations around the INL Site
- agricultural products, including milk at seven dairies around the INL Site, potatoes from at least six local producers, alfalfa from a local producer, grain (wheat and barley) from approximately 10 local producers, and lettuce from approximately nine home-owned and portable gardens on and around the INL
- soil from 13 locations around the INL Site biennially
- environmental dosimeters from 17 locations semi-annually
- various numbers of wildlife including big game (pronghorn, mule deer, and elk) and waterfowl sampled on and near the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}\text{Pu}$), and americium-241 (^{241}Am) were performed by ALS Environmental of Fort Collins, Colorado.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet [previously known as the Environmental Radiation Ambient Monitoring System (ERAMS) network] (EPA 2013). The EPA established the ERAMS network in 1973 with an emphasis on identifying trends in the accumulation of long-lived radionuclides in the environment. ERAMS was renamed RadNet in 2005 to reflect a new mission. RadNet is comprised of a nationwide network of sampling stations that provide air, precipitation, drinking water, and milk samples. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (<http://www.epa.gov/narel/radnet/>).

Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data and for preparing quarterly reports on results from the environmental surveillance program. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably have an effect on the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s , where "s" is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is

statistically different from background. The ESER has adopted guidelines developed by the United States Geological Survey (Bartholomay, et al. 2003), based on an extension of a method proposed by Currie (1984), to interpret analytical results and make decisions concerning detection. Most of the following discussion is taken from Bartholomay et al (2003).

Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). Instrument signals for the target and blank vary randomly about the true signals and may overlap making it difficult to distinguish between radionuclide activities in blank and in environmental samples (Figure 1). That is, the variability around the sample result may substantially overlap the variability around a net activity of zero for samples with no radioactivity. In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection.




Figure 1. Example of overlap of blank and sample measurement distributions.

In the laboratory, instrument signals must exceed a critical level of 1.6s before the qualitative decision can be made as to whether the radionuclide was detected in a sample. At 1.6s there is about a 95-percent probability that the correct conclusion—not detected—will be made. Given a large number of samples, approximately 5 percent of the samples with measured concentrations greater than or equal to 1.6s, which were concluded as being detected, might not contain the radionuclide. These are referred to as false positives. For purposes of simplicity and consistency with past reporting, the ESER has rounded the 1.6s critical level estimate to 2s.

Once the critical level has been defined, the minimum detectable concentration may be determined. Concentrations that equal 3s represent a measurement at the detection level or minimum detectable concentration. For true concentrations of 3s or greater, there is a greater than 99-percent probability that the radionuclide was detected in the target sample. In a large number of samples, the conclusion—not detected—will be made in less than one percent of the samples with true concentrations at the minimum detectable concentration of 3s. These

measurements are known as false negatives. The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being “detected with confidence.”

Concentrations between 2s and 3s are reported as “questionably detected”. That is, the radionuclide may be present in the sample; however, the detection may not be reliable. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a particular radionuclide is typically detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is little confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

For more information concerning the ESER Program, contact GSS at (208) 525-8250, or visit the Program’s web page (<http://www.gsseser.com>).

2. THE INL SITE

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi² (2,300 km²) of the upper Snake River Plain in Southeastern Idaho. The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005 the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories.

The cleanup operation, the ICP, is now a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process.



3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (^{131}I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the third quarter of 2014 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011) values is provided in Appendix B.

LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the third quarter of 2014 (Figure 2). Four of these samplers are located on the INL Site, seven are situated off the INL Site near the boundary, and seven have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2014, one replicate sampler was moved to Idaho Falls (a Distant location) and one was moved to Main Gate (an INL Site location). An average of 20,613 ft^3 (584 m^3) of air was sampled at each location, each week, at an average flow rate of 2.04 ft^3/min (0.06 m^3/min). Particulates in air were collected on membrane particulate filters (1.2- μm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.




Figure 2. Low-volume air sampler locations.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (^{131}I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha data are tested for normality prior to statistical analyses, and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, the nonparametric Kruskal-Wallis test of multiple independent groups was used to test for statistical differences between INL Site, Boundary, and Distant locations. The use of nonparametric tests, such as Kruskal-Wallis, gives less weight to outlier and extreme values thus allowing a more appropriate comparison of data groups. A statistically significant difference exists between data groups if the (p) value is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. For the quarter, there was no statistical difference noted in the data, as the p-value was above 0.05.

Comparisons of gross alpha concentrations were made for each month of the quarter. Again the Kruskal-Wallis test of multiple independent groups was used to determine if statistical differences exist between INL Site, Boundary, and Distant data groups. No statistical differences in gross alpha concentrations between groups were noted during any month (Table D-1).

As an additional check, comparisons between gross alpha concentrations measured at Boundary and Distant locations were made on a weekly basis. The Mann-Whitney U test was used to compare the Boundary and Distant data because it is the most powerful nonparametric alternative to the t-test for independent samples. INL Site sample results were not included in this analysis because the onsite data, collected at only three locations, are not representative of the entire INL Site and would not aid in determining offsite impacts. In the third quarter, there were no weeks where a statistical difference existed between the two sample groups (Table D-2).

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. The data are tested quarterly and generally are found to be neither normally nor log-normally distributed. Box and whiskers plots were used for presentation of the data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past five years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures. No statistical differences were noted in the quarterly data or during any month of the quarter using the Kruskal-Wallis test (Table D-1).

Comparison of weekly Boundary and Distant gross beta data sets, using the Mann Whitney U test, showed no statistical differences between Boundary and Distant measurements during any week of the quarter (Table D-1).

Iodine-131 was not detected in any of the 26 sets of charcoal cartridges measured during the third quarter. Weekly ^{131}I results for each location are listed in Table C-2 of Appendix C.

No ^{137}Cs or other human-made gamma-emitting radionuclides were found in quarterly composites. Specific actinides (plutonium and americium) and ^{90}Sr were also not detected in any sample. All quarterly composite results are found in Appendix C, Table C-3.

ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for 23 atmospheric moisture samples collected during the third quarter of 2014. Thirteen of these exceeded the 3s uncertainty level for tritium, with similar results to those reported previously and similar results at all four sampling locations. All samples were significantly below the DOE DCS for tritium in air of $1.4 \times 10^{-8} \mu\text{Ci}/\text{mL}_{\text{air}}$ with a maximum reported value of $28.3 \times 10^{-13} \mu\text{Ci}/\text{mL}_{\text{air}}$ at Idaho Falls. Results are shown in Table C-4, Appendix C.




Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the third quarter of 2014.




Figure 4. July gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location except Arco (N = 4).




Figure 5. August gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location except FAA Tower (N = 3).




Figure 6. September gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the third quarter of 2014.




Figure 8. July gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location except Arco (N = 4).




Figure 9. August gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location except FAA Tower (N = 3).




Figure 10. September gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.

4. PRECIPITATION AND WATER SAMPLING

PRECIPITATION SAMPLING

Precipitation samples are gathered when sufficient precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls and CFA, and weekly from the EFS. Precipitation samples are analyzed for tritium. Storm events in the third quarter of 2014 produced sufficient precipitation to yield ten samples.

Tritium was measured above the 3s values in five of the ten samples. These results are listed in Table C-5 (Appendix C). Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere and nuclear weapons testing. When detected, tritium values have remained well within the historical range and the range measured across the country by the EPA Radnet program (EPA 2013). Most samples have values up to about 150 pCi/L, with occasional values up to about 300 pCi/L. The maximum value in the third quarter was 131 pCi/L in a September EFS sample.



5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the third quarter, while potatoes are collected during the fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and agricultural products samples available during the third quarter of 2014.

MILK SAMPLING

Milk samples were collected weekly in Idaho Falls. Monthly samples were collected at five other locations around the INL Site (Figure 11) during the third quarter of 2014. The Fort Hall dairy was not operating during the quarter. In addition, commercially-available organic milk was purchased as a control sample each month. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on Iodine-131.

Iodine-131 was not detected in any weekly or monthly samples during the third quarter. No other human-made gamma-emitting radionuclides were found either. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-6.




Figure 11. ESER milk sampling locations

LETTUCE SAMPLING

Lettuce sampling was completed during the third quarter. A total of nine samples were collected, including a commercially-available sample from the grocery store. No human-made gamma-emitting radionuclides were found in any of the samples. Strontium-90 was detected in all of the samples analyzed, except for the grocery store sample. Strontium-90 is present in the environment as a residual of fallout from aboveground nuclear weapons testing, which occurred between 1945 and 1980. This is the likely source for the measured results. Data for ^{137}Cs and ^{90}Sr in all lettuce samples taken during the third quarter are listed in Appendix C, Table C-7. During the summer of 2020, a review of Appendix C, Table C-7 determined the activity concentration values reported for the media were correct, however, the unit of concentration listed in the column headings were incorrect. Prior to 2010, concentrations were reported in either pCi/g or pCi/kg. In 2010, the concentration unit of pCi/kg was adopted for reporting radionuclide concentrations in soil and biota (vegetation and animals). The reasons for doing this include: 1) the use of one unit (pCi/kg) ensures consistency and comparability in reporting concentrations in various media, 2) the use of one unit (pCi/kg) minimizes mistakes (due to confusion about units) in data entry into the database, and 3) the unit of pCi/kg was selected because it is the unit associated with models that are used for dose calculations and the results tend to be whole numbers (e.g. 14 pCi/kg versus 0.014 pCi/g). The column headings have been updated to the correct units of concentration (pCi/kg and Bq/kg).

GRAIN SAMPLING

Grain sampling (wheat and barley) was completed during the third quarter of 2013. A total of nine grain samples (including one duplicate) were collected from local grain growers. In addition, a commercially-available sample was obtained from outside the local area. All samples were analyzed for gamma-emitting radionuclides and ^{90}Sr . No human-made gamma-emitting radionuclides were detected in any grain sample. Strontium-90 was detected in one sample (barley from Arco). As discussed in the lettuce results section, ^{90}Sr exists in the environment (specifically soil) from nuclear weapons testing fallout. This radionuclide is only occasionally detected in grain samples, however, whereas it is frequently found in lettuce. This is because grains are less efficient at removing radionuclides from the soil than leafy vegetables such as lettuce. Data for ^{137}Cs and ^{90}Sr in all grain samples taken during the third quarter are listed in Appendix C, Table C-8.

LARGE GAME ANIMAL SAMPLING

One large game animal, a pronghorn, was sampled in the third quarter. Samples were taken of muscle, liver, and the thyroid. No human-made gamma-emitting radionuclides were detected in any of the tissues. Data for ^{137}Cs and ^{131}I in game samples are listed in Appendix C, Table C-9.

SOIL SAMPLING

Fourteen soil samples (including one duplicate at Mud Lake #1) were collected at boundary and distant locations in the third quarter. All samples were analyzed for gamma-emitting radionuclides, ^{241}Am , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{90}Sr . Results can be found in Appendix C, Table C-10.

Cesium-137 was detected in all samples at concentrations consistent with historical measurements and is most likely present from past atmospheric nuclear weapons testing fallout. Similarly ^{90}Sr , another fallout radionuclide, was detected in seven of the 14 soil samples at levels within historical measurements. Analysis of concentrations of ^{137}Cs and ^{90}Sr over time indicate that concentrations are decreasing in soil at a rate consistent with the approximate 30-year half-life of these radionuclides.

No ^{241}Am or ^{238}Pu were detected in any of the samples. Plutonium-239/240 was detected in six of the 14 samples. This radionuclide was also detected in the previous sampling cycle, resulting from a lower detection limit achieved by the laboratory. Similar concentrations were found at locations distant to the INL Site and those from the INL Site boundary. The long-term trend of $^{239/240}\text{Pu}$ concentrations appears to be relatively flat, consistent with the long half-lives of these plutonium isotopes.

6. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

1. method uncertainty
2. data completeness
3. data accuracy, using spike, performance evaluation and laboratory control samples
4. data precision, using split samples, duplicate samples and recounts
5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (GSS 2012). Criteria established by DOE for Quality Assurance activities include:

- Quality assurance program
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

Assessments of ESER data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives. These assessments are documented in the ESER Quality Assurance for the Third Quarter of 2014 (GSS 2015).

7. REFERENCES

- Bartholomay, R.C., Knobel, L.L., and Rousseau, J.P., 2003, *Field Methods and Quality Plan for Quality-of-Water Activities, U.S. Geological Survey, Idaho National Engineering and Environmental Laboratory, Idaho*, DOE/ID-22182, January 2003.
- Currie, L.A., 1984, *Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements*, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2003, "Environmental Management System," U.S. Department of Energy Order 450.1, January 2003.
- DOE, 2011, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.
- EPA, 2014, RadNet—Tracking Environmental Radiation Nationwide, Web-page: <http://www.epa.gov/narel/radnet/>
- GSS, 2012, *Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program*, Environmental Surveillance, Education and Research Program, April 2012.
- GSS, 2015, *Environmental Quality Assurance Report 3rd Quarter 2014*, Environmental Surveillance, Education, and Research Program, February 2015.

APPENDIX A
SUMMARY OF SAMPLING SCHEDULE

Table A-1. Summary of the ESER Program's Sampling Schedule

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AIR SAMPLING				
<i>LOW-VOLUME AIR</i>				
Gross Alpha, Gross Beta, ¹³¹ I	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
⁹⁰ Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
<i>ATMOSPHERIC MOISTURE</i>				
Tritium	2 to 13 weeks	Blackfoot, Idaho Falls, Sugar City	Atomic City	None
<i>PRECIPITATION</i>				
Tritium	monthly	Idaho Falls	None	CFA
Tritium	weekly	None	None	EFS
<i>DRINKING WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None
<i>SURFACE WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
ENVIRONMENTAL RADIATION SAMPLING				
<i>TLDs/OSLDs</i>				
Gamma Radiation	semiannual	Aberdeen, Blackfoot (2), Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Sugar City, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Monteview, Mud Lake	None
SOIL SAMPLING				
<i>SOIL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	biennially	Carey, Crystal Ice Caves (Aberdeen), Blackfoot, St. Anthony	Butte City, Monteview, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None

Table A-1. Summary of the ESER Program's Sampling Schedule (continued)

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
FOODSTUFF SAMPLING				
<i>MILK</i>				
Gamma Spec (¹³¹ I)	weekly	Idaho Falls	None	None
Gamma Spec (¹³¹ I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
Tritium, ⁹⁰ Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
<i>POTATOES</i>				
Gamma Spec, ⁹⁰ Sr	annually	Blackfoot, Idaho Falls, Rupert, Shelley, occasional samples across the U.S.	Arco, Monteview, Mud Lake, Terreton	None
<i>ALFALFA</i>				
Gamma Spec, ⁹⁰ Sr	annually	None	Mud Lake	None
<i>GRAIN</i>				
Gamma Spec, ⁹⁰ Sr	annually	American Falls, Blackfoot, Carey, Idaho Falls, Minidoka, Roberts	Arco, Monteview, Mud Lake, Taber, Terreton	None
<i>LETTUCE</i>				
Gamma Spec, ⁹⁰ Sr	annually	Blackfoot, Carey, Idaho Falls, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview	EFS
<i>BIG GAME</i>				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads
<i>WATERFOWL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	annually	Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewater disposal ponds

APPENDIX B
SUMMARY OF MDCs AND DCSs

Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed during Third Quarter 2014

Sample Type	Analysis	Approximate Minimum Detectable Concentration ^a (MDC)	Derived Concentration Standard ^b (DCS)
Air (particulate filter) ^e	Gross alpha ^c	4.06×10^{-16} $\mu\text{Ci/mL}$	4×10^{-14} $\mu\text{Ci/mL}$
	Gross beta ^d	1.17×10^{-15} $\mu\text{Ci/mL}$	2.4×10^{-13} $\mu\text{Ci/mL}$
	⁹⁰ Sr	1.92×10^{-17} $\mu\text{Ci/mL}$	2.5×10^{-11} $\mu\text{Ci/mL}$
	¹³⁷ Cs	7.30×10^{-17} $\mu\text{Ci/mL}$	3.9×10^{-10} $\mu\text{Ci/mL}$
	²³⁸ Pu	2.75×10^{-18} $\mu\text{Ci/mL}$	3.7×10^{-14} $\mu\text{Ci/mL}$
	^{239/240} Pu	1.78×10^{-18} $\mu\text{Ci/mL}$	3.4×10^{-14} $\mu\text{Ci/mL}$
	²⁴¹ Am	3.40×10^{-18} $\mu\text{Ci/mL}$	1.8×10^{-12} $\mu\text{Ci/mL}$
Air (charcoal cartridge) ^e	¹³¹ I	9.25×10^{-16} $\mu\text{Ci/mL}$	2.3×10^{-19} $\mu\text{Ci/mL}$
Air (atmospheric moisture)	³ H	77.2 pCi/L _{water}	2.1×10^{-7} $\mu\text{Ci/mL}_{\text{air}}$
Air (precipitation)	³ H	76.9 pCi/L	1.9×10^{-3} $\mu\text{Ci/mL}$
Milk	¹³¹ I	0.54 pCi/L	--
	¹³⁷ Cs	0.69 pCi/L	--
<p>a The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence. MDCs are calculated and reported by the laboratories based on actual ESER sample results following analysis.</p> <p>b DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.</p> <p>c The DCS for gross alpha is equivalent to the DCSs for ²⁴¹Am.</p> <p>d The DCS for gross beta is equivalent to the DCSs for ²²⁸Ra</p> <p>e The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 m³/week.</p>			

APPENDIX C
SAMPLE ANALYSIS RESULTS

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA		
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result > 3s
ARCO	7/2/2014	0.93 ± 0.15	3.43 ± 0.57	Yes	18.90 ± 0.57	69.93 ± 2.12	Yes
	7/9/2014	1.05 ± 0.15	3.89 ± 0.56	Yes	27.40 ± 0.61	101.38 ± 2.26	Yes
	7/16/2014	1.17 ± 0.16	4.33 ± 0.59	Yes	28.50 ± 0.63	105.45 ± 2.34	Yes
	7/23/2014	±	±	No	±	±	No
	7/30/2014	1.08 ± 0.16	4.00 ± 0.59	Yes	23.60 ± 0.61	87.32 ± 2.25	Yes
	8/6/2014	1.33 ± 0.18	4.92 ± 0.65	Yes	28.20 ± 0.66	104.34 ± 2.45	Yes
	8/13/2014	1.20 ± 0.17	4.44 ± 0.63	Yes	27.80 ± 0.66	102.86 ± 2.45	Yes
	8/20/2014	1.38 ± 0.18	5.11 ± 0.68	Yes	26.50 ± 0.66	98.05 ± 2.45	Yes
	8/27/2014	0.87 ± 0.16	3.22 ± 0.59	Yes	21.40 ± 0.61	79.18 ± 2.27	Yes
	9/3/2014	1.21 ± 0.17	4.48 ± 0.64	Yes	25.70 ± 0.64	95.09 ± 2.36	Yes
	9/10/2014	1.26 ± 0.18	4.66 ± 0.65	Yes	26.20 ± 0.65	96.94 ± 2.42	Yes
	9/17/2014	1.28 ± 0.22	4.74 ± 0.80	Yes	22.40 ± 0.61	82.88 ± 2.27	Yes
	9/24/2014	1.07 ± 0.17	3.96 ± 0.64	Yes	16.00 ± 0.48	59.20 ± 1.76	Yes
ATOMIC CITY	7/2/2014	1.19 ± 0.17	4.40 ± 0.61	Yes	17.20 ± 0.55	63.64 ± 2.05	Yes
	7/9/2014	1.40 ± 0.17	5.18 ± 0.64	Yes	27.70 ± 0.64	102.49 ± 2.38	Yes
	7/16/2014	1.88 ± 0.19	6.96 ± 0.72	Yes	31.00 ± 0.67	114.70 ± 2.48	Yes
	7/23/2014	2.06 ± 0.21	7.62 ± 0.78	Yes	22.20 ± 0.64	82.14 ± 2.35	Yes
	7/30/2014	1.64 ± 0.18	6.07 ± 0.68	Yes	25.60 ± 0.63	94.72 ± 2.32	Yes
	8/6/2014	1.33 ± 0.17	4.92 ± 0.62	Yes	27.10 ± 0.62	100.27 ± 2.30	Yes
	8/13/2014	1.28 ± 0.17	4.74 ± 0.63	Yes	28.60 ± 0.65	105.82 ± 2.40	Yes
	8/20/2014	1.32 ± 0.17	4.88 ± 0.64	Yes	26.70 ± 0.63	98.79 ± 2.33	Yes
	8/27/2014	1.19 ± 0.17	4.40 ± 0.61	Yes	22.80 ± 0.59	84.36 ± 2.20	Yes
	9/3/2014	1.34 ± 0.17	4.96 ± 0.64	Yes	25.60 ± 0.61	94.72 ± 2.27	Yes
	9/10/2014	1.31 ± 0.17	4.85 ± 0.64	Yes	25.30 ± 0.62	93.61 ± 2.29	Yes
	9/17/2014	0.82 ± 0.19	3.04 ± 0.71	Yes	21.10 ± 0.59	78.07 ± 2.19	Yes
	9/24/2014	1.05 ± 0.16	3.89 ± 0.61	Yes	16.20 ± 0.45	59.94 ± 1.68	Yes
BLUE DOME	7/2/2014	0.67 ± 0.14	2.47 ± 0.52	Yes	17.00 ± 0.56	62.90 ± 2.08	Yes
	7/9/2014	1.13 ± 0.17	4.18 ± 0.62	Yes	26.00 ± 0.66	96.20 ± 2.43	Yes
	7/16/2014	1.12 ± 0.18	4.14 ± 0.66	Yes	29.90 ± 0.72	110.63 ± 2.68	Yes
	7/23/2014	2.08 ± 0.23	7.70 ± 0.87	Yes	21.40 ± 0.70	79.18 ± 2.57	Yes
	7/30/2014	0.97 ± 0.15	3.57 ± 0.56	Yes	23.10 ± 0.59	85.47 ± 2.19	Yes
	8/6/2014	1.22 ± 0.16	4.51 ± 0.60	Yes	26.60 ± 0.62	98.42 ± 2.29	Yes
	8/13/2014	1.09 ± 0.16	4.03 ± 0.59	Yes	24.00 ± 0.61	88.80 ± 2.26	Yes
	8/20/2014	1.15 ± 0.16	4.26 ± 0.61	Yes	26.60 ± 0.63	98.42 ± 2.34	Yes
	8/27/2014	0.50 ± 0.13	1.85 ± 0.47	Yes	19.00 ± 0.55	70.30 ± 2.03	Yes
	9/3/2014	1.06 ± 0.16	3.92 ± 0.59	Yes	25.10 ± 0.61	92.87 ± 2.26	Yes
	9/10/2014	1.07 ± 0.16	3.96 ± 0.58	Yes	22.70 ± 0.59	83.99 ± 2.17	Yes
	9/17/2014	1.19 ± 0.20	4.40 ± 0.75	Yes	18.70 ± 0.56	69.19 ± 2.05	Yes
	9/24/2014	0.98 ± 0.17	3.64 ± 0.62	Yes	14.10 ± 0.45	52.17 ± 1.66	Yes
FAA TOWER	7/2/2014	0.87 ± 0.15	3.22 ± 0.57	Yes	18.60 ± 0.59	68.82 ± 2.16	Yes
	7/9/2014	1.33 ± 0.17	4.92 ± 0.64	Yes	24.30 ± 0.62	89.91 ± 2.29	Yes
	7/16/2014	1.77 ± 0.19	6.55 ± 0.71	Yes	33.20 ± 0.70	122.84 ± 2.58	Yes
	7/23/2014	1.78 ± 0.21	6.59 ± 0.79	Yes	19.40 ± 0.65	71.78 ± 2.40	Yes
	7/30/2014	1.31 ± 0.17	4.85 ± 0.61	Yes	24.00 ± 0.60	88.80 ± 2.21	Yes
	8/6/2014	1.01 ± 0.15	3.74 ± 0.57	Yes	28.20 ± 0.64	104.34 ± 2.35	Yes
	8/13/2014	1.24 ± 0.17	4.59 ± 0.61	Yes	27.90 ± 0.64	103.23 ± 2.37	Yes
	8/20/2014	1.23 ± 0.17	4.55 ± 0.62	Yes	24.10 ± 0.61	89.17 ± 2.25	Yes
	8/27/2014	±	±	No	±	±	No
	9/3/2014	1.07 ± 0.17	3.96 ± 0.61	Yes	22.60 ± 0.61	83.62 ± 2.26	Yes
	9/10/2014	1.08 ± 0.16	4.00 ± 0.59	Yes	21.80 ± 0.58	80.66 ± 2.15	Yes
	9/17/2014	1.45 ± 0.21	5.37 ± 0.79	Yes	19.00 ± 0.56	70.30 ± 2.08	Yes
	9/24/2014	0.82 ± 0.15	3.03 ± 0.57	Yes	14.50 ± 0.44	53.65 ± 1.61	Yes
HOWE	7/2/2014	1.14 ± 0.16	4.22 ± 0.60	Yes	17.50 ± 0.56	64.75 ± 2.06	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA		
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	Result > 3s
	7/9/2014	1.17 ± 0.16	4.33 ± 0.61	Yes	25.80 ± 0.63	95.46 ± 2.33	Yes
	7/16/2014	1.30 ± 0.18	4.81 ± 0.68	Yes	35.00 ± 0.75	129.50 ± 2.79	Yes
	7/23/2014	1.68 ± 0.21	6.22 ± 0.76	Yes	19.00 ± 0.63	70.30 ± 2.34	Yes
	7/30/2014	1.35 ± 0.16	5.00 ± 0.60	Yes	27.40 ± 0.60	101.38 ± 2.23	Yes
	8/6/2014	1.55 ± 0.17	5.74 ± 0.64	Yes	29.20 ± 0.62	108.04 ± 2.31	Yes
	8/13/2014	1.33 ± 0.17	4.92 ± 0.61	Yes	28.10 ± 0.62	103.97 ± 2.31	Yes
	8/20/2014	1.19 ± 0.16	4.40 ± 0.58	Yes	22.90 ± 0.57	84.73 ± 2.10	Yes
	8/27/2014	0.75 ± 0.14	2.79 ± 0.50	Yes	18.80 ± 0.53	69.56 ± 1.94	Yes
	9/3/2014	1.30 ± 0.16	4.81 ± 0.60	Yes	23.80 ± 0.57	88.06 ± 2.12	Yes
	9/10/2014	0.44 ± 0.12	1.61 ± 0.43	Yes	11.70 ± 0.45	43.29 ± 1.66	Yes
	9/17/2014	1.32 ± 0.20	4.88 ± 0.73	Yes	20.10 ± 0.54	74.37 ± 2.01	Yes
	9/24/2014	0.82 ± 0.15	3.04 ± 0.55	Yes	15.60 ± 0.43	57.72 ± 1.60	Yes
MONTEVIEW	7/2/2014	1.09 ± 0.16	4.03 ± 0.60	Yes	18.40 ± 0.57	68.08 ± 2.11	Yes
	7/9/2014	1.45 ± 0.17	5.37 ± 0.64	Yes	25.20 ± 0.62	93.24 ± 2.28	Yes
	7/16/2014	1.46 ± 0.19	5.40 ± 0.70	Yes	31.60 ± 0.72	116.92 ± 2.65	Yes
	7/23/2014	1.32 ± 0.19	4.88 ± 0.70	Yes	19.80 ± 0.65	73.26 ± 2.41	Yes
	7/30/2014	1.56 ± 0.18	5.77 ± 0.65	Yes	24.20 ± 0.60	89.54 ± 2.22	Yes
	8/6/2014	1.25 ± 0.17	4.63 ± 0.61	Yes	24.90 ± 0.61	92.13 ± 2.24	Yes
	8/13/2014	1.11 ± 0.16	4.11 ± 0.60	Yes	24.90 ± 0.62	92.13 ± 2.31	Yes
	8/20/2014	1.36 ± 0.18	5.03 ± 0.65	Yes	25.70 ± 0.63	95.09 ± 2.33	Yes
	8/27/2014	0.84 ± 0.15	3.12 ± 0.57	Yes	17.50 ± 0.56	64.75 ± 2.07	Yes
	9/3/2014	0.96 ± 0.15	3.56 ± 0.56	Yes	21.00 ± 0.56	77.70 ± 2.08	Yes
	9/10/2014	1.01 ± 0.16	3.74 ± 0.61	Yes	22.80 ± 0.62	84.36 ± 2.29	Yes
	9/17/2014	1.25 ± 0.20	4.63 ± 0.74	Yes	19.20 ± 0.55	71.04 ± 2.04	Yes
	9/24/2014	1.08 ± 0.17	4.00 ± 0.64	Yes	14.70 ± 0.46	54.39 ± 1.69	Yes
MUD LAKE	7/2/2014	0.98 ± 0.15	3.62 ± 0.55	Yes	16.40 ± 0.52	60.68 ± 1.92	Yes
	7/9/2014	1.72 ± 0.19	6.36 ± 0.71	Yes	28.00 ± 0.67	103.60 ± 2.46	Yes
	7/16/2014	1.57 ± 0.19	5.81 ± 0.70	Yes	31.10 ± 0.70	115.07 ± 2.58	Yes
	7/23/2014	1.70 ± 0.20	6.29 ± 0.75	Yes	23.50 ± 0.68	86.95 ± 2.50	Yes
	7/30/2014	1.30 ± 0.17	4.81 ± 0.63	Yes	24.90 ± 0.62	92.13 ± 2.29	Yes
	8/6/2014	1.02 ± 0.16	3.77 ± 0.58	Yes	25.10 ± 0.62	92.87 ± 2.29	Yes
	8/13/2014	0.93 ± 0.16	3.44 ± 0.58	Yes	25.40 ± 0.64	93.98 ± 2.36	Yes
	8/20/2014	1.26 ± 0.17	4.66 ± 0.61	Yes	25.60 ± 0.61	94.72 ± 2.26	Yes
	8/27/2014	0.72 ± 0.13	2.66 ± 0.50	Yes	17.80 ± 0.52	65.86 ± 1.92	Yes
	9/3/2014	1.04 ± 0.16	3.85 ± 0.58	Yes	24.10 ± 0.60	89.17 ± 2.22	Yes
	9/10/2014	1.25 ± 0.17	4.63 ± 0.61	Yes	22.40 ± 0.58	82.88 ± 2.15	Yes
	9/17/2014	1.45 ± 0.20	5.37 ± 0.75	Yes	21.80 ± 0.56	80.66 ± 2.08	Yes
	9/24/2014	0.67 ± 0.15	2.49 ± 0.57	Yes	14.40 ± 0.45	53.28 ± 1.67	Yes
DISTANT							
BLACKFOOT	7/2/2014	1.00 ± 0.15	3.70 ± 0.55	Yes	18.90 ± 0.54	69.93 ± 2.01	Yes
	7/9/2014	1.31 ± 0.17	4.85 ± 0.63	Yes	27.90 ± 0.64	103.23 ± 2.38	Yes
	7/16/2014	1.67 ± 0.18	6.18 ± 0.68	Yes	30.60 ± 0.66	113.22 ± 2.44	Yes
	7/23/2014	1.75 ± 0.19	6.48 ± 0.71	Yes	20.40 ± 0.59	75.48 ± 2.19	Yes
	7/30/2014	1.34 ± 0.16	4.96 ± 0.60	Yes	24.80 ± 0.58	91.76 ± 2.16	Yes
	8/6/2014	1.37 ± 0.18	5.07 ± 0.65	Yes	28.50 ± 0.65	105.45 ± 2.41	Yes
	8/13/2014	1.12 ± 0.16	4.14 ± 0.58	Yes	24.40 ± 0.60	90.28 ± 2.23	Yes
	8/20/2014	0.93 ± 0.15	3.42 ± 0.56	Yes	23.80 ± 0.60	88.06 ± 2.21	Yes
	8/27/2014	0.71 ± 0.14	2.63 ± 0.51	Yes	19.90 ± 0.55	73.63 ± 2.04	Yes
	9/3/2014	0.92 ± 0.15	3.39 ± 0.54	Yes	22.90 ± 0.57	84.73 ± 2.11	Yes
	9/10/2014	1.19 ± 0.16	4.40 ± 0.59	Yes	22.30 ± 0.56	82.51 ± 2.09	Yes
	9/17/2014	0.93 ± 0.18	3.46 ± 0.66	Yes	17.60 ± 0.51	65.12 ± 1.89	Yes
	9/24/2014	0.95 ± 0.15	3.50 ± 0.57	Yes	12.00 ± 0.40	44.40 ± 1.47	Yes
CRATERS OF THE MOON	7/2/2014	0.83 ± 0.15	3.08 ± 0.55	Yes	18.50 ± 0.58	68.45 ± 2.13	Yes
	7/9/2014	1.65 ± 0.18	6.11 ± 0.68	Yes	27.40 ± 0.64	101.38 ± 2.36	Yes
	7/16/2014	1.16 ± 0.17	4.29 ± 0.61	Yes	28.20 ± 0.66	104.34 ± 2.43	Yes

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
	7/23/2014	1.73 ± 0.20	6.40 ± 0.75	Yes	22.90 ± 0.66	84.73 ± 2.43	Yes		
	7/30/2014	1.62 ± 0.19	5.99 ± 0.70	Yes	25.40 ± 0.64	93.98 ± 2.37	Yes		
	8/6/2014	1.04 ± 0.15	3.85 ± 0.57	Yes	28.50 ± 0.63	105.45 ± 2.32	Yes		
	8/13/2014	1.21 ± 0.17	4.48 ± 0.62	Yes	23.50 ± 0.61	86.95 ± 2.25	Yes		
	8/20/2014	1.32 ± 0.17	4.88 ± 0.63	Yes	25.60 ± 0.62	94.72 ± 2.30	Yes		
	8/27/2014	0.86 ± 0.14	3.18 ± 0.53	Yes	20.60 ± 0.55	76.22 ± 2.02	Yes		
	9/3/2014	1.39 ± 0.19	5.14 ± 0.70	Yes	24.90 ± 0.66	92.13 ± 2.42	Yes		
	9/10/2014	0.94 ± 0.15	3.46 ± 0.57	Yes	25.30 ± 0.62	93.61 ± 2.28	Yes		
	9/17/2014	1.40 ± 0.21	5.18 ± 0.78	Yes	20.00 ± 0.57	74.00 ± 2.10	Yes		
	9/24/2014	0.86 ± 0.16	3.20 ± 0.60	Yes	13.90 ± 0.44	51.43 ± 1.64	Yes		
DUBOIS	7/2/2014	1.11 ± 0.16	4.11 ± 0.60	Yes	18.60 ± 0.57	68.82 ± 2.12	Yes		
	7/9/2014	1.86 ± 0.21	6.88 ± 0.76	Yes	28.50 ± 0.70	105.45 ± 2.57	Yes		
	7/16/2014	1.65 ± 0.19	6.11 ± 0.71	Yes	29.30 ± 0.68	108.41 ± 2.52	Yes		
	7/23/2014	1.70 ± 0.20	6.29 ± 0.75	Yes	22.70 ± 0.66	83.99 ± 2.44	Yes		
	7/30/2014	1.23 ± 0.17	4.55 ± 0.64	Yes	25.30 ± 0.65	93.61 ± 2.41	Yes		
	8/6/2014	1.32 ± 0.18	4.88 ± 0.67	Yes	30.10 ± 0.70	111.37 ± 2.58	Yes		
	8/13/2014	1.53 ± 0.19	5.66 ± 0.70	Yes	28.20 ± 0.68	104.34 ± 2.52	Yes		
	8/20/2014	1.24 ± 0.18	4.59 ± 0.65	Yes	24.80 ± 0.64	91.76 ± 2.38	Yes		
	8/27/2014	0.82 ± 0.15	3.03 ± 0.56	Yes	18.80 ± 0.57	69.56 ± 2.11	Yes		
	9/3/2014	1.30 ± 0.18	4.81 ± 0.67	Yes	23.90 ± 0.63	88.43 ± 2.34	Yes		
	9/10/2014	1.00 ± 0.16	3.68 ± 0.59	Yes	22.40 ± 0.60	82.88 ± 2.21	Yes		
	9/17/2014	1.48 ± 0.22	5.48 ± 0.80	Yes	19.90 ± 0.58	73.63 ± 2.13	Yes		
	9/24/2014	1.31 ± 0.18	4.85 ± 0.67	Yes	15.00 ± 0.46	55.50 ± 1.71	Yes		
IDAHO FALLS	7/2/2014	0.76 ± 0.14	2.80 ± 0.50	Yes	17.40 ± 0.53	64.38 ± 1.95	Yes		
	7/9/2014	1.45 ± 0.17	5.37 ± 0.64	Yes	22.90 ± 0.58	84.73 ± 2.16	Yes		
	7/16/2014	1.61 ± 0.19	5.96 ± 0.70	Yes	33.00 ± 0.70	122.10 ± 2.60	Yes		
	7/23/2014	1.75 ± 0.19	6.48 ± 0.71	Yes	20.10 ± 0.59	74.37 ± 2.19	Yes		
	7/30/2014	1.38 ± 0.17	5.11 ± 0.61	Yes	23.70 ± 0.58	87.69 ± 2.15	Yes		
	8/6/2014	0.78 ± 0.14	2.90 ± 0.51	Yes	24.40 ± 0.59	90.28 ± 2.18	Yes		
	8/13/2014	1.05 ± 0.15	3.89 ± 0.57	Yes	23.40 ± 0.59	86.58 ± 2.18	Yes		
	8/20/2014	0.83 ± 0.14	3.06 ± 0.53	Yes	22.70 ± 0.58	83.99 ± 2.15	Yes		
	8/27/2014	1.26 ± 0.16	4.66 ± 0.61	Yes	20.00 ± 0.55	74.00 ± 2.05	Yes		
	9/3/2014	1.01 ± 0.15	3.74 ± 0.57	Yes	24.10 ± 0.59	89.17 ± 2.17	Yes		
	9/10/2014	1.30 ± 0.16	4.81 ± 0.60	Yes	20.10 ± 0.54	74.37 ± 1.99	Yes		
	9/17/2014	1.44 ± 0.20	5.33 ± 0.74	Yes	17.70 ± 0.52	65.49 ± 1.91	Yes		
	9/24/2014	0.79 ± 0.15	2.91 ± 0.56	Yes	12.70 ± 0.41	46.99 ± 1.52	Yes		
QA-2 (IDAHO FALLS)	7/2/2014	0.68 ± 0.14	2.50 ± 0.51	Yes	18.60 ± 0.57	68.82 ± 2.11	Yes		
	7/9/2014	1.23 ± 0.17	4.55 ± 0.62	Yes	23.20 ± 0.61	85.84 ± 2.24	Yes		
	7/16/2014	1.26 ± 0.18	4.66 ± 0.65	Yes	33.10 ± 0.71	122.47 ± 2.63	Yes		
	7/23/2014	1.79 ± 0.21	6.62 ± 0.77	Yes	22.10 ± 0.66	81.77 ± 2.44	Yes		
	7/30/2014	1.67 ± 0.19	6.18 ± 0.68	Yes	26.10 ± 0.63	96.57 ± 2.32	Yes		
	8/6/2014	1.38 ± 0.18	5.11 ± 0.65	Yes	29.10 ± 0.66	107.67 ± 2.46	Yes		
	8/13/2014	1.57 ± 0.19	5.81 ± 0.70	Yes	29.20 ± 0.68	108.04 ± 2.52	Yes		
	8/20/2014	1.37 ± 0.18	5.07 ± 0.66	Yes	26.60 ± 0.65	98.42 ± 2.40	Yes		
	8/27/2014	1.10 ± 0.17	4.07 ± 0.63	Yes	22.20 ± 0.62	82.14 ± 2.29	Yes		
	9/3/2014	1.29 ± 0.18	4.77 ± 0.65	Yes	27.00 ± 0.65	99.90 ± 2.39	Yes		
	9/10/2014	1.45 ± 0.18	5.37 ± 0.67	Yes	23.70 ± 0.61	87.69 ± 2.26	Yes		
	9/17/2014	1.39 ± 0.21	5.14 ± 0.78	Yes	21.90 ± 0.59	81.03 ± 2.18	Yes		
	9/24/2014	0.95 ± 0.16	3.52 ± 0.60	Yes	13.90 ± 0.43	51.43 ± 1.61	Yes		
JACKSON	7/2/2014	1.36 ± 0.19	5.03 ± 0.69	Yes	22.00 ± 0.64	81.40 ± 2.38	Yes		
	7/9/2014	1.33 ± 0.17	4.92 ± 0.63	Yes	27.40 ± 0.64	101.38 ± 2.36	Yes		
	7/16/2014	1.75 ± 0.19	6.48 ± 0.70	Yes	32.90 ± 0.69	121.73 ± 2.55	Yes		
	7/23/2014	1.99 ± 0.19	7.36 ± 0.72	Yes	23.60 ± 0.60	87.32 ± 2.22	Yes		
	7/30/2014	1.53 ± 0.17	5.66 ± 0.64	Yes	29.80 ± 0.64	110.26 ± 2.35	Yes		
	8/6/2014	1.75 ± 0.19	6.48 ± 0.69	Yes	30.70 ± 0.66	113.59 ± 2.43	Yes		

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
	8/13/2014	1.69 ± 0.18	6.25 ± 0.68	Yes	30.20 ± 0.66	111.74 ± 2.42	Yes		
	8/20/2014	1.24 ± 0.16	4.59 ± 0.61	Yes	25.30 ± 0.61	93.61 ± 2.24	Yes		
	8/27/2014	0.95 ± 0.15	3.50 ± 0.55	Yes	20.60 ± 0.56	76.22 ± 2.06	Yes		
	9/3/2014	1.79 ± 0.19	6.62 ± 0.70	Yes	26.00 ± 0.61	96.20 ± 2.27	Yes		
	9/10/2014	1.53 ± 0.18	5.66 ± 0.65	Yes	27.60 ± 0.62	102.12 ± 2.29	Yes		
	9/17/2014	0.99 ± 0.18	3.65 ± 0.67	Yes	22.30 ± 0.56	82.51 ± 2.08	Yes		
	9/24/2014	0.90 ± 0.15	3.34 ± 0.56	Yes	14.90 ± 0.42	55.13 ± 1.56	Yes		
SUGAR CITY	7/2/2014	1.14 ± 0.17	4.22 ± 0.63	Yes	20.10 ± 0.60	74.37 ± 2.23	Yes		
	7/9/2014	1.51 ± 0.19	5.59 ± 0.68	Yes	26.00 ± 0.65	96.20 ± 2.41	Yes		
	7/16/2014	1.38 ± 0.18	5.11 ± 0.66	Yes	29.10 ± 0.68	107.67 ± 2.50	Yes		
	7/23/2014	2.05 ± 0.23	7.59 ± 0.84	Yes	20.90 ± 0.68	77.33 ± 2.50	Yes		
	7/30/2014	1.37 ± 0.16	5.07 ± 0.60	Yes	24.20 ± 0.58	89.54 ± 2.13	Yes		
	8/6/2014	0.97 ± 0.15	3.59 ± 0.54	Yes	24.90 ± 0.59	92.13 ± 2.16	Yes		
	8/13/2014	1.00 ± 0.15	3.70 ± 0.55	Yes	23.20 ± 0.57	85.84 ± 2.12	Yes		
	8/20/2014	1.17 ± 0.16	4.33 ± 0.57	Yes	23.90 ± 0.57	88.43 ± 2.12	Yes		
	8/27/2014	0.77 ± 0.14	2.85 ± 0.51	Yes	18.90 ± 0.53	69.93 ± 1.96	Yes		
	9/3/2014	0.90 ± 0.14	3.32 ± 0.53	Yes	21.10 ± 0.54	78.07 ± 2.01	Yes		
	9/10/2014	1.28 ± 0.16	4.74 ± 0.58	Yes	21.70 ± 0.54	80.29 ± 2.01	Yes		
	9/17/2014	1.43 ± 0.22	5.29 ± 0.81	Yes	20.00 ± 0.58	74.00 ± 2.15	Yes		
	9/24/2014	1.00 ± 0.16	3.70 ± 0.58	Yes	11.60 ± 0.40	42.92 ± 1.47	Yes		
INL SITE									
EFS	7/2/2014	0.85 ± 0.16	3.13 ± 0.58	Yes	19.30 ± 0.61	71.41 ± 2.24	Yes		
	7/9/2014	1.37 ± 0.17	5.07 ± 0.62	Yes	24.80 ± 0.60	91.76 ± 2.22	Yes		
	7/16/2014	1.49 ± 0.18	5.51 ± 0.65	Yes	30.40 ± 0.65	112.48 ± 2.42	Yes		
	7/23/2014	1.82 ± 0.20	6.73 ± 0.73	Yes	19.20 ± 0.59	71.04 ± 2.18	Yes		
	7/30/2014	1.22 ± 0.16	4.51 ± 0.58	Yes	25.30 ± 0.59	93.61 ± 2.19	Yes		
	8/6/2014	1.09 ± 0.15	4.03 ± 0.57	Yes	29.10 ± 0.63	107.67 ± 2.32	Yes		
	8/13/2014	1.35 ± 0.17	5.00 ± 0.62	Yes	27.50 ± 0.63	101.75 ± 2.31	Yes		
	8/20/2014	1.11 ± 0.16	4.11 ± 0.59	Yes	24.80 ± 0.60	91.76 ± 2.23	Yes		
	8/27/2014	0.87 ± 0.15	3.21 ± 0.55	Yes	20.40 ± 0.57	75.48 ± 2.11	Yes		
	9/3/2014	0.92 ± 0.15	3.40 ± 0.57	Yes	24.40 ± 0.61	90.28 ± 2.25	Yes		
	9/10/2014	1.60 ± 0.20	5.92 ± 0.75	Yes	26.00 ± 0.69	96.20 ± 2.56	Yes		
	9/17/2014	0.99 ± 0.35	3.66 ± 1.28	No	17.70 ± 0.90	65.49 ± 3.34	Yes		
	9/24/2014	0.95 ± 0.16	3.53 ± 0.60	Yes	14.80 ± 0.44	54.76 ± 1.64	Yes		
MAIN GATE	7/2/2014	1.14 ± 0.16	4.22 ± 0.58	Yes	17.90 ± 0.54	66.23 ± 1.98	Yes		
	7/9/2014	1.69 ± 0.19	6.25 ± 0.69	Yes	28.30 ± 0.65	104.71 ± 2.42	Yes		
	7/16/2014	1.12 ± 0.17	4.14 ± 0.61	Yes	32.90 ± 0.70	121.73 ± 2.58	Yes		
	7/23/2014	1.67 ± 0.18	6.18 ± 0.68	Yes	22.10 ± 0.60	81.77 ± 2.20	Yes		
	7/30/2014	1.06 ± 0.15	3.92 ± 0.57	Yes	24.50 ± 0.59	90.65 ± 2.20	Yes		
	8/6/2014	1.32 ± 0.18	4.88 ± 0.65	Yes	31.10 ± 0.69	115.07 ± 2.55	Yes		
	8/13/2014	1.13 ± 0.16	4.18 ± 0.60	Yes	29.60 ± 0.66	109.52 ± 2.43	Yes		
	8/20/2014	1.15 ± 0.17	4.26 ± 0.63	Yes	28.00 ± 0.67	103.60 ± 2.46	Yes		
	8/27/2014	1.43 ± 0.18	5.29 ± 0.67	Yes	21.40 ± 0.59	79.18 ± 2.20	Yes		
	9/3/2014	1.19 ± 0.17	4.40 ± 0.63	Yes	26.10 ± 0.63	96.57 ± 2.34	Yes		
	9/10/2014	0.97 ± 0.16	3.57 ± 0.57	Yes	23.90 ± 0.60	88.43 ± 2.23	Yes		
	9/17/2014	1.27 ± 0.21	4.70 ± 0.77	Yes	21.80 ± 0.59	80.66 ± 2.19	Yes		
	9/24/2014	0.78 ± 0.16	2.87 ± 0.59	Yes	14.80 ± 0.46	54.76 ± 1.68	Yes		
QA-1 (MAIN GATE)	7/2/2014	0.75 ± 0.13	2.76 ± 0.47	Yes	15.60 ± 0.48	57.72 ± 1.76	Yes		
	7/9/2014	1.16 ± 0.15	4.29 ± 0.57	Yes	24.60 ± 0.58	91.02 ± 2.16	Yes		
	7/16/2014	1.77 ± 0.18	6.55 ± 0.67	Yes	31.20 ± 0.65	115.44 ± 2.39	Yes		
	7/23/2014	1.51 ± 0.18	5.59 ± 0.66	Yes	19.70 ± 0.58	72.89 ± 2.15	Yes		
	7/30/2014	1.46 ± 0.16	5.40 ± 0.60	Yes	24.80 ± 0.57	91.76 ± 2.11	Yes		
	8/6/2014	0.93 ± 0.14	3.44 ± 0.52	Yes	26.10 ± 0.58	96.57 ± 2.15	Yes		
	8/13/2014	1.20 ± 0.16	4.44 ± 0.57	Yes	24.70 ± 0.58	91.39 ± 2.14	Yes		

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
	8/20/2014	1.02 ± 0.15	3.77 ± 0.56	Yes	23.20 ± 0.57	85.84 ± 2.11	Yes		
	8/27/2014	0.93 ± 0.15	3.45 ± 0.54	Yes	19.70 ± 0.54	72.89 ± 2.01	Yes		
	9/3/2014	1.01 ± 0.16	3.74 ± 0.58	Yes	23.10 ± 0.59	85.47 ± 2.18	Yes		
	9/10/2014	1.24 ± 0.16	4.59 ± 0.60	Yes	24.50 ± 0.59	90.65 ± 2.19	Yes		
	9/17/2014	1.11 ± 0.20	4.11 ± 0.72	Yes	22.60 ± 0.58	83.62 ± 2.15	Yes		
	9/24/2014	1.05 ± 0.16	3.89 ± 0.60	Yes	14.50 ± 0.44	53.65 ± 1.61	Yes		
VAN BUREN GATE	7/2/2014	0.95 ± 0.15	3.51 ± 0.57	Yes	18.90 ± 0.57	69.93 ± 2.11	Yes		
	7/9/2014	1.45 ± 0.18	5.37 ± 0.67	Yes	29.90 ± 0.68	110.63 ± 2.50	Yes		
	7/16/2014	1.68 ± 0.18	6.22 ± 0.67	Yes	32.70 ± 0.67	120.99 ± 2.48	Yes		
	7/23/2014	1.49 ± 0.18	5.51 ± 0.68	Yes	19.50 ± 0.60	72.15 ± 2.22	Yes		
	7/30/2014	1.14 ± 0.15	4.22 ± 0.57	Yes	25.90 ± 0.60	95.83 ± 2.20	Yes		
	8/6/2014	1.14 ± 0.16	4.22 ± 0.58	Yes	30.30 ± 0.63	112.11 ± 2.35	Yes		
	8/13/2014	1.41 ± 0.17	5.22 ± 0.63	Yes	24.60 ± 0.60	91.02 ± 2.21	Yes		
	8/20/2014	1.00 ± 0.15	3.70 ± 0.56	Yes	25.10 ± 0.60	92.87 ± 2.21	Yes		
	8/27/2014	0.92 ± 0.15	3.39 ± 0.54	Yes	20.90 ± 0.55	77.33 ± 2.04	Yes		
	9/3/2014	0.98 ± 0.16	3.61 ± 0.58	Yes	24.70 ± 0.61	91.39 ± 2.25	Yes		
	9/10/2014	1.12 ± 0.16	4.14 ± 0.58	Yes	26.00 ± 0.61	96.20 ± 2.24	Yes		
	9/17/2014	1.23 ± 0.20	4.55 ± 0.74	Yes	21.40 ± 0.57	79.18 ± 2.11	Yes		
	9/24/2014	1.05 ± 0.17	3.89 ± 0.64	Yes	14.90 ± 0.46	55.13 ± 1.70	Yes		
a. Invalid sample result									

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
ARCO	07/02/2014	-0.63	±	1.25	-2.32	±	4.62	No
	07/09/2014	0.89	±	1.08	3.28	±	3.99	No
	07/16/2014	0.34	±	1.09	1.28	±	4.02	No
	a 07/23/2014		±			±		No
	07/30/2014	0.22	±	1.17	0.80	±	4.33	No
	08/06/2014	-1.49	±	1.22	-5.52	±	4.50	No
	08/13/2014	0.65	±	1.19	2.42	±	4.40	No
	08/20/2014	2.16	±	1.31	8.01	±	4.84	No
	08/27/2014	2.09	±	1.44	7.72	±	5.31	No
	09/03/2014	-0.54	±	1.20	-1.99	±	4.43	No
	09/10/2014	-0.67	±	1.23	-2.47	±	4.56	No
	09/17/2014	-0.14	±	1.26	-0.53	±	4.66	No
	09/24/2014	-2.02	±	1.93	-7.47	±	7.13	No
ATOMIC CITY	07/02/2014	-0.63	±	1.25	-2.31	±	4.61	No
	07/09/2014	0.96	±	1.17	3.55	±	4.32	No
	07/16/2014	0.36	±	1.12	1.32	±	4.15	No
	07/23/2014	3.52	±	1.45	13.04	±	5.35	No
	07/30/2014	0.21	±	1.15	0.79	±	4.26	No
	08/06/2014	-1.38	±	1.12	-5.10	±	4.16	No
	08/13/2014	0.62	±	1.12	2.28	±	4.14	No
	08/20/2014	1.99	±	1.20	7.35	±	4.44	No
	08/27/2014	1.89	±	1.30	6.99	±	4.81	No
	09/03/2014	-0.51	±	1.13	-1.87	±	4.18	No
	09/10/2014	-0.62	±	1.15	-2.31	±	4.27	No
	09/17/2014	-0.14	±	1.24	-0.52	±	4.59	No
	09/24/2014	-1.86	±	1.78	-6.90	±	6.59	No
BLUE DOME	07/02/2014	1.01	±	1.23	3.73	±	4.54	No
	07/09/2014	0.05	±	1.14	0.20	±	4.22	No
	07/16/2014	0.12	±	1.20	0.45	±	4.43	No
	07/23/2014	0.42	±	1.41	1.54	±	5.23	No
	07/30/2014	-1.09	±	1.08	-4.03	±	3.98	No
	08/06/2014	0.46	±	1.04	1.68	±	3.84	No
	08/13/2014	-0.16	±	1.04	-0.58	±	3.84	No
	08/20/2014	-1.07	±	1.07	-3.98	±	3.96	No
	08/27/2014	1.78	±	1.20	6.59	±	4.43	No
	09/03/2014	-1.46	±	1.09	-5.40	±	4.02	No
	09/10/2014	-1.98	±	1.09	-7.33	±	4.02	No
	09/17/2014	-0.39	±	1.11	-1.45	±	4.12	No
	09/24/2014	-0.05	±	1.15	-0.20	±	4.26	No
FAA TOWER	07/02/2014	1.02	±	1.24	3.76	±	4.57	No
	07/09/2014	0.05	±	1.08	0.19	±	4.01	No
	07/16/2014	0.10	±	1.03	0.39	±	3.83	No
	07/23/2014	0.39	±	1.34	1.46	±	4.96	No
	07/30/2014	-1.07	±	1.05	-3.95	±	3.90	No
	08/06/2014	0.46	±	1.04	1.68	±	3.84	No
	08/13/2014	-0.15	±	1.01	-0.57	±	3.74	No
	08/20/2014	-1.07	±	1.07	-3.97	±	3.95	No
	a 08/27/2014		±			±		No
	09/03/2014	-1.57	±	1.17	-5.82	±	4.33	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	09/10/2014	-1.99	±	1.09	-7.37	±	4.05	No
	09/17/2014	-0.40	±	1.12	-1.46	±	4.14	No
	09/24/2014	-0.05	±	1.08	-0.19	±	3.99	No
HOWE								
	07/02/2014	0.97	±	1.18	3.60	±	4.38	No
	07/09/2014	0.05	±	1.07	0.18	±	3.96	No
	07/16/2014	0.12	±	1.14	0.43	±	4.23	No
	07/23/2014	0.38	±	1.31	1.42	±	4.83	No
	07/30/2014	-0.99	±	0.97	-3.65	±	3.60	No
	08/06/2014	0.43	±	0.97	1.58	±	3.61	No
	08/13/2014	-0.14	±	0.96	-0.54	±	3.55	No
	08/20/2014	-1.00	±	0.99	-3.69	±	3.67	No
	08/27/2014	1.66	±	1.12	6.15	±	4.13	No
	09/03/2014	-1.37	±	1.02	-5.05	±	3.76	No
	09/10/2014	-1.95	±	1.07	-7.22	±	3.97	No
	09/17/2014	-0.36	±	1.03	-1.34	±	3.81	No
	09/24/2014	-0.05	±	1.02	-0.18	±	3.78	No
MONTEVIEW								
	07/02/2014	0.98	±	1.19	3.63	±	4.41	No
	07/09/2014	0.05	±	1.05	0.18	±	3.87	No
	07/16/2014	0.11	±	1.13	0.42	±	4.18	No
	07/23/2014	0.39	±	1.34	1.45	±	4.95	No
	07/30/2014	-1.07	±	1.06	-3.96	±	3.91	No
	08/06/2014	0.46	±	1.05	1.70	±	3.88	No
	08/13/2014	-0.16	±	1.05	-0.59	±	3.88	No
	08/20/2014	-1.10	±	1.09	-4.07	±	4.05	No
	08/27/2014	1.93	±	1.29	7.12	±	4.79	No
	09/03/2014	-1.44	±	1.07	-5.33	±	3.97	No
	09/10/2014	-2.16	±	1.19	-7.99	±	4.39	No
	09/17/2014	-0.38	±	1.09	-1.42	±	4.02	No
	09/24/2014	-0.05	±	1.15	-0.20	±	4.26	No
MUD LAKE								
	07/02/2014	0.91	±	1.10	3.35	±	4.07	No
	07/09/2014	0.05	±	1.11	0.19	±	4.10	No
	07/16/2014	0.11	±	1.08	0.41	±	4.01	No
	07/23/2014	0.37	±	1.27	1.38	±	4.69	No
	07/30/2014	-1.11	±	1.10	-4.10	±	4.05	No
	08/06/2014	0.48	±	1.08	1.76	±	4.01	No
	08/13/2014	-0.16	±	1.08	-0.60	±	4.00	No
	08/20/2014	-1.04	±	1.04	-3.85	±	3.84	No
	08/27/2014	1.69	±	1.14	6.26	±	4.21	No
	09/03/2014	-1.46	±	1.08	-5.39	±	4.01	No
	09/10/2014	-1.96	±	1.08	-7.26	±	3.98	No
	09/17/2014	-0.36	±	1.03	-1.35	±	3.81	No
	09/24/2014	-0.05	±	1.15	-0.20	±	4.26	No
DISTANT								
BLACKFOOT								
	07/02/2014	-0.57	±	1.14	-2.11	±	4.22	No
	07/09/2014	0.96	±	1.16	3.54	±	4.30	No
	07/16/2014	0.35	±	1.11	1.30	±	4.10	No
	07/23/2014	3.33	±	1.37	12.31	±	5.05	No
	07/30/2014	0.19	±	1.04	0.72	±	3.86	No
	08/06/2014	-1.44	±	1.18	-5.34	±	4.35	No
	08/13/2014	0.61	±	1.11	2.26	±	4.11	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	08/20/2014	1.97	±	1.19	7.30	±	4.41	No
	08/27/2014	1.83	±	1.26	6.79	±	4.67	No
	09/03/2014	-0.48	±	1.07	-1.78	±	3.97	No
	09/10/2014	-0.58	±	1.08	-2.16	±	3.99	No
	09/17/2014	-0.12	±	1.09	-0.46	±	4.03	No
	09/24/2014	-1.79	±	1.71	-6.61	±	6.31	No
CRATERS								
	07/02/2014	-0.64	±	1.27	-2.36	±	4.70	No
	07/09/2014	0.95	±	1.16	3.52	±	4.28	No
	07/16/2014	0.37	±	1.17	1.37	±	4.32	No
	07/23/2014	3.67	±	1.51	13.60	±	5.58	No
	07/30/2014	0.22	±	1.20	0.83	±	4.45	No
	08/06/2014	-1.35	±	1.10	-5.00	±	4.07	No
	08/13/2014	0.64	±	1.16	2.36	±	4.29	No
	08/20/2014	1.99	±	1.20	7.36	±	4.44	No
	08/27/2014	1.77	±	1.22	6.53	±	4.50	No
	09/03/2014	-0.58	±	1.28	-2.13	±	4.75	No
	09/10/2014	-0.62	±	1.15	-2.30	±	4.25	No
	09/17/2014	-0.13	±	1.19	-0.50	±	4.39	No
	09/24/2014	-1.96	±	1.87	-7.26	±	6.93	No
DUBOIS								
	07/02/2014	0.98	±	1.19	3.64	±	4.42	No
	07/09/2014	0.05	±	1.18	0.20	±	4.35	No
	07/16/2014	0.11	±	1.09	0.41	±	4.05	No
	07/23/2014	0.37	±	1.25	1.36	±	4.63	No
	07/30/2014	-1.20	±	1.18	-4.42	±	4.37	No
	08/06/2014	0.51	±	1.17	1.89	±	4.32	No
	08/13/2014	-0.17	±	1.11	-0.62	±	4.12	No
	08/20/2014	-1.16	±	1.16	-4.30	±	4.28	No
	08/27/2014	1.90	±	1.28	7.04	±	4.73	No
	09/03/2014	-1.61	±	1.20	-5.95	±	4.43	No
	09/10/2014	-2.06	±	1.13	-7.63	±	4.19	No
	09/17/2014	-0.40	±	1.13	-1.48	±	4.20	No
	09/24/2014	-0.06	±	1.16	-0.20	±	4.29	No
IDAHO FALLS								
	07/02/2014	0.89	±	1.09	3.31	±	4.02	No
	07/09/2014	0.05	±	1.02	0.18	±	3.79	No
	07/16/2014	0.11	±	1.06	0.40	±	3.91	No
	07/23/2014	0.33	±	1.13	1.22	±	4.16	No
	07/30/2014	-1.03	±	1.02	-3.81	±	3.76	No
	08/06/2014	0.45	±	1.02	1.65	±	3.76	No
	08/13/2014	-0.15	±	0.99	-0.56	±	3.68	No
	08/20/2014	-1.05	±	1.04	-3.87	±	3.85	No
	08/27/2014	1.74	±	1.17	6.42	±	4.32	No
	09/03/2014	-1.41	±	1.05	-5.20	±	3.87	No
	09/10/2014	-1.86	±	1.02	-6.89	±	3.78	No
	09/17/2014	-0.36	±	1.02	-1.33	±	3.77	No
	09/24/2014	-0.05	±	1.07	-0.19	±	3.95	No
QA-2 (IDAHO FALLS)								
	07/02/2014	0.97	±	1.18	3.60	±	4.37	No
	07/09/2014	0.05	±	1.08	0.19	±	3.99	No
	07/16/2014	0.11	±	1.07	0.40	±	3.97	No
	07/23/2014	0.37	±	1.27	1.38	±	4.71	No
	07/30/2014	-1.09	±	1.08	-4.05	±	4.00	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	08/06/2014	0.48	±	1.10	1.78	±	4.06	No
	08/13/2014	-0.16	±	1.09	-0.61	±	4.04	No
	08/20/2014	-1.12	±	1.12	-4.15	±	4.13	No
	08/27/2014	1.95	±	1.31	7.23	±	4.86	No
	09/03/2014	-1.53	±	1.14	-5.67	±	4.22	No
	09/10/2014	-2.05	±	1.13	-7.59	±	4.17	No
	09/17/2014	-0.39	±	1.11	-1.45	±	4.11	No
	09/24/2014	-0.05	±	1.10	-0.19	±	4.07	No
JACKSON								
	07/02/2014	-0.68	±	1.36	-2.52	±	5.03	No
	07/09/2014	0.95	±	1.16	3.52	±	4.28	No
	07/16/2014	0.36	±	1.13	1.33	±	4.19	No
	07/23/2014	3.07	±	1.26	11.35	±	4.66	No
	07/30/2014	0.20	±	1.05	0.72	±	3.90	No
	08/06/2014	-1.38	±	1.12	-5.10	±	4.16	No
	08/13/2014	0.60	±	1.09	2.22	±	4.03	No
	08/20/2014	1.92	±	1.16	7.10	±	4.29	No
	08/27/2014	1.04	±	1.25	3.85	±	4.62	No
	09/03/2014	-0.50	±	1.11	-1.85	±	4.12	No
	09/10/2014	-0.59	±	1.08	-2.17	±	4.00	No
	09/17/2014	-0.12	±	1.09	-0.46	±	4.04	No
	09/24/2014	-1.74	±	1.66	-6.44	±	6.15	No
SUGAR CITY								
	07/02/2014	1.02	±	1.24	3.77	±	4.58	No
	07/09/2014	0.05	±	1.13	0.19	±	4.17	No
	07/16/2014	0.11	±	1.08	0.40	±	4.01	No
	07/23/2014	0.40	±	1.37	1.49	±	5.05	No
	07/30/2014	-1.00	±	0.99	-3.71	±	3.66	No
	08/06/2014	0.43	±	0.99	1.60	±	3.66	No
	08/13/2014	-0.14	±	0.95	-0.53	±	3.53	No
	08/20/2014	-0.98	±	0.98	-3.64	±	3.62	No
	08/27/2014	1.69	±	1.14	6.26	±	4.21	No
	09/03/2014	-1.36	±	1.01	-5.03	±	3.74	No
	09/10/2014	-1.79	±	0.98	-6.63	±	3.64	No
	09/17/2014	-0.41	±	1.15	-1.51	±	4.27	No
	09/24/2014	-0.05	±	1.05	-0.18	±	3.90	No
INL SITE								
EFS								
	07/02/2014	-0.67	±	1.35	-2.50	±	4.98	No
	07/09/2014	0.92	±	1.12	3.40	±	4.14	No
	07/16/2014	0.35	±	1.09	1.28	±	4.04	No
	07/23/2014	3.43	±	1.41	12.69	±	5.21	No
	07/30/2014	0.20	±	1.06	0.73	±	3.92	No
	08/06/2014	-1.32	±	1.08	-4.89	±	3.99	No
	08/13/2014	0.59	±	1.08	2.20	±	4.00	No
	08/20/2014	1.94	±	1.17	7.18	±	4.34	No
	08/27/2014	1.91	±	1.32	7.07	±	4.87	No
	09/03/2014	-0.51	±	1.15	-1.90	±	4.25	No
	09/10/2014	-0.74	±	1.36	-2.73	±	5.04	No
	09/17/2014	-0.29	±	2.54	-1.07	±	9.42	No
	09/24/2014	-1.89	±	1.80	-6.99	±	6.67	No
MAIN GATE								
	07/02/2014	-0.57	±	1.15	-2.13	±	4.24	No
	07/09/2014	0.97	±	1.18	3.58	±	4.35	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
	07/16/2014	0.37	±	1.16	1.36	±	4.29	No
	07/23/2014	3.18	±	1.30	11.76	±	4.83	No
	07/30/2014	0.20	±	1.09	0.75	±	4.04	No
	08/06/2014	-1.49	±	1.21	-5.51	±	4.49	No
	08/13/2014	0.62	±	1.12	2.28	±	4.15	No
	08/20/2014	2.11	±	1.27	7.80	±	4.71	No
	08/27/2014	1.97	±	1.36	7.30	±	5.03	No
	09/03/2014	-0.52	±	1.17	-1.94	±	4.33	No
	09/10/2014	-0.62	±	1.15	-2.31	±	4.26	No
	09/17/2014	-0.14	±	1.21	-0.51	±	4.46	No
	09/24/2014	-1.97	±	1.88	-7.30	±	6.97	No
QA-1 (MAIN GATE)	07/02/2014	-0.52	±	1.04	-1.93	±	3.84	No
	07/09/2014	0.89	±	1.08	3.28	±	3.99	No
	07/16/2014	0.33	±	1.04	1.23	±	3.86	No
	07/23/2014	3.29	±	1.35	12.18	±	5.00	No
	07/30/2014	0.19	±	1.00	0.69	±	3.72	No
	08/06/2014	-1.26	±	1.02	-4.65	±	3.79	No
	08/13/2014	0.57	±	1.03	2.09	±	3.80	No
	08/20/2014	1.85	±	1.12	6.86	±	4.15	No
	08/27/2014	1.80	±	1.24	6.67	±	4.60	No
	09/03/2014	-0.51	±	1.13	-1.88	±	4.20	No
	09/10/2014	-0.59	±	1.10	-2.20	±	4.06	No
	09/17/2014	-0.13	±	1.15	-0.48	±	4.25	No
	09/24/2014	-1.86	±	1.78	-6.89	±	6.57	No
VAN BUREN GATE	07/02/2014	-0.62	±	1.23	-2.29	±	4.56	No
	07/09/2014	0.99	±	1.21	3.67	±	4.46	No
	07/16/2014	0.34	±	1.08	1.27	±	3.99	No
	07/23/2014	3.49	±	1.43	12.93	±	5.31	No
	07/30/2014	0.19	±	1.05	0.72	±	3.88	No
	08/06/2014	-1.31	±	1.07	-4.85	±	3.95	No
	08/13/2014	0.60	±	1.09	2.21	±	4.02	No
	08/20/2014	1.90	±	1.15	7.02	±	4.24	No
	08/27/2014	1.77	±	1.22	6.55	±	4.51	No
	09/03/2014	-0.51	±	1.14	-1.90	±	4.24	No
	09/10/2014	-0.59	±	1.09	-2.19	±	4.04	No
	09/17/2014	-0.13	±	1.15	-0.48	±	4.27	No
	09/24/2014	-1.99	±	1.90	-7.37	±	7.04	No
a. Invalid sample result								

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹³ Bq/mL)			Result > 3s
BOUNDARY									
ARCO	9/24/2014	AMERICIUM-241	-0.93	±	0.87	-3.43	±	3.20	No
		CESIUM-137	-26.90	±	91.40	-99.53	±	338.18	No
		PLUTONIUM-238	1.63	±	0.87	6.03	±	3.23	No
		PLUTONIUM-239/240	0.98	±	0.80	3.61	±	2.96	No
ATOMIC CITY	9/24/2014	AMERICIUM-241	-0.11	±	0.77	-0.41	±	2.83	No
		CESIUM-137	15.40	±	83.90	56.98	±	310.43	No
		PLUTONIUM-238	3.04	±	1.08	11.25	±	4.00	No
		PLUTONIUM-239/240	1.82	±	0.76	6.73	±	2.80	No
BLUE DOME	9/24/2014	CESIUM-137	-37.50	±	85.20	-138.75	±	315.24	No
		STRONTIUM-90	6.36	±	5.54	23.53	±	20.50	No
FAA TOWER	9/24/2014	CESIUM-137	-31.60	±	136.00	-116.92	±	503.20	No
HOWE	9/24/2014	CESIUM-137	128.00	±	119.00	473.60	±	440.30	No
		STRONTIUM-90	13.90	±	5.65	51.43	±	20.91	No
MONTEVIEW	9/24/2014	CESIUM-137	-245.00	±	134.00	-906.50	±	495.80	No
MUD LAKE	9/24/2014	CESIUM-137	0.00	±	82.78	0.00	±	306.29	No
		STRONTIUM-90	5.61	±	5.54	20.76	±	20.50	No
DISTANT									
BLACKFOOT	9/24/2014	CESIUM-137	26.30	±	125.00	97.31	±	462.50	No
CRATERS	9/24/2014	CESIUM-137	-56.50	±	126.00	-209.05	±	466.20	No
DUBOIS	9/24/2014	CESIUM-137	191.00	±	97.30	706.70	±	360.01	No
IDAHO FALLS	9/24/2014	AMERICIUM-241	0.73	±	0.90	2.70	±	3.34	No
		CESIUM-137	41.20	±	84.00	152.44	±	310.80	No
		PLUTONIUM-238	1.06	±	0.76	3.92	±	2.80	No
		PLUTONIUM-239/240	0.27	±	0.70	0.98	±	2.60	No
QA-2 (IDAHO FALLS)	9/24/2014	AMERICIUM-241	-1.12	±	0.69	-4.14	±	2.56	No
		CESIUM-137	-2.84	±	84.80	-10.51	±	313.76	No
		PLUTONIUM-238	0.58	±	0.71	2.15	±	2.63	No
		PLUTONIUM-239/240	1.45	±	0.72	5.37	±	2.66	No

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(x 10 ⁻¹⁸ µCi/mL)			(x 10 ⁻¹³ Bq/mL)			
JACKSON	9/24/2014	CESIUM-137	-20.70	±	119.00	-76.59	±	440.30	No
SUGAR CITY	9/24/2014	CESIUM-137	202.88	±	131.46	750.64	±	486.42	No
		STRONTIUM-90	11.90	±	6.04	44.03	±	22.35	No
INL SITE									
EFS	9/24/2014	CESIUM-137	-42.10	±	88.00	-155.77	±	325.60	No
		STRONTIUM-90	4.03	±	6.51	14.91	±	24.09	No
MAIN GATE	9/24/2014	AMERICIUM-241	0.86	±	0.93	3.19	±	3.43	No
		CESIUM-137	101.00	±	129.00	373.70	±	477.30	No
		PLUTONIUM-238	1.63	±	1.16	6.03	±	4.29	No
		PLUTONIUM-239/240	1.22	±	1.00	4.51	±	3.70	No
QA-1 (MAIN GATE)	9/24/2014	AMERICIUM-241	-0.75	±	0.63	-2.76	±	2.34	No
		CESIUM-137	15.10	±	74.60	55.87	±	276.02	No
		PLUTONIUM-238	1.70	±	1.03	6.29	±	3.81	No
		PLUTONIUM-239/240	3.05	±	1.15	11.29	±	4.26	No
VAN BUREN GATE	9/24/2014	CESIUM-137	29.35	±	80.99	108.61	±	299.68	No
		STRONTIUM-90	13.60	±	5.10	50.32	±	18.87	No

TABLE C-4. Tritium Concentrations in Atmospheric Moisture

Sampling Group and Location	Start Date	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(x 10 ⁻¹³ µCi/mL _{air})			(x 10 ⁻⁹ Bq/mL _{air})			
BOUNDARY									
ATOMIC CITY	06/11/14	07/09/14	2.64	±	1.33	9.76	±	4.93	No
ATOMIC CITY	07/09/14	07/30/14	3.08	±	1.47	11.40	±	5.44	No
ATOMIC CITY	07/30/14	08/13/14	11.07	±	2.19	40.95	±	8.11	Yes
ATOMIC CITY	08/13/14	08/27/14	13.45	±	2.21	49.77	±	8.16	Yes
ATOMIC CITY	08/27/14	09/17/14	1.92	±	1.33	7.09	±	4.92	No
DISTANT									
BLACKFOOT	06/18/14	07/03/14	4.82	±	1.77	17.82	±	6.55	No
BLACKFOOT	07/03/14	07/16/14	4.14	±	1.90	15.32	±	7.05	No
BLACKFOOT	07/16/14	07/30/14	6.66	±	1.71	24.64	±	6.32	Yes
BLACKFOOT	07/30/14	08/13/14	10.04	±	1.81	37.13	±	6.70	Yes
BLACKFOOT	08/13/14	08/27/14	0.30	±	1.97	1.11	±	7.29	No
BLACKFOOT	08/27/14	09/10/14	16.04	±	2.01	59.36	±	7.43	Yes
BLACKFOOT	09/10/14	09/24/14	14.58	±	2.02	53.93	±	7.47	Yes
IDAHO FALLS	06/25/14	07/09/14	28.33	±	1.85	104.82	±	6.84	Yes
IDAHO FALLS	07/09/14	07/21/14	3.07	±	1.70	11.36	±	6.27	No
IDAHO FALLS	07/21/14	08/04/14	7.79	±	1.60	28.82	±	5.93	Yes
IDAHO FALLS	08/04/14	08/18/14	11.74	±	2.09	43.44	±	7.73	Yes
IDAHO FALLS	08/18/14	09/02/14	13.31	±	2.29	49.26	±	8.47	Yes
IDAHO FALLS	09/02/14	09/24/14	3.45	±	1.50	12.78	±	5.57	No
SUGAR CITY	06/25/14	07/09/14	3.82	±	1.65	14.12	±	6.11	No
SUGAR CITY	07/09/14	07/23/14	15.86	±	2.38	58.67	±	8.82	Yes
SUGAR CITY	07/23/14	08/06/14	7.47	±	2.08	27.63	±	7.68	Yes
SUGAR CITY	08/06/14	08/20/14	9.50	±	2.14	35.14	±	7.90	Yes
SUGAR CITY	08/20/14	09/10/14	0.20	±	1.79	0.73	±	6.61	No

TABLE C-5. Monthly and Weekly Tritium Concentrations in Precipitation

Location	Start Date	End Date	Result \pm 1s Uncertainty			Result \pm 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
IDAHO FALLS	06/30/14	07/31/14	115.00	\pm	22.00	4.26	\pm	0.81	Yes
	07/31/14	08/31/14	-14.90	\pm	22.20	-0.55	\pm	0.82	No
	08/31/14	09/30/14	-48.90	\pm	21.70	-1.81	\pm	0.80	No
CFA	06/02/14	07/01/14	98.40	\pm	22.40	3.64	\pm	0.83	Yes
	08/01/14	09/02/14	7.13	\pm	21.90	0.26	\pm	0.81	No
EFS	07/30/14	08/06/14	106.00	\pm	21.90	3.92	\pm	0.81	Yes
	08/06/14	08/13/14	1.24	\pm	22.40	0.05	\pm	0.83	No
	08/13/14	08/20/14	86.00	\pm	22.90	3.18	\pm	0.85	Yes
	08/20/14	08/27/14	52.90	\pm	22.40	1.96	\pm	0.83	No
	09/17/14	09/24/14	131.00	\pm	23.00	4.85	\pm	0.85	Yes

Table C-6. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

Location	Sampling Date	Iodine-131			Cesium-137		
		Result ± 1s Uncertainty (pCi/L)	Result ± 1s Uncertainty (Bq/L)	Result > 3s	Result ± 1s Uncertainty (pCi/L)	Result ± 1s Uncertainty (Bq/L)	Result > 3s
BLACKFOOT	07/06/14	1.00 ± 2.24	0.037 ± 0.083	No	0.76 ± 0.74	0.028 ± 0.027	No
	08/03/14	2.58 ± 1.66	0.096 ± 0.062	No	1.76 ± 1.46	0.065 ± 0.054	No
	09/01/14	-0.09 ± 1.47	-0.003 ± 0.055	No	0.27 ± 1.58	0.010 ± 0.059	No
CONTROL	07/01/14	0.14 ± 1.68	0.005 ± 0.062	No	-1.55 ± 1.62	-0.057 ± 0.060	No
	08/05/14	0.98 ± 2.02	0.036 ± 0.075	No	2.11 ± 1.44	0.078 ± 0.053	No
	09/02/14	-2.88 ± 1.85	-0.107 ± 0.069	No	0.41 ± 1.53	0.015 ± 0.057	No
DIETRICH	07/01/14	-0.53 ± 1.31	-0.020 ± 0.049	No	-0.34 ± 0.72	-0.012 ± 0.027	No
	08/05/14	2.34 ± 1.63	0.087 ± 0.060	No	1.29 ± 1.52	0.048 ± 0.056	No
	09/02/14	-0.19 ± 1.20	-0.007 ± 0.044	No	1.15 ± 0.92	0.043 ± 0.034	No
HOWE	07/01/14	0.28 ± 1.42	0.010 ± 0.053	No	0.37 ± 0.75	0.014 ± 0.028	No
	08/05/14	0.18 ± 1.74	0.007 ± 0.064	No	1.74 ± 1.44	0.064 ± 0.053	No
	09/02/14	-0.50 ± 1.68	-0.018 ± 0.062	No	0.41 ± 1.45	0.015 ± 0.054	No
IDAHO FALLS	07/01/14	-0.82 ± 1.69	-0.030 ± 0.063	No	1.39 ± 0.76	0.051 ± 0.028	No
	07/08/14	-0.97 ± 1.32	-0.036 ± 0.049	No	0.34 ± 0.72	0.013 ± 0.027	No
	07/15/14	-1.14 ± 1.42	-0.042 ± 0.053	No	0.94 ± 1.54	0.035 ± 0.057	No
	07/22/14	-1.43 ± 1.48	-0.053 ± 0.055	No	0.71 ± 1.54	0.026 ± 0.057	No
	07/29/14	1.16 ± 1.39	0.043 ± 0.051	No	-0.38 ± 1.51	-0.014 ± 0.056	No
	08/05/14	-0.50 ± 1.39	-0.018 ± 0.051	No	1.56 ± 1.56	0.058 ± 0.058	No
	08/12/14	-0.38 ± 1.39	-0.014 ± 0.051	No	2.33 ± 1.42	0.086 ± 0.053	No
	08/19/14	0.39 ± 1.12	0.014 ± 0.041	No	-0.15 ± 0.88	-0.006 ± 0.033	No
	08/26/14	0.05 ± 1.41	0.002 ± 0.052	No	1.71 ± 1.54	0.063 ± 0.057	No
	09/02/14	-1.50 ± 1.59	-0.056 ± 0.059	No	-0.14 ± 1.47	-0.005 ± 0.054	No
	09/09/14	-0.13 ± 1.13	-0.005 ± 0.042	No	-0.42 ± 0.92	-0.015 ± 0.034	No
	09/16/14	-2.40 ± 1.50	-0.089 ± 0.056	No	-0.51 ± 1.50	-0.019 ± 0.056	No
	09/23/14	0.79 ± 1.42	0.029 ± 0.053	No	-2.24 ± 1.67	-0.083 ± 0.062	No
09/30/14	-2.17 ± 1.51	-0.080 ± 0.056	No	2.23 ± 1.53	0.083 ± 0.057	No	
RUPERT	07/01/14	-0.51 ± 1.65	-0.019 ± 0.061	No	0.05 ± 0.38	0.002 ± 0.014	No
	08/05/14	-0.27 ± 1.32	-0.010 ± 0.049	No	-0.56 ± 0.96	-0.021 ± 0.036	No
	09/02/14	-3.01 ± 2.00	-0.111 ± 0.074	No	0.70 ± 1.38	0.026 ± 0.051	No
TERRETON	07/01/14	1.35 ± 1.55	0.050 ± 0.057	No	2.98 ± 1.53	0.110 ± 0.057	No
	08/05/14	-0.16 ± 1.52	-0.006 ± 0.056	No	-0.80 ± 1.52	-0.030 ± 0.056	No
	09/02/14	-0.81 ± 1.15	-0.030 ± 0.043	No	-0.15 ± 0.94	-0.006 ± 0.035	No
Duplicate	09/02/14	0.15 ± 1.68	0.005 ± 0.062	No	0.14 ± 1.41	0.005 ± 0.052	No

Table C-7. Cesium-137 and Strontium-90 Concentrations in Lettuce

Cesium-137								
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		pCi/kg			(x 10 ⁻² Bq/kg)			
ARCO	8/20/2014	68.60	±	56.10	254.07	±	207.78	No
ATOMIC CITY	8/13/2014	-12.30	±	50.70	-45.56	±	187.78	No
BLACKFOOT	8/30/2014	10.30	±	39.90	38.15	±	147.78	No
CAREY	8/19/2014	38.20	±	37.50	141.48	±	138.89	No
CONTROL	8/26/2014	12.40	±	27.70	45.93	±	102.59	No
EFS	8/6/2014	0.19	±	36.80	0.69	±	136.30	No
FAA TOWER	8/14/2014	-38.70	±	65.60	-143.33	±	242.96	No
MONTEVIEW	8/13/2014	-9.23	±	43.00	-34.19	±	159.26	No
MONTEVIEW (Duplicate)	8/13/2014	-60.30	±	63.60	-223.33	±	235.56	No

Strontium-90								
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		pCi/kg			(x 10 ⁻² Bq/kg)			
ARCO	8/20/2014	38.80	±	5.17	143.70	±	19.15	Yes
ATOMIC CITY	8/13/2014	35.60	±	4.95	131.85	±	18.33	Yes
BLACKFOOT	8/30/2014	18.40	±	3.26	68.15	±	12.07	Yes
CAREY	8/19/2014	58.00	±	7.27	214.81	±	26.93	Yes
CONTROL	8/26/2014	0.72	±	0.98	2.66	±	3.64	No
EFS	8/6/2014	35.60	±	5.08	131.85	±	18.81	Yes
FAA TOWER	8/14/2014	33.70	±	5.01	124.81	±	18.56	Yes
MONTEVIEW	8/13/2014	42.50	±	6.21	157.41	±	23.00	Yes
MONTEVIEW (Duplicate)	8/13/2014	46.00	±	6.20	170.37	±	22.96	Yes

NOTE: During the summer of 2020, a review of the table determined the activity concentration values reported for the media were correct, however, the unit of concentration listed in the column headings were incorrect. The column headings have been updated to the correct units of concentration (pCi/kg and Bq/kg). For further discussion see Lettuce Sampling in Section 5.

Table C-8. Cesium-137 and Strontium-90 Concentrations in Grain

		Cesium-137						
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		pCi/kg			Bq/kg			
AMERICAN FALLS	08/19/14	0.23	±	1.34	0.01	±	0.05	No
ARCO	09/03/14	1.65	±	2.58	0.06	±	0.10	No
BLACKFOOT	08/22/14	-0.73	±	1.37	-0.03	±	0.05	No
CONTROL	08/26/14	1.66	±	1.88	0.06	±	0.07	No
HOWE	09/02/14	-0.83	±	1.62	-0.03	±	0.06	No
IDAHO FALLS	08/26/14	1.07	±	2.40	0.04	±	0.09	No
PICABO	08/19/14	1.09	±	1.71	0.04	±	0.06	No
PICABO (Duplicate)	08/19/14	0.23	±	1.62	0.01	±	0.06	No
RUPERT	08/19/14	-1.60	±	1.89	-0.06	±	0.07	No
TERRETON	08/27/14	-2.47	±	1.95	-0.09	±	0.07	No

		Strontium-90						
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		pCi/kg			Bq/kg			
AMERICAN FALLS	08/19/14	1.30	±	0.98	0.05	±	0.04	No
ARCO	09/03/14	11.30	±	1.97	0.42	±	0.07	Yes
BLACKFOOT	08/22/14	1.94	±	1.01	0.07	±	0.04	No
CONTROL	08/26/14	1.82	±	0.99	0.07	±	0.04	No
HOWE	09/02/14	0.12	±	1.03	0.00	±	0.04	No
IDAHO FALLS	08/26/14	0.86	±	1.17	0.03	±	0.04	No
PICABO	08/19/14	1.61	±	1.21	0.06	±	0.04	No
PICABO (Duplicate)	08/19/14	2.17	±	1.18	0.08	±	0.04	No
RUPERT	08/19/14	0.05	±	0.90	0.00	±	0.03	No
TERRETON	08/27/14	-1.19	±	1.42	-0.04	±	0.05	No

Table C-9. Gamma-emitting Radionuclides in Large Game Animals

Species	Collection		Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
	Date	Tissue		(pCi/kg wet weight)			(x 10 ⁻² Bq/kg wet weight)			
PRONGHORN	8/18/2014	Liver	¹³¹ I	1.94	±	1.88	7.18	±	6.96	No
			¹³⁷ Cs	1.56	±	1.19	5.77	±	4.40	No
PRONGHORN	8/18/2014	Muscle	¹³¹ I	-2.28	±	1.98	-8.44	±	7.33	No
			¹³⁷ Cs	3.25	±	1.22	12.03	±	4.51	No
PRONGHORN	8/18/2014	Thyroid	¹³¹ I	-29.80	±	197.00	-110.26	±	728.90	No
			¹³⁷ Cs	29.80	±	186.00	110.26	±	688.20	No

Table C-10. Actinide, Cesium-137, and Strontium-90 Concentrations in Soil

Location	Sampling Date	Americium-241						Result > 3s
		Concentration ± 1s (pCi/kg)			Concentration ± 1s (Bq/kg)			
BOUNDARY								
ATOMIC CITY	07/15/14	13.30	±	8.43	0.49	±	0.31	No
BUTTE CITY	07/15/14	14.40	±	9.88	0.53	±	0.37	No
FAA TOWER	07/15/14	-1.41	±	7.71	-0.05	±	0.29	No
FRENCHMAN'S CABIN	07/15/14	5.20	±	10.70	0.19	±	0.40	No
HOWE	07/08/14	-4.25	±	6.85	-0.16	±	0.25	No
MONTEVIEW	07/08/14	-5.54	±	8.21	-0.21	±	0.30	No
MUD LAKE #1	07/08/14	7.41	±	7.93	0.27	±	0.29	No
MUD LAKE #1 (Duplicate)	07/08/14	7.99	±	7.53	0.30	±	0.28	No
MUD LAKE #2	07/08/14	-3.55	±	7.19	-0.13	±	0.27	No
RENO RANCH	07/08/14	10.80	±	10.50	0.40	±	0.39	No
DISTANT								
BLACKFOOT	07/22/14	11.40	±	10.20	0.42	±	0.38	No
CAREY	07/15/14	4.42	±	7.76	0.16	±	0.29	No
CRYSTAL ICE CAVES	07/22/14	13.10	±	11.50	0.49	±	0.43	No
ST. ANTHONY	07/08/14	28.70	±	11.30	1.06	±	0.42	No

Location	Sampling Date	Cesium-137						Result > 3s
		Concentration ± 1s (pCi/kg)			Concentration ± 1s (Bq/kg)			
BOUNDARY								
ATOMIC CITY	07/15/14	323.00	±	18.60	11.96	±	0.69	Yes
BUTTE CITY	07/15/14	476.00	±	27.00	17.63	±	1.00	Yes
FAA TOWER	07/15/14	494.00	±	28.90	18.30	±	1.07	Yes
FRENCHMAN'S CABIN	07/15/14	275.00	±	15.80	10.19	±	0.59	Yes
HOWE	07/08/14	279.00	±	16.60	10.33	±	0.61	Yes
MONTEVIEW	07/08/14	288.00	±	17.10	10.67	±	0.63	Yes
MUD LAKE #1	07/08/14	295.00	±	17.60	10.93	±	0.65	Yes
MUD LAKE #1 (Duplicate)	07/08/14	253.00	±	14.60	9.37	±	0.54	Yes
MUD LAKE #2	07/08/14	216.00	±	13.20	8.00	±	0.49	Yes
RENO RANCH	07/08/14	641.00	±	36.10	23.74	±	1.34	Yes
DISTANT								
BLACKFOOT	07/22/14	167.00	±	10.80	6.19	±	0.40	Yes
CAREY	07/15/14	350.00	±	20.10	12.96	±	0.74	Yes
CRYSTAL ICE CAVES	07/22/14	388.00	±	22.80	14.37	±	0.84	Yes
ST. ANTHONY	07/08/14	616.00	±	35.40	22.81	±	1.31	Yes

Table C-10. Actinide, Cesium-137, and Strontium-90 Concentrations in Soil

Location	Sampling Date	Plutonium-238						Result > 3s
		Concentration ± 1s (pCi/kg)			Concentration ± 1s (Bq/kg)			
BOUNDARY								
ATOMIC CITY	07/15/14	9.20	±	4.56	0.34	±	0.17	No
BUTTE CITY	07/15/14	-5.78	±	7.09	-0.21	±	0.26	No
FAA TOWER	07/15/14	3.60	±	4.41	0.13	±	0.16	No
FRENCHMAN'S CABIN	07/15/14	5.55	±	4.91	0.21	±	0.18	No
HOWE	07/08/14	11.90	±	5.88	0.44	±	0.22	No
MONTEVIEW	07/08/14	11.70	±	5.09	0.43	±	0.19	No
MUD LAKE #1	07/08/14	12.00	±	6.41	0.44	±	0.24	No
MUD LAKE #1 (Duplicate)	07/08/14	10.80	±	5.78	0.40	±	0.21	No
MUD LAKE #2	07/08/14	4.93	±	6.05	0.18	±	0.22	No
RENO RANCH	07/08/14	7.37	±	3.94	0.27	±	0.15	No
DISTANT								
BLACKFOOT	07/22/14	0.00	±	9.70	0.00	±	0.36	No
CAREY	07/15/14	15.60	±	8.34	0.58	±	0.31	No
CRYSTAL ICE CAVES	07/22/14	0.00	±	6.72	0.00	±	0.25	No
ST. ANTHONY	07/08/14	10.50	±	4.37	0.39	±	0.16	No

Location	Sampling Date	Plutonium-239/240						Result > 3s
		Concentration ± 1s (pCi/kg)			Concentration ± 1s (Bq/kg)			
BOUNDARY								
ATOMIC CITY	07/15/14	34.90	±	8.45	1.29	±	0.31	Yes
BUTTE CITY	07/15/14	23.10	±	10.20	0.86	±	0.38	No
FAA TOWER	07/15/14	26.90	±	7.69	1.00	±	0.28	Yes
FRENCHMAN'S CABIN	07/15/14	9.23	±	4.58	0.34	±	0.17	No
HOWE	07/08/14	16.60	±	7.22	0.61	±	0.27	No
MONTEVIEW	07/08/14	9.99	±	4.77	0.37	±	0.18	No
MUD LAKE #1	07/08/14	12.00	±	8.06	0.44	±	0.30	No
MUD LAKE #1 (Duplicate)	07/08/14	28.00	±	9.16	1.04	±	0.34	Yes
MUD LAKE #2	07/08/14	9.83	±	6.07	0.36	±	0.22	No
RENO RANCH	07/08/14	36.80	±	7.89	1.36	±	0.29	Yes
DISTANT								
BLACKFOOT	07/22/14	15.30	±	8.19	0.57	±	0.30	No
CAREY	07/15/14	44.20	±	11.30	1.64	±	0.42	Yes
CRYSTAL ICE CAVES	07/22/14	19.10	±	10.70	0.71	±	0.40	No
ST. ANTHONY	07/08/14	35.00	±	8.28	1.30	±	0.31	Yes

Table C-10. Actinide, Cesium-137, and Strontium-90 Concentrations in Soil

Location	Sampling Date	Strontium-90						Result > 3s
		Concentration ± 1s (pCi/kg)			Concentration ± 1s (Bq/kg)			
BOUNDARY								
ATOMIC CITY	07/15/14	364.00	±	53.90	13.48	±	2.00	Yes
BUTTE CITY	07/15/14	139.00	±	38.70	5.15	±	1.43	Yes
FAA TOWER	07/15/14	157.00	±	40.80	5.81	±	1.51	Yes
FRENCHMAN'S CABIN	07/15/14	87.70	±	33.90	3.25	±	1.26	No
HOWE	07/08/14	40.40	±	31.60	1.50	±	1.17	No
MONTEVIEW	07/08/14	-3.86	±	31.30	-0.14	±	1.16	No
MUD LAKE #1	07/08/14	30.30	±	29.20	1.12	±	1.08	No
MUD LAKE #1 (Duplicate)	07/08/14	65.30	±	30.40	2.42	±	1.13	No
MUD LAKE #2	07/08/14	57.90	±	30.70	2.14	±	1.14	No
RENO RANCH	07/08/14	190.00	±	36.60	7.04	±	1.36	Yes
DISTANT								
BLACKFOOT	07/22/14	125.00	±	39.10	4.63	±	1.45	Yes
CAREY	07/15/14	12.30	±	35.70	0.46	±	1.32	No
CRYSTAL ICE CAVES	07/22/14	142.00	±	39.50	5.26	±	1.46	Yes
ST. ANTHONY	07/08/14	150.00	±	34.80	5.56	±	1.29	Yes

APPENDIX D
STATISTICAL ANALYSIS RESULTS

Table D-1. Results of the Kruskal-Wallis statistical test between INL Site, Boundary, and Distant sample groups by month.

Parameter	P^a
Gross Alpha	
Quarter	0.51
July	0.27
August	0.72
September	0.67
Gross Beta	
Quarter	0.53
July	0.90
August	0.33
September	0.54
a. A 'p' value greater than 0.05 signifies no statistical difference between data groups.	

Table D-2. Statistical difference in weekly gross alpha and gross beta concentrations measured at Boundary and Distant locations.

Parameter	Mann-Whitney U test	
	Week	P ^a
Gross Alpha		
	July 2	0.72
	July 9	0.15
	July 16	0.67
	July 23	0.81
	July 30	0.39
	August 6	0.77
	August 13	0.78
	August 20	0.17
	August 27	0.52
	September 3	0.94
	September 10	0.57
	September 17	0.67
	September 24	1.00
Gross Beta		
	July 2	0.06
	July 9	0.51
	July 16	0.32
	July 23	0.26
	July 30	0.43
	August 6	0.43
	August 13	0.32
	August 20	0.07
	August 27	0.57
	September 3	0.94
	September 10	0.78
	September 17	0.39
	September 24	0.06

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups.