Gonzales Stoller Surveillance, LLC Environmental Surveillance, Education, and Research Program ISSN NUMBER 1089-5469

Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: Fourth Quarter 2014

May 2015



Contributors: Russ Mitchell, Marilyn Case

Program conducted for the U.S. Department of Energy, Idaho Operations Office Under Contract DE-NE0000300

By Gonzales Stoller Surveillance, LLC Environmental Surveillance, Education, and Research Program Douglas K. Halford, Program Manager 120 Technology Dr., Idaho Falls, Idaho 83401 <u>www.gsseser.com</u>

EXECUTIVE SUMMARY

None of the radionuclides detected in samples collected during the fourth quarter of 2014 could be directly linked with INL Site activities, with the exception of waterfowl samples taken from wastewater ponds at the Advanced Test Reactor Complex. With this exception, levels of detected radionuclides were no different than values measured at other locations across the western United States. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the fourth quarter of 2014 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, October 1 through December 31, 2014. All sample types (media) and the sampling schedule followed during 2014 are listed in Appendix A. Specifically, this report contains the results for the following:

- Air sampling, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation and drinking/surface water sampling
- Milk and potato sampling
- Large game animal and waterfowl sampling
- Environmental radiation measurements

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	Gross alpha concentrations were statistically the same for Distant, Boundary, and INL Site sample groups for the quarter and for each month of the quarter. Gross beta concentrations were statistically higher at Boundary locations than Distant locations during the quarter and each month of the quarter. No consistent pattern was detected in the gross beta results to indicate and INL Site impact. No result exceeded the DCS for gross alpha or gross beta activity in air.
		Gamma-emitting radionuclides, ⁹⁰ Sr, actinides (americium and plutonium)	No human-made gamma- emitting radionuclides, ⁹⁰ Sr, or actinides were detected.
	Charcoal Cartridge	lodine-131	lodine-131 was not detected in any of the 28 batches counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	Two of the 11 sample results showed tritium concentrations greater than the 3s uncertainty during the quarter. No sample result exceeded the DCS for tritium in air.
Precipitation	Liquid	Tritium	Sixteen samples were collected. Twelve of the results were greater than the 3s uncertainty. The concentrations were consistent with those reported across the region by the Environmental Protection Agency and with previous results.
Drinking/surface water	Liquid	Gross alpha, gross beta, tritium	Gross alpha activity was reported in one surface water sample. Gross beta was detected in all of the drinking water samples except for the control sample of bottled water and one other sample, and in all of the surface water samples. Activities were consistent with natural levels of radioactivity in the aquifer. Tritium was detected in four drinking water samples,

arter of 2014.
aı

Environmental Dosimeters	Environmental radiation	External radioactivity	Measurements of environmental radiation were
Waterfowl	Tissue	Gamma emitting radionuclides, ⁹⁰ Sr, ²⁴¹ Am and plutonium	Four radionuclides were found in two of the ducks from the Advanced Test Reactor complex. Three of these were also detected in the edible tissues of these two ducks. These were likely to have originated from wastewater ponds at the facility. A dose of 0.032 mrem was calculated from consumption of an entire duck with the detected concentrations. No human- made radionuclides were found in a sample from the Materials and Fuels Complex. Plutonium-239/240 was found in the edible tissue of one control duck but was just above the minimum detectable concentration. Strontium-90 was also found in one control duck.
Large Game Animals	Tissue	Gamma-emitting radionuclides	No human-made gamma- emitting radionuclides were found in the tissues of one game animal sampled in the fourth quarter.
Potatoes	Vegetation	Gamma-emitting radionuclides, ⁹⁰ Sr	No human-made gamma- emitting radionuclides were found in any of the ten samples collected. Strontium-90 was detected in one sample at a low concentration similar to one found in the previous year.
Milk	Liquid	lodine-131, other gamma- emitting radionuclides, ⁹⁰ Sr, tritium	 No lodine-131 or other human- made gamma emitting radionuclides were detected. Strontium-90 was detected in five of eight samples analyzed including a control sample from out-of-state. All concentrations were well within the range of detections during the past few years. Tritium was also detected in five of eight samples analyzed at a concentration similar to those found in other liquid media.
			in two of the surface water samples. The results were well below the DCS for tritium in drinking water.

made using both thermoluminescent dosimeters (TLDs) and optically-stimulated luminescent dosimeters (OSLDs). Both dosimeter types showed a similar pattern with somewhat higher measurements at Distant locations than Boundary locations.

LIST OF ABBREVIATIONS

AEC	Atomic Energy Commission
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	Department of Energy
DOE – ID	Department of Energy Idaho Operations Office
EAL	Environmental Assessment Laboratory
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ERAMS	Environmental Radiation Ambient Monitoring System
ESER	Environmental Surveillance, Education, and Research
GSS	Gonzales Stoller Surveillance, LLC
ICP	Idaho Cleanup Project
INL	Idaho National Laboratory
INEL	Idaho National Engineering Laboratory
INEEL	Idaho National Engineering and Environmental Laboratory
ISU	Idaho State University
MDC	minimum detectable concentration
NRTS	National Reactor Testing Station

LIST OF UNITS

- Bq becquerel
- Ci curie
- g gram
- L liter
- µCi microcurie
- mL milliliter
- pCi picocurie

1. ESER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under a number of acts (e.g. the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2003). During calendar year 2014, environmental monitoring within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors, while monitoring outside the INL Site boundaries was conducted under the Environmental Surveillance, Education, and Research (ESER) Program. At the beginning of the first quarter of 2011, the ESER Program became led by a new partnership between S.M. Stoller and Jerome Gonzales Management Systems, Inc. with the support of the previous team members. This partnership is named Gonzales Stoller Surveillance, LLC (GSS). The ESER Program was led by GSS in cooperation with its team members, including the University of Idaho, Idaho State University (ISU), and ALS Environmental.

This report contains monitoring results from the ESER Program for samples collected during the fourth quarter of 2014 (October 1-December 31, 2014).

The surveillance portion of the ESER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely through the use of reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- moisture in air at four locations around the INL Site
- precipitation from three locations on and around the INL Site
- drinking water from eight locations and surface water from three locations around the INL Site
- agricultural products, including milk at seven dairies around the INL Site, potatoes from at least six local producers, alfalfa from a local producer, grain (wheat and barley) from approximately 10 local producers, and lettuce from approximately nine home-owned and portable gardens on and around the INL
- soil from 13 locations around the INL Site biennially
- environmental dosimeters from 17 locations semi-annually
- various numbers of wildlife including big game (pronghorn, mule deer, and elk) and waterfowl sampled on and near the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Analyses requiring radiochemistry including strontium-90 (⁹⁰Sr), plutonium-238 (²³⁸Pu), plutonium-239/240 (^{239/240}Pu), and americium-241 (²⁴¹Am) were performed by ALS Environmental of Fort Collins, Colorado.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet [previously known as the Environmental Radiation Ambient Monitoring System (ERAMS) network] (EPA 2013). The EPA established the ERAMS network in 1973 with an emphasis on identifying trends in the accumulation of long-lived radionuclides in the environment. ERAMS was renamed RadNet in 2005 to reflect a new mission. RadNet is comprised of a nationwide network of sampling stations that provide air, precipitation, drinking water, and milk samples. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (<u>http://www.epa.gov/narel/radnet/</u>).


Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data and for preparing quarterly reports on results from the environmental surveillance program. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.


The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably have an effect on the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, *s*, where "*s*" is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is

statistically different from background. The ESER has adopted guidelines developed by the United States Geological Survey (Bartholomay, et al. 2003), based on an extension of a method proposed by Currie (1984), to interpret analytical results and make decisions concerning detection. Most of the following discussion is taken from Bartholomay et al (2003).

Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). Instrument signals for the target and blank vary randomly about the true signals and may overlap making it difficult to distinguish between radionuclide activities in blank and in environmental samples (Figure 1). That is, the variability around the sample result may substantially overlap the variability around a net activity of zero for samples with no radioactivity. In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection.





In the laboratory, instrument signals must exceed a critical level of 1.6s before the qualitative decision can be made as to whether the radionuclide was detected in a sample. At 1.6s there is about a 95-percent probability that the correct conclusion—not detected—will be made. Given a large number of samples, approximately 5 percent of the samples with measured concentrations greater than or equal to 1.6s, which were concluded as being detected, might not contain the radionuclide. These are referred to as false positives. For purposes of simplicity and consistency with past reporting, the ESER has rounded the 1.6s critical level estimate to 2s.

Once the critical level has been defined, the minimum detectable concentration may be determined. Concentrations that equal 3s represent a measurement at the detection level or minimum detectable concentration. For true concentrations of 3s or greater, there is a greater than 99-percent probability that the radionuclide was detected in the target sample. In a large number of samples, the conclusion—not detected—will be made in less than one percent of the samples with true concentrations at the minimum detectable concentration of 3s. These

measurements are known as false negatives. The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being "detected with confidence."

Concentrations between 2s and 3s are reported as "questionably detected". That is, the radionuclide may be present in the sample; however, the detection may not be reliable. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a particular radionuclide is typically detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is little confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

For more information concerning the ESER Program, contact GSS at (208) 525-8250, or visit the Program's web page (<u>http://www.gsseser.com</u>).

2. THE INL SITE

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi² (2,300 km²) of the upper Snake River Plain in Southeastern Idaho. The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005 the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories.

The cleanup operation, the ICP, is now a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process.



3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (¹³¹I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the fourth quarter of 2014 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011) values is provided in Appendix B.

LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the fourth quarter of 2014 (Figure 2). Four of these samplers are located on the INL Site, seven are situated off the INL Site near the boundary, and seven have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2014, one replicate sampler was moved to Idaho Falls (a Distant location) and one was moved to Main Gate (an INL Site location). An average of 21,050 ft³ (596 m³) of air was sampled at each location, each week, at an average flow rate of 2.09 ft³/min (0.06 m³/min). Particulates in air were collected on membrane particulate filters (1.2- μ m pore size). Gases passing through the filter were collected with an activated charcoal cartridge.




Figure 2. Low-volume air sampler locations.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thinwindow gas flow proportional counting systems after waiting about four days for naturallyoccurring daughter products of radon and thorium to decay. The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ⁹⁰Sr, ²³⁸Pu, ^{239/240}Pu, and ²⁴¹Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (¹³¹I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ¹³¹I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha data are tested for normality prior to statistical analyses, and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, the nonparametric Kruskal-Wallis test of multiple independent groups was used to test for statistical differences between INL Site, Boundary, and Distant locations. The use of nonparametric tests, such as Kruskal-Wallis, gives less weight to outlier and extreme values thus allowing a more appropriate comparison of data groups. A statistically significant difference exists between data groups if the (p) value is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. For the quarter, there was no statistical difference noted in the data, as the p-value was above 0.05.

Comparisons of gross alpha concentrations were made for each month of the quarter. Again the Kruskal-Wallis test of multiple independent groups was use d to determine if statistical differences exist between INL Site, Boundary, and Distant data groups. No statistical differences in gross alpha concentrations between groups were noted during any month (Table D-1).

As an additional check, comparisons between gross alpha concentrations measured at Boundary and Distant locations were made on a weekly basis. The Mann-Whitney U test was used to compare the Boundary and Distant data because it is the most powerful nonparametric alternative to the t-test for independent samples. INL Site sample results were not included in this analysis because the onsite data, collected at only three locations, are not representative of the entire INL Site and would not aid in determining offsite impacts. In the fourth quarter, there was one week where a statistical difference existed between the two sample groups (Table D-2). This was during the week of November 19, when the Boundary stations were statistically higher than the Distant locations. This appears to be mostly due to an unexpectedly low gross alpha concentration at Jackson, which appears to be out of line with the rest of the stations.

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. The data are tested quarterly and generally are found to be neither normally nor log-normally distributed. Box and whiskers plots were used for presentation of the data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past five years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures. A statistical difference was noted in the quarterly data and during each month of the quarter using the Kruskal-Wallis test (Table D-1). This is discussed further below.

Comparison of weekly Boundary and Distant gross beta data sets, using the Mann Whitney U test, showed a statistical difference between Boundary and Distant measurements during six of the last seven weeks of the quarter (Table D-1).

The gross beta data were further analyzed on a weekly basis using scatter plots to determine if there was a particular trend that resulted in the statistical differences noted. No

clear trend was found. There appeared to be some general tendency toward lower concentrations at locations in the valley from Blackfoot through Idaho Falls and Sugar City. There were also lower concentrations in Jackson during certain weeks, but some of this was due to a slightly different sampling schedule at that location around some of the holidays. Sometimes in the winter months persistent inversion conditions set up that result in higher gross beta concentrations (more prevalent in the valley sites) but in 2014 these periods were more limited than in other years. From Figures 7 through 10 it can be seen that variations in gross beta concentrations, while statistically significant, are relatively small between individual locations.

lodine-131 was not detected in any of the 28 sets of charcoal cartridges measured during the fourth quarter. Weekly ¹³¹I results for each location are listed in Table C-2 of Appendix C.

No ¹³⁷Cs or other human-made gamma-emitting radionuclides were found in quarterly composites. Specific actinides (plutonium and americium) and ⁹⁰Sr were also not detected in any sample. All quarterly composite results are found in Appendix C, Table C-3.

ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for 11 atmospheric moisture samples collected during the fourth quarter of 2014. Two of these exceeded the 3s uncertainty level for tritium, with similar results to those reported previously. Results also remain similar between the four sampling locations. All samples were significantly below the DOE DCS for tritium in air of $1.4 \times 10^{-8} \,\mu\text{Ci/mL}_{air}$ with a maximum reported value of 7.9 x $10^{-13} \,\mu\text{Ci/mL}_{air}$ at Blackfoot. Results are shown in Table C-4, Appendix C.




Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the fourth quarter of 2014.




Figure 4. October gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location except Sugar City (N = 4).




Figure 5. November gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 6. December gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location.




Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the fourth quarter of 2014.




Figure 8. October gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location except Sugar City (N = 4).




Figure 9. November gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location.




Figure 10. December gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location.

4. PRECIPITATION AND WATER SAMPLING

PRECIPITATION SAMPLING

Precipitation samples are gathered when sufficient precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls and CFA, and weekly from the EFS. Precipitation samples are analyzed for tritium. Storm events in the fourth quarter of 2014 produced sufficient precipitation to yield 16 samples.

Tritium was measured above the 3s values in 12 of the 16 samples. These results are listed in Table C-5 (Appendix C). Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere and the remnants of fallout from nuclear weapons testing. When detected, tritium values have remained well within the historical range and the range measured across the country by the EPA Radnet program (EPA 2013). Most samples have values up to about 150 pCi/L, with occasional values ranging up to about 300 pCi/L. The maximum value in the fourth quarter was at the higher end of this range, measuring 311 pCi/L in a December EFS sample.

WATER SAMPLING

Drinking water samples were collected at eight locations. A control sample of bottled water was also prepared. Surface water samples were collected at three Thousand Springs locations (plus a duplicate). All samples were analyzed for gross alpha, gross beta, and tritium. Results are listed in Table C-6 of Appendix C.

Gross alpha activity was detected in one of the surface water samples (the duplicate sample from Alpheus Spring) at a level slightly above the minimum detectable concentration. Gross beta activity was detected in all of the drinking water samples except the sample from Shoshone and the control sample, and in all of the surface water samples. All concentrations were generally similar to previous results from drinking and surface water sampling. Natural levels of radioactive decay products of thorium and uranium exist in the Snake River Plain Aquifer and are the likely source of the measured concentrations.

Tritium was also detected in four of the drinking water samples and two of the four surface water samples. The concentrations were similar to those found in atmospheric moisture and precipitation samples and were consistent with previous results, with a maximum of 109 pCi/L at Howe. The results are well below the DCS of 1.9×10^6 pCi/L for tritium in drinking water.



5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the third quarter, while potatoes are collected during the fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and agricultural products samples available during the fourth quarter of 2014.

MILK SAMPLING

Milk samples were collected weekly in Idaho Falls. Monthly samples were collected at six other locations around the INL Site (Figure 11) during the fourth quarter of 2014. The Fort Hall dairy resumed operations during November. In addition, commercially-available organic milk was purchased as a control sample each month. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on Iodine-131.

lodine-131 was not detected in any weekly or monthly samples during the fourth quarter. No other human-made gamma-emitting radionuclides were found either. Data for ¹³¹I and ¹³⁷Cs in milk samples are listed in Appendix C, Table C-7.

Results for ⁹⁰Sr and tritium are listed in Appendix C, Table C-8. Strontium-90 was detected in five of the eight of the samples, including the control sample. The maximum concentration of 0.54 pCi/L from Terreton is in the middle of the range of concentrations for the past several years. The presence of ⁹⁰Sr at similar levels in samples from near the INL Site and distant from the INL Site (as well as the organic milk from Colorado), does not indicate an INL Site impact of the results. There is no DCS for ⁹⁰Sr in milk; however, for comparison the results were well below the drinking water DCS of 1.1 x 10³ pCi/L.

Tritium was detected in five of eight samples analyzed. All results were similar to those previously measured and similar to those found in other liquid media like precipitation. There is no DCS for tritium in milk, but the results were well below the DCS for tritium in drinking water $(1.9 \times 10^6 \text{ pCi/L})$.




Figure 11. ESER milk sampling locations

POTATO SAMPLING

Locally-grown potatoes from seven locations and one duplicate were analyzed for gamma-emitting radionuclides and ⁹⁰Sr. A control sample from a local grocery store was also analyzed. No human-made gamma-emitters were found in any sample. Strontium-90 was detected in one sample from Hamer. This radionuclide is present in the soil as a result of worldwide fallout from nuclear weapons testing, but it is only occasionally detected in potato samples. This is because potatoes are generally less efficient at removing radioactive elements from soil than leafy vegetables such as lettuce. Data for potato samples are listed in Appendix C, Table C-9.

LARGE GAME ANIMAL SAMPLING

One large game animal, an elk, was sampled in the fourth quarter. Samples were taken of muscle tissue and the thyroid. No human-made gamma-emitting radionuclides were detected in either of the tissues. Data for ¹³⁷Cs and ¹³¹I in game samples are listed in Appendix C, Table C-10.

WATERFOWL SAMPLING

Three samples from wastewater ponds located at the Advanced Test Reactor Complex (ATR Complex) and one sample from ponds near the Materials and Fuels Complex (MFC) plus three control samples were analyzed for gamma-emitting radionuclides, ⁹⁰Sr, and actinides (²⁴¹Am, ²³⁸Pu, and ^{239/240}Pu). Each sample was divided into the following three sub-samples: 1) edible tissue (muscle, gizzard, heart, and liver), 2) external portion (feathers, feet, and head), and 3) all remaining tissue. Results are shown in Appendix C, Table C-11. During the summer of 2020, a review of Appendix C, Table C-11 determined the activity concentration values reported for the media were correct, however, the unit of concentration listed in the column headings were incorrect. Prior to 2010, concentrations were reported in either pCi/g or pCi/kg. In 2010, the concentration unit of pCi/kg was adopted for reporting radionuclide concentrations in soil and biota (vegetation and animals). The reasons for doing this include: 1) the use of one unit (pCi/kg) ensures consistency and comparability in reporting concentrations in various media, 2) the use of one unit (pCi/kg) minimizes mistakes (due to confusion about units) in data entry into the database, and 3) the unit of pCi/kg was selected because it is the unit associated with models that are used for dose calculations and the results tend to be whole numbers (e.g. 14 pCi/kg versus 0.014 pCi/g). The column headings have been updated to the correct units of concentration [pCi/kg and (x10⁻²) Bg/kg].

A total of five human-made radionuclides were detected in the samples from at least one of the ducks collected at the ATR Complex ponds. These included ¹³⁷Cs, cobalt-60 (⁶⁰Co), selenium-75 (⁷⁵Se), ⁹⁰Sr, and zinc-65 (⁶⁵Zn). All of these were also detected in the edible tissues with the exception of ⁹⁰Sr.

No human-made radionuclides were found in the sample from MFC.

In the control ducks, ^{239/240}Pu was detected in one sample just above the detection limit (in the edible portion) and ⁹⁰Sr was detected in the edible and remainder portions of one of the ducks. Fallout from historical nuclear weapons testing may be the source of these radionuclides.

Because more human-made radionuclides were found in ducks from ATR Complex than other locations and at higher levels, it is assumed that the evaporation pond associated with this facility is the source of these radionuclides. Many of these radionuclides are also present in other onsite and/or offsite sources these birds may have been exposed to, so sources other than the ATR Complex cannot be ruled out. The ducks were not taken directly from the twocelled hypalon-lined radioactive wastewater evaporation pond, but rather from an adjacent sewage lagoon. However, the ducks probably also spent time at the evaporation pond. Selenium-75 was detected historically in the TRA low-level waste disposal pond (Halford et al. 1980, Halford et al. 1982, Warren et al. 2001), which was replaced by the hypalon-lined evaporation pond at the ATR Complex in 1993. This was the first time it has been measured in waterfowl since the current pond has been installed. The DOE Radiological Sciences and Environmental Laboratory confirmed the detection. ATR Complex performs monthly sampling and analysis of wastewater disposed to the pond and did not detect Se-75 in any of the samples. We suspect that the source is sediment in the ATR Complex pond. Sediment samples will be collected when the pond receives a new liner to help confirm this.

A dose was calculated based on the maximum concentrations found in the edible portion of a duck from the ATR Complex, using the assumption that the entire edible portion of the duck is eaten immediately after it leaves the facility. The calculated dose for 2014 was 0.032 mrem, almost the same as the 0.036 mrem for 2013. While the dose was higher during the 2013 and 2014 sampling periods than the previous few years it is substantially below the 0.89 mrem reported in ducks during a study conducted during the 1990s (Warren et al 2001).

6. ENVIRONMENTAL RADIATION

An array of thermoluminescent dosimeters (TLDs) is distributed throughout the Eastern Snake River Plain to monitor for environmental radiation. In November 2011 the ESER Program also placed optically stimulated luminescent dosimeters (OSLDs) in the same locations as the TLDs to run a side-by-side comparison of the two dosimeter technologies. Two OSLDs are in place at each location. TLDs and OSLDs are changed out in May and again in November after six months in the field.

Results from the fourth quarter TLDs are presented in Appendix C, Table C-12. The result from the Blackfoot location was considered to be invalid. At the start of the prior sampling period, the dosimeter was moved from an area that was becoming inaccessible within the Idaho Transportation Department maintenance yard. The results for the sampling period were about twice the average for the other locations. A survey with a hand-held radiation meter found an area of gravel in the vicinity of the dosimeter with radiation readings about double the average value for background radiation. This was likely due to naturally-occurring radioactive elements in the gravel material. The dosimeter was relocated to an area with normal background readings two months into the sampling period that ended in November 2014.

Similar to the low-volume air results the environmental dosimeter locations are also divided into Boundary and Distant groupings. For the Boundary group, six-month exposures ranged from 51.6 milliRotengens (mR) at Blue Dome to 64.2 mR at Mud Lake. The overall Boundary exposure was 54.7 mR. Distant exposures ranged from 51.4 mR at Dubois to 76.0 mR for the TLD at Sugar City. The average Distant exposure was 61.0 mR.

OSLD results from the fourth quarter followed a similar pattern to the TLDs (Appendix C, Table C-13). OSLDs are presented in dose units of millirem (mrem). Boundary OSLD values ranged from 43.65 mrem at Blue Dome to 63.60 mrem at Mud Lake, with an overall average of 51.57 mrem. Distant results varied from 52.00 mrem at Dubois to 82.05 mrem at Sugar City. The Distant average was 59.8 mrem.

7. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

- 1. method uncertainty
- 2. data completeness
- 3. data accuracy, using spike, performance evaluation and laboratory control samples
- 4. data precision, using split samples, duplicate samples and recounts
- 5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (GSS 2012). Criteria established by DOE for Quality Assurance activities include:

- Quality assurance program
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

Assessments of ESER data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives. These assessments are documented in the ESER Quality Assurance for the Fourth Quarter of 2014 (GSS 2015).

8. **REFERENCES**

- Bartholomay, R.C., Knobel, L.L., and Rousseau, J.P., 2003, *Field Methods and Quality Plan for Quality-of-Water Activities, U.S. Geological Survey, Idaho National Engineering and Environmental Laboratory, Idaho*, DOE/ID-22182, January 2003.
- Currie, L.A., 1984, Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2003, "Environmental Management System," U.S. Department of Energy Order 450.1, January 2003.
- DOE, 2011, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.
- EPA, 2014, RadNet—Tracking Environmental Radiation Nationwide, Web-page: http://www.epa.gov/narel/radnet/
- GSS, 2012, Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program, Environmental Surveillance, Education and Research Program, April 2012.
- GSS, 2015, *Environmental Quality Assurance Report 4th Quarter 2014*, Environmental Surveillance, Education, and Research Program, May 2015
- Halford, D. K., J. B. Millard, and O. D. Markham, 1980, "Radionuclide Concentrations in Waterfowl Using a Liquid Radioactive Waste Disposal Area and the Potential Radiation Dose to Man", *Health Physics*, Vol 40 (February), pp. 172-181.
- Halford, D. K., O. D. Markham, and Richard Dickson, 1982, "Radiation Doses to Waterfowl Using a Liquid Radioactive Waste Disposal Area", *Journal of Wildlife Management*, Vol. 46, No. 4, October 1982.
- ICRP, 2009, ICRP Publication 114: Environmental Protection: Transfer Parameters for Reference Animals and Plants, Annals of the International Commission on Radiological Protection (ICRP), December 2009.
- Warren, R. W., S. J. Majors, and R. C. Morris, 2001, Waterfowl Uptake of Radionuclides from the TRA Evaporation Ponds and Potential Dose to Humans Consuming Them, Stoller-ESER 01- 40, S.M. Stoller Corporation.

APPENDIX A

SUMMARY OF SAMPLING SCHEDULE

Table A-1. Summary of the ESER Program's Sampling Schedule

Sample Type	Collection		LOCATIONS	
Analysis	Frequency	Distant	Boundary	INL Site
AIR SAMPLING				
LOW-VOLUME AIF	?			
Gross Alpha, Gross Beta, ¹³¹ l	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
⁹⁰ Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
ATMOSPHERIC M	OISTURE			
Tritium	2 to 13 weeks	Blackfoot, Idaho Falls, Sugar City	Atomic City	None
PRECIPITATION				
Tritium	monthly	Idaho Falls	None	CFA
Tritium	weekly	None	None	EFS
DRINKING WATER	?			
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None
SURFACE WATER				
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
ENVIRONMENT		N SAMPLING		
TLDs/OSLDs				
Gamma Radiation	semiannual	Aberdeen, Blackfoot (2), Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Sugar City, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Monteview, Mud Lake	None
SOIL SAMPLING				
SOIL				
Gamma Spec, ⁹⁰ Sr, Transuranics	biennially	Carey, Crystal Ice Caves (Aberdeen), Blackfoot, St. Anthony	Butte City, Monteview, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None

Sample Type			LOCATIONS			
Analysis	Collection Frequency	Distant	Boundary	INL Site		
FOODSTUFF SA	MPLING					
MILK						
Gamma Spec (¹³¹ I)	weekly	Idaho Falls	None	None		
Gamma Spec (¹³¹ I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None		
Tritium, ⁹⁰ Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None		
POTATOES						
Gamma Spec, ⁹⁰ Sr	annually	Blackfoot, Idaho Falls, Rupert, Shelley, Hamer, occasional samples across the U.S.	Arco, Monteview, Mud Lake, Terreton	None		
ALFALFA						
Gamma Spec, ⁹⁰ Sr	annually	None	Mud Lake	None		
GRAIN						
Gamma Spec, ⁹⁰ Sr	annually	American Falls, Blackfoot, Carey, Idaho Falls, Minidoka, Roberts	Arco, Monteview, Mud Lake, Taber, Terreton	None		
LETTUCE						
Gamma Spec, ⁹⁰ Sr	annually	Blackfoot, Carey, Idaho Falls, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview	EFS		
BIG GAME				1		
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads		
WATERFOWL						
Gamma Spec, ⁹⁰ Sr, Transuranics annually		Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewate disposal ponds		

Table A-1. Summary of the ESER Program's Sampling Schedule (continued)

APPENDIX B

SUMMARY OF MDCs AND DCSs

Sample Type	Analysis	Approximate Minimum Detectable Concentration ^a (MDC)	Derived Concentration Standard ^b (DCS)
	Gross alpha ^c	4.52 x 10 ⁻¹⁶ µCi/mL	4 x 10 ⁻¹⁴ µCi/mL
	Gross beta ^d	1.23 x 10 ⁻¹⁵ μCi/mL	2.4 x 10 ⁻¹³ µCi/mL
	⁹⁰ Sr	1.65 x 10 ⁻¹⁷ μCi/mL	2.5 x 10 ⁻¹¹ µCi/mL
Air	¹³⁷ Cs	6.71 x 10 ⁻¹⁷ μCi/mL	3.9 x 10 ⁻¹⁰ µCi/mL
(particulate filter) ^e	²³⁸ Pu	3.19 x 10 ⁻¹⁸ μCi/mL	3.7 x 10 ⁻¹⁴ µCi/mL
	^{239/240} Pu	3.27 x 10 ⁻¹⁸ μCi/mL	3.4 x 10 ⁻¹⁴ µCi/mL
	²⁴¹ Am	3.22 x 10 ⁻¹⁸ µCi/mL	1.8 x 10 ⁻¹² µCi/mL
Air (charcoal cartridge) ^e	¹³¹	9.25 x 10 ⁻¹⁶ µCi/mL	2.3 x 10 ⁻¹⁹ µCi/mL
Air (atmospheric moisture)	³ Н	77.5 pCi/L _{water}	2.1 x 10 ⁻⁷ μCi/mL _{air}
Air (precipitation)	³ Н	78.7 pCi/L	1.9 x 10 ⁻³ µCi/mL
Water	³ Н	78.9 pCi/L	1.9 x 10 ⁻³ µCi/mL
	¹³¹	0.59 pCi/L	
N4:11-	¹³⁷ Cs	0.69 pCi/L	
Milk	³ Н	78.3 pCi/L	
	⁹⁰ Sr	0.21 pCi/L	

Table B-1.Summary of Approximate Minimum Detectable Concentrations for
Radiological Analyses Performed during Fourth Quarter 2014

a The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence. MDCs are calculated and reported by the laboratories based on actual ESER sample results following analysis.

b DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.

c The DCS for gross alpha is equivalent to the DCSs for ²⁴¹Am.

d The DCS for gross beta is equivalent to the DCSs for ²²⁸Ra

e The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 $\ensuremath{m^3/week}.$

APPENDIX C

SAMPLE ANALYSIS RESULTS

					GROSS ALPHA							GROSS BETA			
Sampling Group	Sampling		± 1s Unc				certainty				certainty			certainty	
and Location	Date	(x 1	Ι0 ⁻¹⁵ μCi/r	nL)	(x 1	0 ⁻¹¹ Bq	/mL)	Result > 3s	(x 1	0 ⁻¹⁵ µCi	/mL)	(x 1	0 ⁻¹¹ Bq	/mL)	Result > 3s
BOUNDARY															
ARCO	10/1/2014	0.64	±	0.13	2.37	±	0.49	Yes	18.40	±	0.52	68.08	±	1.94	Yes
	10/8/2014	1.39	±	0.17	5.14	±	0.64	Yes	26.00	±	0.60	96.20	±	2.22	Yes
	10/15/2014	1.24	±	0.16	4.59	±	0.60	Yes	26.30	±	0.61	97.31	±	2.24	Yes
	10/22/2014	1.84	±	0.19	6.81	±	0.70	Yes	29.00	±	0.63	107.30	±	2.33	Yes
	10/29/2014	0.60	±	0.13	2.22	±	0.49	Yes	17.00	±	0.50	62.90	±	1.86	Yes
	11/5/2014	1.09	±	0.16	4.03	±	0.59	Yes	24.80	±	0.59	91.76	±	2.16	Yes
	11/12/2014	1.48	±	0.18	5.48	±	0.66	Yes	29.00	±	0.62	107.30	±	2.28	Yes
	11/19/2014	1.93	±	0.20	7.14	±	0.74	Yes	45.80	±	0.77	169.46	±	2.83	Yes
	11/26/2014	2.33	±	0.21	8.62	±	0.76	Yes	39.10	±	0.70	144.67	±	2.59	Yes
	12/3/2014	1.11	±	0.15	4.11	±	0.57	Yes	18.80	±	0.52	69.56	±	1.91	Yes
	12/10/2014	1.14	±	0.17	4.22	±	0.63	Yes	28.60	±	0.63	105.82	±	2.33	Yes
	12/17/2014	1.56	±	0.18	5.77	±	0.67	Yes	29.00	±	0.63	107.30	±	2.33	Yes
	12/24/2014	0.55	±	0.15	2.05	±	0.54	Yes	18.90	±	0.53	69.93	±	1.96	Yes
	12/31/2014	0.57	±	0.16	2.12	±	0.57	Yes	14.70	±	0.45	54.39	±	1.67	Yes
ATOMIC CITY	10/1/2014	0.98	±	0.15	3.61	±	0.57	Yes	16.10	±	0.51	59.57	±	1.88	Yes
	10/8/2014	1.36	±	0.18	5.03	±	0.66	Yes	30.90	±	0.66	114.33	±	2.44	Yes
	10/15/2014	1.42	±	0.17	5.25	±	0.64	Yes	28.80	±	0.65	106.56	±	2.39	Yes
	10/22/2014	1.34	±	0.17	4.96	±	0.64	Yes	31.00	±	0.67	114.70	±	2.46	Yes
	10/29/2014	1.16	±	0.16	4.29	±	0.61	Yes	17.10	±	0.52	63.27	±	1.92	Yes
	11/5/2014	1.01	±	0.16	3.74	±	0.59	Yes	24.10	±	0.59	89.17	±	2.18	Yes
	11/12/2014	1.17	±	0.17	4.33	±	0.63	Yes	26.50	±	0.61	98.05	±	2.25	Yes
	11/19/2014	1.45	±	0.18	5.37	±	0.67	Yes	51.60	±	0.80	190.92	±	2.95	Yes
	11/26/2014	1.58	±	0.19	5.85	±	0.70	Yes	40.50	±	0.74	149.85	±	2.75	Yes
	12/3/2014	1.01	±	0.15	3.74	±	0.57	Yes	17.90	±	0.52	66.23	±	1.94	Yes
	12/10/2014 12/17/2014	1.20	±	0.18	4.44	±	0.65	Yes Yes	36.30 31.70	±	0.70 0.68	134.31	± ±	2.59	Yes Yes
	12/17/2014	1.56 0.44	±	0.19 0.15	5.77 1.63	±	0.70 0.55	No	17.20	±	0.68	117.29 63.64		2.50 1.98	Yes
	12/24/2014	0.44 1.37	±	0.15 0.21	5.07	±	0.55	Yes	17.20	±	0.54	65.86	±	1.98	Yes
BLUE DOME	10/1/2014	0.89	± ±	0.21	3.29	± ±	0.77	Yes	17.80	± ±	0.53	62.53	± ±	2.00	Yes
BLOL DOML	10/8/2014	1.05	±	0.10	3.89	±	0.64	Yes	28.60	±	0.54	105.82	±	2.00	Yes
	10/15/2014	1.31	±	0.17	4.85	±	0.63	Yes	27.50	±	0.64	103.82	±	2.47	Yes
	10/22/2014	1.31	±	0.17	4.83	±	0.64	Yes	27.50	±	0.65	101.73	±	2.30	Yes
	10/29/2014	0.74	±	0.17	2.72	±	0.56	Yes	17.60	±	0.55	65.12	±	2.40	Yes
	11/5/2014	1.28	±	0.18	4.74	±	0.67	Yes	22.90	±	0.61	84.73	±	2.00	Yes
	11/12/2014	1.43	±	0.19	5.29	±	0.07	Yes	27.30	±	0.65	101.01	±	2.20	Yes
	11/19/2014	1.57	±	0.19	5.81	±	0.69	Yes	43.70	±	0.75	161.69	±	2.79	Yes
	11/26/2014	1.45	±	0.18	5.37	±	0.66	Yes	33.50	±	0.68	123.95	±	2.52	Yes
	12/3/2014	0.67	±	0.14	2.48	±	0.53	Yes	19.90	±	0.57	73.63	±	2.10	Yes
	12/10/2014	1.45	±	0.19	5.37	±	0.71	Yes	27.00	±	0.65	99.90	±	2.40	Yes
	12/17/2014	0.99	±	0.17	3.67	±	0.62	Yes	26.50	±	0.65	98.05	±	2.39	Yes
	12/24/2014	0.30	±	0.15	1.10	±	0.56	No	17.40	±	0.57	64.38	±	2.09	Yes
	12/31/2014	0.68	±	0.19	2.53	±	0.69	Yes	16.90	±	0.53	62.53	±	1.98	Yes
FAA TOWER	10/1/2014	0.71	±	0.14	2.61	±	0.51	Yes	17.50	±	0.52	64.75	±	1.92	Yes
	10/8/2014	1.04	±	0.16	3.85	±	0.61	Yes	23.20	_ ±	0.60	85.84	±	2.22	Yes
	10/15/2014	1.46	±	0.17	5.40	±	0.63	Yes	24.90	±	0.60	92.13	±	2.22	Yes
	10/22/2014	1.26	±	0.17	4.66	±	0.63	Yes	31.60	±	0.67	116.92	±	2.47	Yes
	10/29/2014	0.50	±	0.13	1.84	±	0.48	Yes	14.50	±	0.49	53.65	±	1.81	Yes
	11/5/2014	0.94	±	0.15	3.48	±	0.57	Yes	22.00	±	0.57	81.40	±	2.09	Yes
	11/12/2014	0.89	±	0.16	3.31	±	0.59	Yes	23.90	±	0.59	88.43	±	2.18	Yes
	11/19/2014	1.48	±	0.18	5.48	±	0.67	Yes	45.80	±	0.75	169.46	±	2.77	Yes
	11/26/2014	1.27	±	0.17	4.70	±	0.63	Yes	33.60	±	0.67	124.32	±	2.49	Yes
	12/3/2014	1.11	±	0.16	4.11	±	0.58	Yes	17.20	±	0.52	63.64	±	1.91	Yes
	12/10/2014	0.77	±	0.15	2.86	±	0.57	Yes	25.00	±	0.60	92.50	±	2.21	Yes

	_				GROSS ALPHA							GROSS BETA			
Sampling Group	Sampling			certainty			certainty				certainty			certainty	
and Location	Date		10 ⁻¹⁵ µCi/			0 ⁻¹¹ Bq		Result > 3s		0 ⁻¹⁵ µCi			0 ⁻¹¹ Bq		Result > 3s
	12/17/2014	0.92	±	0.16	3.39	±	0.58	Yes	26.00	±	0.62	96.20	±	2.28	Yes
	12/24/2014	0.46	±	0.15	1.71	±	0.55	Yes	14.90	±	0.51	55.13	±	1.88	Yes
	12/31/2014	0.68	±	0.17	2.50	±	0.64	Yes	17.10	±	0.51	63.27	±	1.88	Yes
HOWE	10/1/2014	0.76	±	0.14	2.83	±	0.50	Yes	15.60	±	0.48	57.72	±	1.78	Yes
	10/8/2014	1.28	±	0.18	4.74	±	0.65	Yes	29.00	±	0.65	107.30	±	2.41	Yes
	10/15/2014	1.84	±	0.18	6.81	±	0.67	Yes	24.80	±	0.58	91.76	±	2.14	Yes
	10/22/2014	1.19	±	0.16	4.40	±	0.60	Yes	30.00	±	0.64	111.00	±	2.38	Yes
	10/29/2014	0.89	±	0.15	3.30	±	0.55	Yes	16.30	±	0.50	60.31	±	1.86	Yes
	11/5/2014	1.66	±	0.19	6.14	±	0.69	Yes	25.50	±	0.60	94.35	±	2.22	Yes
	11/12/2014	0.90	±	0.16	3.32	±	0.58	Yes	29.80	±	0.63	110.26	±	2.32	Yes
	11/19/2014	1.79	±	0.19	6.62	±	0.69	Yes	47.50	±	0.75	175.75	±	2.76	Yes
	11/26/2014	1.38	±	0.18	5.11	±	0.68	Yes	34.10	±	0.71	126.17	±	2.64	Yes
	12/3/2014	1.67	±	0.20	6.18	±	0.74	Yes	20.60	±	0.60	76.22	±	2.23	Yes
	12/10/2014	1.26	±	0.19	4.66	±	0.69	Yes	29.70	±	0.68	109.89	±	2.50	Yes
	12/17/2014	0.91	±	0.17	3.35	±	0.64	Yes	29.80	±	0.71	110.26	±	2.62	Yes
	12/24/2014	0.33	±	0.16	1.20	±	0.59	No	18.40	±	0.60	68.08	±	2.20	Yes
	12/31/2014	0.93	±	0.19	3.45	±	0.71	Yes	16.40	±	0.51	60.68	±	1.90	Yes
MONTEVIEW	10/1/2014	0.93	±	0.22	3.43	±	0.80	Yes	25.20	±	0.82	93.24	±	3.04	Yes
	10/8/2014	1.62	±	0.20	5.99	±	0.74	Yes	27.80	±	0.67	102.86	±	2.49	Yes
	10/15/2014	1.56	±	0.19	5.77	±	0.68	Yes	25.30	±	0.64	93.61	±	2.35	Yes
	10/22/2014	1.85	±	0.20	6.85	±	0.75	Yes	28.30	±	0.67	104.71	±	2.49	Yes
	10/29/2014	0.75	±	0.16	2.77	±	0.58	Yes	17.30	±	0.56	64.01	±	2.07	Yes
	11/5/2014	1.52	±	0.19	5.62	±	0.71	Yes	21.50	±	0.60	79.55	±	2.20	Yes
	11/12/2014	0.85	±	0.17	3.15	±	0.63	Yes	27.60	±	0.66	102.12	±	2.45	Yes
	11/19/2014	2.24	±	0.22	8.29	±	0.82	Yes	48.50	±	0.82	179.45	±	3.03	Yes
	11/26/2014	2.18	±	0.22	8.07	±	0.80	Yes	36.50	±	0.73	135.05	±	2.71	Yes
	12/3/2014	1.48	±	0.19	5.48	±	0.70	Yes	21.10	±	0.61	78.07	±	2.24	Yes
	12/10/2014	2.21	±	0.23	8.18	±	0.84	Yes	35.10	±	0.74	129.87	±	2.72	Yes
	12/17/2014	1.20	±	0.19	4.44	±	0.70	Yes	26.10	±	0.68	96.57	±	2.51	Yes
	12/24/2014	0.70	±	0.17	2.60	±	0.64	Yes	16.60	±	0.56	61.42	±	2.08	Yes
	12/31/2014	0.92	±	0.19	3.42	±	0.71	Yes	17.60	±	0.53	65.12	±	1.95	Yes
MUD LAKE	10/1/2014	0.91	±	0.15	3.35	±	0.56	Yes	16.80	±	0.53	62.16	±	1.94	Yes
	10/8/2014	1.53	±	0.18	5.66	±	0.68	Yes	26.50	±	0.62	98.05	±	2.29	Yes
	10/15/2014	2.15	±	0.21	7.96	±	0.76	Yes	28.50	±	0.65	105.45	±	2.41	Yes
	10/22/2014	1.81	±	0.19	6.70	±	0.71	Yes	33.00	±	0.67	122.10	±	2.49	Yes
	10/29/2014	1.42	±	0.17	5.25	±	0.64	Yes	19.70	±	0.54	72.89	±	2.01	Yes
	11/5/2014	1.48	±	0.18	5.48	±	0.66	Yes	24.90	±	0.59	92.13	±	2.19	Yes
	11/12/2014	1.53	±	0.19	5.66	±	0.68	Yes	32.70	±	0.66	120.99	±	2.43	Yes
	11/19/2014	2.18	±	0.21	8.07	±	0.78	Yes	43.70	±	0.76	161.69	±	2.80	Yes
	11/26/2014	1.83	±	0.19	6.77	±	0.71	Yes	42.40	±	0.73	156.88	±	2.72	Yes
	12/3/2014	1.73	±	0.19	6.40	±	0.69	Yes	26.20	±	0.60	96.94	±	2.23	Yes
	12/10/2014	1.52	±	0.19	5.62	±	0.69	Yes	43.80	±	0.75	162.06	±	2.76	Yes
	12/17/2014	1.38	±	0.18	5.11	±	0.66	Yes	30.70	±	0.66	113.59	±	2.43	Yes
	12/24/2014	0.53	±	0.15	1.95	±	0.54	Yes	16.70	±	0.51	61.79	±	1.89	Yes
	12/31/2014	0.75	±	0.17	2.78	±	0.64	Yes	16.10	±	0.49	59.57	±	1.80	Yes
DISTANT															
BLACKFOOT	10/1/2014	0.77	±	0.13	2.86	±	0.49	Yes	14.70	±	0.46	54.39	±	1.71	Yes
	10/8/2014	1.33	±	0.17	4.92	±	0.63	Yes	25.00	±	0.59	92.50	±	2.18	Yes
	10/15/2014	1.12	±	0.15	4.14	±	0.54	Yes	20.30	±	0.53	75.11	±	1.95	Yes
	10/22/2014	1.68	±	0.19	6.22	±	0.71	Yes	31.50	±	0.68	116.55	±	2.51	Yes
	10/29/2014	0.88	±	0.15	3.25	±	0.56	Yes	16.50	±	0.51	61.05	±	1.89	Yes
	11/5/2014	1.40	±	0.18	5.18	±	0.65	Yes	22.00	±	0.57	81.40	±	2.12	Yes
	11/12/2014	1.36	±	0.18	5.03	±	0.68	Yes	24.10	±	0.61	89.17	±	2.24	Yes
				0.47	1.00		0.01		10.00		0 7 4				
	11/19/2014	1.25	±	0.17	4.63	±	0.64	Yes	42.60	±	0.74	157.62	±	2.75	Yes

					GROSS ALPHA						-	GROSS BETA			
Sampling Group	Sampling			certainty			certainty				certainty			certainty	
and Location	Date		10 ⁻¹⁵ µCi			10 ⁻¹¹ Bq		Result > 3s		Ι 0 ⁻¹⁵ μCi			0 ⁻¹¹ Bq		Result > 3s
	12/3/2014	1.12	±	0.16	4.14	±	0.59	Yes	17.30	±	0.52	64.01	±	1.92	Yes
	12/10/2014	1.52	±	0.19	5.62	±	0.70	Yes	31.80	±	0.67	117.66	±	2.48	Yes
	12/17/2014	1.91	±	0.20	7.07	±	0.75	Yes	28.70	±	0.66	106.19	±	2.42	Yes
	12/24/2014	0.58	±	0.16	2.14	±	0.57	Yes	16.60	±	0.53	61.42	±	1.95	Yes
	12/31/2014	1.22	±	0.20	4.51	±	0.75	Yes	13.10	±	0.48	48.47	±	1.77	Yes
CRATERS OF	10/1/2014	0.86	±	0.19	3.16	±	0.69	Yes	20.20	±	0.69	74.74	±	2.55	Yes
THE MOON	10/8/2014	1.39	±	0.17	5.14	±	0.64	Yes	26.30	±	0.61	97.31	±	2.24	Yes
	10/15/2014	1.13	±	0.16	4.18	±	0.57	Yes	24.70	±	0.59	91.39	±	2.20	Yes
	10/22/2014	1.14	±	0.16	4.22	±	0.59	Yes	25.00	±	0.60	92.50	±	2.22	Yes
	10/29/2014	0.56	±	0.13	2.06	±	0.48	Yes	15.00	±	0.48	55.50	±	1.79	Yes
	11/5/2014	1.01	±	0.16	3.74	±	0.58	Yes	22.90	±	0.57	84.73	±	2.10	Yes
	11/12/2014	1.30	±	0.18	4.81	±	0.65	Yes	28.00	±	0.62	103.60	±	2.28	Yes
	11/19/2014	1.37	±	0.17	5.07	±	0.64	Yes	44.70	±	0.73	165.39	±	2.70	Yes
	11/26/2014	0.93	±	0.15	3.44	±	0.56	Yes	30.40	±	0.64	112.48	±	2.36	Yes
	12/3/2014	0.63	±	0.13	2.32	±	0.47	Yes	16.10	±	0.49	59.57	±	1.80	Yes
	12/10/2014	0.69	±	0.15	2.53	±	0.54	Yes	23.30	±	0.58	86.21	±	2.15	Yes
	12/17/2014	1.08	±	0.16	4.00	±	0.58	Yes	27.70	±	0.61	102.49	±	2.25	Yes
	12/24/2014	0.13	±	0.13	0.47	±	0.47	No	14.40	±	0.49	53.28	±	1.81	Yes
	12/31/2014	0.26	±	0.14	0.98	±	0.53	No	14.30	±	0.45	52.91	±	1.67	Yes
DUBOIS	10/1/2014	0.67	±	0.15	2.48	±	0.55	Yes	16.50	±	0.55	61.05	±	2.04	Yes
	10/8/2014	0.88	±	0.16	3.24	±	0.60	Yes	25.00	±	0.63	92.50	±	2.33	Yes
	10/15/2014	1.38	±	0.18	5.11	±	0.67	Yes	27.60	±	0.67	102.12	±	2.49	Yes
	10/22/2014	1.57	±	0.19	5.81	±	0.70	Yes	27.40	±	0.66	101.38	±	2.43	Yes
	10/29/2014	0.98	±	0.17	3.63	±	0.62	Yes	17.30	±	0.56	64.01	±	2.07	Yes
	11/5/2014	1.70	±	0.20	6.29	±	0.74	Yes	20.90	±	0.59	77.33	±	2.19	Yes
	11/12/2014	0.91	±	0.17	3.37	±	0.63	Yes	26.20	±	0.64	96.94	±	2.37	Yes
	11/19/2014	1.70	±	0.20	6.29	±	0.73	Yes	40.10	±	0.75	148.37	±	2.77	Yes
	11/26/2014	1.46	±	0.19	5.40	±	0.70	Yes	33.20	±	0.71	122.84	±	2.64	Yes
	12/3/2014	1.03	_ ±	0.16	3.81	±	0.60	Yes	18.80	_ ±	0.56	69.56	±	2.06	Yes
	12/10/2014	0.95	- ±	0.17	3.51	±	0.64	Yes	23.80	_ ±	0.63	88.06	±	2.31	Yes
	12/17/2014	0.96	±	0.17	3.55	±	0.61	Yes	22.30	±	0.61	82.51	±	2.26	Yes
	12/24/2014	0.58	±	0.16	2.13	±	0.60	Yes	15.50	±	0.54	57.35	±	1.99	Yes
	12/31/2014	0.57	±	0.17	2.10	±	0.63	Yes	13.60	±	0.47	50.32	±	1.74	Yes
IDAHO FALLS	10/1/2014	0.85	±	0.14	3.14	±	0.51	Yes	16.10	±	0.48	59.57	±	1.79	Yes
ID/ TO TALLO	10/8/2014	1.70	±	0.14	6.29	±	0.67	Yes	23.60	±	0.57	87.32	±	2.10	Yes
	10/15/2014	2.04	±	0.10	7.55	±	0.73	Yes	25.20	±	0.61	93.24	±	2.10	Yes
	10/22/2014	1.42	±	0.17	5.25	±	0.64	Yes	23.20	±	0.62	100.27	±	2.20	Yes
	10/29/2014	0.75	±	0.14	2.78	±	0.53	Yes	17.60	±	0.52	65.12	±	1.94	Yes
	11/5/2014	1.20	±	0.17	4.44	±	0.61	Yes	22.00	±	0.56	81.40	±	2.08	Yes
	11/12/2014	1.20	±	0.17	5.00	±	0.66	Yes	22.00	±	0.60	92.50	±	2.08	Yes
	11/19/2014	1.35	±	0.18	5.18	±	0.65	Yes	37.60	±	0.80	139.12	±	2.21	Yes
	11/26/2014	1.40	±	0.18	5.00	±	0.63	Yes	29.70	±	0.63	109.89	±	2.35	Yes
	12/3/2014	1.35	± ±	0.17	4.33	± ±	0.63	Yes	29.70 18.80		0.63	69.56	± ±	2.35	Yes
		1.17		0.16	4.33 5.14			Yes	24.90	±	0.54	92.13		2.16	Yes
	12/10/2014 12/17/2014	1.39	±	0.17	5.14 6.03	±	0.61 0.68	Yes	24.90 25.30	±	0.58	92.13 93.61	±	2.16	Yes
			±			±				±			±		
	12/24/2014	0.67	±	0.15	2.47	±	0.56	Yes	15.00	±	0.49	55.50 44.40	±	1.82	Yes
QA-2	12/31/2014 10/1/2014	0.77	±	0.17	2.86 3.89	±	0.63	Yes Yes	12.00 15.80	±	0.43	44.40 58.46	±	1.60	Yes Yes
			±			±				±			±		
(IDAHO FALLS)	10/8/2014	1.46	±	0.19	5.40	±	0.70	Yes	27.60	±	0.66	102.12	±	2.44	Yes
	10/15/2014	1.63	±	0.18	6.03	±	0.67	Yes	22.30	±	0.59	82.51	±	2.18	Yes
	10/22/2014	1.62	±	0.19	5.99	±	0.69	Yes	30.30	±	0.66	112.11	±	2.44	Yes
	10/29/2014	1.17	±	0.16	4.33	±	0.61	Yes	17.00	±	0.52	62.90	±	1.92	Yes
	11/5/2014	0.97	±	0.16	3.59	±	0.58	Yes	20.90	±	0.56	77.33	±	2.05	Yes
	11/12/2014	1.31	±	0.18	4.85	±	0.66	Yes	25.00	±	0.60	92.50	±	2.23	Yes
	11/19/2014	1.08	±	0.16	4.00	±	0.60	Yes	37.70	±	0.70	139.49	±	2.58	Yes

	_				GROSS ALPHA							GROSS BETA			
Sampling Group	Sampling			certainty			certainty		Result	± 1s Un	certainty			certainty	
and Location	Date		10 ⁻¹⁵ µCi		•	10 ⁻¹¹ Bq		Result > 3s		10 ⁻¹⁵ μCi			0 ⁻¹¹ Bq/		Result > 3s
	11/26/2014	0.96	±	0.16	3.54	±	0.59	Yes	30.40	±	0.66	112.48	±	2.46	Yes
	12/3/2014	0.83	±	0.15	3.07	±	0.54	Yes	17.60	±	0.53	65.12	±	1.95	Yes
	12/10/2014	1.30	±	0.18	4.81	±	0.65	Yes	33.00	±	0.67	122.10	±	2.47	Yes
	12/17/2014	1.07	±	0.16	3.96	±	0.59	Yes	24.90	±	0.60	92.13	±	2.20	Yes
	12/24/2014	0.61	±	0.15	2.27	±	0.57	Yes	15.70	±	0.51	58.09	±	1.89	Yes
14.01/0.001	12/31/2014	0.58	±	0.16	2.13	±	0.60	Yes	13.90	±	0.46	51.43	±	1.69	Yes
JACKSON	10/1/2014	0.82	±	0.14	3.02	±	0.52	Yes	19.40	±	0.53	71.78	±	1.94	Yes
	10/8/2014	1.25	±	0.17	4.63	±	0.64	Yes	24.30	±	0.61	89.91	±	2.25	Yes
	10/15/2014	1.54	±	0.18	5.70	±	0.66	Yes	27.50	±	0.64	101.75	±	2.35	Yes
	10/22/2014	2.22	±	0.21	8.21	±	0.78	Yes	31.50	±	0.68	116.55	±	2.51	Yes
	10/29/2014	0.90	±	0.16	3.34	±	0.58	Yes	19.30	±	0.56	71.41	±	2.05	Yes
	11/5/2014	1.28	±	0.17	4.74	±	0.64	Yes	21.80	±	0.57	80.66	±	2.12	Yes
	11/12/2014	1.28	±	0.18	4.74	±	0.67	Yes	26.10	±	0.62	96.57	±	2.30	Yes
	11/19/2014	0.14	±	0.11	0.53	±	0.40	No	15.60	±	0.51	57.72	±	1.87	Yes
	11/26/2014	1.63	±	0.19	6.03	±	0.70	Yes	31.80	±	0.68	117.66	±	2.51	Yes
	12/3/2014	1.13	±	0.16	4.18	±	0.57	Yes	17.40	±	0.53	64.38	±	1.96	Yes
	12/10/2014	0.93	±	0.16	3.44	±	0.60	Yes	25.20	±	0.61	93.24	±	2.25	Yes
	12/17/2014	1.75	±	0.19	6.48	±	0.72	Yes	34.70	±	0.69	128.39	±	2.57	Yes
	12/24/2014	0.60	±	0.15	2.22	±	0.56	Yes	12.70	±	0.48	46.99	±	1.76	Yes
SUGAR CITY	12/31/2014	0.56	±	0.27	2.09	±	0.99	No	9.62	±	0.62	35.59	±	2.30	Yes
SUGAR CITY	10/1/2014	1.13	±	0.16	4.18	±	0.58	Yes	16.00	±	0.50	59.20	±	1.84	Yes
	10/8/2014	1.13	±	0.17	4.18	±	0.64	Yes	27.60	±	0.65	102.12	±	2.42	Yes
_	10/15/2014	1.52	±	0.18	5.62	±	0.67	Yes	21.80	±	0.59	80.66	±	2.20	Yes
а	10/22/2014	4.04	±	0.47	4.40	±	0.00	No	10.00	±	0.50	50.04	±	1.00	No
	10/29/2014	1.21	±	0.17	4.48	±	0.63	Yes	16.20	±	0.52	59.94	±	1.92	Yes
	11/5/2014	1.30	±	0.18	4.81	±	0.65	Yes	22.20	±	0.59	82.14	±	2.18	Yes
	11/12/2014	1.48	±	0.19	5.48	±	0.71	Yes	26.70	±	0.63	98.79	±	2.34	Yes
	11/19/2014	1.49	±	0.19	5.51	±	0.69	Yes	39.80	±	0.73	147.26	±	2.71	Yes
	11/26/2014	1.35	±	0.18	5.00	±	0.65	Yes	25.70	±	0.62	95.09	±	2.31	Yes
	12/3/2014	0.72 0.85	±	0.14	2.68	±	0.52	Yes Yes	13.90 20.60	±	0.49 0.56	51.43	±	1.79 2.06	Yes Yes
	12/10/2014	0.85	±	0.16	3.16 3.48	±	0.57	Yes	20.60	±		76.22 74.37	±		Yes
	12/17/2014		±	0.16		±	0.58			±	0.56		±	2.07	
	12/24/2014 12/31/2014	0.52 0.71	± ±	0.15 0.19	1.94 2.63	± ±	0.57 0.70	Yes Yes	16.20 14.20	± ±	0.52 0.51	59.94 52.54	± ±	1.94 1.88	Yes Yes
INL SITE	12/31/2014	0.71	Ŧ	0.19	2.03	Ŧ	0.70	165	14.20	Ŧ	0.51	02.04	Ŧ	1.00	162
EFS	10/1/2014	0.69	±	0.23	2.55	±	0.84	Yes	16.60	±	0.82	61.42	±	3.02	Yes
LI 5	10/8/2014	1.44	±	0.23	5.33	±	0.69	Yes	32.40	±	0.69	119.88	±	2.56	Yes
	10/8/2014	1.44	± ±	0.19	5.33 4.55	± ±	0.69	Yes	32.40 27.90	± ±	0.69	103.23	± ±	2.56	Yes
	10/13/2014	1.23	±	0.18	6.55	± ±	0.80	Yes	32.80	±	0.68	103.23	± ±	2.52	Yes
	10/22/2014	0.79	±	0.19	2.93	±	0.71	Yes	17.30	±	0.68	64.01	± ±	2.50	Yes
	11/5/2014	1.40	±	0.15	5.18	±	0.68	Yes	24.70	±	0.53	91.39	± ±	2.31	Yes
	11/12/2014	1.40	±	0.19	5.70	±	0.69	Yes	24.70	±	0.63	104.34	±	2.31	Yes
	11/19/2014	1.68	±	0.19	6.22	±	0.69	Yes	51.90	±	0.03	192.03	±	2.90	Yes
	11/26/2014	1.00	±	0.19	7.03	±	0.09	Yes	42.90	±	0.75	158.73	±	2.90	Yes
	12/3/2014	1.90	±	0.20	3.92	±	0.74	Yes	20.00	±	0.75	74.00	±	2.79	Yes
	12/10/2014	1.13	±	0.10	4.18	±	0.63	Yes	40.30	±	0.72	149.11	±	2.66	Yes
	12/10/2014	1.13	±	0.17	5.59	±	0.68	Yes	32.90	±	0.72	149.11	±	2.00	Yes
	12/24/2014	0.57	±	0.16	2.09	±	0.58	Yes	16.70	±	0.54	61.79	±	1.99	Yes
	12/31/2014	0.58	±	0.10	2.03	±	0.63	Yes	18.40	±	0.54	68.08	±	1.92	Yes
MAIN GATE	10/1/2014	1.28	±	0.17	4.74	±	0.66	Yes	27.10	±	0.65	100.27	±	2.41	Yes
	10/8/2014	1.20	±	0.18	3.77	± ±	0.63	Yes	27.10	±	0.66	100.27	± ±	2.41	Yes
	10/15/2014	1.02	±	0.17	4.22	±	0.63	Yes	29.60	±	0.66	103.97	±	2.45	Yes
	10/15/2014	1.14	± ±	0.17	4.22 6.36	± ±	0.61	Yes	29.60 31.30	± ±	0.67	109.52	±	2.49	Yes
	10/22/2014	0.90	±	0.20	3.32	±	0.73	Yes	18.10	±	0.69	66.97	±	2.55	Yes
	10/29/2014	0.90	Ŧ	0.10	3.32	Ŧ	0.59	165	10.10	Ŧ	0.50	00.97	Ŧ	2.00	165

Sampling Group					GROSS ALPHA				GROSS BETA						
Sampling Group	Sampling			certainty			certainty				certainty			certainty	
and Location	Date	(x 1	Ι 0 ⁻¹⁵ μCi/	/mL)	(x 1	10 ⁻¹¹ Bq	/mL)	Result > 3s	(x 1	0 ⁻¹⁵ μCi	/mL)	(x 1	0 ⁻¹¹ Bq	/mL)	Result > 3s
	11/5/2014	1.35	±	0.18	5.00	±	0.65	Yes	24.30	±	0.60	89.91	±	2.22	Yes
	11/12/2014	1.26	±	0.19	4.66	±	0.70	Yes	32.20	±	0.70	119.14	±	2.60	Yes
	11/19/2014	1.76	±	0.20	6.51	±	0.74	Yes	53.70	±	0.83	198.69	±	3.07	Yes
	11/26/2014	1.66	±	0.21	6.14	±	0.78	Yes	44.20	±	0.84	163.54	±	3.11	Yes
	12/3/2014	0.94	±	0.19	3.49	±	0.68	Yes	24.40	±	0.71	90.28	±	2.61	Yes
	12/10/2014	1.37	±	0.18	5.07	±	0.65	Yes	35.80	±	0.67	132.46	±	2.48	Yes
	12/17/2014	1.60	±	0.20	5.92	±	0.74	Yes	35.40	±	0.73	130.98	±	2.72	Yes
	12/24/2014	0.42	±	0.17	1.55	±	0.63	No	19.50	±	0.62	72.15	±	2.30	Yes
	12/31/2014	0.62	±	0.19	2.30	±	0.68	Yes	21.10	±	0.58	78.07	±	2.14	Yes
QA-1	10/1/2014	0.72	±	0.14	2.65	±	0.50	Yes	15.90	±	0.49	58.83	±	1.82	Yes
(MAIN GATE)	10/8/2014	1.27	±	0.17	4.70	±	0.63	Yes	28.20	±	0.63	104.34	±	2.32	Yes
,	10/15/2014	1.44	±	0.17	5.33	±	0.62	Yes	28.30	±	0.62	104.71	±	2.29	Yes
	10/22/2014	1.29	±	0.17	4.77	±	0.61	Yes	31.80	±	0.65	117.66	±	2.40	Yes
	10/29/2014	0.66	±	0.14	2.45	±	0.50	Yes	16.70	±	0.51	61.79	±	1.88	Yes
	11/5/2014	1.03	±	0.16	3.81	±	0.59	Yes	25.50	±	0.60	94.35	±	2.23	Yes
	11/12/2014	1.35	±	0.18	5.00	±	0.68	Yes	30.10	±	0.66	111.37	±	2.43	Yes
	11/19/2014	1.24	±	0.17	4.59	±	0.64	Yes	49.60	±	0.78	183.52	±	2.87	Yes
	11/26/2014	1.36	±	0.17	5.03	±	0.63	Yes	37.00	±	0.69	136.90	±	2.55	Yes
	12/3/2014	0.89	±	0.14	3.30	±	0.53	Yes	18.40	±	0.52	68.08	±	1.91	Yes
	12/10/2014	1.47	±	0.18	5.44	±	0.66	Yes	34.20	±	0.65	126.54	±	2.42	Yes
	12/17/2014	1.79	±	0.20	6.62	±	0.73	Yes	32.40	±	0.68	119.88	±	2.52	Yes
	12/24/2014	0.56	±	0.16	2.08	±	0.57	Yes	17.20	±	0.54	63.64	±	1.98	Yes
	12/31/2014	0.44	±	0.17	1.62	±	0.63	No	16.40	±	0.52	60.68	±	1.91	Yes
VAN BUREN GATE	10/1/2014	0.83	±	0.16	3.08	±	0.58	Yes	21.10	±	0.60	78.07	±	2.22	Yes
	10/8/2014	1.59	±	0.20	5.88	±	0.73	Yes	35.20	±	0.73	130.24	±	2.69	Yes
	10/15/2014	1.63	±	0.20	6.03	±	0.73	Yes	34.30	±	0.75	126.91	±	2.76	Yes
	10/22/2014	1.60	±	0.20	5.92	±	0.74	Yes	36.60	±	0.76	135.42	±	2.82	Yes
	10/29/2014	0.91	±	0.16	3.37	±	0.58	Yes	22.60	±	0.59	83.62	±	2.19	Yes
	11/5/2014	0.99	±	0.17	3.66	±	0.63	Yes	30.50	±	0.68	112.85	±	2.53	Yes
	11/12/2014	1.57	±	0.20	5.81	±	0.73	Yes	36.00	±	0.72	133.20	±	2.65	Yes
	11/19/2014	1.54	±	0.20	5.70	±	0.75	Yes	59.60	±	0.91	220.52	±	3.36	Yes
	11/26/2014	1.74	±	0.20	6.44	±	0.73	Yes	47.50	±	0.80	175.75	±	2.94	Yes
	12/3/2014	1.38	±	0.19	5.11	±	0.70	Yes	23.80	±	0.64	88.06	±	2.36	Yes
	12/10/2014	1.64	±	0.19	6.07	±	0.70	Yes	37.50	±	0.69	138.75	±	2.57	Yes
	12/17/2014	1.26	±	0.17	4.66	±	0.64	Yes	36.80	±	0.70	136.16	±	2.58	Yes
	12/24/2014	0.46	±	0.14	1.70	±	0.53	Yes	19.20	±	0.54	71.04	±	1.98	Yes
	12/31/2014	0.91	±	0.19	3.38	±	0.70	Yes	21.30	±	0.56	78.81	±	2.07	Yes

Sampling Group	Sampling	Result ±	1s Un	certainty	Result ±	1s Un	certainty	
and Location	Date	(x 10) ⁻¹⁵ µCi	i/mL)	(x 10	⁻¹¹ Bq	/mL)	Result > 3s
BOUNDARY								
ARCO	10/01/2014	0.19	±	1.10	0.70	±	4.09	No
	10/08/2014	0.43	±	1.11	1.58	±	4.10	No
	10/15/2014	-1.30	±	1.19	-4.81	±	4.38	No
	10/22/2014	0.67	±	1.11	2.46	±	4.09	No
	10/29/2014	-0.90	±	1.18	-3.32	±	4.36	No
	11/05/2014	-0.01	±	1.06	-0.05	±	3.93	No
	11/12/2014	1.70	±	1.18	6.30	±	4.37	No
	11/19/2014	0.29	±	1.22	1.09	±	4.53	No
	11/26/2014	-1.27	±	1.07	-4.70	±	3.96	No
	12/03/2014	-2.30	±	1.12	-8.50	±	4.13	No
	12/10/2014	0.61	±	1.12	2.26	±	4.39	No
	12/17/2014	-1.52	±	1.14	-5.61	±	4.21	No
	12/24/2014	2.11	±	1.26	7.81	±	4.68	No
	12/31/2014	0.20	±	1.17	0.73	±	4.32	No
ATOMIC CITY	10/01/2014	0.20		1.14	0.73	±	4.23	No
	10/08/2014	0.20	±	1.15	1.65	±	4.27	No
	10/15/2014	-1.36	±	1.24	-5.02	±	4.57	No
	10/22/2014	0.70	±	1.16	2.59	±	4.30	No
	10/29/2014	-0.94	±	1.23	-3.48	±	4.56	No
	11/05/2014	-0.94	±	1.10	-0.05	±	4.06	No
	11/12/2014	1.78		1.23	-0.05 6.57		4.00 4.56	No
	11/19/2014	0.29	±	1.23	1.06	±	4.30	No
	11/26/2014	-1.38	±	1.19	-5.11	±	4.41	No
	12/03/2014	-2.43	± ±	1.18	-8.98	± ±	4.30	No
		-2.43		1.18	2.26		4.37	No
	12/10/2014 12/17/2014	-1.60	±		-5.93	±	4.39 4.45	No
	12/24/2014		±	1.20		±		
	12/31/2014	2.26 0.23	±	1.35 1.33	8.36 0.83	±	5.01 4.92	No No
BLUE DOME	10/01/2014	0.23		1.14	2.12	± ±	4.92	No
	10/08/2014	-0.34	±	1.14	-1.24	±	4.30	No
	10/15/2014	-2.09	±	1.19	-7.75	±	4.40	No
	10/22/2014	0.15	±	1.08	0.54	±	4.00	No
	10/29/2014	-0.80	±	2.14	-2.96	±	7.92	No
	11/05/2014	-0.81	±	1.13	-3.00	±	4.19	No
	11/12/2014	0.04	±	1.19	0.15	±	4.19	No
	11/19/2014	0.74	±	1.13	2.72	±	4.35	No
	11/26/2014	-1.10	±	1.04	-4.08		3.83	No
	12/03/2014	1.47	±	1.16	5.44	± ±	4.28	No
	12/10/2014	0.28	±	1.20	1.02	±	4.43	No
	12/17/2014	-0.79	±	1.15	-2.91	±	4.24	No
	12/24/2014	1.01	±	1.10	3.73	±	4.47	No
	12/31/2014	1.30	±	1.55	4.81	±	5.75	No
FAA TOWER	10/01/2014	0.52		1.04	1.94	±	3.86	No
I / W I OWER	10/08/2014	-0.32	±	1.12	-1.20	±	4.14	No
	10/15/2014	-1.99	±	1.13	-7.36	±	4.18	No
	10/22/2014	0.14	±	1.03	0.51	±	3.81	No
	10/29/2014	-0.74	±	1.97	-2.72	±	7.30	No
	11/05/2014	-0.74	±	1.03	-2.72	±	3.80	No
	11/12/2014	0.04	±	1.10	0.14	±	4.08	No
	11/19/2014	0.04	±	1.10	2.59	±	4.08	No
	11/26/2014	-1.08	±	1.02	-3.99	±	3.76	No
	12/03/2014	1.38	±	1.02	-3.99 5.09	±	4.00	No
	12/10/2014	0.26	± ±	1.00	0.95	±	4.00	No
	12/17/2014	-0.73	±	1.07	-2.72	±	4.09 3.96	No
	12/11/2014	-0.75	Ŧ	1.07	-2.12	Ŧ	0.90	NU

Sampling Group	Sampling	Result ±	1s Un	certainty	Result ±	1s Un	certainty	
and Location	Date	(x 10) ⁻¹⁵ µCi	/mL)	(x 10	⁻¹¹ Bq	/mL)	Result > 3s
BOUNDARY								
	12/24/2014	0.92	±	1.11	3.42	±	4.10	No
	12/31/2014	1.19	±	1.42	4.40	±	5.26	No
HOWE	10/01/2014	0.50	±	0.99	1.84	±	3.67	No
	10/08/2014	-0.32	±	1.10	-1.18	±	4.08	No
	10/15/2014	-1.87	±	1.06	-6.92	±	3.93	No
	10/22/2014	0.14	±	1.00	0.50	±	3.72	No
	10/29/2014	-0.72	±	1.93	-2.66	±	7.12	No
	11/05/2014	-0.73	±	1.02	-2.70	±	3.78	No
	11/12/2014	0.04	±	1.05	0.13	±	3.88	No
	11/19/2014	0.67	±	1.07	2.49	±	3.98	No
	11/26/2014	-1.18	±	1.11	-4.36	±	4.10	No
	12/03/2014	1.58	±	1.25	5.86	±	4.61	No
	12/10/2014	0.28	±	1.20	1.03	±	4.46	No
	12/17/2014	-0.85	±	1.24	-3.14	±	4.57	No
	12/24/2014	1.05	±	1.26	3.90	±	4.68	No
	12/31/2014	1.24	±	1.48	4.58	±	5.47	No
MONTEVIEW	10/01/2014	0.88	±	1.76	3.27	±	6.50	No
	10/08/2014	-0.35	±	1.20	-1.28	±	4.43	No
	10/15/2014	-2.17	±	1.23	-8.04	±	4.57	No
	10/22/2014	0.15	±	1.13	0.56	±	4.18	No
	10/29/2014	-0.82	±	2.21	-3.05	±	8.16	No
	11/05/2014	-0.81	±	1.13	-3.00	±	4.19	No
	11/12/2014	0.04	±	1.21	0.15	±	4.47	No
	11/19/2014	0.79	±	1.25	2.91	±	4.64	No
	11/26/2014	-1.17	±	1.10	-4.34	±	4.08	No
	12/03/2014	1.57	±	1.23	5.80	±	4.56	No
	12/10/2014	0.28	±	1.23	1.05	±	4.54	No
	12/17/2014	-0.86	±	1.25	-3.18	±	4.64	No
	12/24/2014	1.02 1.24	±	1.22 1.48	3.77 4.58	±	4.52 5.48	No No
MUD LAKE	12/31/2014 10/01/2014	0.55		1.48	2.03	± ±	4.04	No
	10/08/2014	-0.31	±	1.08	-1.15	±	3.98	No
	10/15/2014	-2.08	±	1.18	-7.69	±	4.37	No
	10/22/2014	0.14	±	1.01	0.51	±	3.75	No
	10/29/2014	-0.72	±	1.93	-2.66	±	7.13	No
	11/05/2014	-0.73	±	1.02	-2.70	±	3.78	No
	11/12/2014	0.04	±	1.06	0.13	±	3.90	No
	11/19/2014	0.74	±	1.18	2.74	±	4.38	No
	11/26/2014	-1.05	±	0.98	-3.87	±	3.64	No
	12/03/2014	1.35	±	1.06	4.99	±	3.92	No
	12/10/2014	0.25	±	1.06	0.91	±	3.93	No
	12/17/2014	-0.73	±	1.06	-2.69	±	3.93	No
	12/24/2014	0.88	±	1.05	3.25	±	3.90	No
	12/31/2014	1.15	±	1.38	4.26	±	5.09	No
DISTANT								
BLACKFOOT	10/01/2014	0.18	±	1.04	0.65	±	3.83	No
	10/08/2014	0.43	±	1.11	1.58	±	4.10	No
	10/15/2014	-1.23	±	1.12	-4.54	±	4.14	No
	10/22/2014	0.72	±	1.19	2.65	±	4.40	No
	10/29/2014	-0.94	±	1.23	-3.48	±	4.55	No
	11/05/2014	-0.01	±	1.11	-0.05	±	4.11	No
	11/12/2014	1.89	±	1.31	6.99	±	4.85	No
	11/19/2014	0.30	±	1.23	1.10	±	4.57	No
	11/26/2014	-1.30	±	1.09	-4.79	±	4.04	No

Sampling Group	Sampling	Result ±	1s Un	certainty	Result ±	1s Un	certainty	
and Location	Date	(x 10) ⁻¹⁵ µCi	i/mL)	(x 10) ⁻¹¹ Bq	/mL)	Result > 3s
BOUNDARY								
	12/03/2014	-2.45	±	1.19	-9.08	±	4.41	No
	12/10/2014	0.63	±	1.22	2.31	±	4.50	No
	12/17/2014	-1.63	±	1.22	-6.04	±	4.53	No
	12/24/2014	2.25	±	1.35	8.34	±	5.00	No
	12/31/2014	0.23	±	1.36	0.86	±	5.05	No
CRATERS	10/01/2014	0.28	±	1.62	1.03	±	6.01	No
	10/08/2014	0.43	±	1.12	1.60	±	4.15	No
	10/15/2014	-1.31	±	1.20	-4.86	±	4.43	No
	10/22/2014	0.69	±	1.14	2.54	±	4.21	No
	10/29/2014	-0.91	±	1.19	-3.37	±	4.41	No
	11/05/2014	-0.01	±	1.06	-0.05	±	3.93	No
	11/12/2014	1.75	±	1.22	6.48	±	4.50	No
	11/19/2014	0.28	±	1.15	1.03	±	4.26	No
	11/26/2014	-1.32	±	1.11	-4.88	±	4.11	No
	12/03/2014	-2.31	±	1.12	-8.56	±	4.16	No
	12/10/2014	0.61	±	1.19	2.27	±	4.42	No
	12/17/2014	-1.48	±	1.11	-5.48	±	4.11	No
	12/24/2014	2.17	±	1.30	8.01	±	4.80	No
	12/31/2014	0.20	±	1.19	0.75	±	4.40	No
DUBOIS	10/01/2014	0.60	±	1.19	2.22	±	4.41	No
	10/08/2014	-0.34	±	1.16	-1.24	±	4.30	No
	10/15/2014	-2.26	±	1.28	-8.37	±	4.75	No
	10/22/2014	0.15	±	1.12	0.56	±	4.13	No
	10/29/2014	-0.82	±	2.20	-3.04	±	8.14	No
	11/05/2014	-0.81	±	1.14	-3.01	±	4.21	No
	11/12/2014	0.04	±	1.19	0.15	±	4.40	No
	11/19/2014	0.78	±	1.24	2.88	±	4.60	No
	11/26/2014	-1.21	±	1.13	-4.46	±	4.19	No
	12/03/2014	1.47	±	1.16	5.46	±	4.29	No
	12/10/2014	0.28	±	1.23	1.05	±	4.55	No
	12/17/2014	-0.80	±	1.17	-2.97	±	4.32	No
	12/24/2014	0.99	±	1.19	3.66	±	4.39	No
	12/31/2014	1.20	±	1.44	4.45	±	5.32	No
IDAHO FALLS	10/01/2014	0.49	±	0.98	1.82	±	3.63	No
	10/08/2014	-0.29	±	1.01	-1.08	±	3.72	No
	10/15/2014	-2.04	±	1.16	-7.53	±	4.28	No
	10/22/2014	0.14	±	1.01	0.50	±	3.74	No
	10/29/2014	-0.73	±	1.96	-2.71	±	7.26	No
	11/05/2014	-0.73	±	1.02	-2.69	±	3.76	No
	11/12/2014	0.04	±	1.08	0.13	±	4.01	No
	11/19/2014	0.72	±	1.15	2.66	±	4.25	No
	11/26/2014	-1.06	±	1.00	-3.93	±	3.70	No
	12/03/2014	1.38	±	1.09	5.10	±	4.02	No
	12/10/2014 12/17/2014	0.25	±	1.06	0.91	±	3.93	No
		-0.71	±	1.04	-2.64	±	3.84	No
	12/24/2014 12/31/2014	0.88 1.13	± +	1.05 1.35	3.24 4.18	± +	3.89 5.00	No No
QA-2	10/01/2014	0.54		1.07	1.99	±	3.97	No
(IDAHO FALLS)	10/08/2014	0.54 -0.34	± +	1.17		± +	3.97 4.31	No
	10/15/2014	-0.34 -2.08	± +	1.17	-1.25 -7.68	± +	4.31	No
	10/22/2014	-2.08 0.14	± ±	1.18	-7.68 0.52	± ±	4.36 3.85	No
	10/29/2014	-0.73	± ±	1.96	-2.70	± ±	3.85 7.25	No
	11/05/2014	-0.73	± ±	1.90	-2.70	± ±	3.81	No
	11/12/2014	-0.74 0.04	± ±	1.10	-2.73	± ±	4.07	No
	11/12/2014	0.04	Ŧ	1.10	0.14	Ŧ	0 <i>1</i>	INU

Sampling Group	Sampling	Result ±	1s Un	certainty	Result ±	1s Un	certainty	
and Location	Date	(x 10) ⁻¹⁵ µCi	/mL)	(x 10	⁻¹¹ Bq	/mL)	Result > 3s
BOUNDARY		•	•	•	•	-	•	
	11/19/2014	0.72	±	1.15	2.67	±	4.27	No
	11/26/2014	-1.14	±	1.07	-4.21	±	3.96	No
	12/03/2014	1.40	±	1.10	5.17	±	4.07	No
	12/10/2014	0.25	±	1.08	0.93	±	4.01	No
	12/17/2014	-0.71	±	1.04	-2.64	±	3.84	No
	12/24/2014	0.90	±	1.08	3.34	±	4.01	No
	12/31/2014	1.14	±	1.36	4.22	±	5.04	No
JACKSON	10/01/2014	0.18	±	1.07	0.68	±	3.96	No
	10/08/2014	0.46	±	1.19	1.69	±	4.39	No
	10/15/2014	-1.37	±	1.25	-5.06	±	4.61	No
	10/22/2014	0.72	±	1.19	2.65	±	4.39	No
	10/29/2014	-0.97	±	1.27	-3.59	±	4.71	No
	11/05/2014	-0.01	±	1.11	-0.05	±	4.11	No
	11/12/2014	1.87	±	1.30	6.92	±	4.80	No
	11/19/2014	0.31	±	1.30	1.16	±	4.82	No
	11/26/2014	0.16	±	1.19	0.61	±	4.41	No
	12/03/2014	-2.51	±	1.22	-9.30	±	4.52	No
	12/10/2014	0.63	±	1.22	2.33	±	4.52	No
	12/17/2014	-1.57	±	1.18	-5.80	±	4.35	No
	12/24/2014	2.21	±	1.32	8.17	±	4.90	No
	12/31/2014	0.39	±	2.28	1.44	±	8.45	No
SUGAR CITY	10/01/2014	0.52	±	1.03	1.92	±	3.81	No
	10/08/2014	-0.33	±	1.15	-1.23	±	4.25	No
	10/15/2014	-2.14	±	1.22	-7.93	±	4.51	No
а	10/22/2014		±			±		No
	10/29/2014	-0.76	±	2.03	-2.80	±	7.50	No
	11/05/2014	-0.78	±	1.09	-2.88	±	4.03	No
	11/12/2014	0.04	±	1.14	0.14	±	4.23	No
	11/19/2014	0.75	±	1.20	2.79	±	4.46	No
	11/26/2014	-1.14	±	1.08	-4.24	±	3.98	No
	12/03/2014	1.42	±	1.11	5.24	±	4.12	No
	12/10/2014	0.26	±	1.11	0.95	±	4.12	No
	12/17/2014	-0.74	±	1.08	-2.75	±	4.01	No
	12/24/2014	0.93	±	1.11	3.43	±	4.11	No
	12/31/2014	1.33	±	1.59	4.92	±	5.88	No
INL SITE								
EFS	10/01/2014	0.40	±	2.32	1.47	±	8.59	No
	10/08/2014	0.47	±	1.21	1.73	±	4.48	No
	10/15/2014	-1.32	±	1.20	-4.88	±	4.45	No
	10/22/2014	0.69	±	1.14	2.55	±	4.23	No
	10/29/2014	-0.95	±	1.25	-3.52	±	4.61	No
	11/05/2014	-0.02	±	1.18	-0.06	±	4.37	No
	11/12/2014	1.80	±	1.25	6.64	±	4.61	No
	11/19/2014	0.28	±	1.16	1.03	±	4.28	No
	11/26/2014	-1.35	±	1.14	-5.01	±	4.22	No
	12/03/2014	-2.39	±	1.16	-8.84	±	4.30	No
	12/10/2014	0.59	±	1.15	2.19	±	4.25	No
	12/17/2014	-1.55	±	1.16	-5.72	±	4.29	No
	12/24/2014	2.31	±	1.38	8.54	±	5.12	No
	12/31/2014	0.22	±	1.28	0.80	±	4.74	No
MAIN GATE	10/01/2014	0.21	±	1.22	0.77	±	4.53	No
	10/08/2014	0.48	±	1.24	1.78	±	4.60	No
	10/15/2014	-1.43	±	1.30	-5.29	±	4.82	No
	10/22/2014	0.74	±	1.22	2.72	±	4.52	No

Sampling Group	Sampling	Result ±	1s Un	certainty	Result ±			
and Location	Date	(x 10) ⁻¹⁵ µCi	/mL)	(x 10	⁻¹¹ Bq	/mL)	Result > 3s
BOUNDARY								
	10/29/2014	-1.01	±	1.33	-3.75	±	4.92	No
	11/05/2014	-0.01	±	1.12	-0.06	±	4.15	No
	11/12/2014	1.98	±	1.38	7.34	±	5.09	No
	11/19/2014	0.30	±	1.25	1.11	±	4.62	No
	11/26/2014	-1.61	±	1.35	-5.95	±	5.01	No
	12/03/2014	-3.25	±	1.58	-12.03	±	5.85	No
	12/10/2014	0.57	±	1.11	2.11	±	4.11	No
	12/17/2014	-1.71	±	1.28	-6.32	±	4.74	No
	12/24/2014	2.66	±	1.59	9.83	±	5.89	No
	12/31/2014	0.24	±	1.40	0.88	±	5.19	No
QA-1	10/01/2014	0.19	±	1.10	0.69	±	4.07	No
(MAIN GATE)	10/08/2014	0.44	±	1.13	1.61	±	4.17	No
· · · · · ·	10/15/2014	-1.28	±	1.16	-4.72	±	4.30	No
	10/22/2014	0.66	±	1.09	2.43	±	4.03	No
	10/29/2014	-0.92	±	1.20	-3.39	±	4.44	No
	11/05/2014	-0.01	±	1.09	-0.05	±	4.03	No
	11/12/2014	1.86	±	1.29	6.87	±	4.77	No
	11/19/2014	0.28	±	1.18	1.05	±	4.37	No
	11/26/2014	-1.30	±	1.09	-4.81	±	4.05	No
	12/03/2014	-2.33	±	1.13	-8.62	±	4.19	No
	12/10/2014	0.57	±	1.10	2.10	±	4.09	No
	12/17/2014	-1.60	±	1.20	-5.93	±	4.45	No
	12/24/2014	2.26	±	1.35	8.36	±	5.01	No
	12/31/2014	0.23	±	1.36	0.86	±	5.04	No
VAN BUREN GATE	10/01/2014	0.22	±	1.26	0.80	±	4.68	No
	10/08/2014	0.48	±	1.24	1.76	±	4.58	No
	10/15/2014	-1.54	±	1.40	-5.69	±	5.19	No
	10/22/2014	0.78	±	1.30	2.89	±	4.80	No
	10/29/2014	-0.98	±	1.28	-3.62	±	4.74	No
	11/05/2014	-0.02	±	1.19	-0.06	±	4.41	No
	11/12/2014	1.89	±	1.31	7.01	±	4.86	No
	11/19/2014	0.32	±	1.35	1.20	±	4.99	No
	11/26/2014	-1.37	±	1.16	-5.08	±	4.28	No
	12/03/2014	-2.80	±	1.36	-10.38	±	5.04	No
	12/10/2014	0.59	±	1.14	2.17	±	4.22	No
	12/17/2014	-1.52	±	1.14	-5.63	±	4.22	No
	12/24/2014	2.13	±	1.28	7.88	±	4.72	No
	12/31/2014	0.22	±	1.32	0.83	±	4.87	No
a. Invalid sample result	, 0 ., _ 0	0.22			0.00	-		

Sampling Group and Location	Sampling Date	Analyta		1s Un ⁻¹⁸ µCi	certainty		1s Ur) ⁻¹³ Bc		Result > 3s
BOUNDARY	Date	Analyte	(X 10	/mL)	(X 10	Б	µm∟)	Result > 35	
ARCO	12/31/2014	CESIUM-137	114.00	±	75.40	421.80	±	278.98	No
	12/31/2014	STRONTIUM-90	2.04	±	4.96	7.55	±	18.35	No
ATOMIC CITY	12/31/2014	CESIUM-137	126.00	±	83.80	466.20	±	310.06	No
	12, 51, 2011	STRONTIUM-90	4.29	±	4.94	15.87	±	18.28	No
BLUE DOME	12/31/2014	AMERICIUM-241	-0.29	±	0.70	-1.07	±	2.60	No
	12,01,201	CESIUM-137	21.90	±	115.00	81.03	±	425.50	No
		PLUTONIUM-238	1.13	- +	0.70	4.18	±	2.58	No
		PLUTONIUM-239/240	0.56	±	0.69	2.09	±	2.56	No
FAA TOWER	12/31/2014	CESIUM-137	-22.00	±	73.30	-81.40	±	271.21	No
HOWE	12/31/2014	AMERICIUM-241	-1.61	±	0.77	-5.96	±	2.86	No
		CESIUM-137	-61.50	±	105.00	-227.55	±	388.50	No
		PLUTONIUM-238	-0.31	±	0.76	-1.15	±	2.81	No
		PLUTONIUM-239/240	2.16	±	0.94	7.99	±	3.49	No
MONTEVIEW	12/31/2014	CESIUM-137	99.90	±	92.70	369.63	±	342.99	No
MUD LAKE	12/31/2014	AMERICIUM-241	1.32	±	0.95	4.88	±	3.52	No
		CESIUM-137	-96.00	±	112.00	-355.20	±	414.40	No
		PLUTONIUM-238	-0.59	±	0.72	-2.17	±	2.66	No
		PLUTONIUM-239/240	-0.29	±	0.72	-1.08	±	2.66	No
DISTANT									
BLACKFOOT	12/31/2014	CESIUM-137	8.17	±	75.50	30.23	±	279.35	No
CRATERS	12/31/2014	AMERICIUM-241	-0.97	±	0.56	-3.59	±	2.06	No
		CESIUM-137	-25.60	±	71.30	-94.72	±	263.81	No
		PLUTONIUM-238	0.40	±	0.97	1.47	±	3.59	No
		PLUTONIUM-239/240	-1.58	±	0.98	-5.85	±	3.61	No
DUBOIS	12/31/2014	CESIUM-137	17.60	±	83.30	65.12	±	308.21	No
IDAHO FALLS	12/31/2014	CESIUM-137	65.80	±	75.30	243.46	±	278.61	No
		STRONTIUM-90	2.06	±	4.97	7.62	±	18.39	No
QA-2 (IDAHO FALLS)	12/31/2014	CESIUM-137	110.00	±	101.00	407.00	±	373.70	No
		STRONTIUM-90	8.32	±	4.96	30.78	±	18.35	No

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± (x 10			ncertainty p/mL)	Result > 3s		
JACKSON	12/31/2014	CESIUM-137	87.70	±	80.20	324.49	±	296.74	No
SUGAR CITY	12/31/2014	AMERICIUM-241	-0.62	±	0.78	-2.31	±	2.89	No
		CESIUM-137	143.00	±	88.30	529.10	±	326.71	No
		PLUTONIUM-238	1.72	±	1.42	6.36	±	5.25	No
		PLUTONIUM-239/240	0.00	±	1.40	0.00	±	5.18	No
INL SITE									
EFS	12/31/2014	AMERICIUM-241	0.56	±	0.86	2.07	±	3.18	No
		CESIUM-137	-45.40	±	77.70	-167.98	±	287.49	No
		PLUTONIUM-238	0.67	±	0.82	2.46	±	3.03	No
		PLUTONIUM-239/240	1.66	±	1.01	6.14	±	3.74	No
MAIN GATE	12/31/2014	CESIUM-137	-28.70	±	79.70	-106.19	±	294.89	No
		STRONTIUM-90	4.46	±	5.16	16.50	±	19.09	No
QA-1 (MAIN GATE)	12/31/2014	CESIUM-137	19.50	±	108.00	72.15	±	399.60	No
		STRONTIUM-90	14.40	±	4.81	53.28	±	17.80	No
VAN BUREN GATE	12/31/2014	AMERICIUM-241	-0.83	±	0.70	-3.06	±	2.60	No
		CESIUM-137	6.96	±	114.00	25.75	±	421.80	No
		PLUTONIUM-238	0.00	±	0.95	0.00	±	3.53	No
		PLUTONIUM-239/240	1.17	±	0.96	4.33	±	3.54	No

Sampling Group	Start	Sampling	ncertainty	Result ±	: 1s Ui	ncertainty			
and Location	Date	Date	(x 10 ⁻	^{.13} µCi	/mL _{air)}	(x 10	0 ⁻⁹ Bq/	/mL _{air)}	Result > 3s
BOUNDARY									
ATOMIC CITY	09/17/14	10/01/14	-1.20	±	1.96	-4.45	±	7.26	No
ATOMIC CITY	10/01/14	10/29/14	2.28	±	0.99	8.43	±	3.65	No
ATOMIC CITY	10/29/14	12/10/14	-2.40	±	0.85	-8.87	±	3.13	No
DISTANT									
BLACKFOOT	10/15/14	11/05/14	7.88	±	1.40	29.17	±	5.19	Yes
BLACKFOOT	11/05/14	12/10/14	3.19	±	1.07	11.79	±	3.95	No
BLACKFOOT	09/24/14	10/15/14	4.23	±	1.49	15.66	±	5.51	No
IDAHO FALLS	09/24/14	10/15/14	-0.56	±	1.81	-2.06	±	6.70	No
IDAHO FALLS	10/15/14	11/19/14	2.13	±	1.34	7.88	±	4.95	No
SUGAR CITY	09/10/14	10/01/14	3.80	±	1.96	14.08	±	7.25	No
SUGAR CITY	10/01/14	11/05/14	0.76	±	0.40	2.81	±	1.49	No
SUGAR CITY	11/05/14	12/10/14	0.83	±	0.26	3.09	±	0.95	Yes

			Result ±	1s Un	certainty	Result ±	1s Un	certainty	
Location	Start Date	End Date		(pCi/L)		Result > 3s		
IDAHO FALLS	09/30/14	10/31/14	71.00	±	22.10	2.63	±	0.82	Yes
	10/31/14	11/30/14	8.52	±	22.80	0.32	±	0.84	No
	11/30/14	12/31/14	188.00	±	24.60	6.96	±	0.91	Yes
CFA	09/02/14	10/01/14	95.20	±	22.40	3.52	±	0.83	Yes
	10/01/14	11/03/14	198.00	±	23.30	7.33	±	0.86	Yes
	11/03/14	12/01/14	132.00	±	23.80	4.88	±	0.88	Yes
EFS	09/24/14	10/01/14	62.70	±	22.00	2.32	±	0.81	No
	10/15/14	10/22/14	296.00	±	24.90	10.95	±	0.92	Yes
	10/29/14	11/05/14	204.00	±	23.40	7.55	±	0.87	Yes
	11/12/14	11/19/14	-19.90	±	22.40	-0.74	±	0.83	No
	11/19/14	11/26/14	167.00	±	25.50	6.18	±	0.94	Yes
	11/26/14	12/03/14	8.05	±	22.30	0.30	±	0.83	No
	12/03/14	12/10/14	168.00	±	24.30	6.22	±	0.90	Yes
	12/10/14	12/17/14	88.60	±	23.40	3.28	±	0.87	Yes
	12/17/14	12/24/14	311.00	±	27.10	11.51	±	1.00	Yes
	12/24/14	12/31/14	271.00	±	26.60	10.03	±	0.98	Yes

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

			Result ±	1s Ur	certainty	Result ±	1s Un	Result ± 1s Uncertainty				
Location	Sampling Date	Analyte	(pCi/L	.)		(Bq/L)		Result > 3s			
SURFACE WATER												
Alpheus Spring	11/17/2014	GROSS ALPHA	1.26	±	0.55	0.05	±	0.02	No			
		GROSS BETA	5.18	±	0.54	0.19	±	0.02	Yes			
	44 47 1204 4	TRITIUM	84.40	±	23.20	3.13	±	0.86	Yes			
Alpheus Spring (duplicate)	11/17/2014	GROSS ALPHA GROSS BETA	2.24 7.40	±	0.60 0.57	0.08 0.27	±	0.02 0.02	Yes Yes			
		TRITIUM	-4.57	± ±	0.57 22.70	-0.17	± ±	0.02 0.84	No			
Bill Jones Fish Farm	11/17/2014	GROSS ALPHA	-0.08	 	0.40	0.00		0.04	No			
	11/1//2014	GROSS ALFITA	4.74		0.40	0.00		0.01	Yes			
				±			±					
	44/47/2044		69.70	±	23.00	2.58	±	0.85	Yes			
Clear Springs	11/17/2014	GROSS ALPHA	0.44	±	0.51	0.02	±	0.02	No			
		GROSS BETA	2.89	±	0.50	0.11	±	0.02	Yes			
		TRITIUM	63.80	±	23.60	2.36	±	0.87	No			
DRINKING WATER												
Atomic City	11/19/2014	GROSS ALPHA	0.87	±	0.43	0.03	±	0.02	No			
		GROSS BETA	4.42	±	0.50	0.16	±	0.02	Yes			
		TRITIUM	-124.00	±	24.20	-4.59	±	0.90	No			
Control	11/20/2014	GROSS ALPHA	0.29	±	0.25	0.01	±	0.01	No			
		GROSS BETA	-0.26	±	0.41	-0.01	±	0.02	No			
		TRITIUM	52.90	±	23.50	1.96	±	0.87	No			
Craters of the Moon	11/19/2014	GROSS ALPHA	1.31	±	0.46	0.05	±	0.02	No			
		GROSS BETA	2.37	±	0.47	0.09	±	0.02	Yes			
		TRITIUM	78.10	±	23.20	2.89	±	0.86	Yes			
Howe	11/19/2014	GROSS ALPHA	0.73	±	0.45	0.03	±	0.02	No			
	, -, -	GROSS BETA	1.82	±	0.47	0.07	±	0.02	Yes			
		TRITIUM	109.00	±	23.60	4.04	±	0.87	Yes			
Idaho Falls	11/21/2014	GROSS ALPHA	0.17		0.52	0.01		0.02	No			
	11/21/2014	GROSS BETA	3.12	∸ ±	0.51	0.01	±	0.02	Yes			
		TRITIUM	77.80		23.20	2.88		0.86	Yes			
Minidoka	11/17/2014	GROSS ALPHA	0.53		0.51	0.02		0.00	No			
IVIII IIUUKa	11/1//2014			±			±					
		GROSS BETA	3.64	±	0.51	0.13	±	0.02	Yes			
		TRITIUM	42.40	±	22.00	1.57	±	0.81	No			
Mud Lake	11/20/2014	GROSS ALPHA	0.30	±	0.33	0.01	±	0.01	No			

			Result ±	1s Ur	ncertainty	Result ±			
Location	Sampling Date	Analyte	(pCi/L	.)		Result > 3s		
		GROSS BETA	3.59	±	0.46	0.13	±	0.02	Yes
		TRITIUM	-126.00	±	24.20	-4.67	±	0.90	No
Rest Area	11/19/2014	GROSS ALPHA	0.62	±	0.48	0.02	±	0.02	No
		GROSS BETA	1.69	±	0.48	0.06	±	0.02	Yes
		TRITIUM	93.40	±	24.00	3.46	±	0.89	Yes
Shoshone	11/17/2014	GROSS ALPHA	0.37	±	0.54	0.01	±	0.02	No
		GROSS BETA	1.44	±	0.51	0.05	±	0.02	No
		TRITIUM	45.50	±	23.40	1.69	±	0.87	No

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

Table C-7. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

	lodine-131								Cesium-137						
	Sampling	Result		ncertainty			certainty		Result ±					certainty	
Location	Date		(pCi [†] /	L)		(Bq [‡] /L)	Result > 3s		(pCi/L)			(Bq/L)		Result > 3s
BLACKFOOT	10/06/14	0.66	±	2.00	0.024	±	0.074	No	2.12	±	1.51	0.079	±	0.056	No
	11/02/14	2.10	±	1.36	0.078	±	0.051	No	0.02	±	0.93	0.001	±	0.035	No
	12/01/14	-2.09	±	1.48	-0.077	±	0.055	No	0.91	±	1.62	0.034	±	0.060	No
CONTROL	10/07/14	-1.74	±	2.17	-0.064	±	0.080	No	2.74	±	1.50	0.101	±	0.056	No
	11/04/14	0.77	±	2.16	0.028	±	0.080	No	-2.91	±	1.50	-0.108	±	0.056	No
	12/02/14	1.52	±	1.45	0.056	±	0.054	No	-0.15	±	0.92	-0.006	±	0.034	No
DIETRICH	10/07/14	0.54	±	1.62	0.020	±	0.060	No	0.45	±	1.39	0.017	±	0.051	No
	11/04/14	0.32	±	1.79	0.012	±	0.066	No	-0.01	±	1.32	-0.001	±	0.049	No
	12/02/14	-1.63	±	1.87	-0.060	±	0.069	No	2.82	±	1.48	0.104	±	0.055	No
Duplicate	12/02/14	-2.24	±	1.24	-0.083	±	0.046	No	-0.77	±	0.64	-0.028	±	0.024	No
FORT HALL	11/01/14	1.02	±	1.56	0.038	±	0.058	No	-0.73	±	1.57	-0.027	±	0.058	No
	12/02/14	2.95	±	2.02	0.109	±	0.075	No	0.05	±	1.40	0.002	±	0.052	No
HOWE	10/07/14	0.54	±	1.72	0.020	±	0.064	No	-0.52	±	1.53	-0.019	±	0.057	No
	11/04/14	0.45	±	1.61	0.017	±	0.060	No	-0.89	±	1.47	-0.033	±	0.054	No
	12/02/14	-1.07	±	1.43	-0.040	±	0.053	No	0.33	±	0.64	0.012	±	0.024	No
IDAHO FALLS	10/07/14	-0.24	±	1.39	-0.009	±	0.051	No	-0.14	±	1.43	-0.005	±	0.053	No
Duplicate	10/07/14	-0.75	±	1.10	-0.028	±	0.041	No	0.37	±	0.90	0.014	±	0.033	No
	10/14/14	-0.31	±	1.11	-0.011	±	0.041	No	-1.93	±	0.99	-0.071	±	0.037	No
	10/21/14	-0.32	±	1.12	-0.012	±	0.041	No	-0.48	±	0.92	-0.018	±	0.034	No
	10/28/14	-3.98	±	2.17	-0.147	±	0.080	No	1.23	±	1.51	0.046	±	0.056	No
	11/04/14	0.70	±	1.47	0.026	±	0.054	No	1.42	±	1.49	0.053	±	0.055	No
	11/11/14	2.22	±	1.21	0.082	±	0.045	No	-1.12	±	0.99	-0.041	±	0.037	No
	11/18/14	1.07	±	1.15	0.040	±	0.043	No	0.55	±	0.95	0.020	±	0.035	No
	11/25/14	0.64	±	1.42	0.024	±	0.053	No	1.28	±	1.50	0.047	±	0.056	No
	12/02/14	0.48	±	1.14	0.018	±	0.042	No	-0.61	±	0.92	-0.022	±	0.034	No
	12/09/14	-0.92	±	1.13	-0.034	±	0.042	No	1.52	±	0.68	0.056	±	0.025	No
	12/17/14	-0.38	±	1.01	-0.014	±	0.037	No	1.22	±	0.66	0.045	±	0.025	No
	12/23/14	0.33	±	1.07	0.012	±	0.040	No	0.11	±	0.63	0.004	±	0.023	No
	12/30/14	2.13	±	1.14	0.079	±	0.042	No	0.66	±	0.66	0.024	±	0.024	No
RUPERT	10/07/14	0.18	±	0.51	0.007	±	0.019	No	0.38	±	0.92	0.014	±	0.034	No
	11/04/14	-1.19	±	1.68	-0.044	±	0.062	No	0.41	±	1.53	0.015	±	0.057	No
	12/02/14	0.72	±	1.32	0.027	±	0.049	No	0.62	±	0.95	0.023	±	0.035	No
TERRETON	10/07/14	2.13	±	1.38	0.079	±	0.051	No	-0.82	±	0.98	-0.030	±	0.036	No
	11/04/14	-0.85	±	1.93	-0.031	±	0.071	No	0.28	±	1.42	0.010	±	0.053	No
	12/02/14	-0.78	±	1.76	-0.029	±	0.065	No	-0.17	±	1.51	-0.006	±	0.056	No

				Stront	ium-90			
		Re	sult ±	:1s	Res	sult ±	: 1s	
Location	Sampling Date	Une	certa	inty	Une	certa	inty	Result > 3s
BLACKFOOT	11/03/14	0.19	±	0.07	0.007	±	0.003	No
CONTROL	11/04/14	0.38	±	0.08	0.014	±	0.003	Yes
DIETRICH	11/04/14	0.53	±	0.09	0.019	±	0.004	Yes
FORT HALL	11/02/14	0.26	±	0.07	0.009	±	0.003	Yes
HOWE	11/04/14	0.14	±	0.09	0.005	±	0.003	No
IDAHO FALLS	11/04/14	0.44	±	0.08	0.016	±	0.003	Yes
RUPERT	11/04/14	0.16	±	0.08	0.006	±	0.003	No
TERRETON	11/04/14	0.54	±	0.09	0.020	±	0.003	Yes
		Concer	ntrati	on ± 1s	Concer	ntrati	on ± 1s	
		(pCi/L	.)	(Bq/L	.)	Result > 3s
BLACKFOOT	11/03/14	120.70	±	22.95	4.470	±	0.850	Yes
CONTROL	11/04/14	39.70	±	22.80	1.470	±	0.844	No
DIETRICH	11/04/14	141.00	±	23.20	5.222	±	0.859	Yes
FORT HALL	11/02/14	78.30	±	22.40	2.900	±	0.830	Yes
HOWE	11/04/14	133.00	±	22.90	4.926	±	0.848	Yes
IDAHO FALLS	11/04/14	68.50	±	22.60	2.537	±	0.837	Yes
RUPERT	11/04/14	50.60	±	22.00	1.874	±	0.815	No
TERRETON	11/04/14	28.60	±	24.70	1.059	±	0.915	No

Table C-9. Cesium-137 and Strontium-90 Concentrations in Potatoes

		Cesium-137										
		Result ±	1s Ur	certainty	Result ±	1s Ur	ncertainty					
Location	Sampling Date		pCi/k	g		Bq/kg						
CONTROL	10/16/2014	-0.92	±	2.04	-0.03	±	0.08	No				
HAMER	9/24/2014	0.04	±	1.26	0.00	±	0.05	No				
IDAHO FALLS	9/30/2014	0.46	±	1.85	0.02	±	0.07	No				
IDAHO FALLS (DUPLICATE)	9/30/2014	-0.30	±	1.32	-0.01	±	0.05	No				
MORELAND	9/17/2014	0.19	±	1.25	0.01	±	0.05	No				
MUD LAKE	9/24/2014	-0.03	±	1.86	0.00	±	0.07	No				
REXBURG	10/30/2014	-0.54	±	1.27	-0.02	±	0.05	No				
RUPERT	10/7/2014	0.66	±	1.88	0.02	±	0.07	No				
SHELLEY	10/8/2014	0.17	±	1.41	0.01	±	0.05	No				
					ium-90							
				certainty			ncertainty					
			pCi/k	g		Bq/kg	j	Result > 3s				
CONTROL	10/16/2014	2.57	±	4.86	0.10	±	0.18	No				
HAMER	9/24/2014	33.30	±	6.30	1.23	±	0.23	Yes				
IDAHO FALLS	9/30/2014	5.98	±	5.62	0.22	±	0.21	No				
IDAHO FALLS (DUPLICATE)	9/30/2014	5.39	±	5.24	0.20	±	0.19	No				
MORELAND	9/17/2014	-4.50	±	5.13	-0.17	±	0.19	No				
MUD LAKE	9/24/2014	5.43	±	5.26	0.20	±	0.19	No				
REXBURG	10/30/2014	5.79	±	4.99	0.21	±	0.18	No				
RUPERT	10/7/2014	2.70	±	5.60	0.10	±	0.21	No				
SHELLEY	10/8/2014	-8.06	±	5.14	-0.30	±	0.19	No				

	Collection			Result ±	ncertainty	Result ±	certainty			
Species	Date 1	Tissue	Analyte	(pCi/kg	j wet	weight)	(x 10 ⁻² Bq/	kg w	et weight)	Result > 3s
ELK	11/17/2014 M	luscle	¹³¹	-1.09	±	2.35	-4.03	±	8.70	No
			¹³⁷ Cs	2.79	±	1.75	10.32	±	6.48	No
ELK	11/17/2014 T	hyroid	¹³¹	32.20	±	185.00	119.14	±	684.50	No
			¹³⁷ Cs	161.00	±	179.00	595.70	±	662.30	No

 Table C-10. Gamma-emitting Radionuclides in Large Game Animals

	Sampling		Result :	± Uncert	ainty(1s)			tainty(1s)	
Location	Date	Analyte		pCi/kg		(x 1	10 ⁻²) Bq	/kg	Result > 3s
ATR Complex	9/13/201	4							
		AMERICIUM-241	-0.15	±	0.43	-0.57	±	1.59	No
		CESIUM-137	845.00	±	58.80	3129.63	±	217.78	Yes
		CHROMIUM-51	-386.00	±	908.00	-1429.63	±	3362.96	No
		COBALT-60	2720.00	±	145.00	10074.07	±	537.04	Yes
		PLUTONIUM-238	0.24	±	0.33	0.87	±	1.21	No
		PLUTONIUM-239/240	-0.16	±	0.33	-0.61	±	1.21	No
		SELENIUM-75	76.23	±	23.61	282.33	±	87.44	Yes
		STRONTIUM-90	-8.83	±	11.90	-32.70	±	44.07	No
		ZINC-65	2400.00	±	159.00	8888.89	±	588.89	Yes
ATR Complex	10/17/201	4							
		AMERICIUM-241	0.25	±	0.56	0.91	±	2.06	No
		CESIUM-137	1700.00	±	97.90	6296.30	±	362.59	Yes
		CHROMIUM-51	-174.00	±	159.00	-644.44	±	588.89	No
		COBALT-60	841.00	±	46.00	3114.81	±	170.37	Yes
		PLUTONIUM-238	0.00	±	0.43	0.00	±	1.60	No
		PLUTONIUM-239/240	-0.53	±	0.43	-1.96	±	1.61	No
		STRONTIUM-90	7.26	±	4.97	26.89	±	18.41	No
		ZINC-65	427.00	±	38.00	1581.48	±	140.74	Yes
ATR Complex	10/17/201	4							
•		AMERICIUM-241	-0.05	±	0.52	-0.18	±	1.91	No
		CESIUM-137	-3.03	±	3.55	-11.22	±	13.15	No
		CHROMIUM-51	-25.70	±	118.00	-95.19	±	437.04	No
		COBALT-60	3.57	±	2.42	13.22	±	8.96	No
		PLUTONIUM-238	0.69	±	0.49	2.54	±	1.81	No
		PLUTONIUM-239/240	1.02	±	0.43	3.78	±	1.58	No
		STRONTIUM-90	-0.41	±	4.30	-1.53	±	15.93	No
		ZINC-65	-11.50	±	8.48	-42.59	±	31.41	No
MFC	9/13/201	4							
		AMERICIUM-241	0.03	±	0.51	0.11	±	1.90	No
		CESIUM-137	0.47	±	9.58	1.72	±	35.48	No
		CHROMIUM-51	115.00	±	708.00	425.93	±	2622.22	No
		COBALT-60	-4.63	±	6.99	-17.15	±	25.89	No
		PLUTONIUM-238	-0.15	±	0.41	-0.57	±	1.53	No
		PLUTONIUM-239/240	0.16	±	0.38	0.57	±	1.41	No
		STRONTIUM-90	15.00	±	5.04	55.56	±	18.67	No
		ZINC-65	-51.80	±	26.90	-191.85	±	99.63	No

NOTE: During the summer of 2020, a review of the table determined the activity concentration values reported for the media were correct, however, the unit of concentration listed in the column headings were incorrect. The column headings have been updated to the correct units of concentration [pCi/kg and $(x10^{-2})$ Bq/kg)]. For further discussion see Waterfowl Sampling in Section 5.

	Sampling		Result ±	L Uncerta	ainty(1s)	Result ±	Uncert	ainty(1s)	
Location	Date	Analyte		pCi/kg		(x 1	0 ⁻²) Bq/	kg	Result > 3s
Control	10/11/201	14							
		AMERICIUM-241	-0.33	±	0.49	-1.23	±	1.83	No
		CESIUM-137	4.79	±	2.82	17.74	±	10.44	No
		CHROMIUM-51	-16.20	±	27.90	-60.00	±	103.33	No
		COBALT-60	1.50	±	1.82	5.56	±	6.74	No
		PLUTONIUM-238	0.95	±	0.37	3.51	±	1.36	No
		PLUTONIUM-239/240	1.62	±	0.49	6.00	±	1.80	Yes
		STRONTIUM-90	2.32	±	4.57	8.59	±	16.93	No
		ZINC-65	-10.40	±	5.63	-38.52	±	20.85	No
Control	10/11/201	14							
		AMERICIUM-241	-0.39	±	0.52	-1.44	±	1.91	No
		CESIUM-137	8.97	±	3.62	33.22	±	13.41	No
		CHROMIUM-51	65.90	±	36.10	244.07	±	133.70	No
		COBALT-60	2.76	±	3.29	10.22	±	12.19	No
		PLUTONIUM-238	0.00	±	0.46	0.00	±	1.71	No
		PLUTONIUM-239/240	0.94	±	0.47	3.48	±	1.73	No
		STRONTIUM-90	53.90	±	8.32	199.63	±	30.81	Yes
		ZINC-65	-1.44	±	6.91	-5.33	±	25.59	No
Control	10/19/201	14							
		AMERICIUM-241	-0.21	±	0.49	-0.78	±	1.83	No
		CESIUM-137	-1.94	±	5.42	-7.19	±	20.07	No
		CHROMIUM-51	46.10	±	38.10	170.74	±	141.11	No
		COBALT-60	8.28	±	3.77	30.67	±	13.96	No
		PLUTONIUM-238	0.00	±	0.49	0.00	±	1.83	No
		PLUTONIUM-239/240	0.40	±	0.49	1.49	±	1.83	No
		STRONTIUM-90	-7.51	±	4.19	-27.81	±	15.52	No
		ZINC-65	3.05	±	9.66	11.30	±	35.78	No

Table C-11. Actinide, Gamma-emitting Radionuclide, and Strontium-90 Concentrations in Edible Tissues of Waterfowl

NOTE: During the summer of 2020, a review of the table determined the activity concentration values reported for the media were correct, however, the unit of concentration listed in the column headings were incorrect. The column headings have been updated to the correct units of concentration [pCi/kg and ($x10^{-2}$) Bq/kg)]. For further discussion see Waterfowl Sampling in Section 5.

Table C-12. Environme	ental Radiation Measurem	ents Using TLDs
-----------------------	--------------------------	-----------------

			Radiation Measurement ± 2s Uncertainty	Exposure
Location	Start Date	End Date	mR	mR/day
BOUNDARY				
ARCO	5/7/2014	11/5/2014	62.00 ± 12.20	0.34
ATOMIC CITY	5/7/2014	11/5/2014	62.80 ± 12.30	0.35
BIRCH CREEK	5/7/2014	11/5/2014	54.70 ± 10.70	0.30
BLUE DOME	5/7/2014	11/5/2014	51.60 ± 10.10	0.28
HOWE	5/7/2014	11/5/2014	59.70 ± 11.70	0.33
MONTEVIEW	5/7/2014	11/5/2014	58.00 ± 11.40	0.32
MUD LAKE	5/7/2014	11/5/2014	64.20 ± 12.60	0.35
			Boundary Average	0.32
DISTANT				
ABERDEEN	5/6/2014	11/4/2014	63.40 ± 12.40	0.35
BLACKFOOT			Invalid Result-see text for explanation	
BLACKFOOT CMS	5/7/2014	11/5/2014	52.70 ± 10.30	0.29
CRATERS	5/7/2014	11/5/2014	60.70 ± 11.90	0.33
DUBOIS	5/7/2014	11/5/2014	51.40 ± 10.10	0.28
IDAHO FALLS	5/7/2014	11/5/2014	62.10 ± 12.20	0.34
MINIDOKA	5/6/2014	11/4/2014	56.20 ± 11.00	0.31
ROBERTS	5/6/2014	11/4/2014	65.80 ± 12.90	0.36
SUGAR CITY	5/7/2014	11/5/2014	76.00 ± 14.90	0.42
			Distant Average	0.34
OUT-OF-STATE				
JACKSON	5/1/2014	11/3/2014	48.50 <u>+</u> 9.50	0.26

Table C-13. Environmental Radiation Measurements Using OSLD	5
---	---

			Radiation Measurement ± 2s Uncertainty	y Dose
Location	Start Date	End Date	mrem	mrem/day
BOUNDARY				-
ARCO	5/7/2014	11/5/2014	56.95 ± 5.70	0.31
ATOMIC CITY	5/7/2014	11/5/2014	59.95 ± 6.00	0.33
BIRCH CREEK	5/7/2014	11/5/2014	51.00 ± 5.10	0.28
BLUE DOME	5/7/2014	11/5/2014	43.65 ± 4.37	0.24
HOWE	5/7/2014	11/5/2014	55.25 ± 5.53	0.30
MONTEVIEW	5/7/2014	11/5/2014	52.60 ± 5.26	0.29
MUD LAKE	5/7/2014	11/5/2014	63.60 ± 6.36	0.35
			Boundary Average	0.30
DISTANT				
ABERDEEN	5/6/2014	11/4/2014	58.20 ± 5.82	0.32
BLACKFOOT			Invalid Result-see text for explanation	
BLACKFOOT CMS	5/7/2014	11/5/2014	53.75 ± 5.38	0.30
CRATERS	5/7/2014	11/5/2014	55.90 ± 5.59	0.31
DUBOIS	5/7/2014	11/5/2014	52.00 ± 5.20	0.29
IDAHO FALLS	5/7/2014	11/5/2014	54.10 ± 5.41	0.30
MINIDOKA	5/6/2014	11/4/2014	52.35 ± 5.24	0.29
ROBERTS	5/6/2014	11/4/2014	64.25 ± 6.43	0.35
SUGAR CITY	5/7/2014	11/5/2014	82.05 ± 8.21	0.45
			Distant Average	0.32
OUT-OF-STATE				
JACKSON	5/1/2014	11/3/2014	45.75 <u>+</u> 4.58	0.25

APPENDIX D

STATISTICAL ANALYSIS RESULTS

Parameter P ^a					
Gross Alpha					
Quarter	0.20				
October	0.85				
November	0.09				
December	0.65				
Gross Beta					
Quarter	0.00				
October	0.02				
November	0.01				
December	0.00				

Table D-1.Results of the Kruskal-Wallis statistical test between INL Site, Boundary,
and Distant sample groups by month.

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Values below 0.05 are indicated in red.

	Mann-Whitney U tes
Week	P ^a
October 1	0.89
	0.72
	0.48
	0.81
	0.57
	0.78
	0.62
	0.02
	0.32
	0.32
	0.33
	0.32
	0.32
	0.32
December 31	0.40
October 1	0.52
	0.09
	0.17
	0.22
October 29	0.89
November 5	0.07
November 12	0.12
November 19	0.01
November 26	0.00
December 3	0.05
December 10	0.02
December 17	0.25
December 24	0.02
December 31	0.00
	October 1 October 8 October 22 October 22 October 29 November 5 November 12 November 19 November 26 December 3 December 3 December 10 December 17 December 24 December 31 October 1 October 1 October 1 October 1 October 22 October 22 October 29 November 5 November 5 November 5 November 12 November 12 November 12 November 13 December 3 December 3

Table D-2. Statistical difference in weekly gross alpha and gross beta concentrations measured at Boundary and Distant locations.

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Values below 0.05 are indicated in red.