

Veolia Nuclear Solutions- Federal Services
Environmental Surveillance, Education, and Research Program
ISSN NUMBER 1089-5469

Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: Second Quarter 2017

February 2018



Contributors:

Racquel Clark, Russ Mitchell, Marilyn Case

**Program conducted for the U.S. Department of Energy, Idaho Operations Office
Under Contract DE-NE0008477**

**By Veolia Nuclear Solutions- Federal Services
Environmental Surveillance, Education, and Research Program
Douglas K. Halford, Program Manager
120 Technology Dr., Idaho Falls, Idaho 83401
www.idaho eser.com**

EXECUTIVE SUMMARY

None of the radionuclides detected in samples collected during the second quarter of 2017 could be directly linked with INL Site activities. Levels of detected radionuclides were no different than values measured at other locations across the western United States. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the second quarter of 2017 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, April 1 through June 30, 2017. All sample types (media) and the sampling schedule followed during 2017 are listed in Appendix A. This report contains results for the following sample types:

- Air, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation
- Surface water and drinking water
- Alfalfa
- Milk
- Big game
- Environmental Radiation using Optically Stimulated Luminescent Dosimeters (OSLD)

Table E-1. Summary of results for the Second Quarter of 2017.

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	There were some statistical differences in monthly or quarterly gross alpha or gross beta concentrations measured at Distant, Boundary, and INL Site sampling locations, but these appeared to be normal variations in the data. A few differences were also noted in weekly results but no pattern was discernible. No result exceeded the DCS for gross alpha or gross beta activity in air.
	Quarterly Composite	Gamma-emitting radionuclides, ⁹⁰ Sr, actinides (americium and plutonium)	No ¹³⁷ Cs or other human-made gamma-emitting radionuclides were found in quarterly composites. No ⁹⁰ Sr or ^{239/240} Pu were found either. Americium-241 and Plutonium-238 were detected just above the 3s uncertainty level in two separate composites. Both of the results were 0.005 percent of the applicable DCSs, respectively.
	Charcoal Cartridge	Iodine-131	Iodine-131 was not detected in any of the 26 batches counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	Ten of the 12 sample results showed tritium concentrations greater than the 3s uncertainty during the quarter. No sample result exceeded the DCS for tritium in air.
Precipitation	Liquid	Tritium	25 samples were collected in the second quarter. Eight of the results were greater than the 3s uncertainty. All results were within the range previously measured and were consistent with those reported across the region by the Environmental Protection Agency.

Media	Sample Type	Analysis	Results
Drinking/ Surface Water	Liquid	Gross alpha, gross beta, tritium	Gross alpha and Gross beta was detected in eight of 10 samples. All concentrations were generally similar from previous results. Tritium was detected in four samples. Concentrations were similar to those measured historically in drinking and surface water.
Surface Water (BLR)	Liquid	Gross alpha, gross beta, tritium	Gross alpha and gross beta activity was detected in all samples. The concentrations were generally similar to previous results. Tritium was also detected in one sample. Concentrations were similar to those found in atmospheric moisture and precipitation samples and were consistent with previous years.
Alfalfa	Vegetation	Gamma-emitting radionuclides, ⁹⁰ Sr	No human-made gamma-emitting radionuclides were found in any of the subsamples this year. Strontium-90 was found in all three subsamples. The values were much lower this year than in previous years.
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides	Milk was collected at seven locations. No Iodine-131 or other human-made gamma emitting radionuclides were detected. Strontium-90 was detected in all seven samples. All were approximately the same concentration (including the offsite control from Colorado) indicating the INL Site is not the source. Tritium was detected in three samples at levels similar to previous measurements and to precipitation.
Large Game Animals	Tissue	Gamma-emitting radionuclides	One game animal was sampled during the quarter. No human-made radionuclides were detected.
Environmental Dosimeters	Environmental radiation	External radioactivity	The average measurements over the six-month period were 0.28 mrem/day at Boundary and 0.29 mrem/day at Distant locations.

LIST OF ABBREVIATIONS

AEC	Atomic Energy Commission
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	Department of Energy
DOE – ID	Department of Energy Idaho Operations Office
EAL	Environmental Assessment Laboratory
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ERAMS	Environmental Radiation Ambient Monitoring System
ESER	Environmental Surveillance, Education, and Research
ICP	Idaho Cleanup Project
INL	Idaho National Laboratory
INEL	Idaho National Engineering Laboratory
INEEL	Idaho National Engineering and Environmental Laboratory
ISU	Idaho State University
MDC	minimum detectable concentration
NRTS	National Reactor Testing Station
ORAU	Oak Ridge Associated Universities
VNS-FS	Veolia Nuclear Solutions- Federal Services
WAI	Wastren Advantage Inc.

LIST OF UNITS

Bq	becquerel
Ci	curie
g	gram
L	liter
μ Ci	microcurie
mL	milliliter
mrem	millirem
mR	milliRoentgen
pCi	picocurie

1. ESER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under a number of acts (e.g. the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2011a, DOE 2015a). During calendar year 2017, environmental monitoring within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors. At the beginning of the first quarter of 2018, ESER Program responsibilities were assumed by Veolia Nuclear Solutions-Federal Services (VNS-FS), in conjunction with team members Idaho State University and Oak Ridge Associated Universities (ORAU).

This report contains monitoring results from the ESER Program for samples collected during the second quarter of 2017 (April 1- June 30, 2017).

The surveillance portion of the ESER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely through the use of reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- moisture in air at three locations around the INL Site
- precipitation from four locations on and around the INL Site
- drinking water from eight locations and surface water from three locations, both from around the INL Site
- surface water sampled from six locations along the Big Lost River on the INL Site
- agricultural products, including milk at seven dairies around the INL Site, potatoes from at least six local producers, alfalfa from a local producer, grain (wheat and barley) from approximately 10 local producers, and lettuce from approximately nine home-owned and portable gardens on and around the INL Site
- soil from 13 locations around the INL Site biennially
- environmental dosimeters from 17 locations semi-annually
- various numbers of wildlife including big game (pronghorn, mule deer, and elk) and waterfowl sampled on and near the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}\text{Pu}$), and americium-241 (^{241}Am) were performed by Oak Ridge Associated Universities (ORAU).

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet [previously known as the Environmental Radiation Ambient Monitoring System (ERAMS) network] (EPA 2017). The EPA established the ERAMS network in 1973 with an emphasis on identifying trends in the accumulation of long-lived radionuclides in the environment. ERAMS was renamed RadNet in 2005 to reflect a new mission. RadNet is comprised of a nationwide network of sampling stations that provide air, precipitation, drinking water, and milk samples. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (<https://www.epa.gov/radnet>).

Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data and for preparing quarterly reports on results from the environmental surveillance program. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably have an effect on the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s , where " s " is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is statistically different from background. Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the

sample collected in the environment, except that the radionuclide of interest is absent). In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection. ESER currently defines a detection of radioactivity in an individual sample if the result exceeds the minimum detectable concentration (MDC) calculated by the laboratory after the analysis of a background sample (i.e., the *a posteriori* measurement) based on calculations derived by Curie (1968). The MDC is defined as the concentration at which there is a 95 percent confidence that an analyte signal will be distinguishable from an analyte-free sample.

In addition ESER uses a three standard deviation criterion to identify a potentially false positive result. A false positive result is indicated when the range encompassing the result, plus or minus the total uncertainty at three standard deviations, includes zero (e.g., 2.5 +/- 1.0; range of -0.5 to 3.5). Statistically, the probability that a result can exceed the absolute value of its total uncertainty at three standard deviations by chance alone is less than 1 percent. A result that is greater than three times the total uncertainty of the measurement represents a statistically positive detection with over 99 percent confidence (DOE 2015b). The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being *detected with confidence*.

Concentrations between 2s and 3s are reported as *questionably detected*. That is, the radionuclide may be present in the sample; however, the probability that a result can exceed the absolute value of its total uncertainty at two standard deviations by chance alone may be as high as 5 percent. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a particular radionuclide is routinely detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is even less statistical confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

For more information concerning the ESER Program, contact VNS-FS at (208) 525-8250, or visit the Program's web page (<http://www.idaho eser.com>).

2. THE INL SITE

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi² (2,300 km²) of the upper Snake River Plain in Southeastern Idaho (Figure 1). The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005 the INEEL and Argonne National Laboratory-West became the INL Site. The INL Site is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories.

The Idaho Cleanup Project (ICP) is now a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process.




Figure 1. Location of the Idaho National Laboratory Site.

3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (^{131}I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the second quarter of 2017 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011b) values is provided in Appendix B.

LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the second quarter of 2017 (Figure 2). Three of these samplers are located on the INL Site, seven are situated off the INL Site near the boundary, and eight have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2016, one replicate sampler was moved to Sugar City (a Distant location) and one was moved to Blackfoot (also a Distant location). An average of 19,688 ft³ (558 m³) of air was sampled at each location, each week, at an average flow rate of 1.95 ft³/min (0.05 m³/min). Particulates in air were collected on membrane particulate filters (1.2- μm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.




Figure 2. Low-volume air sampler locations.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (^{131}I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha data are tested for normality prior to statistical analyses, and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, the nonparametric Kruskal-Wallis test of multiple independent groups was used to test for statistical differences between INL Site, Boundary, and Distant locations. The use of nonparametric tests, such as Kruskal-Wallis, gives less weight to outlier and extreme values thus allowing a more appropriate comparison of data groups. A statistically significant difference exists between data groups if the (p) value is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. Comparisons of gross alpha concentrations were made for the quarter and for each month of the quarter using this methodology. The p-value for each comparison is shown in Table D-1. In the second quarter, there was a statistical difference for the quarter as a whole and for the month of June. In both cases, the Boundary group showed the highest concentration, followed by the Distant group. The INL Site group was actually the group with the lowest gross alpha concentrations. The differences between the groups was very small, however, as shown in Figure 3.

As an additional check, comparisons between gross alpha concentrations measured at Boundary and Distant locations were made on a weekly basis. The Mann-Whitney U test was used to compare the Boundary and Distant data because it is the most powerful nonparametric alternative to the t-test for independent samples. INL Site sample results were not included in this analysis because the onsite data, collected at only three locations, are not representative of the entire INL Site and would not aid in determining offsite impacts. There were two weeks where a statistical difference existed between the two sample groups (Table D-2). These were the weeks of April 26 and June 14. The Distant locations were statistically higher than the Boundary locations, not indicating an INL Site impact. On the week of June 14, the Boundary locations were higher than the Distant locations. This was due to slighter higher concentrations in Howe and Montevieu. Overall, the concentrations were well within the normal range.

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. The data are tested quarterly and generally are found to be neither normally nor log-normally distributed. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past five years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures. No statistical differences were noted in the quarterly data or during any month of the quarter (Table D-1).

Weekly comparisons were also made using the same method as for the gross alpha data and no statistical differences were found during any week of the quarter (Table D-2).

Iodine-131 was not detected in any of the 26 sets of charcoal cartridges measured during the second quarter. Weekly ^{131}I results for each location are listed in Table C-2 of Appendix C.

No ^{137}Cs or other human-made gamma-emitting radionuclides were found in quarterly composites. No ^{90}Sr or $^{239/240}\text{Pu}$ were found either. Americium-241 was detected just above the 3s uncertainty level in the composite from the duplicate sampler at Sugar City (but not in the composite from the regular sampler in Sugar City). In comparison to the Derived Concentration Standard, the ^{241}Am result was 0.005 percent of the DCS. Plutonium-238 was also reported in a composite from Van Buren, also just above the detection limit. The detected value was also 0.005 percent of the DCS. A lower detection limit achieved by the current laboratory performing these analyses has resulted in a few results near the detection limit in 2016 and 2017. Results for these analyses are found in Table C-3 of Appendix C.

ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for 12 atmospheric moisture samples collected during the second quarter of 2017. Ten of the 12 results exceeded the 3s uncertainty level for tritium, with similar results to those reported previously. Results also remain similar between the four sampling locations. All samples were significantly below the DOE DCS for tritium in air of $1.4 \times 10^{-8} \mu\text{Ci}/\text{mL}_{\text{air}}$ with a maximum reported value of $13.1 \times 10^{-13} \mu\text{Ci}/\text{mL}_{\text{air}}$ at Atomic City. Results are shown in Table C-4, Appendix C.




Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the second quarter of 2017. The Derived Concentration Standard (DCS) is the concentration of ²³⁹Pu in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ²³⁹Pu is shown because it is the most restrictive human-made alpha emitter.




Figure 4. April gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations (number of samples [N] = 4 at each location). The Derived Concentration Standard (DCS) is the concentration of ²³⁹Pu in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ²³⁹Pu is shown because it is the most restrictive human-made alpha emitter.




Figure 5. May gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations (number of samples [N] = 5 at each location). The Derived Concentration Standard (DCS) is the concentration of ²³⁹Pu in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ²³⁹Pu is shown because it is the most restrictive human-made alpha emitter.




Figure 6. June gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations (number of samples [N] = 4 at each location). The Derived Concentration Standard (DCS) is the concentration of ²³⁹Pu in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ²³⁹Pu is shown because it is the most restrictive human-made alpha emitter.




Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the second quarter of 2017. The Derived Concentration Standard (DCS) is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter.




Figure 8. April gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations (number of samples [N] = 4 at each location). The Derived Concentration Standard (DCS) is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter.




Figure 9. May gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations (number of samples [N] = 5 at each location). The Derived Concentration Standard (DCS) is the concentration of ⁹⁰Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter.




Figure 10. June gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations (number of samples [N] = 4 at each location). The Derived Concentration Standard (DCS) is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter.

4. PRECIPITATION AND WATER SAMPLING

PRECIPITATION SAMPLING

Precipitation samples are gathered when sufficient precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls, and weekly from the EFS, Howe, and Atomic City. Precipitation samples are analyzed for tritium. Storm events in the second quarter of 2017 produced sufficient precipitation to yield 25 samples.

Tritium was measured above the 3s values in eight of the 25 samples. These results are listed in Table C-5 (Appendix C). Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere and the remnants of fallout from nuclear weapons testing. When detected, tritium values have remained well within the historical range and the range measured across the country by the EPA Radnet program (EPA 2017). Most samples have values up to about 150 pCi/L, with occasional values ranging up to about 300-400 pCi/L. The maximum value in the second quarter was 232 pCi/L in a June EFS sample. The overall average for most sets of tritium data in almost all media is usually about 100 pCi/L. During the second quarter concentrations were below the average value at 52.5 pCi/L.



BLR Sinks

WATER SAMPLING

Drinking water samples were collected at eight locations (plus a duplicate). A control sample of bottled water was also prepared. Surface water samples were collected at three Thousand Springs locations. All samples were analyzed for gross alpha, gross beta, and tritium. Results are listed in Table C-6 of Appendix C. During the summer of 2020, a review of Appendix C, Table C-6 determined the gross alpha and gross beta activity concentration and uncertainty values for the drinking water sample collected at Mud Lake were incorrect. The activity concentration and uncertainty value were updated with the correct values.

Gross alpha activity was detected in eight of the 10 drinking water samples (all except Idaho Falls and the control), and in all three surface water samples. Gross beta activity was detected in eight of the 10 drinking water samples (all except Howe City Park and the control), and in all three of the surface water samples. All concentrations were generally similar to previous results from drinking and surface water sampling. Natural levels of radioactive decay products of thorium and uranium exist in the Snake River Plain Aquifer and are the likely source of the measured concentrations. The highest reported value was 6.34 pCi/L in the sample from Alpheus Spring near Twin Falls. This location has historically shown the highest levels of natural activity.

Tritium was also detected in four of the 10 drinking water samples and two of the three surface water samples. The concentrations were similar to those found in atmospheric moisture and precipitation samples and were consistent with previous results. The maximum value was 204 pCi/L at the Bill Jones Fish Farm. The results are well below the DCS of 1.9×10^6 pCi/L for tritium in drinking water.

The Big Lost River (BLR) flowed on the INL Site for the first time since 2012. Samples were collected monthly at five locations (plus a duplicate). A control sample was collected from Birch Creek. All samples were analyzed for gross alpha, gross beta, tritium, and gamma-emitting radionuclides. Results are listed in Table C-7 of Appendix C and include two collection events, one in May and one in June.

Because of the high snow accumulation in the winter of 2016-17, large volumes of water were released from the Mackay Reservoir. Over the 5-year period from when the river last ran, loose sediment from frequent winds was deposited into the empty river bed. The first set of samples from the BLR contained high amounts of sediment. Analyses were attempted before filtration on the first three samples. High amounts of sediment in the water samples prevents accurate analyses for gross alpha and gross beta. The lab determined more accurate results would be obtained by filtering all the remaining BLR water samples prior to analysis.

Gross alpha and gross beta activity was detected in thirteen of fourteen samples. The highest reported gross alpha value was 5.70 pCi/L in an unfiltered sample from the BLR at NRF. The highest reported gross beta value was 8.98 pCi/L in an unfiltered sample from BLR at NRF. Concentrations were generally similar to previous unfiltered results from the BLR sampling. Tritium was also detected in one sample from the BLR at EFS; the reported value was 104 pCi/L. Concentrations were similar to those found in atmospheric moisture and precipitation samples and were consistent with previous years.

No manmade gamma-emitting radionuclides were detected during the second quarter.

5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the third quarter, while potatoes are collected during the third and fourth quarters. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and agricultural products samples available during the second quarter of 2017.

MILK SAMPLING

Twenty milk samples were collected weekly in Idaho Falls and Terreton. Twenty-five monthly samples were collected at four additional locations around the INL Site (Figure 11) during the second quarter of 2017. The Fort Hall dairy was not in operation during the second quarter. In addition to the local locations, commercially-available organic milk (from Colorado) was purchased as a control sample each month. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on Iodine-131.

Iodine-131 was not detected in any weekly or monthly samples during the second quarter. No other human-made gamma-emitting radionuclides were found either. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-8.

Results for ^{90}Sr and tritium are listed in Appendix C, Table C-9. Strontium-90 was detected in all seven samples analyzed, including the control sample. The maximum concentration of 0.42 pCi/L from Blackfoot and the average concentration of 0.30 pCi/L are in the lower portion of the range for these values over the past several years. The presence of ^{90}Sr at similar levels in samples from near the INL Site and Distant from the INL Site (as well as the organic milk from Colorado), does not indicate an INL Site impact of the results. There is no DCS for ^{90}Sr in milk; however, for comparison the results were well below the drinking water DCS of 1.1×10^3 pCi/L.

Tritium was also detected in three of seven samples analyzed, with a maximum value of 189 pCi/L in the control sample from Colorado. All results were similar to those previously measured and similar to those found in other liquid media like precipitation. There is no DCS for tritium in milk, but the results were well below the DCS for tritium in drinking water (1.9×10^6 pCi/L).

ALFALFA SAMPLING

A sample of alfalfa was obtained from a grower in the Mud Lake area. The sample was then divided into three subsamples and analyzed for gamma-emitting radionuclides and ^{90}Sr . Data for ^{137}Cs and ^{90}Sr in alfalfa samples are listed in Appendix C, Table C-10.

No human-made gamma-emitting radionuclides were found in any of the subsamples this year. Strontium-90 was found in all three subsamples. During the five years alfalfa has been collected, ^{90}Sr concentrations have been in the 70-150 pCi/kg range. The values were much lower this year than in previous years. The subsamples varied from 8-14 pCi/kg.




Figure 11. ESER milk sampling locations.

LARGE GAME ANIMAL SAMPLING

Muscle tissue was collected from one game animal, a pronghorn, during the second quarter. No manmade gamma-emitting radionuclides were detected (Appendix C, Table C-11). A review of Table C-11, performed in the summer of 2020, identified the ^{137}Cs result and uncertainty values listed for a thyroid sample collected from a pronghorn on May 17, 2017 were incorrect. The ^{40}K result and uncertainty values were inadvertently listed as the ^{137}Cs result and uncertainty values. The result and uncertainty values were updated with the correct values. Cesium-137 was not detected in the thyroid sample.

Pronghorn

6. ENVIRONMENTAL RADIATION

An array of optically stimulated luminescent dosimeters (OSLDs) is distributed throughout the Eastern Snake River Plain to monitor for environmental radiation. Two OSLDs are in place at each location. OSLDs are changed out at the beginning of May and again at the beginning of November after six months in the field.

OSLD results from the fourth quarter are displayed in Appendix C, Table C-12. Results are presented in dose units of millirem (mrem). The Boundary OSLD values ranged from 45.50 mrem at Blue Dome to 55.80 mrem at Mud Lake, with an overall average of 50.85 mrem. This equates to an average dose of 0.28 mrem per day. Distant results varied from 48.75 mrem at Minidoka to 68.00 mrem at Sugar City. The Distant average was 53.57 mrem, which also equates to 0.29 mrem per day. Results vary between sampling locations based on the geologic composition of the soils in the vicinity of the OSLD and the elevation of the station.



Common sunflower

7. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

1. method uncertainty
2. data completeness
3. data accuracy, using spike, performance evaluation and laboratory control samples
4. data precision, using split samples, duplicate samples and recounts
5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (WAI 2016). Criteria established by DOE for Quality Assurance activities include:

- Quality assurance program
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

Assessments of ESER data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives. These assessments are documented in the ESER Quality Assurance for the Second Quarter of 2017 (WAI 2017).

8. REFERENCES

Currie, L.A., 1984, Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.

DOE, 2011a, "Radiation Protection of the Public and the Environment," U.S. Department of Energy O 458.1, Administrative Change 3, February 11, 2011.

DOE, 2011b, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.

DOE, 2015a, "Environmental Radiological Effluent Monitoring and Environmental Surveillance", DOE-HDBK-1216-2015, March 2015.

DOE, 2015b, Handbook for the Department of Energy's Mixed Analyte Performance Evaluation Program (MAPEP), January 2015. Available at: <http://www.id.energy.gov/resl/mapep/handbookv15.pdf>.

EPA, 2017, RadNet—Tracking Environmental Radiation Nationwide, Web-page: <http://www.epa.gov/narel/radnet/>

WAI, 2016, Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program, Environmental Surveillance, Education and Research Program, March 2016.

WAI, 2017, *Environmental Quality Assurance Report for the 2nd Quarter 2017*, Environmental Surveillance, Education, and Research Program, January 2018.

APPENDIX A
SUMMARY OF SAMPLING SCHEDULE

Table A-1. Summary of the ESER Program's Sampling Schedule

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AIR SAMPLING				
<i>LOW-VOLUME AIR</i>				
Gross Alpha, Gross Beta, ¹³¹ I	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Montevue, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Montevue, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
⁹⁰ Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
<i>ATMOSPHERIC MOISTURE</i>				
Tritium	2 to 13 weeks	Idaho Falls	Atomic City, Howe	EFS
<i>PRECIPITATION</i>				
Tritium	monthly	Idaho Falls	None	None
Tritium	weekly	None	Atomic City, Howe	EFS
<i>DRINKING WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None
<i>SURFACE WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
ENVIRONMENTAL RADIATION SAMPLING				
<i>TLDs/OSLDs</i>				
Gamma Radiation	semiannual	Aberdeen, Blackfoot (2), Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Sugar City, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Montevue, Mud Lake	None
SOIL SAMPLING				
<i>SOIL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	biennially	Carey, Blackfoot, St. Anthony	Butte City, Montevue, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None

Table A-1. Summary of the ESER Program's Sampling Schedule (continued)

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
FOODSTUFF SAMPLING				
<i>MILK</i>				
Gamma Spec (¹³¹ I)	weekly	Idaho Falls	Terreton	None
Gamma Spec (¹³¹ I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
Tritium, ⁹⁰ Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
<i>POTATOES</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Idaho Falls, Rupert, Shelley, Hamer, Driggs, occasional samples across the U.S.	Varies among Arco, Monteview, Mud Lake, Terreton	None
<i>ALFALFA</i>				
Gamma Spec, ⁹⁰ Sr	annually	None	Mud Lake	None
<i>GRAIN</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among American Falls, Blackfoot, Carey, Idaho Falls, Rupert/Minidoka, Roberts	Varies among Arco, Monteview, Mud Lake, Taber, Terreton	None
<i>LETTUCE</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Carey, Idaho Falls, Rigby, Sugar City	Varies among Arco, Atomic City, FAA Tower, Howe, Monteview	EFS
<i>BIG GAME</i>				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads
<i>WATERFOWL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	annually	Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewater disposal ponds

APPENDIX B
SUMMARY OF MDCs AND DCSs

Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed during Second Quarter 2017

Sample Type	Analysis	Approximate Minimum Detectable Concentration ^a (MDC)	Derived Concentration Standard ^b (DCS)
Air (particulate filter) ^e	Gross alpha ^c	3.66×10^{-16} $\mu\text{Ci/mL}$	3.4×10^{-14} $\mu\text{Ci/mL}$
	Gross beta ^d	9.77×10^{-16} $\mu\text{Ci/mL}$	2.5×10^{-11} $\mu\text{Ci/mL}$
	¹³⁷ Cs	9.50×10^{-17} $\mu\text{Ci/mL}$	9.8×10^{-11} $\mu\text{Ci/mL}$
	⁹⁰ Sr	1.71×10^{-17} $\mu\text{Ci/mL}$	2.5×10^{-11} $\mu\text{Ci/mL}$
	²⁴¹ Am	8.97×10^{-19} $\mu\text{Ci/mL}$	4.1×10^{-14} $\mu\text{Ci/mL}$
	²³⁸ Pu	7.14×10^{-19} $\mu\text{Ci/mL}$	3.7×10^{-14} $\mu\text{Ci/mL}$
	^{239/240} Pu	6.00×10^{-19} $\mu\text{Ci/mL}$	3.4×10^{-14} $\mu\text{Ci/mL}$
Air (charcoal cartridge) ^e	¹³¹ I	4.80×10^{-16} $\mu\text{Ci/mL}$	2.3×10^{-19} $\mu\text{Ci/mL}$
Air (precipitation)	³ H	83.8 pCi/L	1.9×10^{-3} $\mu\text{Ci/mL}$
Drinking/Surface Water	Gross alpha	1.7 pCi/L	1.7×10^{-7} $\mu\text{Ci/mL}$
	Gross beta	1.5 pCi/L	1.1×10^{-6} $\mu\text{Ci/mL}$
	³ H	96.4 pCi/L	1.9×10^{-3} $\mu\text{Ci/mL}$
Milk	¹³¹ I	0.27 pCi/L	--
	¹³⁷ Cs	0.83 pCi/L	--
	⁹⁰ Sr	0.22 pCi/L	--
	³ H	92.1 pCi/L	--
Alfalfa	¹³⁷ Cs	25.6 pCi/kg	--
	⁹⁰ Sr	7.34 pCi/kg	--
Game	¹³⁷ Cs	1.3 pCi/kg	--
<p>a The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence. MDCs are calculated and reported by the laboratories based on actual ESER sample results following analysis.</p> <p>b DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.</p> <p>c Because gross alpha measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ²³⁹Pu is shown because it is the most restrictive human-made alpha emitter.</p> <p>d Because gross beta measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter.</p> <p>e The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 m³/week.</p>			

APPENDIX C
SAMPLE ANALYSIS RESULTS

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA					GROSS BETA				
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s
BOUNDARY											
ARCO	04/05/17	0.78 ± 0.16	2.89 ± 0.60	Yes	11.90 ± 0.50	44.03 ± 1.84	Yes				
	04/12/17	1.12 ± 0.19	4.14 ± 0.68	Yes	18.30 ± 0.57	67.71 ± 2.11	Yes				
	04/19/17	1.13 ± 0.18	4.18 ± 0.65	Yes	17.70 ± 0.57	65.49 ± 2.12	Yes				
	04/26/17	0.39 ± 0.17	1.42 ± 0.61	No	8.61 ± 0.44	31.86 ± 1.62	Yes				
	05/03/17	0.53 ± 0.18	1.95 ± 0.67	No	9.70 ± 0.45	35.89 ± 1.66	Yes				
	05/10/17	0.70 ± 0.20	2.58 ± 0.73	Yes	18.10 ± 0.56	66.97 ± 2.05	Yes				
	05/17/17	0.64 ± 0.18	2.36 ± 0.65	Yes	16.40 ± 0.50	60.68 ± 1.84	Yes				
	05/24/17	0.82 ± 0.16	3.03 ± 0.59	Yes	17.40 ± 0.57	64.38 ± 2.12	Yes				
	05/31/17	1.08 ± 0.15	4.00 ± 0.57	Yes	19.70 ± 0.57	72.89 ± 2.09	Yes				
	06/07/17	1.55 ± 0.19	5.74 ± 0.69	Yes	27.80 ± 0.66	102.86 ± 2.45	Yes				
	06/14/17	1.23 ± 0.18	4.55 ± 0.65	Yes	24.10 ± 0.62	89.17 ± 2.28	Yes				
	06/21/17	1.02 ± 0.18	3.77 ± 0.68	Yes	20.30 ± 0.61	75.11 ± 2.25	Yes				
	06/28/17	1.28 ± 0.19	4.74 ± 0.72	Yes	25.80 ± 0.65	95.46 ± 2.42	Yes				
ATOMIC CITY	04/05/17	0.92 ± 0.17	3.40 ± 0.63	Yes	11.90 ± 0.50	44.03 ± 1.85	Yes				
	04/12/17	0.73 ± 0.16	2.68 ± 0.60	Yes	18.40 ± 0.55	68.08 ± 2.04	Yes				
	04/19/17	1.08 ± 0.17	4.00 ± 0.62	Yes	16.70 ± 0.54	61.79 ± 2.00	Yes				
	04/26/17	0.32 ± 0.16	1.17 ± 0.58	No	9.72 ± 0.44	35.96 ± 1.62	Yes				
	05/03/17	0.15 ± 0.16	0.57 ± 0.60	No	9.97 ± 0.45	36.89 ± 1.67	Yes				
	05/10/17	0.99 ± 0.20	3.67 ± 0.75	Yes	14.30 ± 0.50	52.91 ± 1.85	Yes				
	05/17/17	0.69 ± 0.19	2.56 ± 0.69	Yes	15.90 ± 0.51	58.83 ± 1.89	Yes				
	05/24/17	1.01 ± 0.17	3.74 ± 0.62	Yes	17.80 ± 0.58	65.86 ± 2.13	Yes				
	05/31/17	1.43 ± 0.18	5.29 ± 0.67	Yes	23.30 ± 0.64	86.21 ± 2.35	Yes				
	06/07/17	1.57 ± 0.18	5.81 ± 0.68	Yes	26.90 ± 0.64	99.53 ± 2.37	Yes				
	06/14/17	1.21 ± 0.18	4.48 ± 0.65	Yes	20.80 ± 0.60	76.96 ± 2.22	Yes				
	06/21/17	1.02 ± 0.18	3.77 ± 0.66	Yes	18.90 ± 0.58	69.93 ± 2.14	Yes				
	06/28/17	1.42 ± 0.23	5.25 ± 0.86	Yes	32.30 ± 0.81	119.51 ± 2.98	Yes				
BLUE DOME	04/05/17	0.74 ± 0.16	2.72 ± 0.58	Yes	11.30 ± 0.48	41.81 ± 1.76	Yes				
	04/12/17	1.31 ± 0.20	4.85 ± 0.73	Yes	18.40 ± 0.58	68.08 ± 2.15	Yes				
	04/19/17	1.64 ± 0.19	6.07 ± 0.71	Yes	16.40 ± 0.54	60.68 ± 2.00	Yes				
	04/26/17	0.23 ± 0.14	0.85 ± 0.53	No	8.13 ± 0.40	30.08 ± 1.49	Yes				
	05/03/17	0.31 ± 0.16	1.14 ± 0.60	No	8.53 ± 0.42	31.56 ± 1.54	Yes				
	05/10/17	0.82 ± 0.19	3.03 ± 0.71	Yes	16.20 ± 0.52	59.94 ± 1.92	Yes				
	05/17/17	0.97 ± 0.20	3.60 ± 0.73	Yes	16.70 ± 0.52	61.79 ± 1.91	Yes				
	05/24/17	0.77 ± 0.16	2.84 ± 0.57	Yes	18.70 ± 0.58	69.19 ± 2.14	Yes				
	05/31/17	1.30 ± 0.17	4.81 ± 0.64	Yes	21.60 ± 0.61	79.92 ± 2.26	Yes				
	06/07/17	1.61 ± 0.19	5.96 ± 0.68	Yes	26.50 ± 0.64	98.05 ± 2.36	Yes				
	06/14/17	1.87 ± 0.21	6.92 ± 0.76	Yes	22.10 ± 0.62	81.77 ± 2.28	Yes				
	06/21/17	1.29 ± 0.19	4.77 ± 0.72	Yes	18.90 ± 0.59	69.93 ± 2.18	Yes				
	06/28/17	1.19 ± 0.18	4.40 ± 0.67	Yes	24.30 ± 0.61	89.91 ± 2.26	Yes				
FAA TOWER	04/05/17	1.61 ± 0.21	5.96 ± 0.79	Yes	12.20 ± 0.54	45.14 ± 1.98	Yes				
	04/12/17	1.60 ± 0.22	5.92 ± 0.81	Yes	19.10 ± 0.61	70.67 ± 2.27	Yes				
	04/19/17	2.01 ± 0.20	7.44 ± 0.74	Yes	17.70 ± 0.54	65.49 ± 1.98	Yes				
	04/26/17	0.17 ± 0.14	0.62 ± 0.53	No	9.64 ± 0.43	35.67 ± 1.58	Yes				
	05/03/17	0.52 ± 0.18	1.92 ± 0.67	No	9.77 ± 0.45	36.15 ± 1.65	Yes				
	05/10/17	0.49 ± 0.16	1.80 ± 0.61	No	13.80 ± 0.46	51.06 ± 1.70	Yes				
	05/17/17	0.52 ± 0.17	1.91 ± 0.63	Yes	14.90 ± 0.48	55.13 ± 1.79	Yes				
	05/24/17	1.79 ± 0.21	6.62 ± 0.78	Yes	19.20 ± 0.62	71.04 ± 2.30	Yes				
	05/31/17	1.90 ± 0.20	7.03 ± 0.73	Yes	22.10 ± 0.61	81.77 ± 2.25	Yes				
	06/07/17	2.28 ± 0.21	8.44 ± 0.79	Yes	28.90 ± 0.67	106.93 ± 2.48	Yes				
	06/14/17	1.93 ± 0.21	7.14 ± 0.77	Yes	21.40 ± 0.61	79.18 ± 2.26	Yes				
	06/21/17	1.83 ± 0.23	6.77 ± 0.83	Yes	22.80 ± 0.65	84.36 ± 2.42	Yes				
	06/28/17	1.68 ± 0.20	6.22 ± 0.74	Yes	24.00 ± 0.61	88.80 ± 2.24	Yes				

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA						GROSS BETA					
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s		
HOWE	04/05/17	1.23 ± 0.19	4.55 ± 0.70	Yes	13.10 ± 0.52	48.47 ± 1.94	Yes						
	04/12/17	2.05 ± 0.23	7.59 ± 0.86	Yes	18.50 ± 0.60	68.45 ± 2.22	Yes						
	04/19/17	2.21 ± 0.22	8.18 ± 0.81	Yes	17.60 ± 0.57	65.12 ± 2.12	Yes						
	04/26/17	0.49 ± 0.17	1.80 ± 0.61	No	9.12 ± 0.43	33.74 ± 1.60	Yes						
	05/03/17	0.57 ± 0.18	2.11 ± 0.66	Yes	8.76 ± 0.43	32.41 ± 1.58	Yes						
	05/10/17	0.88 ± 0.22	3.24 ± 0.82	Yes	16.40 ± 0.57	60.68 ± 2.12	Yes						
	05/17/17	0.62 ± 0.20	2.29 ± 0.72	Yes	16.90 ± 0.55	62.53 ± 2.03	Yes						
	05/24/17	2.08 ± 0.22	7.70 ± 0.83	Yes	18.10 ± 0.61	66.97 ± 2.25	Yes						
	05/31/17	2.45 ± 0.22	9.07 ± 0.83	Yes	19.60 ± 0.60	72.52 ± 2.23	Yes						
	06/07/17	2.67 ± 0.25	9.88 ± 0.91	Yes	29.50 ± 0.73	109.15 ± 2.71	Yes						
	06/14/17	2.34 ± 0.23	8.66 ± 0.85	Yes	22.60 ± 0.64	83.62 ± 2.35	Yes						
	06/21/17	2.17 ± 0.23	8.03 ± 0.87	Yes	20.30 ± 0.62	75.11 ± 2.30	Yes						
	06/28/17	2.21 ± 0.21	8.18 ± 0.79	Yes	26.10 ± 0.61	96.57 ± 2.26	Yes						
MONTEVIEW	04/05/17	2.43 ± 0.23	8.99 ± 0.86	Yes	12.70 ± 0.52	46.99 ± 1.91	Yes						
	04/12/17	2.14 ± 0.22	7.92 ± 0.83	Yes	18.10 ± 0.56	66.97 ± 2.09	Yes						
	04/19/17	2.74 ± 0.24	10.14 ± 0.87	Yes	16.60 ± 0.56	61.42 ± 2.05	Yes						
	04/26/17	0.56 ± 0.16	2.07 ± 0.61	Yes	7.73 ± 0.40	28.60 ± 1.48	Yes						
	05/03/17	0.84 ± 0.20	3.12 ± 0.74	Yes	10.10 ± 0.46	37.37 ± 1.71	Yes						
	05/10/17	1.23 ± 0.22	4.55 ± 0.81	Yes	17.70 ± 0.55	65.49 ± 2.04	Yes						
	05/17/17	1.11 ± 0.21	4.11 ± 0.76	Yes	15.50 ± 0.51	57.35 ± 1.88	Yes						
	05/24/17	2.60 ± 0.23	9.62 ± 0.86	Yes	18.00 ± 0.58	66.60 ± 2.14	Yes						
	05/31/17	2.65 ± 0.22	9.81 ± 0.83	Yes	18.20 ± 0.57	67.34 ± 2.10	Yes						
	06/07/17	3.40 ± 0.26	12.58 ± 0.94	Yes	26.70 ± 0.66	98.79 ± 2.45	Yes						
	06/14/17	2.62 ± 0.23	9.69 ± 0.85	Yes	21.60 ± 0.61	79.92 ± 2.24	Yes						
	06/21/17	2.37 ± 0.23	8.77 ± 0.85	Yes	17.70 ± 0.57	65.49 ± 2.09	Yes						
	06/28/17	2.55 ± 0.24	9.44 ± 0.90	Yes	25.30 ± 0.66	93.61 ± 2.43	Yes						
MUD LAKE	04/05/17	0.69 ± 0.16	2.56 ± 0.59	Yes	12.70 ± 0.51	46.99 ± 1.88	Yes						
	04/12/17	1.08 ± 0.19	4.00 ± 0.69	Yes	18.70 ± 0.59	69.19 ± 2.16	Yes						
	04/19/17	1.18 ± 0.17	4.37 ± 0.64	Yes	16.30 ± 0.55	60.31 ± 2.02	Yes						
	04/26/17	0.49 ± 0.17	1.80 ± 0.63	No	8.67 ± 0.43	32.08 ± 1.61	Yes						
	05/03/17	0.62 ± 0.18	2.29 ± 0.68	Yes	10.30 ± 0.45	38.11 ± 1.67	Yes						
	05/10/17	0.73 ± 0.20	2.69 ± 0.73	Yes	17.10 ± 0.54	63.27 ± 2.01	Yes						
	05/17/17	0.68 ± 0.17	2.52 ± 0.64	Yes	13.90 ± 0.46	51.43 ± 1.71	Yes						
	05/24/17	1.04 ± 0.17	3.85 ± 0.63	Yes	18.60 ± 0.58	68.82 ± 2.16	Yes						
	05/31/17	1.16 ± 0.17	4.29 ± 0.62	Yes	21.30 ± 0.61	78.81 ± 2.27	Yes						
	06/07/17	1.93 ± 0.21	7.14 ± 0.77	Yes	28.60 ± 0.69	105.82 ± 2.56	Yes						
	06/14/17	1.21 ± 0.17	4.48 ± 0.64	Yes	20.40 ± 0.59	75.48 ± 2.16	Yes						
	06/21/17	1.39 ± 0.20	5.14 ± 0.73	Yes	18.80 ± 0.59	69.56 ± 2.18	Yes						
	06/28/17	1.12 ± 0.18	4.14 ± 0.67	Yes	23.90 ± 0.61	88.43 ± 2.26	Yes						
DISTANT													
BLACKFOOT	04/05/17	1.59 ± 0.40	5.88 ± 1.47	Yes	8.57 ± 0.96	31.71 ± 3.56	Yes						
	04/12/17	0.59 ± 0.19	2.16 ± 0.70	Yes	18.70 ± 0.66	69.19 ± 2.43	Yes						
	04/19/17	0.95 ± 0.15	3.52 ± 0.54	Yes	14.80 ± 0.47	54.76 ± 1.75	Yes						
	04/26/17	0.43 ± 0.14	1.58 ± 0.51	Yes	8.22 ± 0.37	30.41 ± 1.37	Yes						
	05/03/17	0.32 ± 0.16	1.20 ± 0.59	No	9.14 ± 0.42	33.82 ± 1.54	Yes						
	05/10/17	0.96 ± 0.20	3.56 ± 0.73	Yes	16.40 ± 0.52	60.68 ± 1.92	Yes						
	05/17/17	0.83 ± 0.18	3.07 ± 0.67	Yes	15.60 ± 0.48	57.72 ± 1.78	Yes						
	05/24/17	0.97 ± 0.17	3.60 ± 0.61	Yes	17.30 ± 0.57	64.01 ± 2.11	Yes						
	05/31/17	1.11 ± 0.16	4.11 ± 0.58	Yes	21.70 ± 0.59	80.29 ± 2.16	Yes						
	06/07/17	1.79 ± 0.20	6.62 ± 0.73	Yes	29.90 ± 0.69	110.63 ± 2.54	Yes						
	06/14/17	1.35 ± 0.17	5.00 ± 0.64	Yes	20.20 ± 0.56	74.74 ± 2.09	Yes						
	06/21/17	1.01 ± 0.18	3.74 ± 0.65	Yes	20.20 ± 0.58	74.74 ± 2.16	Yes						
	06/28/17	1.32 ± 0.19	4.88 ± 0.68	Yes	27.00 ± 0.63	99.90 ± 2.33	Yes						

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA						GROSS BETA					
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s		
QA-1 (BLACKFOOT)	04/05/17	0.60 ± 0.15	2.22 ± 0.54	Yes	11.90 ± 0.48	44.03 ± 1.76	Yes						
	04/12/17	0.80 ± 0.16	2.95 ± 0.60	Yes	18.10 ± 0.54	66.97 ± 2.00	Yes						
	04/19/17	0.95 ± 0.15	3.50 ± 0.57	Yes	14.50 ± 0.50	53.65 ± 1.84	Yes						
	04/26/17	0.13 ± 0.14	0.49 ± 0.52	No	9.60 ± 0.43	35.52 ± 1.57	Yes						
	05/03/17	0.37 ± 0.17	1.35 ± 0.62	No	10.00 ± 0.44	37.00 ± 1.63	Yes						
	05/10/17	0.77 ± 0.19	2.86 ± 0.71	Yes	16.90 ± 0.53	62.53 ± 1.95	Yes						
	05/17/17	1.09 ± 0.20	4.03 ± 0.74	Yes	14.70 ± 0.49	54.39 ± 1.81	Yes						
	05/24/17	0.98 ± 0.17	3.63 ± 0.62	Yes	15.90 ± 0.56	58.83 ± 2.07	Yes						
	05/31/17	1.32 ± 0.17	4.88 ± 0.64	Yes	22.30 ± 0.61	82.51 ± 2.27	Yes						
	06/07/17	2.25 ± 0.22	8.33 ± 0.80	Yes	29.20 ± 0.68	108.04 ± 2.52	Yes						
	06/14/17	1.45 ± 0.18	5.37 ± 0.67	Yes	19.10 ± 0.57	70.67 ± 2.09	Yes						
	06/21/17	1.21 ± 0.19	4.48 ± 0.69	Yes	19.50 ± 0.58	72.15 ± 2.16	Yes						
06/28/17	1.00 ± 0.18	3.69 ± 0.68	Yes	22.70 ± 0.63	83.99 ± 2.32	Yes							
CRATERS OF THE MOON	04/05/17	0.29 ± 0.14	1.07 ± 0.51	No	12.80 ± 0.51	47.36 ± 1.90	Yes						
	04/12/17	0.70 ± 0.17	2.57 ± 0.61	Yes	18.50 ± 0.57	68.45 ± 2.12	Yes						
	04/19/17	0.97 ± 0.24	3.59 ± 0.87	Yes	23.00 ± 0.85	85.10 ± 3.16	Yes						
	04/26/17	0.68 ± 0.29	2.52 ± 1.09	No	9.58 ± 0.69	35.45 ± 2.56	Yes						
	05/03/17	0.87 ± 0.22	3.20 ± 0.80	Yes	9.95 ± 0.49	36.82 ± 1.82	Yes						
	05/10/17	0.74 ± 0.19	2.75 ± 0.70	Yes	17.00 ± 0.53	62.90 ± 1.95	Yes						
	05/17/17	0.74 ± 0.19	2.75 ± 0.70	Yes	15.70 ± 0.51	58.09 ± 1.88	Yes						
	05/24/17	0.93 ± 0.17	3.43 ± 0.62	Yes	19.00 ± 0.60	70.30 ± 2.22	Yes						
	05/31/17	0.99 ± 0.16	3.67 ± 0.59	Yes	21.10 ± 0.61	78.07 ± 2.27	Yes						
	06/07/17	1.37 ± 0.18	5.07 ± 0.67	Yes	29.00 ± 0.68	107.30 ± 2.52	Yes						
	06/14/17	1.13 ± 0.18	4.18 ± 0.65	Yes	23.10 ± 0.64	85.47 ± 2.35	Yes						
	06/21/17	0.88 ± 0.17	3.26 ± 0.64	Yes	18.60 ± 0.58	68.82 ± 2.15	Yes						
06/28/17	1.05 ± 0.19	3.89 ± 0.70	Yes	23.30 ± 0.64	86.21 ± 2.38	Yes							
DUBOIS	04/05/17	0.50 ± 0.15	1.85 ± 0.56	Yes	11.70 ± 0.50	43.29 ± 1.85	Yes						
	04/12/17	1.06 ± 0.19	3.92 ± 0.70	Yes	19.40 ± 0.60	71.78 ± 2.21	Yes						
	04/19/17	1.18 ± 0.17	4.37 ± 0.64	Yes	16.70 ± 0.54	61.79 ± 2.01	Yes						
	04/26/17	0.68 ± 0.18	2.51 ± 0.67	Yes	8.14 ± 0.43	30.12 ± 1.58	Yes						
	05/03/17	0.34 ± 0.17	1.25 ± 0.62	No	9.61 ± 0.44	35.56 ± 1.62	Yes						
	05/10/17	0.78 ± 0.20	2.89 ± 0.75	Yes	17.20 ± 0.55	63.64 ± 2.04	Yes						
	05/17/17	0.73 ± 0.19	2.68 ± 0.70	Yes	15.70 ± 0.51	58.09 ± 1.90	Yes						
	05/24/17	1.02 ± 0.18	3.77 ± 0.65	Yes	19.70 ± 0.62	72.89 ± 2.29	Yes						
	05/31/17	0.97 ± 0.15	3.59 ± 0.56	Yes	19.60 ± 0.57	72.52 ± 2.11	Yes						
	06/07/17	1.88 ± 0.20	6.96 ± 0.75	Yes	29.10 ± 0.68	107.67 ± 2.53	Yes						
	06/14/17	1.37 ± 0.18	5.07 ± 0.67	Yes	19.10 ± 0.57	70.67 ± 2.11	Yes						
	06/21/17	1.51 ± 0.20	5.59 ± 0.75	Yes	20.90 ± 0.61	77.33 ± 2.26	Yes						
06/28/17	1.20 ± 0.19	4.44 ± 0.71	Yes	24.10 ± 0.64	89.17 ± 2.36	Yes							
IDAHO FALLS	04/05/17	2.16 ± 0.23	7.99 ± 0.83	Yes	13.00 ± 0.52	48.10 ± 1.94	Yes						
	04/12/17	2.93 ± 0.25	10.84 ± 0.91	Yes	18.50 ± 0.57	68.45 ± 2.09	Yes						
	04/19/17	2.37 ± 0.22	8.77 ± 0.81	Yes	16.90 ± 0.55	62.53 ± 2.02	Yes						
	04/26/17	0.95 ± 0.19	3.52 ± 0.69	Yes	9.12 ± 0.43	33.74 ± 1.59	Yes						
	05/03/17	0.61 ± 0.19	2.26 ± 0.69	Yes	9.13 ± 0.44	33.78 ± 1.64	Yes						
	05/10/17	1.05 ± 0.21	3.89 ± 0.78	Yes	15.90 ± 0.53	58.83 ± 1.96	Yes						
	05/17/17	0.98 ± 0.21	3.63 ± 0.77	Yes	15.00 ± 0.52	55.50 ± 1.91	Yes						
	05/24/17	1.32 ± 0.19	4.88 ± 0.70	Yes	18.20 ± 0.60	67.34 ± 2.21	Yes						
	05/31/17	1.09 ± 0.16	4.03 ± 0.58	Yes	21.60 ± 0.59	79.92 ± 2.18	Yes						
	06/07/17	1.52 ± 0.18	5.62 ± 0.66	Yes	25.80 ± 0.62	95.46 ± 2.29	Yes						
	06/14/17	1.19 ± 0.16	4.40 ± 0.60	Yes	19.30 ± 0.54	71.41 ± 1.99	Yes						
	06/21/17	1.40 ± 0.19	5.18 ± 0.70	Yes	20.80 ± 0.58	76.96 ± 2.15	Yes						
06/28/17	1.42 ± 0.20	5.25 ± 0.75	Yes	26.50 ± 0.67	98.05 ± 2.47	Yes							
JACKSON	04/05/17	0.52 ± 0.13	1.93 ± 0.49	Yes	11.00 ± 0.44	40.70 ± 1.62	Yes						

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA						GROSS BETA					
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s		
	04/12/17	0.98 ± 0.16	3.64 ± 0.59	Yes	19.20 ± 0.52	71.04 ± 1.94	Yes						
	04/19/17	1.35 ± 0.16	5.00 ± 0.61	Yes	16.20 ± 0.49	59.94 ± 1.82	Yes						
	04/26/17	0.62 ± 0.15	2.29 ± 0.55	Yes	9.03 ± 0.38	33.41 ± 1.40	Yes						
	05/03/17	0.45 ± 0.15	1.67 ± 0.57	No	8.92 ± 0.39	33.00 ± 1.44	Yes						
	05/10/17	0.90 ± 0.19	3.34 ± 0.70	Yes	20.30 ± 0.55	75.11 ± 2.02	Yes						
	05/17/17	1.06 ± 0.21	3.92 ± 0.76	Yes	20.10 ± 0.56	74.37 ± 2.08	Yes						
	05/24/17	0.89 ± 0.16	3.29 ± 0.60	Yes	19.20 ± 0.59	71.04 ± 2.18	Yes						
	05/31/17	1.26 ± 0.17	4.66 ± 0.63	Yes	23.70 ± 0.62	87.69 ± 2.31	Yes						
	06/07/17	1.39 ± 0.18	5.14 ± 0.65	Yes	26.90 ± 0.65	99.53 ± 2.39	Yes						
	06/14/17	1.03 ± 0.17	3.81 ± 0.61	Yes	20.70 ± 0.59	76.59 ± 2.17	Yes						
	06/21/17	0.89 ± 0.17	3.29 ± 0.64	Yes	19.10 ± 0.58	70.67 ± 2.14	Yes						
	06/28/17	1.37 ± 0.20	5.07 ± 0.75	Yes	29.80 ± 0.70	110.26 ± 2.60	Yes						
SUGAR CITY	04/05/17	0.59 ± 0.15	2.19 ± 0.56	Yes	11.00 ± 0.48	40.70 ± 1.79	Yes						
	04/12/17	0.83 ± 0.17	3.07 ± 0.64	Yes	18.20 ± 0.57	67.34 ± 2.11	Yes						
	04/19/17	1.18 ± 0.18	4.37 ± 0.65	Yes	16.90 ± 0.56	62.53 ± 2.08	Yes						
	04/26/17	0.57 ± 0.17	2.11 ± 0.63	Yes	8.34 ± 0.42	30.86 ± 1.57	Yes						
	05/03/17	0.71 ± 0.19	2.62 ± 0.70	Yes	9.14 ± 0.44	33.82 ± 1.63	Yes						
	05/10/17	1.30 ± 0.22	4.81 ± 0.83	Yes	17.50 ± 0.55	64.75 ± 2.04	Yes						
	05/17/17	0.66 ± 0.17	2.45 ± 0.64	Yes	14.80 ± 0.47	54.76 ± 1.74	Yes						
	05/24/17	0.83 ± 0.16	3.08 ± 0.57	Yes	16.90 ± 0.55	62.53 ± 2.04	Yes						
	05/31/17	1.43 ± 0.18	5.29 ± 0.65	Yes	20.70 ± 0.60	76.59 ± 2.21	Yes						
	06/07/17	1.77 ± 0.19	6.55 ± 0.69	Yes	27.40 ± 0.63	101.38 ± 2.34	Yes						
	06/14/17	0.94 ± 0.15	3.47 ± 0.56	Yes	18.70 ± 0.53	69.19 ± 1.96	Yes						
	06/21/17	1.19 ± 0.18	4.40 ± 0.65	Yes	18.80 ± 0.55	69.56 ± 2.03	Yes						
	06/28/17	0.95 ± 0.17	3.52 ± 0.61	Yes	26.80 ± 0.62	99.16 ± 2.28	Yes						
QA-2 (SUGAR CITY)	04/05/17	0.84 ± 0.16	3.11 ± 0.61	Yes	12.40 ± 0.50	45.88 ± 1.84	Yes						
	04/12/17	0.82 ± 0.17	3.04 ± 0.64	Yes	18.70 ± 0.57	69.19 ± 2.12	Yes						
	04/19/17	1.11 ± 0.17	4.11 ± 0.63	Yes	15.60 ± 0.54	57.72 ± 1.98	Yes						
	04/26/17	0.73 ± 0.18	2.70 ± 0.67	Yes	8.66 ± 0.43	32.04 ± 1.59	Yes						
	05/03/17	0.64 ± 0.18	2.38 ± 0.68	Yes	10.20 ± 0.45	37.74 ± 1.65	Yes						
	05/10/17	1.24 ± 0.21	4.59 ± 0.78	Yes	17.70 ± 0.54	65.49 ± 1.98	Yes						
	05/17/17	0.66 ± 0.17	2.44 ± 0.62	Yes	15.20 ± 0.46	56.24 ± 1.71	Yes						
	05/24/17	0.75 ± 0.15	2.78 ± 0.57	Yes	19.70 ± 0.59	72.89 ± 2.17	Yes						
	05/31/17	1.40 ± 0.18	5.18 ± 0.66	Yes	23.00 ± 0.63	85.10 ± 2.33	Yes						
	06/07/17	2.06 ± 0.21	7.62 ± 0.76	Yes	28.90 ± 0.67	106.93 ± 2.46	Yes						
	06/14/17	1.32 ± 0.17	4.88 ± 0.63	Yes	20.70 ± 0.56	76.59 ± 2.06	Yes						
	06/21/17	1.20 ± 0.18	4.44 ± 0.65	Yes	19.80 ± 0.56	73.26 ± 2.06	Yes						
	06/28/17	1.23 ± 0.18	4.55 ± 0.67	Yes	25.80 ± 0.62	95.46 ± 2.29	Yes						
INL SITE													
EFS	04/05/17	0.29 ± 0.13	1.07 ± 0.48	No	9.90 ± 0.45	36.63 ± 1.68	Yes						
	04/12/17	0.83 ± 0.18	3.08 ± 0.66	Yes	20.20 ± 0.61	74.74 ± 2.24	Yes						
	04/19/17	0.90 ± 0.16	3.34 ± 0.59	Yes	15.50 ± 0.54	57.35 ± 1.98	Yes						
	04/26/17	0.42 ± 0.16	1.57 ± 0.58	No	9.48 ± 0.43	35.08 ± 1.57	Yes						
	05/03/17	0.40 ± 0.16	1.47 ± 0.59	No	7.42 ± 0.39	27.45 ± 1.43	Yes						
	05/10/17	0.50 ± 0.20	1.85 ± 0.72	No	16.50 ± 0.56	61.05 ± 2.06	Yes						
	05/17/17	0.99 ± 0.21	3.68 ± 0.78	Yes	14.90 ± 0.53	55.13 ± 1.94	Yes						
	05/24/17	1.03 ± 0.19	3.81 ± 0.69	Yes	19.60 ± 0.65	72.52 ± 2.41	Yes						
	05/31/17	1.05 ± 0.17	3.89 ± 0.61	Yes	19.70 ± 0.61	72.89 ± 2.27	Yes						
	06/07/17	2.12 ± 0.22	7.84 ± 0.82	Yes	29.60 ± 0.76	109.52 ± 2.81	Yes						
	06/14/17	1.29 ± 0.19	4.77 ± 0.71	Yes	20.30 ± 0.63	75.11 ± 2.32	Yes						
	06/21/17	0.93 ± 0.19	3.42 ± 0.71	Yes	20.30 ± 0.65	75.11 ± 2.39	Yes						
	06/28/17	0.86 ± 0.19	3.18 ± 0.72	Yes	24.10 ± 0.69	89.17 ± 2.56	Yes						
MAIN GATE	04/05/17	0.40 ± 0.14	1.48 ± 0.50	No	10.80 ± 0.46	39.96 ± 1.71	Yes						

TABLE C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
	04/12/17	0.99 ± 0.18	3.66 ± 0.67	Yes	17.40 ± 0.56	64.38 ± 2.08	Yes		
	04/19/17	0.97 ± 0.16	3.59 ± 0.60	Yes	16.70 ± 0.54	61.79 ± 2.00	Yes		
	04/26/17	0.51 ± 0.17	1.89 ± 0.61	Yes	9.47 ± 0.44	35.04 ± 1.61	Yes		
	05/03/17	0.37 ± 0.17	1.36 ± 0.63	No	8.91 ± 0.43	32.97 ± 1.59	Yes		
	05/10/17	0.51 ± 0.19	1.89 ± 0.68	No	18.00 ± 0.55	66.60 ± 2.04	Yes		
	05/17/17	0.67 ± 0.18	2.49 ± 0.68	Yes	16.00 ± 0.50	59.20 ± 1.86	Yes		
	05/24/17	0.57 ± 0.15	2.10 ± 0.55	Yes	18.30 ± 0.59	67.71 ± 2.18	Yes		
	05/31/17	1.22 ± 0.17	4.51 ± 0.61	Yes	22.00 ± 0.60	81.40 ± 2.23	Yes		
	06/07/17	1.69 ± 0.20	6.25 ± 0.73	Yes	30.40 ± 0.70	112.48 ± 2.60	Yes		
	06/14/17	1.57 ± 0.19	5.81 ± 0.71	Yes	22.40 ± 0.61	82.88 ± 2.26	Yes		
	06/21/17	0.92 ± 0.18	3.42 ± 0.66	Yes	20.00 ± 0.61	74.00 ± 2.24	Yes		
	06/28/17	1.31 ± 0.19	4.85 ± 0.72	Yes	28.60 ± 0.67	105.82 ± 2.49	Yes		
VAN BUREN GATE	04/05/17	0.58 ± 0.17	2.13 ± 0.61	Yes	13.30 ± 0.55	49.21 ± 2.05	Yes		
	04/12/17	1.34 ± 0.22	4.96 ± 0.80	Yes	24.60 ± 0.69	91.02 ± 2.56	Yes		
	04/19/17	1.65 ± 0.21	6.11 ± 0.78	Yes	23.00 ± 0.66	85.10 ± 2.45	Yes		
	04/26/17	0.87 ± 0.20	3.23 ± 0.74	Yes	12.10 ± 0.50	44.77 ± 1.85	Yes		
	05/03/17	0.78 ± 0.21	2.89 ± 0.78	Yes	13.50 ± 0.53	49.95 ± 1.96	Yes		
	05/10/17	0.71 ± 0.20	2.62 ± 0.73	Yes	20.70 ± 0.58	76.59 ± 2.16	Yes		
	05/17/17	0.71 ± 0.19	2.61 ± 0.69	Yes	15.60 ± 0.51	57.72 ± 1.87	Yes		
	05/24/17	0.53 ± 0.15	1.94 ± 0.54	Yes	19.60 ± 0.61	72.52 ± 2.25	Yes		
	05/31/17	0.86 ± 0.15	3.20 ± 0.56	Yes	21.60 ± 0.61	79.92 ± 2.26	Yes		
	06/07/17	1.65 ± 0.20	6.11 ± 0.73	Yes	30.00 ± 0.70	111.00 ± 2.60	Yes		
	06/14/17	1.47 ± 0.19	5.44 ± 0.70	Yes	23.10 ± 0.63	85.47 ± 2.32	Yes		
	06/21/17	0.94 ± 0.18	3.47 ± 0.66	Yes	19.80 ± 0.60	73.26 ± 2.22	Yes		
	06/28/17	1.29 ± 0.20	4.77 ± 0.72	Yes	26.70 ± 0.66	98.79 ± 2.45	Yes		

a. Invalid sample result shown in red

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
BOUNDARY								
ARCO	04/05/17	-0.34	±	0.98	-1.27	±	3.62	No
	04/12/17	0.98	±	0.97	3.62	±	3.60	No
	04/19/17	-1.48	±	1.06	-5.48	±	3.92	No
	04/26/17	1.35	±	1.05	5.00	±	3.89	No
	05/03/17	0.21	±	0.95	0.76	±	3.52	No
	05/10/17	-0.97	±	0.99	-3.58	±	3.66	No
	05/17/17	0.45	±	0.86	1.67	±	3.19	No
	05/24/17	-1.92	±	0.83	-7.10	±	3.07	No
	05/31/17	-0.34	±	0.88	-1.27	±	3.27	No
	06/07/17	0.91	±	0.95	3.36	±	3.50	No
	06/14/17	1.85	±	0.97	6.85	±	3.58	No
	06/21/17	-1.59	±	1.00	-5.88	±	3.70	No
	06/28/17	-1.19	±	0.95	-4.40	±	3.50	No
	ATOMIC CITY	04/05/17	-0.35	±	0.98	-1.28	±	3.63
04/12/17		0.93	±	0.92	3.43	±	3.41	No
04/19/17		-1.40	±	1.01	-5.18	±	3.74	No
04/26/17		1.28	±	0.99	4.74	±	3.67	No
05/03/17		0.20	±	0.95	0.75	±	3.52	No
05/10/17		-0.94	±	0.96	-3.46	±	3.54	No
05/17/17		0.48	±	0.92	1.77	±	3.39	No
05/24/17		-1.92	±	0.83	-7.10	±	3.06	No
05/31/17		-0.38	±	0.96	-1.39	±	3.57	No
06/07/17		0.88	±	0.91	3.24	±	3.37	No
06/14/17		1.94	±	1.01	7.18	±	3.74	No
06/21/17		-1.53	±	0.96	-5.66	±	3.57	No
06/28/17		-1.46	±	1.16	-5.40	±	4.29	No
BLUE DOME		04/05/17	0.53	±	0.86	1.98	±	3.20
	04/12/17	0.01	±	0.88	0.05	±	3.25	No
	04/19/17	1.25	±	0.95	4.63	±	3.52	No
	04/26/17	-0.79	±	0.83	-2.93	±	3.09	No
	05/03/17	0.53	±	0.84	1.95	±	3.09	No
	05/10/17	0.45	±	0.86	1.66	±	3.20	No
	05/17/17	-1.36	±	0.86	-5.03	±	3.16	No
	05/24/17	1.24	±	0.91	4.59	±	3.35	No
	05/31/17	-0.35	±	0.87	-1.28	±	3.21	No
	06/07/17	0.88	±	0.84	3.26	±	3.12	No
	06/14/17	-1.60	±	0.89	-5.92	±	3.28	No
	06/21/17	-0.43	±	0.88	-1.57	±	3.27	No
	06/28/17	1.28	±	0.83	4.74	±	3.08	No
	FAA TOWER	04/05/17	0.61	±	0.99	2.26	±	3.66
04/12/17		0.01	±	0.94	0.05	±	3.47	No
04/19/17		1.17	±	0.89	4.33	±	3.30	No
04/26/17		-0.80	±	0.85	-2.97	±	3.13	No
05/03/17		0.55	±	0.87	2.02	±	3.21	No
05/10/17		0.41	±	0.79	1.51	±	2.92	No
05/17/17		-1.31	±	0.83	-4.85	±	3.07	No
05/24/17		1.36	±	0.99	5.03	±	3.67	No
05/31/17		-0.34	±	0.85	-1.25	±	3.15	No
06/07/17		0.90	±	0.86	3.31	±	3.17	No
06/14/17		-1.60	±	0.89	-5.92	±	3.29	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
HOWE	06/21/17	-0.45	±	0.93	-1.65	±	3.44	No
	06/28/17	1.27	±	0.83	4.70	±	3.06	No
	04/05/17	0.57	±	0.93	2.11	±	3.42	No
	04/12/17	0.01	±	0.92	0.05	±	3.39	No
	04/19/17	1.30	±	0.99	4.81	±	3.67	No
	04/26/17	-0.84	±	0.88	-3.10	±	3.26	No
	05/03/17	0.54	±	0.85	1.98	±	3.14	No
	05/10/17	0.52	±	1.01	1.94	±	3.74	No
	05/17/17	-1.49	±	0.94	-5.51	±	3.47	No
	05/24/17	1.36	±	0.99	5.03	±	3.67	No
	05/31/17	-0.36	±	0.90	-1.32	±	3.32	No
	06/07/17	1.03	±	0.99	3.81	±	3.64	No
	06/14/17	-1.65	±	0.92	-6.11	±	3.39	No
	06/21/17	-0.44	±	0.92	-1.63	±	3.39	No
06/28/17	1.21	±	0.79	4.48	±	2.91	No	
MONTEVIEW	04/05/17	0.56	±	0.91	2.08	±	3.36	No
	04/12/17	0.01	±	0.84	0.05	±	3.12	No
	04/19/17	1.28	±	0.98	4.74	±	3.61	No
	04/26/17	-0.80	±	0.84	-2.96	±	3.12	No
	05/03/17	0.56	±	0.89	2.08	±	3.30	No
	05/10/17	0.47	±	0.90	1.73	±	3.33	No
	05/17/17	-1.38	±	0.87	-5.11	±	3.22	No
	05/24/17	1.26	±	0.92	4.66	±	3.40	No
	05/31/17	-0.34	±	0.85	-1.25	±	3.15	No
	06/07/17	0.92	±	0.89	3.42	±	3.27	No
	06/14/17	-1.57	±	0.87	-5.81	±	3.22	No
	06/21/17	-0.41	±	0.86	-1.53	±	3.17	No
	06/28/17	1.40	±	0.91	5.18	±	3.36	No
	MUD LAKE	04/05/17	0.56	±	0.90	2.06	±	3.33
04/12/17		0.01	±	0.88	0.05	±	3.26	No
04/19/17		1.27	±	0.97	4.70	±	3.58	No
04/26/17		-0.86	±	0.90	-3.18	±	3.34	No
05/03/17		0.55	±	0.86	2.02	±	3.19	No
05/10/17		0.47	±	0.90	1.74	±	3.34	No
05/17/17		-1.27	±	0.80	-4.70	±	2.97	No
05/24/17		1.26	±	0.92	4.66	±	3.40	No
05/31/17		-0.35	±	0.88	-1.30	±	3.27	No
06/07/17		0.96	±	0.92	3.54	±	3.40	No
06/14/17		-1.55	±	0.86	-5.74	±	3.18	No
06/21/17		-0.43	±	0.88	-1.57	±	3.27	No
06/28/17		1.30	±	0.84	4.81	±	3.12	No
DISTANT								
BLACKFOOT	04/05/17	-0.92	±	2.61	-3.39	±	9.66	No
	04/12/17	1.21	±	1.20	4.48	±	4.44	No
	04/19/17	-1.22	±	0.88	-4.51	±	3.24	No
	04/26/17	1.08	±	0.83	4.00	±	3.08	No
	05/03/17	0.19	±	0.88	0.70	±	3.26	No
	05/10/17	-0.92	±	0.94	-3.39	±	3.47	No
	05/17/17	0.44	±	0.84	1.62	±	3.10	No
	05/24/17	-1.91	±	0.82	-7.07	±	3.05	No
05/31/17	-0.34	±	0.88	-1.27	±	3.26	No	

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)			
	06/07/17	0.91	± 0.95	3.38	± 3.52	No	
	06/14/17	1.79	± 0.93	6.62	± 3.45	No	
	06/21/17	-1.49	± 0.94	-5.51	± 3.48	No	
	06/28/17	-1.09	± 0.87	-4.03	± 3.20	No	
QA-1 (BLACKFOOT)	04/05/17	-0.32	± 0.92	-1.19	± 3.39	No	
	04/12/17	0.91	± 0.90	3.35	± 3.33	No	
	04/19/17	-1.32	± 0.95	-4.88	± 3.52	No	
	04/26/17	1.24	± 0.96	4.59	± 3.54	No	
	05/03/17	0.20	± 0.92	0.73	± 3.39	No	
	05/10/17	-0.92	± 0.94	-3.41	± 3.49	No	
	05/17/17	0.47	± 0.89	1.73	± 3.31	No	
	05/24/17	-1.95	± 0.84	-7.22	± 3.11	No	
	05/31/17	-0.37	± 0.94	-1.35	± 3.47	No	
	06/07/17	0.92	± 0.96	3.40	± 3.54	No	
	06/14/17	1.86	± 0.97	6.88	± 3.60	No	
	06/21/17	-1.52	± 0.96	-5.62	± 3.55	No	
	06/28/17	-1.21	± 0.96	-4.48	± 3.56	No	
CRATERS	04/05/17	-0.35	± 1.00	-1.30	± 3.69	No	
	04/12/17	0.98	± 0.97	3.63	± 3.60	No	
	04/19/17	-2.38	± 1.71	-8.81	± 6.33	No	
	04/26/17	2.42	± 1.87	8.95	± 6.92	No	
	05/03/17	0.23	± 1.07	0.85	± 3.96	No	
	05/10/17	-0.93	± 0.95	-3.43	± 3.51	No	
	05/17/17	0.48	± 0.91	1.76	± 3.37	No	
	05/24/17	-1.97	± 0.85	-7.29	± 3.15	No	
	05/31/17	-0.38	± 0.97	-1.40	± 3.60	No	
	06/07/17	0.92	± 0.96	3.42	± 3.56	No	
	06/14/17	2.00	± 1.04	7.40	± 3.85	No	
	06/21/17	-1.56	± 0.98	-5.77	± 3.63	No	
	06/28/17	-1.24	± 0.98	-4.59	± 3.64	No	
DUBOIS	04/05/17	0.57	± 0.92	2.10	± 3.39	No	
	04/12/17	0.01	± 0.89	0.05	± 3.30	No	
	04/19/17	1.25	± 0.95	4.63	± 3.52	No	
	04/26/17	-0.86	± 0.91	-3.19	± 3.36	No	
	05/03/17	0.54	± 0.85	1.99	± 3.15	No	
	05/10/17	0.48	± 0.92	1.78	± 3.42	No	
	05/17/17	-1.40	± 0.88	-5.18	± 3.27	No	
	05/24/17	1.34	± 0.97	4.96	± 3.60	No	
	05/31/17	-0.33	± 0.83	-1.22	± 3.07	No	
	06/07/17	0.93	± 0.89	3.43	± 3.29	No	
	06/14/17	-1.55	± 0.86	-5.74	± 3.17	No	
	06/21/17	-0.42	± 0.88	-1.57	± 3.26	No	
	06/28/17	1.37	± 0.89	5.07	± 3.30	No	
IDAHO FALLS	04/05/17	0.57	± 0.92	2.10	± 3.40	No	
	04/12/17	0.01	± 0.83	0.05	± 3.07	No	
	04/19/17	1.24	± 0.94	4.59	± 3.49	No	
	04/26/17	-0.82	± 0.87	-3.05	± 3.21	No	
	05/03/17	0.56	± 0.88	2.06	± 3.27	No	
	05/10/17	0.47	± 0.90	1.73	± 3.33	No	
	05/17/17	-1.45	± 0.92	-5.37	± 3.39	No	
	05/24/17	1.32	± 0.96	4.88	± 3.56	No	

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
	05/31/17	-0.33	±	0.82	-1.21	±	3.04	No
	06/07/17	0.85	±	0.82	3.16	±	3.03	No
	06/14/17	-1.39	±	0.77	-5.14	±	2.86	No
	06/21/17	-0.39	±	0.82	-1.45	±	3.02	No
	06/28/17	1.40	±	0.91	5.18	±	3.37	No
JACKSON	04/05/17	-0.29	±	0.84	-1.09	±	3.10	No
	04/12/17	0.83	±	0.82	3.06	±	3.04	No
	04/19/17	-1.22	±	0.87	-4.51	±	3.23	No
	04/26/17	1.07	±	0.83	3.96	±	3.06	No
	05/03/17	0.17	±	0.80	0.64	±	2.96	No
	05/10/17	-0.87	±	0.89	-3.23	±	3.30	No
	05/17/17	0.48	±	0.92	1.79	±	3.42	No
	05/24/17	-1.91	±	0.82	-7.07	±	3.05	No
	05/31/17	-1.25	±	0.93	-4.63	±	3.42	No
	06/07/17	0.89	±	0.92	3.28	±	3.42	No
	06/14/17	1.89	±	0.99	6.99	±	3.65	No
	06/21/17	-1.53	±	0.96	-5.66	±	3.57	No
	06/28/17	-1.22	±	0.97	-4.51	±	3.59	No
SUGAR CITY	04/05/17	0.55	±	0.90	2.05	±	3.32	No
	04/12/17	0.01	±	0.86	0.05	±	3.18	No
	04/19/17	1.30	±	1.00	4.81	±	3.68	No
	04/26/17	-0.84	±	0.89	-3.12	±	3.28	No
	05/03/17	0.55	±	0.87	2.04	±	3.23	No
	05/10/17	0.47	±	0.91	1.75	±	3.36	No
	05/17/17	-1.26	±	0.80	-4.66	±	2.95	No
	05/24/17	1.22	±	0.89	4.51	±	3.29	No
	05/31/17	-0.34	±	0.86	-1.26	±	3.18	No
	06/07/17	0.85	±	0.81	3.13	±	3.00	No
	06/14/17	-1.39	±	0.77	-5.14	±	2.86	No
	06/21/17	-0.38	±	0.79	-1.41	±	2.93	No
	06/28/17	1.21	±	0.79	4.48	±	2.92	No
QA-2 (SUGAR CITY)	04/05/17	0.55	±	0.88	2.02	±	3.27	No
	04/12/17	0.01	±	0.86	0.05	±	3.17	No
	04/19/17	1.26	±	0.96	4.66	±	3.56	No
	04/26/17	-0.85	±	0.89	-3.13	±	3.29	No
	05/03/17	0.54	±	0.85	1.99	±	3.15	No
	05/10/17	0.45	±	0.86	1.66	±	3.19	No
	05/17/17	-1.22	±	0.77	-4.51	±	2.84	No
	05/24/17	1.24	±	0.90	4.59	±	3.33	No
	05/31/17	-0.35	±	0.88	-1.30	±	3.26	No
	06/07/17	0.89	±	0.85	3.29	±	3.15	No
	06/14/17	-1.41	±	0.78	-5.22	±	2.90	No
	06/21/17	-0.38	±	0.78	-1.39	±	2.90	No
	06/28/17	1.26	±	0.82	4.66	±	3.02	No
INL SITE								
EFS	04/05/17	-0.33	±	0.93	-1.21	±	3.44	No
	04/12/17	1.02	±	1.01	3.77	±	3.74	No
	04/19/17	-1.44	±	1.03	-5.33	±	3.81	No
	04/26/17	1.24	±	0.96	4.59	±	3.56	No
	05/03/17	0.19	±	0.86	0.68	±	3.19	No
	05/10/17	-1.03	±	1.05	-3.81	±	3.89	No

TABLE C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		
	05/17/17	0.52	± 0.99	1.92	± 3.66	No
	05/24/17	-2.20	± 0.95	-8.14	± 3.50	No
	05/31/17	-0.39	± 1.01	-1.45	± 3.74	No
	06/07/17	1.11	± 1.15	4.11	± 4.26	No
	06/14/17	2.13	± 1.11	7.88	± 4.11	No
	06/21/17	-1.75	± 1.11	-6.48	± 4.11	No
	06/28/17	-1.37	± 1.09	-5.07	± 4.03	No
MAIN GATE	04/05/17	-0.32	± 0.92	-1.20	± 3.41	No
	04/12/17	0.99	± 0.98	3.65	± 3.63	No
	04/19/17	-1.40	± 1.00	-5.18	± 3.70	No
	04/26/17	1.28	± 0.99	4.74	± 3.68	No
	05/03/17	0.20	± 0.93	0.74	± 3.45	No
	05/10/17	-0.96	± 0.98	-3.54	± 3.62	No
	05/17/17	0.47	± 0.90	1.73	± 3.31	No
	05/24/17	-1.97	± 0.85	-7.29	± 3.14	No
	05/31/17	-0.36	± 0.92	-1.33	± 3.41	No
	06/07/17	0.94	± 0.98	3.49	± 3.64	No
	06/14/17	1.91	± 1.00	7.07	± 3.69	No
	06/21/17	-1.59	± 1.00	-5.88	± 3.70	No
	06/28/17	-1.17	± 0.93	-4.33	± 3.43	No
VAN BUREN GATE	04/05/17	-0.38	± 1.09	-1.41	± 4.03	No
	04/12/17	1.11	± 1.11	4.11	± 4.11	No
	04/19/17	-1.60	± 1.15	-5.92	± 4.26	No
	04/26/17	1.41	± 1.09	5.22	± 4.03	No
	05/03/17	0.22	± 1.04	0.83	± 3.85	No
	05/10/17	-0.97	± 0.99	-3.57	± 3.65	No
	05/17/17	0.48	± 0.91	1.76	± 3.36	No
	05/24/17	-1.98	± 0.85	-7.33	± 3.16	No
	05/31/17	-0.37	± 0.95	-1.37	± 3.52	No
	06/07/17	0.95	± 0.99	3.53	± 3.68	No
	06/14/17	1.95	± 1.02	7.22	± 3.77	No
	06/21/17	-1.58	± 1.00	-5.85	± 3.70	No
	06/28/17	-1.19	± 0.94	-4.40	± 3.49	No

a. Invalid sample result shown in red.

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
BOUNDARY									
ARCO	06/28/17	CESIUM-137	101.00	±	132.00	373.70	±	488.40	No
ATOMIC CITY	06/28/17	AMERICIUM-241	1.26	±	0.59	4.66	±	2.20	No
		CESIUM-137	-182.00	±	90.70	-673.40	±	335.59	No
		PLUTONIUM-238	0.55	±	0.28	2.05	±	1.02	No
		PLUTONIUM-239/240	0.83	±	0.34	3.07	±	1.26	No
BLUE DOME	06/28/17	CESIUM-137	-60.40	±	75.80	-223.48	±	280.46	No
FAA TOWER	06/28/17	CESIUM-137	-18.60	±	121.00	-68.82	±	447.70	No
HOWE	06/28/17	CESIUM-137	-123.00	±	126.00	-455.10	±	466.20	No
		STRONTIUM-90	0.62	±	5.91	2.30	±	21.87	No
MONTEVIEW	06/28/17	AMERICIUM-241	1.21	±	0.44	4.48	±	1.62	No
		CESIUM-137	38.00	±	85.10	140.60	±	314.87	No
		PLUTONIUM-238	1.26	±	0.42	4.66	±	1.56	No
		PLUTONIUM-239/240	0.42	±	0.24	1.55	±	0.90	No
MUD LAKE	06/28/17	CESIUM-137	271.00	±	127.00	1002.70	±	469.90	No
		STRONTIUM-90	2.40	±	5.75	8.88	±	21.28	No
DISTANT									
BLACKFOOT	06/28/17	CESIUM-137	-10.00	±	74.40	-37.00	±	275.28	No
		STRONTIUM-90	7.03	±	5.74	26.01	±	21.24	No
QA-1 (BLACKFOOT)	06/28/17	CESIUM-137	-248.00	±	125.00	-917.60	±	462.50	No
		STRONTIUM-90	3.25	±	5.69	12.03	±	21.05	No
CRATERS	06/28/17	CESIUM-137	-87.50	±	116.00	-323.75	±	429.20	No
DUBOIS	06/28/17	CESIUM-137	-16.40	±	102.00	-60.68	±	377.40	No
IDAHO FALLS	06/28/17	CESIUM-137	-56.00	±	124.00	-207.20	±	458.80	No
		STRONTIUM-90	-0.59	±	5.58	-2.18	±	20.65	No
JACKSON	06/28/17	AMERICIUM-241	1.51	±	0.51	5.59	±	1.90	No
		CESIUM-137	-131.00	±	127.00	-484.70	±	469.90	No
		PLUTONIUM-238	0.94	±	0.36	3.46	±	1.31	No
		PLUTONIUM-239/240	0.80	±	0.33	2.97	±	1.22	No
SUGAR CITY	06/28/17	AMERICIUM-241	0.72	±	0.33	2.68	±	1.21	No
		CESIUM-137	165.00	±	104.00	610.50	±	384.80	No
		PLUTONIUM-238	-0.37	±	0.48	-1.37	±	1.76	No
		PLUTONIUM-239/240	0.49	±	0.25	1.82	±	0.91	No
QA-2 (SUGAR CITY)	06/28/17	AMERICIUM-241	1.89	±	0.54	6.99	±	2.01	Yes

TABLE C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

		CESIUM-137	22.20	±	79.70	82.14	±	294.89	No
		PLUTONIUM-238	0.80	±	0.33	2.96	±	1.21	No
		PLUTONIUM-239/240	0.53	±	0.42	1.97	±	1.56	No
INL SITE									
EFS	06/28/17	AMERICIUM-241	1.69	±	0.65	6.25	±	2.39	No
		CESIUM-137	-28.30	±	86.40	-104.71	±	319.68	No
		PLUTONIUM-238	1.04	±	0.39	3.85	±	1.46	No
		PLUTONIUM-239/240	1.33	±	0.45	4.92	±	1.65	No
MAIN GATE	06/28/17	CESIUM-137	100.00	±	104.00	370.00	±	384.80	No
		STRONTIUM-90	3.39	±	5.94	12.54	±	21.98	No
VAN BUREN GATE	06/28/17	AMERICIUM-241	0.54	±	0.27	1.99	±	1.01	No
		CESIUM-137	39.20	±	126.00	145.04	±	466.20	No
		PLUTONIUM-238	1.90	±	0.53	7.03	±	1.96	Yes
		PLUTONIUM-239/240	0.88	±	0.36	3.24	±	1.33	No

TABLE C-4. Tritium Concentrations in Atmospheric Moisture

Sampling Group and Location	Start Date	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(x 10 ⁻¹³ μCi/mL _{air})			(x 10 ⁻⁹ Bq/mL _{air})			
BOUNDARY									
ATOMIC CITY	02/22/17	04/05/17	8.25	±	0.94	30.53	±	3.48	Yes
ATOMIC CITY	04/05/17	05/03/17	11.60	±	1.29	42.92	±	4.77	Yes
ATOMIC CITY	05/03/17	05/24/17	3.55	±	1.40	13.14	±	5.18	No
ATOMIC CITY	05/24/17	06/14/17	7.18	±	2.06	26.55	±	7.64	Yes
HOWE	03/22/17	04/26/17	1.81	±	0.42	6.70	±	1.55	Yes
HOWE	04/26/17	05/17/17	3.02	±	0.55	11.17	±	2.04	Yes
HOWE	05/17/17	06/07/17	1.89	±	0.68	6.98	±	2.53	No
HOWE	06/07/17	06/28/17	2.41	±	0.70	8.93	±	2.59	Yes
DISTANT									
IDAHO FALLS	03/29/17	04/25/17	5.55	±	1.21	20.54	±	4.48	Yes
IDAHO FALLS	04/25/17	05/17/17	7.04	±	1.43	26.05	±	5.29	Yes
IDAHO FALLS	05/17/17	06/07/17	6.03	±	1.83	22.30	±	6.78	Yes
IDAHO FALLS	06/07/17	06/28/17	10.67	±	2.18	39.46	±	8.05	Yes

TABLE C-5. Monthly and Weekly Tritium Concentrations in Precipitation

Location	Start Date	End Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
BOUNDARY									
ATOMIC CITY	04/05/17	04/12/17	33.50	±	22.40	1.24	±	0.83	No
ATOMIC CITY	04/12/17	04/19/17	-0.89	±	21.90	-0.03	±	0.81	No
ATOMIC CITY	04/19/17	04/26/17	90.10	±	23.20	3.33	±	0.86	Yes
ATOMIC CITY	05/10/17	05/17/17	19.50	±	22.40	0.72	±	0.83	No
ATOMIC CITY	05/24/17	05/31/17	9.64	±	22.50	0.36	±	0.83	No
ATOMIC CITY	06/07/17	06/14/17	85.09	±	23.44	3.15	±	0.87	Yes
ATOMIC CITY	06/21/17	06/28/17	115.77	±	23.84	4.28	±	0.88	Yes
HOWE	03/29/17	04/05/17	111.00	±	23.30	4.11	±	0.86	Yes
HOWE	04/05/17	04/12/17	2.41	±	22.80	0.09	±	0.84	No
HOWE	04/12/17	04/19/17	2.78	±	22.80	0.10	±	0.84	No
HOWE	04/19/17	04/26/17	44.60	±	22.60	1.65	±	0.84	No
HOWE	05/17/17	05/24/17	-34.10	±	22.80	-1.26	±	0.84	No
HOWE	05/24/17	05/31/17	28.60	±	22.50	1.06	±	0.83	No
HOWE	05/31/17	06/07/17	41.06	±	22.89	1.52	±	0.85	No
HOWE	06/07/17	06/14/17	66.98	±	23.24	2.48	±	0.86	No
HOWE	06/21/17	06/28/17	57.91	±	23.12	2.14	±	0.86	No
DISTANT									
IDAHO FALLS	03/31/17	04/30/17	35.40	±	23.10	1.31	±	0.85	No
IDAHO FALLS	04/30/17	05/31/17	-57.60	±	22.50	-2.13	±	0.83	No
IDAHO FALLS	05/31/17	06/30/17	60.54	±	23.62	2.24	±	0.87	No
INL SITE									
EFS	03/29/17	04/05/17	123.00	±	23.40	4.55	±	0.87	Yes
EFS	04/05/17	04/12/17	55.00	±	23.40	2.04	±	0.87	No
EFS	04/19/17	04/26/17	128.00	±	24.30	4.74	±	0.90	Yes
EFS	05/24/17	05/31/17	-24.10	±	22.90	-0.89	±	0.85	No
EFS	06/07/17	06/14/17	231.75	±	25.76	8.57	±	0.95	Yes
EFS	06/21/17	06/28/17	85.52	±	23.95	3.16	±	0.89	Yes

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

Location	Sampling Date	Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
SURFACE WATER									
Alpheus Spring	05/16/17	GROSS ALPHA	2.94	±	0.68	0.11	±	0.03	Yes
		GROSS BETA	6.34	±	0.57	0.23	±	0.02	Yes
		TRITIUM	92.70	±	23.50	3.43	±	0.87	Yes
Bill Jones, Jr. Trout Farm	05/16/17	GROSS ALPHA	2.07	±	0.53	0.08	±	0.02	Yes
		GROSS BETA	3.67	±	0.50	0.14	±	0.02	Yes
		TRITIUM	204.00	±	24.70	7.56	±	0.91	Yes
Clear Springs	05/16/17	GROSS ALPHA	3.65	±	0.68	0.14	±	0.03	Yes
		GROSS BETA	5.16	±	0.53	0.19	±	0.02	Yes
		TRITIUM	22.10	±	22.80	0.82	±	0.84	No
DRINKING WATER									
Atomic City	05/24/17	GROSS ALPHA	2.37	±	0.54	0.09	±	0.02	Yes
		GROSS BETA	2.94	±	0.48	0.11	±	0.02	Yes
		TRITIUM	61.80	±	22.90	2.29	±	0.85	No
Control	05/22/17	GROSS ALPHA	0.67	±	0.24	0.02	±	0.01	No
		GROSS BETA	-0.01	±	0.38	0.00	±	0.01	No
		TRITIUM	124.00	±	24.00	4.59	±	0.89	Yes
Craters of the Moon	05/24/17	GROSS ALPHA	2.14	±	0.48	0.08	±	0.02	Yes
		GROSS BETA	2.07	±	0.46	0.08	±	0.02	Yes
		TRITIUM	63.80	±	22.90	2.36	±	0.85	No
Howe	05/22/17	GROSS ALPHA	2.04	±	0.54	0.08	±	0.02	Yes
		GROSS BETA	1.23	±	0.47	0.05	±	0.02	No
		TRITIUM	87.80	±	23.30	3.25	±	0.86	Yes
Idaho Falls	05/29/17	GROSS ALPHA	1.45	±	0.69	0.05	±	0.03	No
		GROSS BETA	3.11	±	0.53	0.12	±	0.02	Yes
		TRITIUM	56.90	±	23.20	2.11	±	0.86	No
Minidoka	05/16/17	GROSS ALPHA	5.26	±	0.71	0.19	±	0.03	Yes
		GROSS BETA	2.72	±	0.51	0.10	±	0.02	Yes
		TRITIUM	33.60	±	22.90	1.24	±	0.85	No
Minidoka (Duplicate)	05/16/17	GROSS ALPHA	3.73	±	0.68	0.14	±	0.03	Yes
		GROSS BETA	3.74	±	0.53	0.14	±	0.02	Yes
		TRITIUM	60.50	±	23.10	2.24	±	0.86	No
Mud Lake	05/22/17	GROSS ALPHA ^a	1.13	±	0.36	0.04	±	0.01	Yes
		GROSS BETA ^a	4.78	±	0.47	0.18	±	0.02	Yes
		TRITIUM	40.60	±	23.00	1.50	±	0.85	No

^a A review of the table, performed during the summer of 2020, identified the values listed for the result and uncertainty were incorrect. The result and uncertainty values were updated with the correct values. For further discussion, see Water Sampling in Section 4.

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

Location	Sampling Date	Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
Rest Area	05/24/17	GROSS ALPHA	1.67	±	0.52	0.06	±	0.02	Yes
		GROSS BETA	2.22	±	0.47	0.08	±	0.02	Yes
		TRITIUM	169.00	±	24.80	6.26	±	0.92	Yes
Shoshone	05/16/17	GROSS ALPHA	2.61	±	0.60	0.10	±	0.02	Yes
		GROSS BETA	3.70	±	0.51	0.14	±	0.02	Yes
		TRITIUM	117.00	±	23.90	4.33	±	0.89	Yes

Table C-7. Gross Alpha, Gross Beta, and Tritium Concentrations in the Big Lost River (BLR)

Location	Sampling Date	Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s	
			(pCi/L)			(Bq/L)				
SURFACE WATER										
BLR at Rest Area	05/10/17	GROSS ALPHA (Filtered)	1.28	±	0.46	0.05	±	0.02	No	
		GROSS BETA (Filtered)	3.48	±	0.47	0.13	±	0.02	Yes	
		TRITIUM	-61.00	±	23.80	-2.26	±	0.88	No	
BLR at Rest Area (Duplicate)	05/10/17	GROSS ALPHA (Filtered)	2.08	±	0.47	0.08	±	0.02	Yes	
		GROSS BETA (Filtered)	2.43	±	0.47	0.09	±	0.02	Yes	
		TRITIUM	36.60	±	23.70	1.36	±	0.88	No	
BLR at INTEC	05/15/17	GROSS ALPHA (Unfiltered)	4.87	±	0.70	0.18	±	0.03	Yes	
		GROSS ALPHA (Filtered)	2.83	±	0.58	0.10	±	0.02	Yes	
		GROSS BETA (Unfiltered)	7.18	±	0.56	0.27	±	0.02	Yes	
		GROSS BETA (Filtered)	6.40	±	0.54	0.24	±	0.02	Yes	
		TRITIUM	-42.70	±	24.10	-1.58	±	0.89	No	
BLR at EFS	05/15/17	GROSS ALPHA (Unfiltered)	3.98	±	0.56	0.15	±	0.02	Yes	
		GROSS ALPHA (Filtered)	2.82	±	0.57	0.10	±	0.02	Yes	
		GROSS BETA (Unfiltered)	6.03	±	0.53	0.22	±	0.02	Yes	
		GROSS BETA (Filtered)	3.82	±	0.50	0.14	±	0.02	Yes	
		TRITIUM	104.00	±	25.90	3.85	±	0.96	Yes	
BLR at NRF	05/15/17	GROSS ALPHA (Unfiltered)	5.70	±	0.65	0.21	±	0.02	Yes	
		GROSS ALPHA (Filtered)	2.36	±	0.57	0.09	±	0.02	Yes	
		GROSS BETA (Unfiltered)	8.98	±	0.57	0.33	±	0.02	Yes	
		GROSS BETA (Filtered)	3.97	±	0.51	0.15	±	0.02	Yes	
		TRITIUM	-79.60	±	23.60	-2.95	±	0.87	No	
BLR at Sinks	05/15/17	GROSS ALPHA (Filtered)	1.63	±	0.48	0.06	±	0.02	Yes	
		GROSS BETA (Filtered)	4.07	±	0.49	0.15	±	0.02	Yes	
		TRITIUM	23.60	±	23.50	0.87	±	0.87	No	
BLR Control (Birch Creek)	05/15/17	GROSS ALPHA (Filtered)	2.29	±	0.56	0.08	±	0.02	Yes	
		GROSS BETA (Filtered)	2.30	±	0.48	0.09	±	0.02	Yes	
		TRITIUM	-3.51	±	23.20	-0.13	±	0.86	No	
BLR at Rest Area	06/22/17	GROSS ALPHA (Filtered)	2.07	±	0.48	0.08	±	0.02	Yes	
		GROSS BETA (Filtered)	3.49	±	0.48	0.13	±	0.02	Yes	
		TRITIUM	-39.37	±	21.79	-1.46	±	0.81	No	
BLR at INTEC	06/22/17	GROSS ALPHA (Filtered)	1.98	±	0.46	0.07	±	0.02	Yes	
		GROSS BETA (Filtered)	1.0	2.17	±	0.47	0.08	±	0.02	Yes
		TRITIUM	13.33	±	22.52	0.49	±	0.83	No	
BLR at EFS	06/22/17	GROSS ALPHA (Filtered)	1.89	±	0.47	0.07	±	0.02	Yes	
		GROSS BETA (Filtered)	2.78	±	0.45	0.10	±	0.02	Yes	
		TRITIUM	-22.24	±	22.03	-0.82	±	0.82	No	
BLR at EFS (Duplicate)	06/22/17	GROSS ALPHA (Filtered)	1.39	±	0.45	0.05	±	0.02	Yes	

Table C-7. Gross Alpha, Gross Beta, and Tritium Concentrations in the Big Lost River (BLR)

		GROSS BETA (Filtered)	2.07	±	0.46	0.08	±	0.02	Yes
		TRITIUM	24.40	±	22.58	0.90	±	0.84	No
BLR at NRF	06/22/17	GROSS ALPHA (Filtered)	2.39	±	0.49	0.09	±	0.02	Yes
		GROSS BETA (Filtered)	3.43	±	0.48	0.13	±	0.02	Yes
		TRITIUM	-30.14	±	21.92	-1.12	±	0.81	No
BLR at Sinks	06/22/17	GROSS ALPHA (Filtered)	3.34	±	0.55	0.12	±	0.02	Yes
		GROSS BETA (Filtered)	4.34	±	0.49	0.16	±	0.02	Yes
		TRITIUM	5.85	±	22.33	0.22	±	0.83	No
BLR Control (Birch Creek)	06/22/17	GROSS ALPHA (Filtered)	3.29	±	0.57	0.12	±	0.02	Yes
		GROSS BETA (Filtered)	0.88	±	0.47	0.03	±	0.02	No
		TRITIUM	-10.85	±	22.10	-0.40	±	0.82	No

Table C-8. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

Location	Sampling Date	Iodine-131						Cesium-137					
		Result ± 1s Uncertainty (pCi [†] /L)		Result ± 1s Uncertainty (Bq [†] /L)		Result > 3s	Result ± 1s Uncertainty (pCi/L)		Result ± 1s Uncertainty (Bq/L)		Result > 3s		
BLACKFOOT	04/03/17	-1.00 ± 1.86	-0.04 ± 0.07	No	1.83 ± 0.93	0.07 ± 0.03	No						
	05/08/17	-0.92 ± 1.73	-0.03 ± 0.06	No	1.52 ± 0.92	0.06 ± 0.03	No						
	06/05/17	1.98 ± 1.83	0.07 ± 0.07	No	0.52 ± 1.37	0.02 ± 0.05	No						
CONTROL	04/04/17	1.15 ± 2.14	0.04 ± 0.08	No	0.14 ± 1.35	0.01 ± 0.05	No						
	05/02/17	-0.04 ± 1.92	0.00 ± 0.07	No	0.95 ± 1.38	0.04 ± 0.05	No						
	06/06/17	-3.01 ± 2.09	-0.11 ± 0.08	No	0.33 ± 0.87	0.01 ± 0.03	No						
DIETRICH	04/03/17	0.26 ± 1.70	0.01 ± 0.06	No	1.06 ± 1.43	0.04 ± 0.05	No						
	05/02/17	-1.69 ± 1.72	-0.06 ± 0.06	No	-0.69 ± 0.88	-0.03 ± 0.03	No						
	06/05/17	-1.46 ± 1.75	-0.05 ± 0.06	No	1.55 ± 1.52	0.06 ± 0.06	No						
HOWE	04/04/17	-1.10 ± 1.92	-0.04 ± 0.07	No	-1.09 ± 1.59	-0.04 ± 0.06	No						
	05/01/17	0.69 ± 1.64	0.03 ± 0.06	No	-0.06 ± 1.35	0.00 ± 0.05	No						
	06/06/17	-0.71 ± 1.71	-0.03 ± 0.06	No	2.31 ± 1.47	0.09 ± 0.05	No						
	Duplicate 06/06/17	-0.25 ± 1.67	-0.01 ± 0.06	No	-1.54 ± 0.89	-0.06 ± 0.03	No						
IDAHO FALLS	04/04/17	1.65 ± 1.62	0.06 ± 0.06	No	-0.57 ± 1.49	-0.02 ± 0.06	No						
	04/11/17	-1.06 ± 1.57	-0.04 ± 0.06	No	0.26 ± 1.39	0.01 ± 0.05	No						
	04/18/17	-0.38 ± 1.37	-0.01 ± 0.05	No	-0.03 ± 1.44	0.00 ± 0.05	No						
	04/25/17	-0.48 ± 1.58	-0.02 ± 0.06	No	0.30 ± 1.40	0.01 ± 0.05	No						
	05/02/17	-1.46 ± 1.76	-0.05 ± 0.07	No	0.89 ± 1.44	0.03 ± 0.05	No						
	05/09/17	-0.21 ± 1.56	-0.01 ± 0.06	No	1.12 ± 1.47	0.04 ± 0.05	No						
	05/16/17	0.21 ± 1.57	0.01 ± 0.06	No	1.72 ± 1.46	0.06 ± 0.05	No						
	05/23/17	-4.12 ± 1.82	-0.15 ± 0.07	No	-0.42 ± 0.86	-0.02 ± 0.03	No						
	05/30/17	-0.81 ± 1.67	-0.03 ± 0.06	No	-0.24 ± 0.84	-0.01 ± 0.03	No						
	06/06/17	-1.63 ± 1.86	-0.06 ± 0.07	No	-0.38 ± 1.35	-0.01 ± 0.05	No						
	06/13/17	1.33 ± 1.62	0.05 ± 0.06	No	0.62 ± 1.45	0.02 ± 0.05	No						
06/20/17	2.39 ± 1.61	0.09 ± 0.06	No	1.19 ± 1.42	0.04 ± 0.05	No							
06/27/17	-2.12 ± 1.61	-0.08 ± 0.06	No	0.48 ± 0.86	0.02 ± 0.03	No							
MINIDOKA	04/03/17	-0.64 ± 1.80	-0.02 ± 0.07	No	0.09 ± 1.30	0.00 ± 0.05	No						
	05/02/17	4.68 ± 1.90	0.17 ± 0.07	No	0.83 ± 1.40	0.03 ± 0.05	No						
	06/05/17	0.10 ± 1.68	0.00 ± 0.06	No	-0.27 ± 0.88	-0.01 ± 0.03	No						
TERRETON	04/04/17	-2.11 ± 1.91	-0.08 ± 0.07	No	1.18 ± 0.89	0.04 ± 0.03	No						
	04/12/17	-1.92 ± 1.47	-0.07 ± 0.05	No	0.18 ± 0.85	0.01 ± 0.03	No						
	04/19/17	1.40 ± 1.55	0.05 ± 0.06	No	-1.14 ± 1.36	-0.04 ± 0.05	No						
	04/26/17	-2.28 ± 1.48	-0.08 ± 0.05	No	0.99 ± 0.89	0.04 ± 0.03	No						
	05/01/17	-0.36 ± 1.69	-0.01 ± 0.06	No	-0.24 ± 0.92	-0.01 ± 0.03	No						
	05/10/17	0.11 ± 1.48	0.00 ± 0.05	No	-0.05 ± 1.36	0.00 ± 0.05	No						
	05/17/17	3.02 ± 1.59	0.11 ± 0.06	No	-1.56 ± 1.42	-0.06 ± 0.05	No						
	05/24/17	1.93 ± 1.45	0.07 ± 0.05	No	-2.05 ± 1.53	-0.08 ± 0.06	No						
	05/31/17	-1.56 ± 1.54	-0.06 ± 0.06	No	-0.14 ± 1.26	-0.01 ± 0.05	No						
	06/06/17	-1.14 ± 1.85	-0.04 ± 0.07	No	-0.19 ± 0.85	-0.01 ± 0.03	No						
	06/14/17	-0.04 ± 1.46	0.00 ± 0.05	No	1.14 ± 1.38	0.04 ± 0.05	No						
	06/21/17	-2.13 ± 1.47	-0.08 ± 0.05	No	-1.47 ± 0.91	-0.05 ± 0.03	No						
	06/28/17	-0.67 ± 1.48	-0.02 ± 0.05	No	1.09 ± 1.30	0.04 ± 0.05	No						

Table C-9. Strontium-90 and Tritium Concentrations in Milk

Strontium-90								
Location	Sampling Date	Result ± 1s			Result ± 1s			Result > 3s
		Uncertainty			Uncertainty			
BLACKFOOT	05/08/17	0.42	±	0.06	0.02	±	0.00	Yes
CONTROL	05/02/17	0.31	±	0.07	0.01	±	0.00	Yes
DIETRICH	05/02/17	0.23	±	0.06	0.01	±	0.00	Yes
HOWE	05/01/17	0.22	±	0.05	0.01	±	0.00	Yes
IDAHO FALLS	05/02/17	0.36	±	0.07	0.01	±	0.00	Yes
MINIDOKA	05/02/17	0.22	±	0.06	0.01	±	0.00	Yes
TERRETON	05/01/17	0.32	±	0.05	0.01	±	0.00	Yes

Tritium								
Location	Sampling Date	Concentration ± 1s			Concentration ± 1s			Result > 3s
		(pCi/L)			(Bq/L)			
BLACKFOOT	05/08/17	107.00	±	23.90	3.96	±	0.89	Yes
CONTROL	05/02/17	189.00	±	24.90	7.00	±	0.92	Yes
DIETRICH	05/02/17	-114.00	±	23.60	-4.22	±	0.87	No
HOWE	05/01/17	113.00	±	26.30	4.19	±	0.97	Yes
IDAHO FALLS	05/02/17	-46.90	±	22.30	-1.74	±	0.83	No
MINIDOKA	05/02/17	-26.20	±	24.70	-0.97	±	0.91	No
TERRETON	05/01/17	28.70	±	25.30	1.06	±	0.94	No

Table C-10. Gamma-emitting Radionuclides and Strontium-90 in Alfalfa

Cesium-137									
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s	
		pCi/kg			Bq/kg				
MUD LAKE	06/21/17	-29.60	±	28.60	-1.10	±	1.06	No	
MUD LAKE	06/21/17	22.30	±	26.10	0.83	±	0.97	No	
MUD LAKE	06/21/17	-99.20	±	28.60	-3.67	±	1.06	No	
Strontium-90									
MUD LAKE	06/21/17	13.50	±	2.59	0.50	±	0.10	Yes	
MUD LAKE	06/21/17	9.64	±	2.40	0.36	±	0.09	Yes	
MUD LAKE	06/21/17	7.93	±	2.17	0.29	±	0.08	Yes	

Table C-11. Gamma-emitting Radionuclides in Large Game Animals

Species	Collection		Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
	Date	Tissue		(pCi/kg wet weight)			(x 10 ⁻² Bq/kg wet weight)			
PRONGHORN	05/17/17	Muscle	¹³¹ I	5.00	±	6.46	18.50	±	23.90	No
			¹³⁷ Cs	4.93	±	2.36	18.24	±	8.73	No
PRONGHORN	05/17/17	Thyroid	¹³¹ I	-416.00	±	528.00	-1539.20	±	1953.60	No
			¹³⁷ Cs ^a	102.00	±	281.00	377.40	±	1039.70	No

^a A review of the table, performed in the summer of 2020, revealed that the result and uncertainty values listed were incorrect. The values were updated with the correct values. For further discussion see Large Game Animal Sampling in Section 5.

Table C-12. Environmental Radiation Measurements Using OSLDs

Location	Start Date	End Date	Radiation Measurement \pm 2s Uncertainty mrem	Exposure mrem/day
BOUNDARY				
ARCO	11/02/16	05/03/17	52.00 \pm 5.20	0.29
ATOMIC CITY	11/02/16	05/03/17	54.05 \pm 5.40	0.30
BIRCH CREEK	11/01/16	05/03/17	45.65 \pm 4.56	0.25
BLUE DOME	11/02/16	05/03/17	45.50 \pm 4.56	0.25
HOWE	11/02/16	05/03/17	51.60 \pm 5.16	0.28
MONTEVIEW	11/02/16	05/03/17	51.35 \pm 5.14	0.28
MUD LAKE	11/02/16	05/03/17	55.80 \pm 5.58	0.31
Boundary Average			50.85	0.28
DISTANT				
ABERDEEN	11/01/16	05/04/17	53.65 \pm 5.37	0.29
BLACKFOOT	11/02/16	05/04/17	54.40 \pm 5.44	0.30
CRATERS	11/02/16	05/03/17	51.05 \pm 5.10	0.28
DUBOIS	11/02/16	05/03/17	49.10 \pm 4.91	0.27
IDAHO FALLS	11/02/16	05/03/17	51.55 \pm 5.15	0.28
MINIDOKA	11/01/16	05/04/17	48.75 \pm 4.88	0.26
MOUNTAIN VIEW	11/03/16	05/03/17	51.70 \pm 5.17	0.29
ROBERTS	11/01/16	05/01/17	53.90 \pm 5.39	0.30
SUGAR CITY	11/02/16	05/03/17	68.00 \pm 6.80	0.37
Distant Average			53.57	0.29

APPENDIX D
STATISTICAL ANALYSIS RESULTS

Table D-1. Results of the Kruskal-Wallis statistical test between INL Site, Boundary, and Distant sample groups by month.

Parameter	P ^a
Gross Alpha	
Quarter	0.01
April	0.33
May	0.14
June	0.00
Gross Beta	
Quarter	0.67
April	0.85
May	0.79
June	0.73

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red.

Table D-2. Statistical difference in weekly gross alpha and gross beta concentrations measured at Boundary and Distant locations.

Parameter	Mann-Whitney U test	
	Week	P ^a
Gross Alpha		
	April 5	0.17
	April 12	0.13
	April 19	0.35
	April 26	0.01
	May 3	0.72
	May 10	0.28
	May 17	0.22
	May 24	0.43
	May 31	0.06
	June 7	0.10
	June 14	0.04
	June 21	0.13
	June 28	0.20
Gross Beta		
	April 5	0.28
	April 12	0.25
	April 19	0.78
	April 26	0.89
	May 3	0.35
	May 10	0.47
	May 17	0.83
	May 24	0.77
	May 31	0.72
	June 7	0.67
	June 14	0.05
	June 21	0.89
	June 28	0.52

a. A 'p' value greater than 0.05 signifies no statistical difference between data groups (i.e., Boundary and Distant locations). Any values below 0.05 are indicated in red.