

Veolia Nuclear Solutions- Federal Services
Environmental Surveillance, Education, and Research Program
ISSN NUMBER 1089-5469

Idaho National Laboratory Site Offsite Environmental Surveillance Program Report: Second Quarter 2020

March 2021



Contributors:

Kevin Claver, Russ Mitchell

Program conducted for the U.S. Department of Energy, Idaho Operations Office
Under Contract DE-NE0008477

By

Veolia Nuclear Solutions - Federal Services
Environmental Surveillance, Education and Research Program

Bill Doering, Program Manager
120 Technology Dr., Idaho Falls, Idaho 83401

www.idaho eser.com

EXECUTIVE SUMMARY

None of the radionuclides detected in samples collected during the second quarter of 2020 could be directly linked with INL Site activities. Levels of detected radionuclides were no different than values measured at other locations across the western United States. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the second quarter of 2020 contains results from the Environmental Surveillance, Education, and Research (ESER) Program's monitoring of the Department of Energy's Idaho National Laboratory (INL) Site's offsite environment, April 1 through June 30, 2020. All sample types (media) and the sampling schedule followed during 2020 are listed in Appendix A. This report contains results for the following sample types:

- Air, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation
- Surface and drinking water
- Milk
- OSLDs
- TLDs

Table ES-1. Summary of Results for the Second Quarter of 2020.

Media	Sample Type	Analysis	Results
Air	Filters	Gross alpha, gross beta	There were no statistically significant differences in monthly and quarterly gross alpha and gross beta concentrations measured at Distant, Boundary, and INL Site sampling locations. Several differences were noted in second quarter gross alpha results categorized by location, with Idaho Falls being statistically higher than all locations except Howe, Montevieu and Sugar City. No result exceeded the 99%/95% upper tolerance limit (UTL) or the Derived Concentration Standard (DCS) for gross alpha or gross beta activity in air.
	Quarterly Composite	Gamma-emitting radionuclides, strontium-90, actinides (americium and plutonium)	No human-made gamma-emitters or ^{90}Sr , ^{241}Am , ^{238}Pu , and $^{239/240}\text{Pu}$ were measured in any composite.
	Charcoal Cartridge	Iodine-131	Iodine-131 was not detected in any of the batches of charcoal cartridges counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	Ten of the fourteen results showed tritium concentrations greater than the 3s uncertainty during the quarter. One sample result from EFS exceeded the 99%/95% UTL but is still within the range of values observed for the past 10 years. No result exceeded the DCS for tritium in air.
Precipitation	Liquid	Tritium	Sixteen of the twenty-two results were greater than the 3s uncertainty. All results were below the 99%/95% UTL and were consistent with those reported across the region by the Environmental Protection Agency and the INL Oversight Program.

Media	Sample Type	Analysis	Results
Drinking/ Surface Water	Liquid	Gross alpha, gross beta, tritium	Gross alpha was detected in four of ten drinking water samples and two of three surface water samples. Gross beta was detected in all drinking water samples and in all three surface water samples. All concentrations were generally similar from previous results. Tritium was detected in five drinking water and none of the surface water samples. Concentrations were similar to those measured historically in drinking and surface water and well below the DCS for tritium in drinking water.
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides, strontium-90, tritium	Forty-seven milk samples were collected at seven locations (including duplicate samples and the offsite control sample from Colorado). No Iodine-131 or other human-made gamma emitting radionuclides were detected. Strontium-90 was found in four of the samples analyzed. The maximum concentration was toward the upper range of the past several years. Tritium was detected in three samples at levels similar to previous measurements and precipitation.
Environmental Dosimeters	Environmental radiation	Ionizing radiation exposure	Measurements of environmental radiation made using optically stimulated luminescent dosimeters (OSLDs) show similar measurements at Distant locations and Boundary locations. The average measurements over the six-month period were 0.31 mrem/day at Boundary and 0.32 mrem/day at Distant locations. The average measurements made using thermoluminescent dosimeters (TLDs) for the same time period were 0.30

Media	Sample Type	Analysis	Results
			mR/day at Boundary and 0.31 mR/day at Distant locations. The results are consistent with past results.

LIST OF ABBREVIATIONS

AEC	Atomic Energy Commission
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	Department of Energy
DOE – ID	Department of Energy Idaho Operations Office
EAL	Environmental Assessment Laboratory
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ERAMS	Environmental Radiation Ambient Monitoring System
ESEER	Environmental Surveillance, Education, and Research
ICP	Idaho Cleanup Project
INL	Idaho National Laboratory
INEL	Idaho National Engineering Laboratory
INEEL	Idaho National Engineering and Environmental Laboratory
ISU	Idaho State University
MDC	minimum detectable concentration
NRTS	National Reactor Testing Station
VNSFS	Veolia Nuclear Solutions – Federal Services

LIST OF UNITS

Bq	becquerel
Ci	curie
g	gram
L	liter
μ Ci	microcurie
ml	milliliter
mrem	millirem
mR	milliRoentgen
pCi	picocurie

1. ESER PROGRAM DESCRIPTION

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under several acts (e.g. the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2011a, DOE 2015a).

During calendar year 2020, environmental monitoring within the INL Site boundaries is primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors. The ESER Program focuses on surveillance off the INL Site and is managed by Veolia Nuclear Solutions-Federal Services (VNSFS).

This report contains monitoring results from the ESER Program for samples collected during the second quarter of 2020 (April 1- June 30, 2020).

The surveillance portion of the ESER Program is designed to satisfy the following program objectives:

- Verify compliance with applicable environmental laws, regulations, and DOE Orders
- Characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- Assess the potential radiation dose to members of the public from INL Site effluents
- Present program results clearly and concisely using reports, presentations, newsletter articles and press releases.

The goal of the surveillance program is to monitor different media at several potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 16 locations on and around the INL Site
- atmospheric moisture at one INL Site location and at three locations off the INL Site
- precipitation collected at the same four locations sampled for atmospheric moisture
- drinking water collected from eight locations off the INL Site
- surface water collected from three springs located downgradient of the INL Site and from five locations along the Big Lost River, when it is flowing, on the INL Site
- agricultural products, including milk at six dairies around the INL Site, potatoes from at least eight local producers, alfalfa from three locations off the INL Site, grain (wheat and barley) from approximately 9 local producers, and lettuce from approximately seven home-owned and portable gardens on and around the INL Site
- soil from 12 locations around the INL Site biennially
- environmental dosimeters from 16 locations semi-annually
- various numbers of wildlife including bats, big game (pronghorn, mule deer, and elk) and waterfowl sampled from the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the ESER Program.

The ESER Program used two laboratories to perform analyses on routine environmental samples collected during the quarter reported here. The ISU Environmental Assessment Laboratory (EAL) performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. Analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}\text{Pu}$), and americium-241 (^{241}Am) were performed by GEL Laboratories.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the ESER Program may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms in the ESER Program is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples, as well as additional analyses of samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet. RadNet is a nationwide environmental radiation monitoring system that monitors the nation's air, precipitation, and drinking water for radiation. The ESER Program currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the ESER Program but are available through the EPA RadNet website (<https://www.epa.gov/radnet>).

Once samples have been collected and analyzed, the ESER Program has the responsibility for quality control of the data, entry into the ESER database, and reporting in quarterly reports. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. These annual reports also include data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably affect the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s , where "s" is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term "detected", as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is statistically different from background. Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been

detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection. Each laboratory currently defines a detection of radioactivity in an individual sample if the result exceeds a detection level calculated by the laboratory after the analysis of a background sample, based on calculations derived by Curie (1984). The minimum detectable concentration (MDC) is defined as the concentration at which there is a 95 percent confidence that an analyte signal will be distinguishable from an analyte-free sample.

In addition, ESER uses a three standard deviation criterion to minimize the chance that a potentially false positive result is included in the data set. A false positive result is indicated when the range encompassing the result, plus or minus the total uncertainty at three standard deviations, includes zero (e.g., 2.5 +/- 1.0; range of -0.5 to 3.5). Statistically, the probability that a result can exceed the absolute value of its total uncertainty at three standard deviations by chance alone is less than 1 percent. A result that is greater than three times the total uncertainty of the measurement represents a statistically positive detection with over 99 percent confidence (DOE 2015b). The ESER reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being *detected with confidence*.

Concentrations between 2s and 3s are reported as *questionably detected*. That is, the radionuclide may be present in the sample; however, the probability that a result can exceed the absolute value of its total uncertainty at two standard deviations by chance alone may be as high as 5 percent. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a radionuclide is routinely detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is even less statistical confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

Data are also compared to historical measurements using the upper tolerance limit (UTL). The UTL is a value such that 99% of the population (in this case, all valid measurements made between 2010-2019) is less than the UTL with 95% confidence (EPA 2015). With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of a radionuclide is within the normal range. This means that if a concentration exceeds the UTL it does not necessarily indicate that the site is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high.

For more information concerning the ESER Program, contact VNSFS at (208) 525-8250, or visit the Program's web page (<http://www.idaho eser.com>).

2. THE INL SITE

The INL Site is a nuclear energy and homeland security research, and environmental management facility. It is owned and administered by the U.S. Department of Energy, Idaho Operations Office (DOE-ID) and occupies about 890 mi² (2,300 km²) of the upper Snake River Plain in Southeastern Idaho (Figure 1). The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission (AEC), predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the AEC. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory (INEL) in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory-West and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005 the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the Department of Energy's multiprogram national laboratories. Battelle Energy Alliance, LLC, is responsible for the management and operations of the INL.

The Idaho Cleanup Project (ICP) Core is a separately managed effort. The ICP Core is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process. Fluor Idaho, LLC, is responsible for the ICP Core.




Figure 1. Location of the Idaho National Laboratory Site.

3. AIR SAMPLING

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (¹³¹I) gas in air were collected weekly for the duration of the quarter at 16 locations using low-volume air samplers. Moisture in the atmosphere was sampled at four locations around the INL Site and analyzed for tritium. Air sampling activities and results for the second quarter of 2020 are discussed below. A summary of approximate minimum detectable concentrations (MDCs) for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2011b) values is provided in Appendix B.

LOW-VOLUME AIR SAMPLING

Radioactivity associated with airborne particulates was monitored continuously by 18 low-volume air samplers (two of which are used as replicate samplers) at 16 locations during the second quarter of 2020 (Figure 2). Three of these samplers are located on the INL Site, seven are situated off the INL Site near the boundary, and eight have been placed at locations distant to the INL Site. Samplers are divided into INL Site, Boundary, and Distant groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. At the start of 2020, one replicate sampler was moved to Arco (a Boundary location) and one was moved to Mud Lake (also a Boundary location). An average of 19,790 ft³ (560 m³) of air was sampled at each location, each week, at an average flow rate of 1.97 ft³/min (0.06 m³/min). Particulates in air were collected on membrane particulate filters (1.2-µm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.




Figure 2. ESER air monitoring locations.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for iodine-131 (^{131}I). Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha concentrations measured in individual samples ranged from a low of $(1.5 \pm 1.2) \times 10^{-16}$ $\mu\text{Ci/ml}$ (undetected) collected at Blue Dome on April 1, 2020, to a high of $(2.5 \pm 0.22) \times 10^{-15}$ $\mu\text{Ci/ml}$ collected at Idaho Falls on June 17, 2020. All results were less than the Derived Concentration Standard (DCS) of 3.4×10^{-14} $\mu\text{Ci/ml}$ for $^{239/240}\text{Pu}$ (see Table B-1 of Appendix B). In addition, the results were consistent with historical data, as represented by the 99%/95% upper tolerance limit (UTL) for gross alpha activity (4×10^{-15} $\mu\text{Ci/ml}$). The UTL was determined using ten years of historical data (measured from 2010 through 2019) and the ProUCL statistical software (<https://www.epa.gov/land-research/proucl-software>). The 99%/95% UTL is a value such that 99% of the population (all possible air measurements) is less than the UTL with 95% confidence. With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of gross alpha is within the normal range. This means that if a concentration exceeds the UTL it does not necessarily indicate that the result is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high. None of the gross alpha measurements during the second quarter exceeded the UTL.

Gross alpha data have been tested for distribution (normally or lognormally distributed) and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, a parametric test of significance cannot be used. The nonparametric Kruskal-Wallis analysis of variance by ranks test of multiple independent groups was used to determine statistical differences between INL Site, Boundary, and Distant locations. The test assesses the hypothesis that the different samples in the comparison were drawn from the same distribution or from distributions with the same median. In the computation of the Kruskal-Wallis test, each of the N observations is replaced by a rank. That is, all the results from all the locations are combined and ranked in a single series with the smallest result replaced by rank 1 and the largest result replaced by rank N (i.e., the total number of results). The sum of the ranks in each location group (i.e., INL Site, Boundary, and Distant) is found and then averaged for each group. If the samples are from the same populations, the average ranks should be about the same, whereas if the samples are from populations with different medians, the average ranks should differ. Statistically significant difference exists between data groups if the p-value (or probability value) is less than 0.05. Values greater than 0.05 translate into a 95 percent confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. There was no statistically significant difference among groups for the quarter or for any specific month in the quarter.

To determine if there were any differences between stations and where the differences occur, the Kruskal-Wallis analysis of variance by ranks test was used again. Results measured at Idaho Falls differed statistically from all locations except for those measured at Howe, Montevue, and Sugar City during the second quarter (Table D-2). Idaho Falls was also different from Arco during the month of June. The highest mean rank was calculated for Idaho Falls and the lowest mean rank was calculated for Arco. These differences may be visually observed in Figure D-1, where the Idaho Falls median and upper box values are higher than the other locations. The differences between locations may be due to variations in local meteorology, geology, or other natural factors. The Idaho Falls station is also located in a disturbed, populated area.

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. Gross beta concentrations measured in individual samples ranged from a low of $(5.7 \pm 0.82) \times 10^{-15}$ $\mu\text{Ci}/\text{ml}$ collected at Howe on April 1, 2020, to a high of $(3.0 \pm 0.076) \times 10^{-14}$ $\mu\text{Ci}/\text{ml}$ collected at Jackson Hole on June 3, 2020. All results were less than the Derived Concentration Standard (DCS) of 2.5×10^{-11} $\mu\text{Ci}/\text{ml}$ for ^{90}Sr (see Table B-1 of Appendix B). In addition, the results were consistent with historical data, as represented by the 99%/95% upper tolerance limit (UTL) for gross beta activity (6.4×10^{-14} $\mu\text{Ci}/\text{ml}$). The data were tested quarterly and generally are found to be neither normally nor log-normally distributed. Box and whiskers plots were used to present the non-parametric data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past ten years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures.

There were no statistically significant differences in the gross beta data between groups for the quarter or for any month, using the Kruskal-Wallis analysis of variance by ranks test (Table D-1). To determine if there were any differences between stations and where the differences occur, multiple comparisons were also made using the Kruskal-Wallis analysis of variance by ranks test between gross beta concentrations measured at all locations. No differences were determined (Table D-3).

Iodine-131 was not detected in any of the 26 sets of charcoal cartridges measured during the second quarter. Weekly ^{131}I results for each location are listed in Table C-2.

No ^{137}Cs or other human-made gamma-emitting radionuclides were found in quarterly air composites. No ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, or ^{241}Am were detected either (Table C-3).

ATMOSPHERIC MOISTURE SAMPLING

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for fourteen atmospheric moisture samples collected at the INL Site, Boundary, and Distant locations during the second quarter of 2020 (Figure 11). Ten of the concentrations exceeded the 3s uncertainty level for tritium, with a maximum reported value of $(1.91 \pm 0.20) \times 10^{-12}$ $\mu\text{Ci}/\text{ml}_{\text{air}}$ at EFS. The maximum result exceeded the 99%/95% UTL of 1.6×10^{-12} $\mu\text{Ci}/\text{ml}_{\text{air}}$ but is within the range of values observed for the past 10 years. All samples were significantly below the DOE DCS for tritium in air (as water vapor) of 2.1×10^{-7} $\mu\text{Ci}/\text{ml}_{\text{air}}$. Results are shown in Table C-4.




Figure 3. Gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations for the second quarter of 2020. The DOE Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 (^{239/240}Pu) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 4. April 2020 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location. The Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 (^{239/240}Pu) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 5. May 2020 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except for Craters of the Moon (N = 3). The Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 ($^{239/240}\text{Pu}$) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 6. June 2020 gross alpha concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except for EFS (N = 3). The Derived Concentration Standard (DCS) is the concentration of plutonium-239/240 (^{239/240}Pu) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 7. Gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations for the second quarter of 2020. The Derived Concentration Standard (DCS) is the concentration of strontium-90 (^{90}Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentration. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 8. April 2020 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 5 at each location. The Derived Concentration Standard (DCS) is the concentration of strontium-90 (^{90}Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 9. May 2020 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except for Craters of the Moon (N = 3). The Derived Concentration Standard (DCS) is the concentration of strontium-90 (⁹⁰Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 10. June 2020 gross beta concentrations in air at ESER INL Site, Boundary, and Distant locations. Number of samples (N) = 4 at each location, except for EFS (N = 3). The Derived Concentration Standard (DCS) is the concentration of strontium-90 (^{90}Sr) in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population are expected to fall with 95% confidence.

4. PRECIPITATION AND WATER SAMPLING

PRECIPITATION SAMPLING

Precipitation samples are gathered when enough precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 ml. Samples are taken of monthly composites from Idaho Falls, and weekly (when available) from the EFS on the INL Site and Atomic City and Howe on the INL Site boundary. These are the same locations that atmospheric moisture samples are collected at. Precipitation samples are analyzed for tritium. Storm events in the second quarter of 2020 produced sufficient precipitation to yield 22 samples.

Tritium was measured above the 3s values in sixteen of the 22 samples collected during the second quarter (Figure 11). These results are listed in Table C-5 (Appendix C). Low levels of tritium always exist in the environment as a result of cosmic ray reactions with water molecules in the upper atmosphere. Long-term data collected around the globe since 1961 by the International Atomic Energy Agency suggest that tritium levels have steadily decreased since the Nuclear Test Ban Treaty in 1963 and are close to their pre-nuclear test values (Cauquoin et al. 2015) and that there are no longer remnants of fallout from nuclear weapons testing. When detected, tritium values have remained well within the historical range and the range measured across the country by the EPA RadNet program and INL Oversight Program. The EPA Radnet database lists tritium results for precipitation collected in Idaho. The last sample for which results are available was collected on December 15, 2011. A search of the RadNet database (https://enviro.epa.gov/enviro/erams_query_v2.simple_query) for tritium in precipitation collected in Idaho from 2007 through 2011 shows a range of -84 to 123 pCi/L. The INL Oversight Program presents tritium results for 2016 through 2019 (<http://www.deq.idaho.gov/inl-oversight/monitoring/reports/>) and the results range from -100 to 140 pCi/L. The maximum value in the second quarter was (189 ± 27) pCi/L in an EFS sample collected in early April. The result was below the 99%/95% UTL of 311 pCi/ml.




Figure 11. ESER atmospheric moisture and precipitation monitoring locations.

WATER SAMPLING

Drinking water samples were collected at eight locations (plus a duplicate). A control sample of bottled water was also prepared. Surface water samples were collected at three Thousand Springs locations. All samples were analyzed for gross alpha, gross beta, and tritium. Locations are shown in Figure 12 and results are listed in Table C-6 of Appendix C.

Gross alpha activity was detected in four of the ten drinking water samples (Atomic City and Shoshone samples) and in two of the three surface water samples. The highest reported gross alpha value was (4.0 ± 0.78) pCi/L in the sample from Shoshone. Gross beta activity was detected in all of the drinking water samples (including the control), and in all three of the surface water samples. All concentrations were generally similar to previous results from drinking and surface water sampling. Natural levels of radioactive decay products of thorium and uranium exist in the Snake River Plain Aquifer and are the likely source of the measured concentrations. The highest reported gross beta value was (5.3 ± 0.46) pCi/L in the surface water sample collected from Alpheus Spring near Twin Falls. This location has historically shown the highest levels of natural activity.

Tritium was also detected in five of the ten drinking water samples and none of the three surface water samples. The concentrations were similar to those found in atmospheric moisture and precipitation samples and were consistent with previous results. The maximum value was (123 ± 25) pCi/L in drinking water at Atomic City. The results are well below the DCS of 1.9×10^6 pCi/L for tritium in drinking water.




Figure 12. ESER surface and drinking water monitoring locations.

5. AGRICULTURAL PRODUCT, WILDLIFE, AND SOIL SAMPLING

Another potential pathway for contaminants to reach humans is through the food chain. The ESER Program samples multiple agricultural products and game animals from around the INL Site and Southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year and large game animals are sampled whenever large game animals are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the third quarter, while potatoes are collected during the fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for more details on agricultural product and wildlife sampling. This section discusses results from milk and wildlife samples available during the second quarter of 2020.

MILK SAMPLING

Milk samples were collected weekly at Idaho Falls and Terreton. Monthly samples were collected at five other locations around the INL Site (Figure 13) during the second quarter of 2020. In addition to the local locations, commercially-available organic milk (from Colorado) was purchased as a control sample each month. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on Iodine-131. Samples were also analyzed for strontium-90 and tritium in May.

Neither ^{131}I nor ^{137}Cs was detected in any weekly or monthly samples during the second quarter. No other human-made gamma-emitting radionuclides were found either. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-7.

Results for ^{90}Sr and tritium are listed in Appendix C, Table C-8. Strontium-90 was detected in four of the eight milk samples analyzed, including the duplicate control sample. The maximum concentration of 1.4 pCi/L from the duplicate control sample is toward the higher end of the range of concentrations observed over the past several years. There is no DCS for ^{90}Sr in milk; however, for comparison the results were well below the drinking water DCS of 1.1×10^3 pCi/L.

Tritium was also detected in three of nine samples analyzed, with a maximum value of 140 pCi/L in the Idaho Falls sample. All results were similar to those previously measured and similar to those found in other liquid media like precipitation. There is no DCS for tritium in milk, but the results were well below the DCS for tritium in drinking water (1.9×10^6 pCi/L).

LARGE GAME ANIMAL SAMPLING

No big game animals killed by vehicular collisions were available for sampling during the second quarter of 2020.




Figure 13. ESER milk sampling locations.

6. ENVIRONMENTAL RADIATION

An array of optically stimulated luminescent dosimeters (OSLDs) and thermoluminescent dosimeter (TLD) is distributed throughout the Eastern Snake River Plain to monitor for environmental radiation. Beginning in November 2011, two OSLDs were placed in the same locations (Figure 14) as the TLDs to run a side-by-side comparison of the two dosimeter technologies. OSLDs and TLDs are changed out at the beginning of May and again at the beginning of November after six months in the field.

OSLD results from dosimeters collected during the second quarter are displayed in Appendix C, Table C-9. Results are presented in dose units of millirem (mrem). The Boundary OSLD values ranged from 48.50 mrem at Blue Dome to 62.70 mrem at Mud Lake, with an overall average of 56.27 mrem. This equates to an average dose of 0.31 mrem per day. Distant results varied from 51.70 mrem at Dubois to 68.55 mrem at Sugar City. The Distant average was 57.36 mrem, which also equates to 0.32 mrem per day. Results vary between sampling locations based on the geologic composition of the soils in the vicinity of the OSLD and the elevation of the station.

TLD results from the second quarter are presented in Appendix C, Tables C-10. The results for TLDs are provided in exposure units of milliroentgen (mR). The second quarter Boundary group, six-month exposures ranged from 46.7 milliroentgens (mR) at Blue Dome to 60.0 mR at Mud Lake. The overall Boundary exposure was 55.2 mR with an average exposure of 0.30 mR per day. Distant exposures for second quarter ranged from 48.2 mR at Dubois to 68.0 mR for the TLD at Sugar City. The average Distant exposure was 55.7 mR with an average exposure of 0.31 mR per day.




Figure 14. ESER optically stimulated luminescent dosimeter (OSLD) locations.

7. QUALITY ASSURANCE

The ESER Quality Assurance Program consists of five ongoing tasks which measure:

1. method uncertainty
2. data completeness
3. data accuracy, using spike, performance evaluation and laboratory control samples
4. data precision, using split samples, duplicate samples and recounts
5. presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program (VNSFS 2019). Criteria established by DOE for Quality Assurance activities include:

- Quality assurance program
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

Assessments of ESER data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives. These assessments are documented in the ESER Quality Assurance Report for the Second Quarter of 2020 (VNSFS 2021).

8. REFERENCES

- BEA, 2016, *Data Quality Objectives Supporting the Environmental Soil Monitoring Program for the INL Site*, INL/EXT-15-34909, February 2016.
- Cauquoin, A., P. Jean-Baptiste, C. Risia, É. Fourré, B. Stenni, and A. Landais, 2015, "The global distribution of natural tritium in precipitation simulated with an Atmospheric General Circulation Model and comparison with observations", *Earth and Planetary Science Letters* 427 (2015) 160–170.
http://www.lmd.jussieu.fr/~acauquoin/Mes_Publications/Cauquoin%20et%20al.%202015%20-%20EPSL.pdf.
- Currie, L.A., 1984, Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2011a, "Radiation Protection of the Public and the Environment," U.S. Department of Energy O 458.1, Administrative Change 3, February 11, 2011.
- DOE, 2011b, "Derived Concentration Technical Standard", Department of Energy Standard 1196-2011, April 2011.
- DOE, 2015a, "Environmental Radiological Effluent Monitoring and Environmental Surveillance", DOE-HDBK-1216-2015, March 2015.
- DOE, 2015b, Handbook for the Department of Energy's Mixed Analyte Performance Evaluation Program (MAPEP), January 2015. Available at:
<http://www.id.energy.gov/resl/mapep/handbookv15.pdf>.
- EPA, 2018, RadNet—Tracking Environmental Radiation Nationwide, Web-page: <http://www.epa.gov/narel/radnet/>
- ICRP, 2009, *ICRP Publication 114: Environmental Protection: Transfer Parameters for Reference Animals and Plants*, Annals of the International Commission on Radiological Protection (ICRP), December 2009.
- Pinder, J. E. III, K. W. McLeod, D. C. Adriano, J. C. Corey, and L. Boni, 1990, "Atmospheric Deposition, Resuspension and Root Uptake of Pu in Corn and Other Grain-Producing Agroecosystems Near a Nuclear Fuel Facility," *Health Physics*, Vol. 59, pp. 853-867.
- VNSFS, 2019, Quality Assurance Project Plan for the INL Site Offsite Environmental Surveillance Program, VFS-ID-ESER-PROC-066, Environmental Surveillance, Education and Research Program.
- VNSFS, 2021, *Environmental Quality Assurance Report for the 2nd Quarter 2020*, Environmental Surveillance, Education, and Research Program.

APPENDIX A
SUMMARY OF SAMPLING SCHEDULE

Table A-1. Summary of the ESER Program's Sampling Schedule

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AIR SAMPLING				
<i>LOW-VOLUME AIR</i>				
Gross Alpha, Gross Beta, ¹³¹ I	weekly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
Gamma Spec	quarterly	Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Sugar City	Arco, Atomic City, FAA Tower, Howe, Monteview, Mud Lake, Blue Dome	Main Gate, EFS, Van Buren
⁹⁰ Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
<i>ATMOSPHERIC MOISTURE</i>				
Tritium	2 to 13 weeks	Idaho Falls	Atomic City, Howe	EFS
<i>PRECIPITATION</i>				
Tritium	monthly	Idaho Falls	None	None
Tritium	weekly	None	Atomic City, Howe	EFS
WATER SAMPLING				
<i>DRINKING WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None
<i>SURFACE WATER</i>				
Gross Alpha, Gross Beta, Tritium	Semiannually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
ENVIRONMENTAL RADIATION SAMPLING				
<i>TLDs/OSLDs</i>				
Gamma Radiation	semiannual	Aberdeen, Blackfoot, Craters of the Moon, Dubois, Idaho Falls, Jackson WY, Minidoka, Sugar City, Roberts	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Monteview, Mud Lake	None
SOIL SAMPLING				
<i>SOIL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	biennially	Carey, Blackfoot, St. Anthony	Butte City, Monteview, Atomic City, FAA Tower, Howe, Mud Lake (2), Birch Creek, Frenchman's Cabin	None

Table A-1. Summary of the ESER Program's Sampling Schedule (continued)

Sample Type Analysis	Collection Frequency	LOCATIONS		
		Distant	Boundary	INL Site
AGRICULTURAL PRODUCT SAMPLING				
<i>MILK</i>				
Gamma Spec (¹³¹ I)	weekly	Idaho Falls	Terreton	None
Gamma Spec (¹³¹ I)	monthly	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
Tritium, ⁹⁰ Sr	Semi-annually	Blackfoot, Dietrich, Fort Hall, Idaho Falls, Minidoka	Howe, Terreton	None
<i>POTATOES</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Idaho Falls, Rupert, Shelley, Hamer, Driggs, occasional samples across the U.S.	Varies among Arco, Monteview, Mud Lake, Terreton	None
<i>ALFALFA</i>				
Gamma Spec, ⁹⁰ Sr	annually	Idaho Falls	Mud Lake	None
<i>GRAIN</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among American Falls, Blackfoot, Carey, Idaho Falls, Rupert/Minidoka, Roberts	Varies among Arco, Monteview, Mud Lake, Taber, Terreton	None
<i>LETTUCE</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Carey, Idaho Falls, Rigby, Sugar City	Varies among Arco, Atomic City, FAA Tower, Howe, Monteview	EFS
WILDLIFE SAMPLING				
<i>BIG GAME</i>				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads
<i>WATERFOWL</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	annually	Varies among: Heise, Firth, Fort Hall, Mud Lake, Market Lake, and American Falls	None	INL Site wastewater disposal ponds

APPENDIX B
SUMMARY OF MDCs AND DCSs

Table B-1. Summary of Approximate Minimum Detectable Concentrations for Radiological Analyses Performed during Second Quarter 2020

Sample Type	Analysis	Average Minimum Detectable Concentration ^a (MDC)	Derived Concentration Standard ^b (DCS)
Air (particulate filter) ^e	Gross alpha	4.2×10^{-16} $\mu\text{Ci/ml}$	3.4×10^{-14} $\mu\text{Ci/ml}^c$
	Gross beta	1.3×10^{-15} $\mu\text{Ci/ml}$	2.5×10^{-11} $\mu\text{Ci/ml}^d$
	¹³⁷ Cs	8.6×10^{-17} $\mu\text{Ci/ml}$	9.8×10^{-11} $\mu\text{Ci/ml}$
	⁹⁰ Sr	2.8×10^{-17} $\mu\text{Ci/ml}$	2.5×10^{-11} $\mu\text{Ci/ml}$
	²⁴¹ Am	1.6×10^{-18} $\mu\text{Ci/ml}$	4.1×10^{-14} $\mu\text{Ci/ml}$
	²³⁸ Pu	2.5×10^{-18} $\mu\text{Ci/ml}$	3.7×10^{-14} $\mu\text{Ci/ml}$
	^{239/240} Pu	2.6×10^{-18} $\mu\text{Ci/ml}$	3.4×10^{-14} $\mu\text{Ci/ml}$
Air (charcoal cartridge) ^e	¹³¹ I	8.7×10^{-16} $\mu\text{Ci/ml}$	4.1×10^{-10} $\mu\text{Ci/ml}$
Air (atmospheric moisture)	³ H	91.7 pCi/L _{water} 5.0×10^{-13} $\mu\text{Ci/ml}_{\text{air}}$	1.9×10^6 pCi/L _{water} 2.1×10^{-7} $\mu\text{Ci/ml}_{\text{air}}$
Air (precipitation)	³ H	91.1 pCi/L	1.9×10^6 pCi/L _{water}
Milk	¹³¹ I	0.5 pCi/L	1.3×10^3 pCi/L ^f
	¹³⁷ Cs	1.0 pCi/L	3.0×10^3 pCi/L ^f
	⁹⁰ Sr	0.2 pCi/L	1.1×10^3 pCi/L ^f
	³ H	90.1 pCi/L	1.9×10^6 pCi/L ^f
Drinking Water/Surface Water	Gross alpha	1.7 pCi/L	1.4×10^{-7} $\mu\text{Ci/ml}$
	Gross beta	1.4 pCi/L	1.1×10^{-6} $\mu\text{Ci/ml}$
	³ H	92.4 pCi/L	1.9×10^6 pCi/L _{water}
<p>a. The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95 percent level of confidence. MDCs are calculated and reported by the laboratories based on actual ESER sample results following analysis.</p> <p>b. DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.</p> <p>c. Based on the most restrictive human-made alpha emitter (²³⁹Pu).</p> <p>d. Based on the most restrictive human-made beta emitter (⁹⁰Sr).</p> <p>e. The approximate MDC is based on an average filtered air volume (pressure corrected) of 445 m³/week.</p> <p>f. There is no DCS established for radionuclides in milk. However, The DCS shown is for the radionuclide ingested in water.</p>			

APPENDIX C
SAMPLE ANALYSIS RESULTS

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA					GROSS BETA				
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s
BOUNDARY											
ARCO	4/1/2020	0.34 ± 0.14	1.25 ± 0.50	No	13.50 ± 0.52	49.95 ± 1.91	Yes				
	4/8/2020	0.80 ± 0.16	2.97 ± 0.59	Yes	15.40 ± 0.59	56.98 ± 2.16	Yes				
	4/15/2020	0.98 ± 0.15	3.62 ± 0.57	Yes	21.60 ± 0.60	79.92 ± 2.21	Yes				
	4/22/2020	1.12 ± 0.17	4.14 ± 0.63	Yes	26.00 ± 0.67	96.20 ± 2.46	Yes				
	4/29/2020	0.58 ± 0.16	2.16 ± 0.58	Yes	16.60 ± 0.56	61.42 ± 2.06	Yes				
	5/6/2020	1.27 ± 0.20	4.70 ± 0.73	Yes	23.40 ± 0.67	86.58 ± 2.49	Yes				
	5/13/2020	1.17 ± 0.18	4.33 ± 0.67	Yes	22.00 ± 0.64	81.40 ± 2.35	Yes				
	5/20/2020	0.75 ± 0.16	2.78 ± 0.60	Yes	14.90 ± 0.57	55.13 ± 2.11	Yes				
	5/27/2020	0.51 ± 0.13	1.89 ± 0.49	Yes	13.40 ± 0.54	49.58 ± 2.01	Yes				
	6/3/2020	0.84 ± 0.16	3.10 ± 0.58	Yes	27.60 ± 0.67	102.12 ± 2.49	Yes				
	6/10/2020	0.85 ± 0.17	3.15 ± 0.61	Yes	21.00 ± 0.64	77.70 ± 2.37	Yes				
	6/17/2020	0.93 ± 0.14	3.44 ± 0.51	Yes	16.30 ± 0.51	60.31 ± 1.89	Yes				
	6/24/2020	0.75 ± 0.14	2.77 ± 0.51	Yes	20.90 ± 0.60	77.33 ± 2.22	Yes				
	QA-1 (ARCO)	4/1/2020	0.30 ± 0.13	1.10 ± 0.47	No	13.80 ± 0.50	51.06 ± 1.85	Yes			
4/8/2020		0.64 ± 0.14	2.37 ± 0.53	Yes	16.80 ± 0.58	62.16 ± 2.14	Yes				
4/15/2020		1.20 ± 0.16	4.44 ± 0.60	Yes	21.40 ± 0.59	79.18 ± 2.16	Yes				
4/22/2020		1.30 ± 0.18	4.81 ± 0.65	Yes	27.70 ± 0.68	102.49 ± 2.50	Yes				
4/29/2020		0.53 ± 0.14	1.94 ± 0.52	Yes	17.20 ± 0.53	63.64 ± 1.95	Yes				
5/6/2020		0.96 ± 0.17	3.55 ± 0.64	Yes	24.10 ± 0.65	89.17 ± 2.41	Yes				
5/13/2020		0.79 ± 0.15	2.91 ± 0.57	Yes	20.20 ± 0.58	74.74 ± 2.16	Yes				
5/20/2020		0.93 ± 0.17	3.45 ± 0.63	Yes	16.90 ± 0.59	62.53 ± 2.19	Yes				
5/27/2020		0.81 ± 0.15	3.01 ± 0.55	Yes	14.90 ± 0.55	55.13 ± 2.02	Yes				
6/3/2020		1.34 ± 0.18	4.96 ± 0.65	Yes	26.40 ± 0.65	97.68 ± 2.41	Yes				
6/10/2020		0.93 ± 0.17	3.44 ± 0.62	Yes	22.00 ± 0.64	81.40 ± 2.38	Yes				
6/17/2020		0.99 ± 0.15	3.66 ± 0.56	Yes	13.20 ± 0.52	48.84 ± 1.92	Yes				
6/24/2020		1.32 ± 0.17	4.88 ± 0.62	Yes	20.40 ± 0.60	75.48 ± 2.20	Yes				
ATOMIC CITY		4/1/2020	0.46 ± 0.15	1.70 ± 0.55	Yes	14.80 ± 0.55	54.76 ± 2.02	Yes			
	4/8/2020	0.57 ± 0.15	2.12 ± 0.54	Yes	16.00 ± 0.59	59.20 ± 2.17	Yes				
	4/15/2020	1.14 ± 0.17	4.22 ± 0.63	Yes	23.50 ± 0.64	86.95 ± 2.38	Yes				
	4/22/2020	1.48 ± 0.18	5.48 ± 0.68	Yes	25.90 ± 0.66	95.83 ± 2.44	Yes				
	4/29/2020	0.71 ± 0.17	2.63 ± 0.62	Yes	18.60 ± 0.60	68.82 ± 2.21	Yes				
	5/6/2020	1.45 ± 0.20	5.37 ± 0.73	Yes	22.90 ± 0.65	84.73 ± 2.40	Yes				
	5/13/2020	1.29 ± 0.18	4.77 ± 0.68	Yes	17.90 ± 0.59	66.23 ± 2.16	Yes				
	5/20/2020	1.13 ± 0.18	4.18 ± 0.66	Yes	16.70 ± 0.59	61.79 ± 2.16	Yes				
	5/27/2020	0.91 ± 0.16	3.35 ± 0.57	Yes	12.40 ± 0.52	45.88 ± 1.94	Yes				
	6/3/2020	1.40 ± 0.18	5.18 ± 0.66	Yes	27.60 ± 0.66	102.12 ± 2.46	Yes				
	6/10/2020	1.03 ± 0.16	3.81 ± 0.60	Yes	21.30 ± 0.61	78.81 ± 2.24	Yes				
	6/17/2020	1.06 ± 0.15	3.92 ± 0.57	Yes	19.60 ± 0.58	72.52 ± 2.15	Yes				
	6/24/2020	0.83 ± 0.15	3.06 ± 0.54	Yes	21.70 ± 0.62	80.29 ± 2.29	Yes				
	BLUE DOME	4/1/2020	0.15 ± 0.12	0.55 ± 0.46	No	11.80 ± 0.49	43.66 ± 1.82	Yes			
4/8/2020		0.58 ± 0.14	2.14 ± 0.52	Yes	14.60 ± 0.56	54.02 ± 2.06	Yes				
4/15/2020		0.96 ± 0.15	3.55 ± 0.57	Yes	20.10 ± 0.58	74.37 ± 2.15	Yes				
4/22/2020		1.00 ± 0.16	3.70 ± 0.59	Yes	25.20 ± 0.64	93.24 ± 2.38	Yes				
4/29/2020		0.61 ± 0.16	2.25 ± 0.58	Yes	19.90 ± 0.59	73.63 ± 2.19	Yes				
5/6/2020		1.26 ± 0.19	4.66 ± 0.70	Yes	24.90 ± 0.66	92.13 ± 2.45	Yes				
5/13/2020		0.87 ± 0.17	3.21 ± 0.61	Yes	19.50 ± 0.60	72.15 ± 2.23	Yes				
5/20/2020		0.72 ± 0.15	2.68 ± 0.56	Yes	15.30 ± 0.55	56.61 ± 2.02	Yes				
5/27/2020		0.54 ± 0.13	1.98 ± 0.49	Yes	13.70 ± 0.53	50.69 ± 1.98	Yes				
6/3/2020		1.13 ± 0.17	4.18 ± 0.64	Yes	27.00 ± 0.68	99.90 ± 2.52	Yes				
6/10/2020		0.85 ± 0.15	3.15 ± 0.57	Yes	19.70 ± 0.59	72.89 ± 2.17	Yes				
6/17/2020		1.03 ± 0.16	3.81 ± 0.57	Yes	19.80 ± 0.60	73.26 ± 2.21	Yes				
6/24/2020		1.17 ± 0.17	4.33 ± 0.63	Yes	22.50 ± 0.65	83.25 ± 2.39	Yes				
FAA TOWER		4/1/2020	0.52 ± 0.15	1.94 ± 0.54	Yes	14.00 ± 0.52	51.80 ± 1.94	Yes			
	4/8/2020	0.48 ± 0.14	1.77 ± 0.51	Yes	14.70 ± 0.57	54.39 ± 2.09	Yes				

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
	4/15/2020	0.90 ± 0.15	3.34 ± 0.56	Yes	20.10 ± 0.59	74.37 ± 2.17	Yes		
	4/22/2020	1.06 ± 0.16	3.92 ± 0.58	Yes	24.30 ± 0.62	89.91 ± 2.30	Yes		
	4/29/2020	0.68 ± 0.16	2.52 ± 0.58	Yes	17.60 ± 0.56	65.12 ± 2.08	Yes		
	5/6/2020	1.03 ± 0.18	3.81 ± 0.66	Yes	23.10 ± 0.64	85.47 ± 2.38	Yes		
	5/13/2020	0.96 ± 0.16	3.55 ± 0.61	Yes	18.40 ± 0.58	68.08 ± 2.13	Yes		
	5/20/2020	0.66 ± 0.16	2.46 ± 0.57	Yes	16.40 ± 0.58	60.68 ± 2.14	Yes		
	5/27/2020	0.84 ± 0.16	3.12 ± 0.57	Yes	14.20 ± 0.56	52.54 ± 2.06	Yes		
	6/3/2020	1.27 ± 0.17	4.70 ± 0.64	Yes	26.20 ± 0.65	96.94 ± 2.42	Yes		
	6/10/2020	0.95 ± 0.16	3.53 ± 0.61	Yes	18.50 ± 0.59	68.45 ± 2.19	Yes		
	6/17/2020	1.22 ± 0.16	4.51 ± 0.60	Yes	19.00 ± 0.58	70.30 ± 2.15	Yes		
	6/24/2020	0.70 ± 0.14	2.58 ± 0.53	Yes	19.10 ± 0.61	70.67 ± 2.26	Yes		
HOWE	4/1/2020	1.17 ± 0.33	4.33 ± 1.23	Yes	5.73 ± 0.82	21.20 ± 3.05	Yes		
	4/8/2020	1.06 ± 0.17	3.92 ± 0.61	Yes	14.50 ± 0.55	53.65 ± 2.05	Yes		
	4/15/2020	1.84 ± 0.19	6.81 ± 0.72	Yes	18.70 ± 0.58	69.19 ± 2.13	Yes		
	4/22/2020	1.53 ± 0.19	5.66 ± 0.70	Yes	24.00 ± 0.66	88.80 ± 2.43	Yes		
	4/29/2020	1.28 ± 0.19	4.74 ± 0.68	Yes	17.90 ± 0.57	66.23 ± 2.09	Yes		
	5/6/2020	1.32 ± 0.20	4.88 ± 0.75	Yes	22.50 ± 0.68	83.25 ± 2.51	Yes		
	5/13/2020	1.21 ± 0.18	4.48 ± 0.66	Yes	19.00 ± 0.59	70.30 ± 2.19	Yes		
	5/20/2020	0.96 ± 0.17	3.56 ± 0.62	Yes	15.20 ± 0.56	56.24 ± 2.06	Yes		
	5/27/2020	0.48 ± 0.13	1.79 ± 0.49	Yes	12.10 ± 0.53	44.77 ± 1.97	Yes		
	6/3/2020	1.27 ± 0.19	4.70 ± 0.68	Yes	26.80 ± 0.70	99.16 ± 2.59	Yes		
	6/10/2020	0.98 ± 0.16	3.64 ± 0.58	Yes	18.20 ± 0.56	67.34 ± 2.06	Yes		
	6/17/2020	1.09 ± 0.16	4.03 ± 0.58	Yes	18.80 ± 0.58	69.56 ± 2.16	Yes		
	6/24/2020	1.28 ± 0.18	4.74 ± 0.67	Yes	22.80 ± 0.68	84.36 ± 2.51	Yes		
MONTEVIEW	4/1/2020	0.65 ± 0.15	2.41 ± 0.57	Yes	13.40 ± 0.52	49.58 ± 1.93	Yes		
	4/8/2020	1.25 ± 0.18	4.63 ± 0.66	Yes	14.40 ± 0.57	53.28 ± 2.09	Yes		
	4/15/2020	1.58 ± 0.19	5.85 ± 0.69	Yes	22.30 ± 0.62	82.51 ± 2.29	Yes		
	4/22/2020	1.49 ± 0.18	5.51 ± 0.67	Yes	23.80 ± 0.63	88.06 ± 2.34	Yes		
	4/29/2020	1.15 ± 0.19	4.26 ± 0.70	Yes	18.70 ± 0.60	69.19 ± 2.21	Yes		
	5/6/2020	1.41 ± 0.19	5.22 ± 0.71	Yes	22.30 ± 0.63	82.51 ± 2.33	Yes		
	5/13/2020	1.38 ± 0.18	5.11 ± 0.68	Yes	17.10 ± 0.57	63.27 ± 2.09	Yes		
	5/20/2020	1.18 ± 0.18	4.37 ± 0.67	Yes	16.10 ± 0.57	59.57 ± 2.12	Yes		
	5/27/2020	0.99 ± 0.16	3.68 ± 0.61	Yes	13.20 ± 0.55	48.84 ± 2.04	Yes		
	6/3/2020	1.66 ± 0.20	6.14 ± 0.75	Yes	27.20 ± 0.71	100.64 ± 2.61	Yes		
	6/10/2020	1.08 ± 0.16	4.00 ± 0.60	Yes	17.30 ± 0.55	64.01 ± 2.04	Yes		
	6/17/2020	1.17 ± 0.16	4.33 ± 0.60	Yes	18.20 ± 0.58	67.34 ± 2.14	Yes		
	6/24/2020	1.43 ± 0.18	5.29 ± 0.67	Yes	20.30 ± 0.62	75.11 ± 2.29	Yes		
MUD LAKE	4/1/2020	0.73 ± 0.16	2.68 ± 0.59	Yes	12.70 ± 0.51	46.99 ± 1.90	Yes		
	4/8/2020	0.65 ± 0.15	2.40 ± 0.56	Yes	16.60 ± 0.60	61.42 ± 2.23	Yes		
	4/15/2020	1.22 ± 0.16	4.51 ± 0.60	Yes	18.20 ± 0.55	67.34 ± 2.04	Yes		
	4/22/2020	1.15 ± 0.18	4.26 ± 0.67	Yes	26.90 ± 0.71	99.53 ± 2.64	Yes		
	4/29/2020	0.68 ± 0.16	2.53 ± 0.57	Yes	18.00 ± 0.56	66.60 ± 2.06	Yes		
	5/6/2020	1.01 ± 0.17	3.74 ± 0.62	Yes	21.70 ± 0.60	80.29 ± 2.21	Yes		
	5/13/2020	1.35 ± 0.17	5.00 ± 0.63	Yes	17.00 ± 0.52	62.90 ± 1.94	Yes		
	5/20/2020	0.49 ± 0.13	1.81 ± 0.49	Yes	14.90 ± 0.52	55.13 ± 1.93	Yes		
	5/27/2020	0.63 ± 0.13	2.33 ± 0.47	Yes	12.60 ± 0.48	46.62 ± 1.76	Yes		
	6/3/2020	1.36 ± 0.18	5.03 ± 0.67	Yes	27.70 ± 0.67	102.49 ± 2.49	Yes		
	6/10/2020	0.91 ± 0.15	3.37 ± 0.55	Yes	17.20 ± 0.54	63.64 ± 1.98	Yes		
	6/17/2020	1.03 ± 0.15	3.81 ± 0.56	Yes	20.10 ± 0.59	74.37 ± 2.18	Yes		
	6/24/2020	1.00 ± 0.16	3.68 ± 0.59	Yes	20.50 ± 0.62	75.85 ± 2.31	Yes		
QA-2 (MUD LAKE)	4/1/2020	0.51 ± 0.15	1.88 ± 0.55	Yes	13.50 ± 0.52	49.95 ± 1.94	Yes		
	4/8/2020	0.83 ± 0.15	3.08 ± 0.57	Yes	15.70 ± 0.56	58.09 ± 2.08	Yes		
	4/15/2020	1.12 ± 0.15	4.14 ± 0.57	Yes	19.70 ± 0.55	72.89 ± 2.05	Yes		
	4/22/2020	1.01 ± 0.16	3.74 ± 0.60	Yes	26.60 ± 0.66	98.42 ± 2.45	Yes		
	4/29/2020	1.14 ± 0.19	4.22 ± 0.72	Yes	19.30 ± 0.62	71.41 ± 2.30	Yes		

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA					GROSS BETA					
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	
	5/6/2020	1.26 ± 0.18	4.66 ± 0.66	Yes	21.80 ± 0.60	80.66 ± 2.22	Yes					
	5/13/2020	1.19 ± 0.16	4.40 ± 0.60	Yes	15.50 ± 0.51	57.35 ± 1.87	Yes					
	5/20/2020	0.68 ± 0.15	2.50 ± 0.54	Yes	15.70 ± 0.54	58.09 ± 1.99	Yes					
	5/27/2020	0.41 ± 0.12	1.52 ± 0.44	Yes	13.10 ± 0.51	48.47 ± 1.87	Yes					
	6/3/2020	1.45 ± 0.19	5.37 ± 0.68	Yes	26.40 ± 0.67	97.68 ± 2.46	Yes					
	6/10/2020	1.07 ± 0.15	3.96 ± 0.57	Yes	17.60 ± 0.53	65.12 ± 1.96	Yes					
	6/17/2020	1.10 ± 0.15	4.07 ± 0.55	Yes	18.10 ± 0.54	66.97 ± 1.99	Yes					
	6/24/2020	1.10 ± 0.17	4.07 ± 0.62	Yes	22.80 ± 0.66	84.36 ± 2.43	Yes					
DISTANT												
BLACKFOOT	4/1/2020	0.73 ± 0.17	2.69 ± 0.62	Yes	17.10 ± 0.59	63.27 ± 2.17	Yes					
	4/8/2020	0.82 ± 0.16	3.05 ± 0.60	Yes	14.00 ± 0.58	51.80 ± 2.14	Yes					
	4/15/2020	1.16 ± 0.17	4.29 ± 0.64	Yes	23.10 ± 0.64	85.47 ± 2.38	Yes					
	4/22/2020	1.24 ± 0.18	4.59 ± 0.66	Yes	27.00 ± 0.69	99.90 ± 2.55	Yes					
	4/29/2020	0.65 ± 0.16	2.39 ± 0.58	Yes	15.90 ± 0.55	58.83 ± 2.02	Yes					
	5/6/2020	1.10 ± 0.19	4.07 ± 0.68	Yes	24.00 ± 0.66	88.80 ± 2.45	Yes					
	5/13/2020	1.06 ± 0.17	3.92 ± 0.62	Yes	20.40 ± 0.59	75.48 ± 2.19	Yes					
	5/20/2020	1.05 ± 0.17	3.89 ± 0.64	Yes	16.70 ± 0.58	61.79 ± 2.15	Yes					
	5/27/2020	0.77 ± 0.15	2.86 ± 0.54	Yes	13.70 ± 0.53	50.69 ± 1.96	Yes					
	6/3/2020	1.38 ± 0.18	5.11 ± 0.65	Yes	26.50 ± 0.64	98.05 ± 2.38	Yes					
	6/10/2020	0.87 ± 0.15	3.21 ± 0.54	Yes	17.40 ± 0.53	64.38 ± 1.97	Yes					
	6/17/2020	1.05 ± 0.15	3.89 ± 0.57	Yes	18.30 ± 0.57	67.71 ± 2.11	Yes					
	6/24/2020	0.85 ± 0.15	3.13 ± 0.55	Yes	21.90 ± 0.63	81.03 ± 2.32	Yes					
	CRATERS OF THE MOON	4/1/2020	0.48 ± 0.15	1.78 ± 0.54	Yes	13.30 ± 0.52	49.21 ± 1.93	Yes				
4/8/2020		0.49 ± 0.14	1.82 ± 0.50	Yes	13.70 ± 0.55	50.69 ± 2.02	Yes					
4/15/2020		1.13 ± 0.17	4.18 ± 0.62	Yes	23.30 ± 0.63	86.21 ± 2.35	Yes					
4/22/2020		1.20 ± 0.17	4.44 ± 0.62	Yes	23.90 ± 0.63	88.43 ± 2.32	Yes					
4/29/2020		0.84 ± 0.17	3.11 ± 0.62	Yes	18.00 ± 0.57	66.60 ± 2.11	Yes					
5/6/2020		0.60 ± 0.16	2.21 ± 0.57	Yes	19.00 ± 0.60	70.30 ± 2.21	Yes					
5/13/2020		1.09 ± 0.17	4.03 ± 0.63	Yes	20.00 ± 0.59	74.00 ± 2.17	Yes					
a 5/20/2020		±	±	No	±	±	No					
5/27/2020		0.45 ± 0.13	1.68 ± 0.48	Yes	12.40 ± 0.53	45.88 ± 1.96	Yes					
6/3/2020		1.06 ± 0.16	3.92 ± 0.61	Yes	25.50 ± 0.64	94.35 ± 2.38	Yes					
6/10/2020		1.05 ± 0.17	3.89 ± 0.62	Yes	19.90 ± 0.60	73.63 ± 2.23	Yes					
6/17/2020		1.02 ± 0.15	3.77 ± 0.56	Yes	17.30 ± 0.56	64.01 ± 2.08	Yes					
6/24/2020		0.69 ± 0.14	2.56 ± 0.52	Yes	20.70 ± 0.62	76.59 ± 2.28	Yes					
DUBOIS		4/1/2020	0.77 ± 0.16	2.86 ± 0.60	Yes	12.40 ± 0.51	45.88 ± 1.90	Yes				
	4/8/2020	0.67 ± 0.16	2.49 ± 0.57	Yes	15.80 ± 0.60	58.46 ± 2.23	Yes					
	4/15/2020	1.33 ± 0.18	4.92 ± 0.65	Yes	21.30 ± 0.61	78.81 ± 2.27	Yes					
	4/22/2020	0.66 ± 0.14	2.45 ± 0.53	Yes	23.60 ± 0.64	87.32 ± 2.35	Yes					
	4/29/2020	0.39 ± 0.15	1.45 ± 0.56	No	17.80 ± 0.59	65.86 ± 2.19	Yes					
	5/6/2020	1.12 ± 0.19	4.14 ± 0.69	Yes	21.60 ± 0.64	79.92 ± 2.37	Yes					
	5/13/2020	0.87 ± 0.17	3.20 ± 0.63	Yes	15.90 ± 0.58	58.83 ± 2.14	Yes					
	5/20/2020	1.28 ± 0.18	4.74 ± 0.68	Yes	15.90 ± 0.57	58.83 ± 2.11	Yes					
	5/27/2020	1.14 ± 0.17	4.22 ± 0.62	Yes	12.70 ± 0.53	46.99 ± 1.95	Yes					
	6/3/2020	1.22 ± 0.19	4.51 ± 0.70	Yes	27.10 ± 0.72	100.27 ± 2.68	Yes					
	6/10/2020	0.97 ± 0.16	3.60 ± 0.61	Yes	17.90 ± 0.59	66.23 ± 2.16	Yes					
	6/17/2020	1.66 ± 0.19	6.14 ± 0.69	Yes	21.90 ± 0.62	81.03 ± 2.31	Yes					
	6/24/2020	1.05 ± 0.16	3.89 ± 0.60	Yes	22.10 ± 0.64	81.77 ± 2.37	Yes					
	IDAHO FALLS	4/1/2020	1.44 ± 0.19	5.33 ± 0.70	Yes	15.00 ± 0.54	55.50 ± 1.99	Yes				
4/8/2020		1.95 ± 0.21	7.22 ± 0.76	Yes	14.30 ± 0.56	52.91 ± 2.07	Yes					
4/15/2020		1.85 ± 0.20	6.85 ± 0.74	Yes	19.90 ± 0.60	73.63 ± 2.22	Yes					
4/22/2020		1.87 ± 0.20	6.92 ± 0.74	Yes	27.50 ± 0.67	101.75 ± 2.48	Yes					
4/29/2020		1.95 ± 0.21	7.22 ± 0.78	Yes	17.80 ± 0.56	65.86 ± 2.07	Yes					
5/6/2020		2.40 ± 0.23	8.88 ± 0.85	Yes	23.60 ± 0.65	87.32 ± 2.39	Yes					
5/13/2020		2.04 ± 0.21	7.55 ± 0.77	Yes	18.70 ± 0.57	69.19 ± 2.12	Yes					

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA						GROSS BETA					
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s		
JACKSON	5/20/2020	1.64 ± 0.19	6.07 ± 0.69	Yes	15.30 ± 0.53	56.61 ± 1.94	Yes						
	5/27/2020	1.32 ± 0.18	4.88 ± 0.66	Yes	13.80 ± 0.55	51.06 ± 2.03	Yes						
	6/3/2020	2.32 ± 0.23	8.58 ± 0.84	Yes	28.10 ± 0.70	103.97 ± 2.60	Yes						
	6/10/2020	2.15 ± 0.21	7.96 ± 0.78	Yes	19.30 ± 0.59	71.41 ± 2.18	Yes						
	6/17/2020	2.47 ± 0.22	9.14 ± 0.82	Yes	20.40 ± 0.63	75.48 ± 2.31	Yes						
	6/24/2020	2.05 ± 0.21	7.59 ± 0.79	Yes	23.20 ± 0.67	85.84 ± 2.49	Yes						
	4/1/2020	0.44 ± 0.15	1.62 ± 0.56	No	13.30 ± 0.55	49.21 ± 2.03	Yes						
	4/8/2020	0.60 ± 0.16	2.23 ± 0.58	Yes	14.20 ± 0.60	52.54 ± 2.23	Yes						
	4/15/2020	0.88 ± 0.16	3.26 ± 0.60	Yes	18.60 ± 0.62	68.82 ± 2.30	Yes						
	4/22/2020	1.33 ± 0.19	4.92 ± 0.70	Yes	25.20 ± 0.70	93.24 ± 2.58	Yes						
SUGAR CITY	4/29/2020	0.41 ± 0.16	1.51 ± 0.58	No	15.10 ± 0.58	55.87 ± 2.13	Yes						
	5/6/2020	0.99 ± 0.19	3.64 ± 0.71	Yes	25.90 ± 0.72	95.83 ± 2.66	Yes						
	5/13/2020	0.93 ± 0.18	3.44 ± 0.65	Yes	19.50 ± 0.63	72.15 ± 2.33	Yes						
	5/20/2020	0.73 ± 0.18	2.69 ± 0.65	Yes	16.60 ± 0.64	61.42 ± 2.36	Yes						
	5/27/2020	0.72 ± 0.15	2.67 ± 0.57	Yes	8.27 ± 0.50	30.60 ± 1.86	Yes						
	6/3/2020	0.98 ± 0.18	3.61 ± 0.66	Yes	30.20 ± 0.76	111.74 ± 2.80	Yes						
	6/10/2020	0.86 ± 0.17	3.16 ± 0.64	Yes	17.90 ± 0.64	66.23 ± 2.36	Yes						
	6/17/2020	1.28 ± 0.19	4.74 ± 0.68	Yes	26.40 ± 0.73	97.68 ± 2.69	Yes						
	6/24/2020	1.10 ± 0.17	4.07 ± 0.64	Yes	21.40 ± 0.66	79.18 ± 2.46	Yes						
	4/1/2020	0.78 ± 0.16	2.89 ± 0.58	Yes	14.90 ± 0.52	55.13 ± 1.94	Yes						
INL SITE	4/8/2020	0.55 ± 0.14	2.04 ± 0.50	Yes	12.70 ± 0.52	46.99 ± 1.92	Yes						
	4/15/2020	0.96 ± 0.15	3.55 ± 0.56	Yes	21.70 ± 0.59	80.29 ± 2.18	Yes						
	4/22/2020	1.38 ± 0.17	5.11 ± 0.64	Yes	24.50 ± 0.63	90.65 ± 2.33	Yes						
	4/29/2020	1.06 ± 0.17	3.92 ± 0.63	Yes	16.90 ± 0.54	62.53 ± 1.98	Yes						
	5/6/2020	1.23 ± 0.18	4.55 ± 0.66	Yes	23.80 ± 0.62	88.06 ± 2.30	Yes						
	5/13/2020	1.09 ± 0.16	4.03 ± 0.60	Yes	17.10 ± 0.53	63.27 ± 1.98	Yes						
	5/20/2020	1.39 ± 0.18	5.14 ± 0.66	Yes	14.90 ± 0.53	55.13 ± 1.95	Yes						
	5/27/2020	0.63 ± 0.13	2.33 ± 0.49	Yes	11.80 ± 0.49	43.66 ± 1.81	Yes						
	6/3/2020	1.27 ± 0.17	4.70 ± 0.64	Yes	25.30 ± 0.65	93.61 ± 2.39	Yes						
	6/10/2020	1.26 ± 0.17	4.66 ± 0.64	Yes	19.60 ± 0.58	72.52 ± 2.16	Yes						
EFS	6/17/2020	1.40 ± 0.17	5.18 ± 0.64	Yes	19.10 ± 0.59	70.67 ± 2.19	Yes						
	6/24/2020	1.09 ± 0.17	4.03 ± 0.64	Yes	23.40 ± 0.68	86.58 ± 2.53	Yes						
	4/1/2020	0.39 ± 0.13	1.43 ± 0.48	No	13.00 ± 0.49	48.10 ± 1.80	Yes						
	4/8/2020	0.29 ± 0.12	1.07 ± 0.46	No	15.00 ± 0.56	55.50 ± 2.08	Yes						
	4/15/2020	1.01 ± 0.15	3.74 ± 0.56	Yes	20.40 ± 0.57	75.48 ± 2.12	Yes						
	4/22/2020	1.11 ± 0.16	4.11 ± 0.58	Yes	24.20 ± 0.61	89.54 ± 2.27	Yes						
	4/29/2020	1.05 ± 0.17	3.89 ± 0.64	Yes	18.20 ± 0.56	67.34 ± 2.06	Yes						
	5/6/2020	1.07 ± 0.17	3.96 ± 0.64	Yes	19.60 ± 0.59	72.52 ± 2.16	Yes						
	5/13/2020	1.14 ± 0.17	4.22 ± 0.62	Yes	16.40 ± 0.54	60.68 ± 2.00	Yes						
	5/20/2020	0.44 ± 0.13	1.61 ± 0.48	Yes	13.60 ± 0.51	50.32 ± 1.90	Yes						
a	5/27/2020	0.67 ± 0.13	2.49 ± 0.50	Yes	12.80 ± 0.50	47.36 ± 1.85	Yes						
	6/3/2020	1.25 ± 0.18	4.63 ± 0.65	Yes	26.10 ± 0.66	96.57 ± 2.43	Yes						
	6/10/2020	0.82 ± 0.15	3.03 ± 0.56	Yes	17.50 ± 0.56	64.75 ± 2.09	Yes						
	6/17/2020	±	±	No	±	±	No						
	6/24/2020	0.69 ± 0.16	2.55 ± 0.60	Yes	23.90 ± 0.74	88.43 ± 2.75	Yes						
	MAIN GATE	4/1/2020	0.53 ± 0.14	1.96 ± 0.52	Yes	14.00 ± 0.50	51.80 ± 1.86	Yes					
		4/8/2020	0.54 ± 0.14	1.99 ± 0.51	Yes	15.30 ± 0.57	56.61 ± 2.09	Yes					
		4/15/2020	1.22 ± 0.16	4.51 ± 0.59	Yes	20.90 ± 0.57	77.33 ± 2.11	Yes					
		4/22/2020	1.24 ± 0.17	4.59 ± 0.64	Yes	28.60 ± 0.68	105.82 ± 2.50	Yes					
		4/29/2020	1.12 ± 0.17	4.14 ± 0.62	Yes	17.90 ± 0.53	66.23 ± 1.97	Yes					
5/6/2020		1.24 ± 0.19	4.59 ± 0.69	Yes	25.20 ± 0.66	93.24 ± 2.45	Yes						
5/13/2020		1.06 ± 0.16	3.92 ± 0.60	Yes	18.40 ± 0.55	68.08 ± 2.05	Yes						
5/20/2020		0.87 ± 0.16	3.23 ± 0.61	Yes	16.20 ± 0.57	59.94 ± 2.12	Yes						
5/27/2020		0.64 ± 0.14	2.36 ± 0.51	Yes	13.40 ± 0.53	49.58 ± 1.96	Yes						

Table C-1. Weekly Gross Alpha and Gross Beta Concentrations in Air

Sampling Group and Location	Sampling Date	GROSS ALPHA				GROSS BETA			
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	
	6/3/2020	1.48 ± 0.19	5.48 ± 0.71	Yes	29.40 ± 0.71	108.78 ± 2.64	Yes		
	6/10/2020	0.85 ± 0.16	3.14 ± 0.59	Yes	20.60 ± 0.62	76.22 ± 2.28	Yes		
	6/17/2020	1.31 ± 0.18	4.85 ± 0.65	Yes	20.90 ± 0.64	77.33 ± 2.36	Yes		
	6/24/2020	0.87 ± 0.15	3.20 ± 0.57	Yes	22.80 ± 0.65	84.36 ± 2.40	Yes		
VAN BUREN GATE	4/1/2020	0.57 ± 0.14	2.11 ± 0.53	Yes	12.70 ± 0.49	46.99 ± 1.82	Yes		
	4/8/2020	0.50 ± 0.14	1.86 ± 0.51	Yes	15.10 ± 0.57	55.87 ± 2.10	Yes		
	4/15/2020	0.76 ± 0.14	2.82 ± 0.53	Yes	22.50 ± 0.60	83.25 ± 2.23	Yes		
	4/22/2020	1.21 ± 0.17	4.48 ± 0.61	Yes	27.00 ± 0.65	99.90 ± 2.40	Yes		
	4/29/2020	0.72 ± 0.17	2.66 ± 0.62	Yes	18.00 ± 0.59	66.60 ± 2.19	Yes		
	5/6/2020	1.07 ± 0.18	3.96 ± 0.65	Yes	23.70 ± 0.64	87.69 ± 2.37	Yes		
	5/13/2020	0.88 ± 0.16	3.26 ± 0.58	Yes	18.60 ± 0.56	68.82 ± 2.08	Yes		
	5/20/2020	0.96 ± 0.17	3.56 ± 0.62	Yes	15.40 ± 0.56	56.98 ± 2.08	Yes		
	5/27/2020	0.61 ± 0.13	2.25 ± 0.50	Yes	12.10 ± 0.51	44.77 ± 1.88	Yes		
	6/3/2020	1.51 ± 0.18	5.59 ± 0.68	Yes	25.90 ± 0.65	95.83 ± 2.40	Yes		
	6/10/2020	0.86 ± 0.15	3.19 ± 0.57	Yes	19.90 ± 0.59	73.63 ± 2.17	Yes		
	6/17/2020	1.02 ± 0.15	3.77 ± 0.56	Yes	19.20 ± 0.58	71.04 ± 2.13	Yes		
	6/24/2020	1.12 ± 0.16	4.14 ± 0.60	Yes	20.70 ± 0.61	76.59 ± 2.25	Yes		

a. Invalid sample result shown in red

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
BOUNDARY								
ARCO	04/01/20	-0.03	±	1.11	-0.11	±	4.11	No
	04/08/20	-1.28	±	1.35	-4.74	±	5.00	No
	04/15/20	0.23	±	1.11	0.84	±	4.11	No
	04/22/20	-0.63	±	1.18	-2.32	±	4.37	No
	04/29/20	0.14	±	1.16	0.53	±	4.29	No
	05/06/20	0.14	±	1.38	0.51	±	5.11	No
	05/13/20	-0.28	±	1.22	-1.02	±	4.51	No
	05/20/20	0.91	±	1.36	3.36	±	5.03	No
	05/27/20	1.91	±	1.29	7.07	±	4.77	No
	06/03/20	0.99	±	1.28	3.67	±	4.74	No
	06/10/20	1.24	±	1.26	4.59	±	4.66	No
	06/17/20	1.23	±	1.00	4.55	±	3.69	No
	06/24/20	0.26	±	1.15	0.95	±	4.26	No
QA-1 (ARCO)	04/01/20	-0.03	±	1.05	-0.10	±	3.89	No
	04/08/20	-1.21	±	1.27	-4.48	±	4.70	No
	04/15/20	0.22	±	1.08	0.82	±	4.00	No
	04/22/20	-0.62	±	1.15	-2.28	±	4.26	No
	04/29/20	0.13	±	1.03	0.47	±	3.81	No
	05/06/20	0.13	±	1.29	0.47	±	4.77	No
	05/13/20	-0.25	±	1.12	-0.94	±	4.14	No
	05/20/20	0.90	±	1.35	3.32	±	5.00	No
	05/27/20	1.81	±	1.23	6.70	±	4.55	No
	06/03/20	0.96	±	1.24	3.55	±	4.59	No
	06/10/20	1.21	±	1.23	4.48	±	4.55	No
	06/17/20	1.41	±	1.15	5.22	±	4.26	No
	06/24/20	0.26	±	1.14	0.95	±	4.22	No
ATOMIC CITY	04/01/20	-0.03	±	1.16	-0.11	±	4.29	No
	04/08/20	-1.26	±	1.34	-4.66	±	4.96	No
	04/15/20	0.24	±	1.18	0.90	±	4.37	No
	04/22/20	-0.62	±	1.16	-2.29	±	4.29	No
	04/29/20	0.15	±	1.20	0.55	±	4.44	No
	05/06/20	0.13	±	1.32	0.49	±	4.88	No
	05/13/20	-0.27	±	1.20	-1.01	±	4.44	No
	05/20/20	0.89	±	1.33	3.29	±	4.92	No
	05/27/20	1.88	±	1.27	6.96	±	4.70	No
	06/03/20	0.96	±	1.25	3.57	±	4.63	No
	06/10/20	1.12	±	1.14	4.14	±	4.22	No
	06/17/20	1.35	±	1.10	5.00	±	4.07	No
	06/24/20	0.26	±	1.17	0.97	±	4.33	No
BLUE DOME	04/01/20	1.05	±	1.98	3.89	±	7.33	No
	04/08/20	0.41	±	1.15	1.53	±	4.26	No
	04/15/20	-0.83	±	1.84	-3.06	±	6.81	No
	04/22/20	-2.68	±	1.94	-9.92	±	7.18	No
	04/29/20	2.94	±	1.96	10.88	±	7.25	No
	05/06/20	-0.66	±	1.20	-2.43	±	4.44	No
	05/13/20	0.49	±	1.90	1.82	±	7.03	No
	05/20/20	1.66	±	1.89	6.14	±	6.99	No
	05/27/20	-1.22	±	1.44	-4.51	±	5.33	No
	06/03/20	2.81	±	1.30	10.40	±	4.81	No

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s
	06/10/20	2.16	± 1.89	7.99	± 6.99	No
	06/17/20	-1.17	± 1.85	-4.33	± 6.85	No
	06/24/20	-0.90	± 2.03	-3.34	± 7.51	No
FAA TOWER	04/01/20	1.05	± 1.98	3.89	± 7.33	No
	04/08/20	0.42	± 1.17	1.56	± 4.33	No
	04/15/20	-0.84	± 1.87	-3.12	± 6.92	No
	04/22/20	-2.59	± 1.88	-9.58	± 6.96	No
	04/29/20	2.90	± 1.93	10.73	± 7.14	No
	05/06/20	-0.66	± 1.21	-2.45	± 4.48	No
	05/13/20	0.47	± 1.82	1.75	± 6.73	No
	05/20/20	1.76	± 2.01	6.51	± 7.44	No
	05/27/20	-1.28	± 1.50	-4.74	± 5.55	No
	06/03/20	2.67	± 1.24	9.88	± 4.59	No
	06/10/20	2.29	± 2.00	8.47	± 7.40	No
	06/17/20	-1.15	± 1.82	-4.26	± 6.73	No
06/24/20	-0.91	± 2.05	-3.37	± 7.59	No	
HOWE	04/01/20	2.51	± 4.75	9.29	± 17.58	No
	04/08/20	0.41	± 1.14	1.52	± 4.22	No
	04/15/20	-0.85	± 1.89	-3.15	± 6.99	No
	04/22/20	-2.86	± 2.08	-10.58	± 7.70	No
	04/29/20	2.89	± 1.93	10.69	± 7.14	No
	05/06/20	-0.73	± 1.33	-2.70	± 4.92	No
	05/13/20	0.49	± 1.87	1.79	± 6.92	No
	05/20/20	1.73	± 1.97	6.40	± 7.29	No
	05/27/20	-1.29	± 1.53	-4.77	± 5.66	No
	06/03/20	2.95	± 1.37	10.92	± 5.07	No
	06/10/20	2.10	± 1.83	7.77	± 6.77	No
	06/17/20	-1.17	± 1.85	-4.33	± 6.85	No
06/24/20	-0.97	± 2.18	-3.59	± 8.07	No	
MONTEVIEW	04/01/20	1.06	± 2.01	3.92	± 7.44	No
	04/08/20	0.42	± 1.17	1.56	± 4.33	No
	04/15/20	-0.86	± 1.92	-3.19	± 7.10	No
	04/22/20	-2.70	± 1.96	-9.99	± 7.25	No
	04/29/20	3.09	± 2.05	11.43	± 7.59	No
	05/06/20	-0.65	± 1.19	-2.41	± 4.40	No
	05/13/20	0.48	± 1.85	1.77	± 6.85	No
	05/20/20	1.75	± 1.99	6.48	± 7.36	No
	05/27/20	-1.30	± 1.53	-4.81	± 5.66	No
	06/03/20	2.95	± 1.37	10.92	± 5.07	No
	06/10/20	2.12	± 1.86	7.84	± 6.88	No
	06/17/20	-1.17	± 1.85	-4.33	± 6.85	No
06/24/20	-0.90	± 2.01	-3.31	± 7.44	No	
MUD LAKE	04/01/20	1.07	± 2.02	3.96	± 7.47	No
	04/08/20	0.44	± 1.21	1.61	± 4.48	No
	04/15/20	-0.81	± 1.79	-2.98	± 6.62	No
	04/22/20	-3.05	± 2.21	-11.29	± 8.18	No
	04/29/20	2.82	± 1.88	10.43	± 6.96	No
	05/06/20	-0.61	± 1.11	-2.25	± 4.11	No
	05/13/20	0.42	± 1.63	1.57	± 6.03	No
	05/20/20	1.59	± 1.81	5.88	± 6.70	No
05/27/20	-1.07	± 1.27	-3.96	± 4.70	No	

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
	06/03/20	2.70	±	1.25	9.99	±	4.63	No
	06/10/20	2.03	±	1.77	7.51	±	6.55	No
	06/17/20	-1.13	±	1.79	-4.18	±	6.62	No
	06/24/20	-0.90	±	2.02	-3.33	±	7.47	No
QA-2 (MUD LAKE)	04/01/20	1.07	±	2.02	3.96	±	7.47	No
	04/08/20	0.40	±	1.12	1.49	±	4.14	No
	04/15/20	-0.77	±	1.72	-2.86	±	6.36	No
	04/22/20	-2.70	±	1.96	-9.99	±	7.25	No
	04/29/20	3.22	±	2.15	11.91	±	7.96	No
	05/06/20	-0.61	±	1.11	-2.26	±	4.11	No
	05/13/20	0.42	±	1.63	1.57	±	6.03	No
	05/20/20	1.60	±	1.83	5.92	±	6.77	No
	05/27/20	-1.15	±	1.36	-4.26	±	5.03	No
	06/03/20	2.73	±	1.27	10.10	±	4.70	No
	06/10/20	1.96	±	1.72	7.25	±	6.36	No
	06/17/20	-1.04	±	1.65	-3.85	±	6.11	No
	06/24/20	-0.92	±	2.06	-3.39	±	7.62	No
DISTANT								
BLACKFOOT	04/01/20	-0.03	±	1.19	-0.12	±	4.40	No
	04/08/20	-1.31	±	1.39	-4.85	±	5.14	No
	04/15/20	0.25	±	1.20	0.91	±	4.44	No
	04/22/20	-0.65	±	1.22	-2.40	±	4.51	No
	04/29/20	0.14	±	1.15	0.53	±	4.26	No
	05/06/20	0.13	±	1.33	0.49	±	4.92	No
	05/13/20	-0.26	±	1.14	-0.95	±	4.22	No
	05/20/20	0.88	±	1.32	3.26	±	4.88	No
	05/27/20	1.81	±	1.23	6.70	±	4.55	No
	06/03/20	0.94	±	1.21	3.47	±	4.48	No
	06/10/20	1.03	±	1.05	3.81	±	3.89	No
	06/17/20	1.36	±	1.11	5.03	±	4.11	No
	06/24/20	0.27	±	1.20	0.99	±	4.44	No
CRATERS OF THE MOON	04/01/20	-0.03	±	1.14	-0.11	±	4.22	No
	04/08/20	-1.23	±	1.30	-4.55	±	4.81	No
	04/15/20	0.24	±	1.16	0.88	±	4.29	No
	04/22/20	-0.60	±	1.12	-2.21	±	4.14	No
	04/29/20	0.14	±	1.14	0.52	±	4.22	No
	05/06/20	0.13	±	1.29	0.48	±	4.77	No
	05/13/20	-0.26	±	1.13	-0.95	±	4.18	No
a	05/20/20		±			±		No
	05/27/20	1.91	±	1.30	7.07	±	4.81	No
	06/03/20	0.97	±	1.25	3.58	±	4.63	No
	06/10/20	1.16	±	1.18	4.29	±	4.37	No
	06/17/20	1.38	±	1.12	5.11	±	4.14	No
	06/24/20	0.27	±	1.20	0.99	±	4.44	No
DUBOIS	04/01/20	1.08	±	2.05	4.00	±	7.59	No
	04/08/20	0.44	±	1.23	1.64	±	4.55	No
	04/15/20	-0.87	±	1.94	-3.23	±	7.18	No
	04/22/20	-2.75	±	1.99	-10.18	±	7.36	No
	04/29/20	3.13	±	2.08	11.58	±	7.70	No
	05/06/20	-0.68	±	1.25	-2.53	±	4.63	No

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		
	05/13/20	0.52	± 2.00	1.91	± 7.40	No
	05/20/20	1.74	± 1.98	6.44	± 7.33	No
	05/27/20	-1.24	± 1.46	-4.59	± 5.40	No
	06/03/20	3.11	± 1.44	11.51	± 5.33	No
	06/10/20	2.28	± 2.00	8.44	± 7.40	No
	06/17/20	-1.18	± 1.86	-4.37	± 6.88	No
	06/24/20	-0.90	± 2.02	-3.33	± 7.47	No
IDAHO FALLS	04/01/20	1.04	± 1.97	3.85	± 7.29	No
	04/08/20	0.42	± 1.15	1.54	± 4.26	No
	04/15/20	-0.88	± 1.95	-3.24	± 7.22	No
	04/22/20	-2.69	± 1.95	-9.95	± 7.22	No
	04/29/20	2.85	± 1.90	10.55	± 7.03	No
	05/06/20	-0.65	± 1.19	-2.41	± 4.40	No
	05/13/20	0.46	± 1.78	1.71	± 6.59	No
	05/20/20	1.56	± 1.78	5.77	± 6.59	No
	05/27/20	-1.26	± 1.49	-4.66	± 5.51	No
	06/03/20	2.86	± 1.33	10.58	± 4.92	No
	06/10/20	2.19	± 1.92	8.10	± 7.10	No
	06/17/20	-1.23	± 1.94	-4.55	± 7.18	No
	06/24/20	-0.94	± 2.11	-3.47	± 7.81	No
JACKSON	04/01/20	-0.03	± 1.23	-0.12	± 4.55	No
	04/08/20	-1.39	± 1.47	-5.14	± 5.44	No
	04/15/20	0.27	± 1.29	0.98	± 4.77	No
	04/22/20	-0.69	± 1.29	-2.54	± 4.77	No
	04/29/20	0.16	± 1.28	0.58	± 4.74	No
	05/06/20	0.15	± 1.45	0.54	± 5.37	No
	05/13/20	-0.29	± 1.30	-1.09	± 4.81	No
	05/20/20	1.02	± 1.53	3.77	± 5.66	No
	05/27/20	2.11	± 1.43	7.81	± 5.29	No
	06/03/20	1.14	± 1.47	4.22	± 5.44	No
	06/10/20	1.35	± 1.37	5.00	± 5.07	No
	06/17/20	1.61	± 1.31	5.96	± 4.85	No
	06/24/20	0.30	± 1.33	1.10	± 4.92	No
SUGAR CITY	04/01/20	1.01	± 1.91	3.74	± 7.07	No
	04/08/20	0.40	± 1.10	1.47	± 4.07	No
	04/15/20	-0.81	± 1.79	-2.98	± 6.62	No
	04/22/20	-2.62	± 1.90	-9.69	± 7.03	No
	04/29/20	2.75	± 1.83	10.18	± 6.77	No
	05/06/20	-0.61	± 1.12	-2.26	± 4.14	No
	05/13/20	0.44	± 1.69	1.62	± 6.25	No
	05/20/20	1.59	± 1.82	5.88	± 6.73	No
	05/27/20	-1.15	± 1.36	-4.26	± 5.03	No
	06/03/20	2.68	± 1.24	9.92	± 4.59	No
	06/10/20	2.14	± 1.87	7.92	± 6.92	No
	06/17/20	-1.18	± 1.86	-4.37	± 6.88	No
	06/24/20	-0.96	± 2.16	-3.56	± 7.99	No
INL SITE						
EFS	04/01/20	-0.03	± 1.04	-0.10	± 3.85	No
	04/08/20	-1.22	± 1.29	-4.51	± 4.77	No
	04/15/20	0.22	± 1.07	0.81	± 3.96	No
	04/22/20	-0.57	± 1.07	-2.12	± 3.96	No

Table C-2. Weekly Iodine-131 Activity in Air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
	04/29/20	0.13	±	1.09	0.50	±	4.03	No
	05/06/20	0.12	±	1.23	0.46	±	4.55	No
	05/13/20	-0.25	±	1.12	-0.94	±	4.14	No
	05/20/20	0.81	±	1.22	3.00	±	4.51	No
	05/27/20	1.72	±	1.17	6.36	±	4.33	No
	06/03/20	0.99	±	1.28	3.67	±	4.74	No
	06/10/20	1.13	±	1.15	4.18	±	4.26	No
a	06/17/20		±			±		No
	06/24/20	0.33	±	1.49	1.23	±	5.51	No
MAIN GATE	04/01/20	-0.03	±	1.05	-0.10	±	3.89	No
	04/08/20	-1.22	±	1.29	-4.51	±	4.77	No
	04/15/20	0.21	±	1.05	0.79	±	3.89	No
	04/22/20	-0.60	±	1.13	-2.23	±	4.18	No
	04/29/20	0.13	±	1.03	0.47	±	3.81	No
	05/06/20	0.13	±	1.29	0.47	±	4.77	No
	05/13/20	-0.25	±	1.08	-0.91	±	4.00	No
	05/20/20	0.87	±	1.31	3.23	±	4.85	No
	05/27/20	1.83	±	1.24	6.77	±	4.59	No
	06/03/20	1.04	±	1.35	3.85	±	5.00	No
	06/10/20	1.18	±	1.20	4.37	±	4.44	No
	06/17/20	1.51	±	1.23	5.59	±	4.55	No
	06/24/20	0.28	±	1.23	1.02	±	4.55	No
VAN BUREN GATE	04/01/20	-0.03	±	1.07	-0.11	±	3.96	No
	04/08/20	-1.24	±	1.31	-4.59	±	4.85	No
	04/15/20	0.23	±	1.10	0.83	±	4.07	No
	04/22/20	-0.58	±	1.09	-2.16	±	4.03	No
	04/29/20	0.15	±	1.21	0.55	±	4.48	No
	05/06/20	0.13	±	1.27	0.47	±	4.70	No
	05/13/20	-0.25	±	1.11	-0.93	±	4.11	No
	05/20/20	0.87	±	1.31	3.22	±	4.85	No
	05/27/20	1.82	±	1.23	6.73	±	4.55	No
	06/03/20	0.97	±	1.25	3.58	±	4.63	No
	06/10/20	1.11	±	1.13	4.11	±	4.18	No
	06/17/20	1.35	±	1.10	5.00	±	4.07	No
	06/24/20	0.26	±	1.18	0.97	±	4.37	No
a. Invalid sample result shown in red								

Table C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
BOUNDARY									
ARCO	6/24/2020	CESIUM-137	-56.30	±	75.80	-208.31	±	280.46	No
		STRONTIUM-90	7.26	±	9.10	26.86	±	33.67	No
QA-1 (ARCO)	6/24/2020	CESIUM-137	6.62	±	73.90	24.49	±	273.43	No
		STRONTIUM-90	-18.90	±	7.20	-69.93	±	26.64	No
ATOMIC CITY	6/24/2020	CESIUM-137	-45.00	±	118.00	-166.50	±	436.60	No
BLUE DOME	6/24/2020	CESIUM-137	-3.38	±	196.00	-12.51	±	725.20	No
FAA TOWER	6/24/2020	CESIUM-137	204.00	±	135.00	754.80	±	499.50	No
		STRONTIUM-90	-2.37	±	10.70	-8.77	±	39.59	No
HOWE	6/24/2020	AMERICIUM-241	1.25	±	0.62	4.63	±	2.29	No
		CESIUM-137	34.70	±	86.40	128.39	±	319.68	No
		PLUTONIUM-238	0.00	±	1.03	0.00	±	3.81	No
		PLUTONIUM-239/240	1.20	±	0.98	4.44	±	3.63	No
MONTEVIEW	6/24/2020	AMERICIUM-241	1.18	±	0.57	4.37	±	2.11	No
		CESIUM-137	18.10	±	97.30	66.97	±	360.01	No
		PLUTONIUM-238	1.27	±	0.72	4.70	±	2.66	No
		PLUTONIUM-239/240	0.28	±	0.86	1.04	±	3.16	No
MUD LAKE	6/24/2020	CESIUM-137	-6.68	±	76.40	-24.72	±	282.68	No
		STRONTIUM-90	3.85	±	4.21	14.25	±	15.58	No
QA-2 (MUD LAKE)	6/24/2020	CESIUM-137	-205.00	±	100.00	-758.50	±	370.00	No
		STRONTIUM-90	6.48	±	10.30	23.98	±	38.11	No
DISTANT									
BLACKFOOT	6/24/2020	CESIUM-137	26.50	±	111.00	98.05	±	410.70	No
CRATERS	6/24/2020	AMERICIUM-241	0.89	±	0.54	3.30	±	2.00	No
		CESIUM-137	-134.00	±	109.00	-495.80	±	403.30	No
		PLUTONIUM-238	0.80	±	0.64	2.97	±	2.37	No
		PLUTONIUM-239/240	0.93	±	0.73	3.44	±	2.70	No

Table C-3. Quarterly Cesium-137, Strontium-90, and Actinide Concentrations in Composite Air Filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(x 10 ⁻¹⁸ µCi/mL)			(x 10 ⁻¹⁴ Bq/mL)			
DUBOIS	6/24/2020	CESIUM-137	231.00	±	146.00	854.70	±	540.20	No
IDAHO FALLS	6/24/2020	CESIUM-137	68.00	±	101.00	251.60	±	373.70	No
		STRONTIUM-90	4.03	±	4.54	14.91	±	16.80	No
JACKSON	6/24/2020	AMERICIUM-241	1.20	±	0.83	4.44	±	3.08	No
		CESIUM-137	-16.90	±	85.00	-62.53	±	314.50	No
		PLUTONIUM-238	0.00	±	0.85	0.00	±	3.13	No
		PLUTONIUM-239/240	1.93	±	1.11	7.14	±	4.11	No
SUGAR CITY	6/24/2020	CESIUM-137	52.60	±	91.80	194.62	±	339.66	No
INL SITE									
EFS	6/24/2020	CESIUM-137	-145.00	±	123.00	-536.50	±	455.10	No
		STRONTIUM-90	21.30	±	10.00	78.81	±	37.00	No
MAIN GATE	6/24/2020	AMERICIUM-241	0.95	±	0.47	3.52	±	1.75	No
		CESIUM-137	-103.00	±	78.20	-381.10	±	289.34	No
		PLUTONIUM-238	0.50	±	0.72	1.85	±	2.66	No
		PLUTONIUM-239/240	0.62	±	0.58	2.31	±	2.16	No
VAN BUREN GATE	6/24/2020	AMERICIUM-241	0.99	±	0.49	3.67	±	1.83	No
		CESIUM-137	-125.00	±	79.40	-462.50	±	293.78	No
		PLUTONIUM-238	0.61	±	0.57	2.25	±	2.11	No
		PLUTONIUM-239/240	1.09	±	0.75	4.03	±	2.76	No

Table C-4. Tritium Concentrations in Atmospheric Moisture

Sampling Group and Location	Start Date	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹³ μCi/mL _{air})			Result ± 1s Uncertainty (x 10 ⁻⁹ Bq/mL _{air})			Result > 3s
BOUNDARY									
ATOMIC CITY	3/11/2020	4/15/2020	3.64	±	1.08	13.47	±	4.00	Yes
ATOMIC CITY	4/15/2020	5/20/2020	4.22	±	1.15	15.61	±	4.26	Yes
ATOMIC CITY	5/20/2020	6/17/2020	3.30	±	1.53	12.21	±	5.66	No
HOWE	3/4/2020	4/15/2020	4.45	±	1.30	16.47	±	4.81	Yes
HOWE	4/15/2020	5/13/2020	5.68	±	1.18	21.02	±	4.37	Yes
HOWE	5/13/2020	6/3/2020	4.06	±	1.59	15.02	±	5.88	No
HOWE	6/3/2020	6/24/2020	3.09	±	1.52	11.43	±	5.62	No
DISTANT									
IDAHO FALLS	3/18/2020	4/15/2020	6.01	±	1.26	22.24	±	4.66	Yes
IDAHO FALLS	4/15/2020	5/6/2020	5.82	±	1.41	21.53	±	5.22	Yes
IDAHO FALLS	5/6/2020	5/27/2020	7.62	±	1.58	28.19	±	5.85	Yes
IDAHO FALLS	5/27/2020	6/17/2020	3.15	±	1.73	11.66	±	6.40	No
INL SITE									
EFS	3/4/2020	4/8/2020	6.36	±	1.09	23.53	±	4.03	Yes
EFS	4/8/2020	5/6/2020	7.30	±	0.78	27.01	±	2.87	Yes
EFS	5/6/2020	5/28/2020	19.10	±	2.01	70.67	±	7.44	Yes

Table C-5. Monthly and Weekly Tritium Concentrations in Precipitation

Location	Start Date	End Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
BOUNDARY									
ATOMIC CITY	3/25/2020	4/1/2020	68.10	±	23.70	2.52	±	0.88	No
ATOMIC CITY	4/1/2020	4/8/2020	56.60	±	23.90	2.09	±	0.88	No
ATOMIC CITY	4/8/2020	4/15/2020	89.30	±	24.30	3.30	±	0.90	Yes
ATOMIC CITY	5/13/2020	5/20/2020	-28.00	±	23.30	-1.04	±	0.86	No
ATOMIC CITY	5/20/2020	5/27/2020	91.70	±	24.90	3.39	±	0.92	Yes
ATOMIC CITY	6/3/2020	6/10/2020	102.00	±	24.80	3.77	±	0.92	Yes
ATOMIC CITY	6/10/2020	6/17/2020	64.10	±	24.30	2.37	±	0.90	No
ATOMIC CITY	6/17/2020	6/24/2020	157.00	±	25.30	5.81	±	0.94	Yes
HOWE	4/1/2020	4/8/2020	141.00	±	25.00	5.22	±	0.93	Yes
HOWE	4/15/2020	4/22/2020	145.00	±	25.10	5.37	±	0.93	Yes
HOWE	5/13/2020	5/20/2020	80.10	±	24.70	2.96	±	0.91	Yes
HOWE	5/20/2020	5/27/2020	66.00	±	24.50	2.44	±	0.91	No
HOWE	6/10/2020	6/17/2020	111.00	±	25.00	4.11	±	0.93	Yes
DISTANT									
IDAHO FALLS	3/31/2020	4/30/2020	92.20	±	25.10	3.41	±	0.93	Yes
IDAHO FALLS	4/30/2020	5/31/2020	19.80	±	24.10	0.73	±	0.89	No
IDAHO FALLS	5/31/2020	6/30/2020	97.30	±	24.80	3.60	±	0.92	Yes
INL SITE									
EFS	3/25/2020	4/1/2020	144.00	±	25.40	5.33	±	0.94	Yes
EFS	4/1/2020	4/8/2020	189.00	±	26.50	6.99	±	0.98	Yes
EFS	5/13/2020	5/20/2020	165.00	±	25.80	6.11	±	0.95	Yes
EFS	5/20/2020	5/27/2020	97.20	±	24.90	3.60	±	0.92	Yes
EFS	6/3/2020	6/10/2020	135.00	±	24.90	5.00	±	0.92	Yes
EFS	6/10/2020	6/17/2020	135.00	±	24.90	5.00	±	0.92	Yes

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

Location	Sampling Date	Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
SURFACE WATER									
Alpheus Spring	05/11/20	GROSS ALPHA	0.80	±	0.30	0.03	±	0.01	No
	05/11/20	GROSS BETA	5.32	±	0.46	0.20	±	0.02	Yes
	05/11/20	TRITIUM	60.90	±	24.40	2.26	±	0.90	No
Bill Jones, Jr. Trout Farm	05/11/20	GROSS ALPHA	2.39	±	0.68	0.09	±	0.03	Yes
	05/11/20	GROSS BETA	3.74	±	0.51	0.14	±	0.02	Yes
	05/11/20	TRITIUM	6.27	±	23.70	0.23	±	0.88	No
Clear Springs	05/11/20	GROSS ALPHA	1.80	±	0.58	0.07	±	0.02	Yes
	05/11/20	GROSS BETA	2.91	±	0.49	0.11	±	0.02	Yes
	05/11/20	TRITIUM	28.90	±	24.30	1.07	±	0.90	No
DRINKING WATER									
Atomic City	5/13/2020	GROSS ALPHA	2.03	±	0.76	0.08	±	0.03	No
	5/13/2020	GROSS BETA	3.93	±	0.47	0.15	±	0.02	Yes
	5/13/2020	TRITIUM	123.00	±	24.80	4.56	±	0.92	Yes
Control	5/14/2020	GROSS ALPHA	2.75	±	0.71	0.10	±	0.03	Yes
	5/14/2020	GROSS BETA	4.35	±	0.52	0.16	±	0.02	Yes
	5/14/2020	TRITIUM	4.55	±	24.10	0.17	±	0.89	No
Control (Duplicate)	5/14/2020	TRITIUM	-1.40	±	23.90	-0.05	±	0.89	No
Craters of the Moon	5/13/2020	GROSS ALPHA	2.78	±	0.74	0.10	±	0.03	Yes
	5/13/2020	GROSS BETA	2.59	±	0.44	0.10	±	0.02	Yes
	5/13/2020	TRITIUM	80.80	±	24.20	2.99	±	0.90	Yes
Craters of the Moon (Duplicate)	5/13/2020	GROSS ALPHA	0.97	±	0.65	0.04	±	0.02	No
	5/13/2020	GROSS BETA	2.75	±	0.45	0.10	±	0.02	Yes
	5/13/2020	TRITIUM	17.40	±	24.30	0.64	±	0.90	No
Howe	5/13/2020	GROSS ALPHA	2.29	±	0.74	0.08	±	0.03	Yes
	5/13/2020	GROSS BETA	1.61	±	0.43	0.06	±	0.02	Yes
	5/13/2020	TRITIUM	36.10	±	23.90	1.34	±	0.89	No
Idaho Falls	5/14/2020	GROSS ALPHA	1.47	±	0.77	0.05	±	0.03	No
	5/14/2020	GROSS BETA	3.29	±	0.46	0.12	±	0.02	Yes
	5/14/2020	TRITIUM	88.10	±	24.60	3.26	±	0.91	Yes
Minidoka	5/11/2020	GROSS ALPHA	2.38	±	0.82	0.09	±	0.03	No
	5/11/2020	GROSS BETA	3.55	±	0.47	0.13	±	0.02	Yes
	5/11/2020	TRITIUM	91.20	±	24.60	3.38	±	0.91	Yes
Mud Lake	5/20/2020	GROSS ALPHA	0.14	±	0.49	0.01	±	0.02	No
	5/20/2020	GROSS BETA	3.94	±	0.44	0.15	±	0.02	Yes
	5/20/2020	TRITIUM	43.20	±	24.80	1.60	±	0.92	No
Rest Area	5/13/2020	GROSS ALPHA	1.51	±	0.69	0.06	±	0.03	No
	5/13/2020	GROSS BETA	3.51	±	0.46	0.13	±	0.02	Yes

Table C-6. Gross Alpha, Gross Beta, and Tritium Concentrations in Surface and Drinking Water

	5/13/2020	TRITIUM	35.70	±	24.90	1.32	±	0.92	No
Shoshone	5/11/2020	GROSS ALPHA	4.05	±	0.78	0.15	±	0.03	Yes
	5/11/2020	GROSS BETA	1.95	±	0.43	0.07	±	0.02	Yes
	5/11/2020	TRITIUM	78.50	±	25.10	2.91	±	0.93	Yes

Table C-7. Weekly and Monthly Iodine-131 and Cesium-137 Concentrations in Milk

Location	Sampling Date	Iodine-131						Cesium-137							
		Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)			Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)				
							Result > 3s						Result > 3s		
BLACKFOOT	05/03/20	0.03	±	1.03	0.00	±	0.04	No	-0.46	±	0.67	-0.02	±	0.02	No
	06/01/20	3.80	±	1.56	0.14	±	0.06	No	-0.47	±	1.08	-0.02	±	0.04	No
CONTROL	04/07/20	2.04	±	1.13	0.08	±	0.04	No	0.58	±	0.66	0.02	±	0.02	No
	05/04/20	1.67	±	1.46	0.06	±	0.05	No	-0.40	±	1.02	-0.01	±	0.04	No
	Duplicate 05/04/20	2.10	±	1.97	0.08	±	0.07	No	0.50	±	1.34	0.02	±	0.05	No
	06/02/20	-0.17	±	1.29	-0.01	±	0.05	No	2.90	±	1.39	0.11	±	0.05	No
DIETRICH	04/07/20	-0.63	±	0.99	-0.02	±	0.04	No	-0.38	±	0.64	-0.01	±	0.02	No
	05/05/20	-0.26	±	1.05	-0.01	±	0.04	No	1.52	±	0.70	0.06	±	0.03	No
	06/01/20	-0.43	±	1.05	-0.02	±	0.04	No	1.11	±	0.69	0.04	±	0.03	No
HOWE	04/07/20	-0.57	±	1.28	-0.02	±	0.05	No	-0.69	±	1.04	-0.03	±	0.04	No
	05/05/20	1.39	±	1.46	0.05	±	0.05	No	-2.41	±	1.12	-0.09	±	0.04	No
	06/02/20	2.72	±	1.85	0.10	±	0.07	No	-2.25	±	1.43	-0.08	±	0.05	No
	Duplicate 06/02/20	-0.57	±	1.54	-0.02	±	0.06	No	0.37	±	1.36	0.01	±	0.05	No
IDAHO FALLS	04/01/20	0.27	±	0.97	0.01	±	0.04	No	3.32	±	1.45	0.12	±	0.05	No
	04/07/20	-0.59	±	0.91	-0.02	±	0.03	No	-0.25	±	0.65	-0.01	±	0.02	No
	Duplicate 04/07/20	3.75	±	2.02	0.14	±	0.07	No	-1.48	±	1.38	-0.05	±	0.05	No
	04/14/20	-0.71	±	1.04	-0.03	±	0.04	No	0.64	±	1.41	0.02	±	0.05	No
	04/21/20	-0.13	±	1.00	0.00	±	0.04	No	0.31	±	1.41	0.01	±	0.05	No
	04/28/20	2.07	±	1.09	0.08	±	0.04	No	-0.13	±	1.38	0.00	±	0.05	No
	05/05/20	-0.55	±	1.67	-0.02	±	0.06	No	1.44	±	1.39	0.05	±	0.05	No
	05/13/20	1.33	±	0.92	0.05	±	0.03	No	2.57	±	1.47	0.10	±	0.05	No
	05/19/20	-0.43	±	0.93	-0.02	±	0.03	No	1.18	±	1.40	0.04	±	0.05	No
	05/26/20	0.26	±	0.97	0.01	±	0.04	No	0.73	±	1.38	0.03	±	0.05	No
	06/02/20	-0.78	±	1.07	-0.03	±	0.04	No	0.09	±	1.42	0.00	±	0.05	No
	06/09/20	-0.51	±	1.09	-0.02	±	0.04	No	-0.77	±	1.41	-0.03	±	0.05	No
	06/16/20	-2.05	±	1.17	-0.08	±	0.04	No	2.19	±	1.46	0.08	±	0.05	No
	06/23/20	1.71	±	1.33	0.06	±	0.05	No	-1.06	±	1.08	-0.04	±	0.04	No
06/30/20	-0.28	±	1.01	-0.01	±	0.04	No	-0.21	±	1.41	-0.01	±	0.05	No	
MINIDOKA	04/07/20	1.07	±	1.19	0.04	±	0.04	No	1.97	±	1.49	0.07	±	0.06	No
	05/05/20	-0.31	±	1.22	-0.01	±	0.05	No	-0.60	±	1.57	-0.02	±	0.06	No
	06/01/20	-0.89	±	1.24	-0.03	±	0.05	No	-0.75	±	1.46	-0.03	±	0.05	No
MONTEVIEW	04/06/20	2.34	±	1.79	0.09	±	0.07	No	2.02	±	1.41	0.07	±	0.05	No
	05/02/20	0.91	±	1.30	0.03	±	0.05	No	0.59	±	1.39	0.02	±	0.05	No
	05/28/20	0.54	±	1.35	0.02	±	0.05	No	1.01	±	0.67	0.04	±	0.02	No
TERRETON	04/01/20	0.29	±	1.48	0.01	±	0.05	No	-0.84	±	1.32	-0.03	±	0.05	No
	04/07/20	2.27	±	1.08	0.08	±	0.04	No	0.87	±	1.45	0.03	±	0.05	No
	04/15/20	2.05	±	1.16	0.08	±	0.04	No	-0.28	±	1.01	-0.01	±	0.04	No
	04/22/20	0.47	±	1.14	0.02	±	0.04	No	0.78	±	1.00	0.03	±	0.04	No
	04/29/20	0.84	±	1.11	0.03	±	0.04	No	0.81	±	1.03	0.03	±	0.04	No
	05/05/20	0.65	±	0.99	0.02	±	0.04	No	0.99	±	0.66	0.04	±	0.02	No
	05/13/20	-2.02	±	1.55	-0.07	±	0.06	No	0.36	±	1.30	0.01	±	0.05	No
	05/20/20	-0.25	±	1.49	-0.01	±	0.06	No	0.63	±	1.38	0.02	±	0.05	No
	05/27/20	0.88	±	1.49	0.03	±	0.06	No	0.90	±	1.33	0.03	±	0.05	No
	06/02/20	0.60	±	1.19	0.02	±	0.04	No	-0.05	±	1.03	0.00	±	0.04	No
	06/11/20	0.42	±	1.03	0.02	±	0.04	No	-0.12	±	1.00	0.00	±	0.04	No
	06/17/20	0.68	±	1.52	0.03	±	0.06	No	1.49	±	1.36	0.06	±	0.05	No
	06/24/20	1.45	±	1.53	0.05	±	0.06	No	-2.33	±	1.42	-0.09	±	0.05	No

Table C-8. Strontium-90 and Tritium Concentrations in Milk

		Strontium-90						
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(pCi/L)			(Bq/L)			
CONTROL	05/04/20	0.18	±	0.06	0.01	±	0.00	No
Duplicate	05/04/20	1.42	±	0.15	0.05	±	0.01	Yes
DIETRICH	05/05/20	0.24	±	0.08	0.01	±	0.00	Yes
HOWE	05/05/20	0.27	±	0.09	0.01	±	0.00	Yes
IDAHO FALLS	05/05/20	0.10	±	0.05	0.00	±	0.00	No
MINIDOKA	05/05/20	-0.01	±	0.08	0.00	±	0.00	No
MONTEVIEW	05/02/20	0.16	±	0.05	0.01	±	0.00	Yes
TERRETON	05/05/20	-0.03	±	0.05	0.00	±	0.00	No
		Tritium						
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(pCi/L)			(Bq/L)			
BLACKFOOT	05/03/20	67.70	±	24.50	2.51	±	0.91	No
CONTROL	05/04/20	50.90	±	23.90	1.89	±	0.89	No
Duplicate	05/04/20	71.00	±	23.70	2.63	±	0.88	No
DIETRICH	05/05/20	91.20	±	24.80	3.38	±	0.92	Yes
HOWE	05/05/20	56.30	±	24.40	2.09	±	0.90	No
IDAHO FALLS	05/05/20	140.00	±	25.80	5.19	±	0.96	Yes
MINIDOKA	05/05/20	68.90	±	24.50	2.55	±	0.91	No
MONTEVIEW	05/02/20	33.60	±	23.70	1.24	±	0.88	No
TERRETON	05/05/20	96.80	±	25.30	3.59	±	0.94	Yes

Table C-9. Environmental Radiation Measurements Using OSLDs

Location	Start Date	End Date	Radiation Measurement \pm 1s Uncertainty mrem	Dose mrem/day
BOUNDARY				
ARCO	11/06/19	05/05/20	56.35 \pm 2.82	0.31
ATOMIC CITY	11/06/19	05/05/20	57.35 \pm 2.87	0.32
BIRCH CREEK	11/06/19	05/06/20	51.45 \pm 2.58	0.28
BLUE DOME	11/06/19	05/06/20	48.50 \pm 2.43	0.27
HOWE	11/06/19	05/06/20	57.55 \pm 2.88	0.32
MONTEVIEW	11/06/19	05/06/20	60.00 \pm 3.00	0.33
MUD LAKE	11/04/19	05/06/20	62.70 \pm 3.14	0.34
Boundary Average			56.27	0.31
DISTANT				
ABERDEEN	11/08/19	05/07/20	60.65 \pm 3.04	0.34
BLACKFOOT	11/06/19	05/05/20	56.65 \pm 2.84	0.31
CRATERS	11/06/19	05/06/20	53.85 \pm 2.70	0.30
DUBOIS	11/06/19	05/06/20	51.70 \pm 2.59	0.28
IDAHO FALLS	11/12/19	05/07/20	55.60 \pm 2.79	0.31
JACKSON	11/08/19	05/05/20	52.40 \pm 2.62	0.30
MINIDOKA	11/06/19	05/05/20	54.65 \pm 2.73	0.31
ROBERTS	11/04/19	05/05/20	62.15 \pm 3.11	0.34
SUGAR CITY	11/06/19	05/06/20	68.55 \pm 3.43	0.38
Distant Average			57.36	0.32

Table C-10. Environmental Radiation Measurements Using TLDs

Location	Start Date	End Date	Radiation Measurement \pm 1s Uncertainty mR	Exposure mR/day
BOUNDARY				
ARCO	11/06/19	05/05/20	56.00 \pm 5.49	0.31
ATOMIC CITY	11/06/19	05/05/20	58.20 \pm 5.70	0.32
BIRCH CREEK	11/06/19	05/06/20	51.80 \pm 5.08	0.28
BLUE DOME	11/06/19	05/06/20	46.70 \pm 4.57	0.26
HOWE	11/06/19	05/06/20	56.20 \pm 5.51	0.31
MONTEVIEW	11/06/19	05/06/20	57.60 \pm 5.64	0.32
MUD LAKE	11/04/19	05/06/20	60.00 \pm 5.88	0.33
Boundary Average			55.21	0.30
DISTANT				
ABERDEEN	11/08/19	05/07/20	59.10 \pm 5.79	0.33
CRATERS	11/06/19	05/05/20	52.90 \pm 5.18	0.29
DUBOIS	11/06/19	05/06/20	48.20 \pm 4.72	0.26
IDAHO FALLS	11/06/19	05/06/20	55.60 \pm 5.45	0.31
JACKSON	11/12/19	05/07/20	51.00 \pm 5.00	0.29
MINIDOKA	11/08/19	05/05/20	53.20 \pm 5.22	0.30
MOUNTAIN VIEW	11/06/19	05/05/20	53.80 \pm 5.27	0.30
ROBERTS	11/04/19	05/05/20	59.70 \pm 5.85	0.33
SUGAR CITY	11/06/19	05/06/20	68.00 \pm 6.66	0.37
Distant Average			55.72	0.31

APPENDIX D
STATISTICAL ANALYSIS RESULTS

Table D-1. Results of the Kruskal-Wallis one-way analysis of variance by ranks between INL Site, Boundary, and Distant sample groups by quarter and by month.

Gross Alpha					
Quarter	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	91	9291.500	102.1044		
Distant	77	8684.500	112.7857	4.479258	0.1065
INL Site	38	3345.000	88.0263		
April	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	35	1433.500	40.95714		
Distant	30	1293.000	43.10000	1.480156	0.4771
INL Site	15	513.500	34.23333		
May	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	28	902.5000	32.23214		
Distant	23	808.0000	35.13043	2.204004	0.3322
INL Site	12	305.5000	25.48533		
June	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	28	829.0000	29.60714		
Distant	24	878.5000	36.60417	2.504490	0.2859
INL Site	11	308.5000	28.04545		
Gross Beta					
Quarter	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	91	9332.000	102.5495		
Distant	77	8019.000	104.1429	0.0422366	0.9791
INL Site	38	3970.000	104.4737		
April	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	35	1425.500	40.72857		
Distant	30	1182.000	39.40000	0.1478123	0.9288
INL Site	15	632.500	42.16667		
May	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	28	903.5000	32.26786		
Distant	23	749.5000	32.58696	0.1389904	0.9329
INL Site	12	363.0000	30.25000		
June	Valid N	Sum of Ranks	Mean Ranks	H^a	P^b
Boundary	28	837.5000	29.97071		
Distant	24	790.5000	32.93750	0.7773932	0.6779
INL Site	11	388.0000	35.27273		

a. Kruskal Wallis test statistic calculated using mean ranks. This test assumes H is approximately distributed as χ^2 .

b. A p-value (probability value) greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red.

Table D-2. Results of multiple comparisons of gross alpha results between locations during the second quarter. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red. R represents the average rank for each location.

Multiple Comparisons p values (2-tailed); Coded Result (2nd_Qtr_20_LVf in 2nd-Qtr-20-LVf) Independent (grouping) variable: GeographicName Kruskal-Wallis test: H (17, N= 232) =65.20383 p = 0000 Include condition: v8='gross alpha'																
Depend.: Coded Result	Arco R:82.808	Atomic City R:124.96	Blackfoot R:110.69	Blue Dome R:86.346	Craters of the Moon R:84.625	Dubois R:118.42	EFS R:85.167	FAA Tower R:86.923	Howe R:154.73	Idaho Falls R:223.00	Jackson WY R:88.769	Main Gate R:117.85	Monteview R:170.69	Mud Lake R:104.15	Sugar City R:137.00	Van Buren R:95.308
Arco		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.962915	0.000015	1.000000	1.000000	0.128922	1.000000	1.000000	1.000000
Atomic City	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.029990	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Blackfoot	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.003043	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Blue Dome	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	0.000032	1.000000	1.000000	0.207375	1.000000	1.000000	1.000000
Craters of the Moon	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	0.000040	1.000000	1.000000	0.207861	1.000000	1.000000	1.000000
Dubois	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	0.010883	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
EFS	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	0.000044	1.000000	1.000000	0.222893	1.000000	1.000000	1.000000
FAA Tower	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	0.000036	1.000000	1.000000	0.223726	1.000000	1.000000	1.000000
Howe	0.962915	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Idaho Falls	0.000015	0.029990	0.003043	0.000032	0.000040	0.010883	0.000044	0.000036	1.000000		0.000052	0.009924	1.000000	0.000971	0.166413	0.000188
Jackson WY	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.000052		1.000000	0.284367	1.000000	1.000000	1.000000
Main Gate	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.009924	1.000000		1.000000	1.000000	1.000000	1.000000
Monteview	0.128922	1.000000	1.000000	0.207375	0.207861	1.000000	0.222893	0.223726	1.000000	1.000000	0.284367	1.000000		1.000000	1.000000	0.640908
Mud Lake	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.000971	1.000000	1.000000	1.000000		1.000000	1.000000
Sugar City	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.166413	1.000000	1.000000	1.000000	1.000000		1.000000
Van Buren	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	0.000188	1.000000	1.000000	0.640908	1.000000	1.000000	




Figure D-1. Second quarter gross alpha concentrations in air at all sampling locations. Number of samples (N) = 13 at each location, except Craters of the Moon and EFS (N = 12).

Table D-3. Results of multiple comparisons of gross beta results between locations during the second quarter. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red. R represents the average rank for each location.

		Multiple Comparisons p values (2-tailed); Coded Result (2nd_Qtr_20_LVF in 2nd-Qtr-20-LVF)														
		Independent (grouping) variable: GeographicName														
		Kruskal-Wallis test: H (17, N= 232) =2.432565 p =1.000														
		Include condition: v8='gross beta'														
Depend.:	Arco R:119.23	Atomic City R:126.65	Blackfoot R:123.19	Blue Dome R:122.38	Craters of the Moon R:113.96	Dubois R:112.46	EFS R:103.79	FAA Tower R:112.46	Howe R:108.73	Idaho Falls R:123.81	Jackson WY R:117.73	Main Gate R:129.19	Monteviu R:110.38	Mud Lake R:108.23	Sugar City R:112.31	Van Buren R:118.31
Coded Result																
Arco		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Atomic City	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Blackfoot	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Blue Dome	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Craters of the Moon	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Dubois	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
EFS	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
FAA Tower	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Howe	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Idaho Falls	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000	1.000000
Jackson WY	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000	1.000000
Main Gate	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000	1.000000
Monteviu	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000	1.000000
Mud Lake	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000	1.000000
Sugar City	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000		1.000000
Van Buren	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	1.000000	