



Idaho National Laboratory

Site Environmental

Surveillance Program

Report: Second Quarter 2022

October 2023

Kevin Claver
Jason Dayley
Blane Teckmeyer
Peggy Scherbinske
Brande Hendricks



*INL is a U.S. Department of Energy National Laboratory
operated by Battelle Energy Alliance, LLC*

DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

**Idaho National Laboratory Site
Environmental Surveillance Program Report
Second Quarter 2022**

**Kevin Claver
Jason Dayley
Blane Teckmeyer
Peggy Scherbinske
Brande Hendricks**

October 2023

**Idaho National Laboratory
Idaho Falls, Idaho 83415**

<http://www.inl.gov>

**Prepared for the
U.S. Department of Energy,
Idaho Operations Office
Under DOE Idaho Operations Office
Contract DE-AC07-05ID14517**

Page intentionally left blank

EXECUTIVE SUMMARY

Some human-made radionuclides were detected in samples collected during the second quarter of 2022. None of the radionuclides detected in samples collected during the second quarter of 2022 could be directly linked with INL Site activities. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the second quarter of 2022 contains results from the INL Site environmental surveillance program's monitoring of the U.S. Department of Energy's Idaho National Laboratory (INL) Site's onsite, boundary and offsite location environment, April 1 through June 30, 2022. All sample types (media) and the sampling schedule followed during 2022 are listed in Appendix A. This report contains results for the following sample types:

- Air, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation
- Drinking/surface water
- Milk
- Alfalfa
- OSLDs.

Table ES-1. Summary of results for the second quarter of 2022.

Media	Sample Type	Analysis	Results
Air	Particulate Filters	Gross alpha, gross beta	There were no statistically significant differences for April and June gross alpha concentrations, as well as gross beta concentrations for the quarter or any month during the quarter. Statistically significant differences were observed for gross alpha concentrations for the quarter and the month of May. No result exceeded the Derived Concentration Standard (DCS) or 99%/95% upper tolerance limit (UTL) for gross alpha or gross beta activity in air.
	Quarterly Composite	Gamma-emitting radionuclides, strontium-90, actinides (americium and plutonium)	Some strontium-90 results were considered invalid due to not following an analysis protocol that allows for the decay of bismuth-210, a decay product of uranium-238. Strontium-90 was not detected in the remaining quarterly composite samples. Human-made gamma-emitting radionuclides (e.g., cesium-137), americium-241, plutonium-238, and plutonium-239/240 were not detected in any of the second quarter composite air samples.
	Charcoal Cartridge	Iodine-131	Iodine-131 was not detected in any of the batches of charcoal cartridges counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	Four of twenty-two results showed tritium concentrations greater than the 3s uncertainty during the quarter. No sample result exceeded the UTL or DCS for tritium in air.
Precipitation	Liquid	Tritium	A total of 16 samples were collected during the second quarter. One of the tritium results were greater than the 3s uncertainty. The result did not exceed the UTL, is within historical range, and below the DCS for tritium in water.
Drinking/Surface Water	Liquid	Gross alpha, gross beta, tritium	Gross alpha was detected in six of ten drinking water samples and one of the three surface water samples. Gross beta was detected in nine of ten drinking water samples and in all three surface water samples. All concentrations were generally similar from previous results. Tritium was not detected in any drinking water or surface water samples.

Table ES-1. continued.

Media	Sample Type	Analysis	Results
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides, strontium-90, tritium	Concentrations were similar to those measured historically in drinking and surface water and well below the DCS for tritium in drinking water. Forty-two milk samples were collected at seven locations (including the offsite control sample from Colorado and two duplicates). No ^{131}I was detected, however, a milk sample collected in April indicated ^{137}Cs was present. Additional review of the data determined ^{137}Cs was not present in the sample. Strontium-90 was found in two of the samples analyzed. The results are within range of the past several years. Tritium was detected in one of the samples analyzed. The result was well below the DCS for tritium in milk.
Alfalfa	Vegetation	Gamma-emitting radionuclides, strontium-90	Samples were collected from three locations. No human-made gamma emitting radionuclides were found. Strontium-90 was detected in a sample collected from Mud Lake.
Environmental Dosimeters	External radiation	Gamma-emitting and neutron radioactivity	Measurements of environmental radiation made using optically stimulated luminescent dosimeters (OSLDs) were primarily below the background level UTL except for select locations at Materials and Fuels Complex (MFC) (listed as Argonne National Laboratory or ANL); Experimental Breeder Reactor I (EBR I); Idaho Nuclear Technology and Engineering Center (INTEC) (listed as Idaho Chemical Processing Plant or ICPP); INL Research Center (location listed as IF-638) and the Radioactive Waste Management Complex (RWMC). Measurements that exceeded the UTL are within historical values and/or likely due to operations in those areas. Neutron dose monitoring performed at INL buildings and facilities were reported to be below the minimum measurable quantity of 10 mrem.

Page intentionally left blank

CONTENTS

EXECUTIVE SUMMARY	iii
ACRONYMS	xi
UNITS	xiii
1. INL Contractor Program Description.....	1
2. INL Site.....	5
3. Air Sampling	7
3.1 Low-volume Air Sampling	7
3.2 Atmospheric Moisture.....	8
4. Precipitation and Water Sampling.....	21
4.1 Precipitation Sampling.....	21
4.2 Water Sampling.....	21
5. Agricultural Products and Wildlife	23
5.1 Milk Sampling.....	23
5.2 Alfalfa Sampling.....	23
5.3 Large Game Animal Sampling.....	23
6. External Radiation.....	25
7. Quality Assurance	27
7.1 Inter-laboratory Program Performance Testing Evaluations	27
7.2 Blanks	28
7.3 Duplicate/Replicate Samples	28
7.4 PE Samples	29
8. References	31
Appendix A Summary of Sampling Schedule	A-1
Appendix B Summary of MDCs and DCSs.....	B-1
Appendix C Sample Analysis Results	C-1
Appendix D Statistical Analysis Results	D-1

FIGURES

Figure 1. Location of the INL Site.....	6
Figure 2. INL contractor air monitoring locations.....	8
Figure 3. Gross alpha concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2022	10
Figure 4. April 2022 gross alpha concentrations in air at onsite, boundary, and offsite locations	11

Figure 5. May 2022 gross alpha concentrations in air at onsite, boundary, and offsite locations	12
Figure 6. June 2022 gross alpha concentrations in air at onsite, boundary, and offsite locations.....	13
Figure 7. Gross beta concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2022.....	14
Figure 8. April 2022 gross beta concentrations in air at onsite, boundary, and offsite locations	15
Figure 9. May 2022 gross beta concentrations in air at onsite, boundary, and offsite locations.....	16
Figure 10. June 2022 gross beta concentrations in air at onsite, boundary, and offsite locations	17
Figure 11. Atmospheric moisture and precipitation monitoring locations.....	19
Figure 12. INL contractor milk monitoring locations.....	24
Figure 13. INL contractor OSLD locations	26

TABLES

Table ES-1. Summary of results for the second quarter of 2022.....	iv
Table 1. Dosimetry location above background level UTL	25
Table A-1. Summary of the INL contractor's sampling schedule.	A-2
Table B-1. Summary of approximate MDC for radiological analyses performed during second quarter 2022.....	B-2
Table C-1. Weekly gross alpha and gross beta concentrations in air	C-2
Table C-2. Weekly iodine-131 activity in air.....	C-12
Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.....	C-23
Table C-4. Tritium concentrations in atmospheric moisture	C-28
Table C-5. Monthly and weekly tritium concentrations in precipitation.....	C-29
Table C-6. Gross alpha, gross beta, and tritium concentrations in surface and drinking water	C-30
Table C-7. Weekly and monthly iodine-131 and cesium-137 concentrations in milk	C-31
Table C-8. Strontium-90 and tritium concentrations in milk	C-32
Table C-9. Gamma-emitting radionuclides and strontium-90 in alfalfa.....	C-33
Table C-10.External radiation measurements using OSLDs.....	C-34

Table D-1. Results of the Kruskal-Wallace one-way analysis of variance by ranks between onsite, boundary, and offsite sample groups by quarter and by month.....	D-2
Table D-2. Results of multiple comparisons of gross alpha results between locations during the second quarter.....	D-4
Table D-3. Results of multiple comparisons of gross beta results between locations during the second quarter.....	D-5

Page intentionally left blank

ACRONYMS

ATR	Advanced Test Reactor
BEA	Battelle Energy Alliance
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	U.S. Department of Energy
EBR I	Experimental Breeder Reactor I
EFS	Experimental Field Station
EPA	Environmental Protection Agency
ESER	Environmental Surveillance, Education, and Research
FAA	Federal Aviation Administration
HWY	Highway
ICP	Idaho Cleanup Project
ICPP	Idaho Chemical Processing Plant
INEEL	Idaho National Engineering and Environmental Laboratory
INL	Idaho National Laboratory
INTEC	Idaho Nuclear Technology and Engineering Center (formerly ICPP)
ISU-EAL	Idaho State University-Environmental Assessment Laboratory
MAPEP	Mixed Analyte Performance Evaluation Program
MDC	minimum detectable concentration
MFC	Materials and Fuels Complex
NRF	Naval Reactors Facility
NRTS	National Reactor Testing Station
OSLD	optically stimulated luminescent dosimeter
PE	performance evaluation
RHLLW	Remote-handled Low-Level Waste
RWMC	Radioactive Waste Management Complex
SMC	Specific Manufacturing Capability
UTL	upper tolerance limit

Page intentionally left blank

UNITS

Bq becquerel

Ci curie

g gram

L liter

μ Ci microcurie

ml milliliter

mrem millirem

mR milliroentgen

pCi picocurie

Page intentionally left blank

1. INL Contractor Program Description

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under several acts (e.g., the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2011, DOE 2015a).

During calendar year 2022, environmental surveillance within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors. The INL contractor also provides surveillance off the INL Site.

In December 2020, DOE initiated transition of the Environmental Surveillance, Education, and Research (ESER) Program from DOE management to the INL contract managed by Battelle Energy Alliance, LLC (BEA). A team composed of DOE, BEA and the ESER Program contractor, Veolia Nuclear Solutions – Federal Services, successfully transitioned the program on September 30, 2021. It is now called the Environmental Monitoring and Natural Resource Services. The ESER Program environmental surveillance scope has been integrated into the INL environmental surveillance program. Sampling activities conducted prior to September 30, 2021, were performed by Veolia Nuclear Solutions – Federal Services while sampling activities conducted after September 30, 2021, were performed under BEA.

This report contains surveillance monitoring results from the INL contractor for samples collected during the second quarter of 2022 (April 1 – June 30, 2022).

The INL environmental surveillance program is designed to satisfy the following objectives:

- verify compliance with applicable environmental laws, regulations, and DOE Orders
- characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- assess the potential radiation dose to members of the public from INL Site effluents
- present laboratory data which has been reviewed using an EPA quality assurance process.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 42 low-volume air samplers (four of which are used as replicate samplers) at 32 locations on and around the INL Site
- atmospheric moisture at two INL Site locations and at four locations off the INL Site
- precipitation collected at one INL Site location and three locations off the INL Site
- drinking water collected from eight locations off the INL Site
- surface water collected from three springs located downgradient of the INL Site and from five locations along the Big Lost River, when it is flowing, on the INL Site
- agricultural products, including milk at six dairies around the INL Site, potatoes from at least eight regional producers, alfalfa from three locations off the INL Site, grain (wheat and barley) from

approximately nine regional producers, and lettuce from approximately seven home-owned and portable gardens on and around the INL Site

- soil from 29 locations on and around the INL Site biennially
- environmental dosimeters from 191 (includes duplicates) locations semi-annually
- various numbers of wildlife including bats, big game (pronghorn, mule deer, and elk) and waterfowl sampled from the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the INL contractor.

Four laboratories were used to perform analyses on routine environmental samples collected during the quarter identified in this report. The INL Environmental Services In Situ Gamma Laboratory was used to scan charcoal cartridges for gamma-emitting radionuclides. The Idaho State University Environmental Assessment Laboratory performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. ALS Fort Collins performed routine gross alpha, gross beta, and for gamma-emitting radionuclides, such as: americium-241 (^{241}Am), cobalt-60 (^{60}Co), cesium-134, cesium-137 (^{137}Cs), europium-152, and antimony-125. Analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}\text{Pu}$), and ^{241}Am were performed by GEL Laboratories.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the INL contractor may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet. RadNet is a nationwide environmental radiation monitoring system that monitors the nation's air, precipitation, and drinking water for radiation. The INL contractor currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the INL contractor but are available through the EPA RadNet website (<https://www.epa.gov/radnet>).

Once samples have been collected and analyzed, the INL contractor has the responsibility for quality control of the data, entry into databases, and reporting in quarterly reports. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. The annual report also includes data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably affect the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s, where 's' is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term 'detected,' as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is statistically different from background. Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is absent). In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection. Each laboratory currently defines a detection of radioactivity in an individual sample if the result exceeds a detection level calculated by the laboratory after the analysis of a background sample, based on calculations derived by Currie (1984). The minimum detectable concentration (MDC) is defined as the concentration at which there is a 95% confidence that an analyte signal will be distinguishable from an analyte-free sample.

In addition, the INL contractor uses a three standard deviation criterion to minimize the chance that a potentially false positive result is included in the data set. A false positive result is indicated when the range encompassing the result, plus or minus the total uncertainty at three standard deviations, includes zero (e.g., 2.5 ± 1.0 ; range of -0.5 to 5.5). Statistically, the probability that a result can exceed the absolute value of its total uncertainty at three standard deviations by chance alone is less than 1%. A result that is greater than three times the total uncertainty of the measurement represents a statistically positive detection with over 99% confidence (DOE 2015b). The INL contractor reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being detected with confidence.

Concentrations between 2s and 3s are reported as questionably detected. That is, the radionuclide may be present in the sample; however, the probability that a result can exceed the absolute value of its total uncertainty at two standard deviations by chance alone may be as high as 5%. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a radionuclide is routinely detected at $> 3s$ at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is even less statistical confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

Data are also compared to historical measurements using the upper tolerance limit (UTL). The UTL is a value such that 99% of the population (in this case, all valid measurements made between 2011-2020) is less than the UTL with 95% confidence (EPA 2015). With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of a radionuclide is within the normal range. This means that if a concentration exceeds the UTL it does not necessarily indicate that the site is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high.

For more information concerning the INL environmental surveillance program, please email scott.lee@inl.gov, or visit <https://idahoeser.inl.gov/>.

Page intentionally left blank

2. INL Site

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the DOE, Idaho Operations Office and occupies about 890 mi² (2,300 km²) of the upper Snake River Plain in Southeastern Idaho (Figure 1). The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission, predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the Atomic Energy Commission. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005, the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the DOE's multi-program national laboratories. Battelle Energy Alliance, LLC, is responsible for the management and operations of the INL.

The ICP is a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process. The Idaho Environmental Coalition, LLC, is responsible for the ICP.




Figure 1. Location of the INL Site.

3. Air Sampling

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (^{131}I) gas in air were collected weekly for the duration of the quarter at 32 locations using low-volume air samplers. Moisture in the atmosphere was sampled at seven locations around the INL Site and analyzed for tritium. Air sampling activities and results for the second quarter of 2022 are discussed below. A summary of approximate MDCs for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2021) values is provided in Appendix B.

3.1 Low-volume Air Sampling

Radioactivity associated with airborne particulates was monitored continuously by 42 low-volume air samplers (four of which are used as replicate samplers) at 32 locations during the second quarter of 2022 (Figure 2). Seventeen of these samplers are located onsite, seven are situated off the INL Site near the boundary, and eight have been placed at locations off the INL Site. Currently, several locations have two samplers as a result of the ESER program being transferred to BEA. The locations include: Blackfoot, Craters of the Moon, Experimental Field Station (EFS), Idaho Falls, Sugar City, and Van Buren. One sampler at each location is being scheduled for deactivation since duplicate samplers are already in place. Samplers are divided into onsite, boundary, and offsite groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. During the second quarter 2022, replicate samplers were located at Arco (boundary location), Mud Lake (boundary location), Idaho Nuclear Technology and Engineering Center (INTEC) – west side (onsite location), and Radioactive Waste Management Complex (RWMC) (onsite location). Particulates in air were collected on membrane particulate filters (1.2 μm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for shorter-lived naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Selected composites were also analyzed by location for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am as determined by a rotating quarterly schedule.

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for ^{131}I , using two methods. Cartridges analyzed by Idaho State University Environmental Assessment Laboratory are done in batches of ten as an initial scan. If the scan results in ^{131}I activity above 3-sigma, the cartridges are split into smaller batches and analyzed to identify the cartridge which contains the radioanalyte above 3-sigma. Cartridges which are analyzed by the INL Environmental Services In Situ Gamma Laboratory are scanned individually. If the scan of an individual cartridge results in a positive detection, the cartridge is shipped to ALS Laboratories for analysis. Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.




Figure 2. INL contractor air monitoring locations.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha concentrations measured in individual samples ranged from a low of $(-1.5 \pm 1.5) \times 10^{-15}$ $\mu\text{Ci}/\text{ml}$ collected at RWMC South on June 15, 2022, to a high of $(3.44 \pm 0.53) \times 10^{-15}$ $\mu\text{Ci}/\text{ml}$ collected at Sugar City on May 18, 2022. All results were less than the DCS of 1.1×10^{-13} $\mu\text{Ci}/\text{ml}$ for $^{239/240}\text{Pu}$ (see Table B-1 of Appendix B). In addition, the results were consistent with historical data, as represented by the 99%/95% UTL for gross alpha activity (4.8×10^{-15} $\mu\text{Ci}/\text{ml}$). The UTL was determined using ten years of historical data (measured from 2011 through 2020) and the ProUCL statistical software (<https://www.epa.gov/land-research/proucl-software>). The 99%/95% UTL is a value such that 99% of the population (all possible air measurements) is less than the UTL with 95% confidence. With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of gross alpha is within the normal range. This means that if a concentration exceeds the UTL it does not necessarily indicate that the result is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high.

Gross alpha data have been tested for distribution (normally or lognormally distributed) and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, a parametric test of significance cannot be used. The nonparametric Kruskal-Wallis analysis of variance by ranks test of multiple independent groups was used to determine statistical differences between onsite, boundary, and offsite locations. The test assesses the hypothesis that the different samples in the comparison were drawn from the same distribution or from distributions with the same median. In the computation of the Kruskal-Wallis test, each of the N observations is replaced by a rank. That is, all the results from all the locations are combined and ranked in a single series with the smallest result replaced by rank 1 and the largest result replaced by rank N (i.e., the total number of results). The sum of the ranks in each location group (i.e., onsite, boundary, and offsite) is found and then averaged for each group. If the samples are from the same populations, the average ranks should be about the same, whereas if the samples are from populations with different medians, the average ranks should differ. Statistically significant difference exists between data groups if the p-value (or probability value) is less than 0.05. Values greater than 0.05 translate into a 95% confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. There was no statistically significant differences among groups for April and June, however, there were statistically significant differences among groups for the quarter and May (Table D-1). To determine if there were any differences between stations and where the differences occur, the Kruskal-Wallis analysis of variance by ranks test was used again. No differences were determined between stations (Table D-2).

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. Gross beta concentrations measured in individual samples ranged from a low of $(1.01 \pm 0.97) \times 10^{-15}$ $\mu\text{Ci}/\text{ml}$ collected at Blackfoot on June 1, 2022, to a high of $(3.88 \pm 0.13) \times 10^{-14}$ $\mu\text{Ci}/\text{ml}$ collected at Blue Dome on June 29, 2022. The typical temporal fluctuations in gross beta concentrations in air were observed during the quarter because of temperature inversions. All results were less than the DCS of 9.6×10^{-12} $\mu\text{Ci}/\text{ml}$ for ^{90}Sr (see Table B-1 of Appendix B). In addition, the results were consistent with historical data, as represented by the 99%/95% UTL for gross beta activity (6.3×10^{-14} $\mu\text{Ci}/\text{ml}$). The data were tested quarterly and generally are found to be neither normally nor log-normally distributed. Box and whiskers plots were used to present the non-parametric data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past ten years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures.

There were no statistically significant differences in the gross beta data between groups for the quarter or any month during the quarter (Table D-1). To determine if there were any differences between stations and where the differences occur, multiple comparisons were also made using the Kruskal-Wallis analysis




Figure 3. Gross alpha concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2022. The DCS is the concentration of $^{239/240}\text{Pu}$ in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra , and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 4. April 2022 gross alpha concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of $^{239/240}\text{Pu}$ in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra , and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 5. May 2022 gross alpha concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of $^{239/240}\text{Pu}$ in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra , and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 6. June 2022 gross alpha concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of $^{239/240}\text{Pu}$ in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra , and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 7. Gross beta concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2022. The DCS is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentration. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 8. April 2022 gross beta concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 9. May 2022 gross beta concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 10. June 2022 gross beta concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population are expected to fall with 95% confidence.

of variance by ranks test between gross beta concentrations measured at all locations. Differences were determined to have occurred between Mud Lake and two sampling locations, EFS, and Highway 26 Rest Area (Table D-3).

Iodine-131 was not detected in any of the charcoal cartridges measured during the second quarter. Weekly ^{131}I results for each location are listed in Table C-2.

A review of ^{90}Sr composite results for locations that have two air samplers showed inconsistencies with some samples greater than 3-sigma and others less than 3-sigma. Further review revealed that ^{90}Sr results may be higher due to the presence of a naturally-occurring ^{238}U decay product. Strontium-90 is determined in the laboratory through a series of steps which involves dissolution of the sample, chemical separation of strontium, ingrowth of the daughter yttrium-90 (^{90}Y), resin column extraction of the ^{90}Y daughter, and final beta counting of the dried product. It has been determined that lead-210, a daughter of ^{238}U , will remain in the resin column during column extractions. However, bismuth-210 (^{210}Bi), a product of the decay of ^{210}Pb , will elute with the ^{90}Y in the final column rinse. Because ^{210}Bi is a beta emitter, it will be counted in the beta counter along with ^{90}Y , and the final count can be interpreted incorrectly as a higher detectable quantity of ^{90}Sr . As a result, a protocol was developed to wait approximately two weeks if beta activity was detected and then to recount the sample in order to allow for the decay of ^{210}Bi . The analytical laboratory performing the analysis did not have documentation of the analysis protocol, therefore, the protocol was not followed. The results for these samples were considered invalid (Table C-3). The remaining composite samples were analyzed by a separate analytical laboratory which followed the analysis protocol. The protocol will be used for all future ^{90}Sr analysis of composite samples. Strontium-90 was not detected in the remaining composite samples.

No ^{137}Cs or other human-made gamma-emitting radionuclides were found in quarterly air composites. Americium-241, ^{238}Pu , and $^{239/240}\text{Pu}$, alpha-emitting radionuclides, were not detected in any composite sample.

3.2 Atmospheric Moisture Sampling

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for twenty-two atmospheric moisture samples collected at the onsite, boundary, and offsite locations during the second quarter of 2022 (Figure 11). Four of the results exceeded the 3s uncertainty level for tritium, with a maximum reported value of $(7.2 \pm 2.2) \times 10^{-13} \mu\text{Ci/mL}_{\text{air}}$ at Atomic City. The maximum result is below the 99%/95% UTL of $1.6 \times 10^{-12} \mu\text{Ci/mL}_{\text{air}}$. Results are similar between the sampling locations. All samples were significantly below the DOE DCS for tritium in air (as water vapor) of $1.3 \times 10^{-7} \mu\text{Ci/mL}_{\text{air}}$. Results are shown in Table C-4, Appendix C.




Figure 11. Atmospheric moisture and precipitation monitoring locations.

Page intentionally left blank

4. Precipitation and Water Sampling

4.1 Precipitation Sampling

Precipitation samples are gathered when enough precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls, and weekly (when available) from the EFS (onsite), Atomic City and Howe (boundary) (Figure 11). These are the same locations where atmospheric moisture samples are collected. Precipitation samples are analyzed for tritium. Storm events in the second quarter of 2022 produced sufficient amounts of precipitation to yield 16 samples.

Tritium was measured above the 3s values in one of the 16 samples. These results are listed in Table C-5 (Appendix C). Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere. Long-term data collected around the globe since 1961 by the International Atomic Energy Agency suggest that tritium levels have steadily decreased since the Nuclear Test Ban Treaty in 1963 and are close to their pre-nuclear test values (Cauquoin et al. 2015) and that there are no longer remnants of fallout from weapons testing. Tritium was detected in one sample collected from Howe on April 13, 2022, in the second quarter at a concentration of (203 ± 35) pCi/L. The result does not exceed the 99%/95% UTL of 300 pCi/L and is well below the DCS for tritium in water (2.6×10^6 pCi/L). The result is also within the range of historical values (-173 to 413 pCi/L) measured from 2012-2021.

4.2 Water Sampling

Drinking water samples were collected at nine locations (including a control). A duplicate sample was also collected. Surface water samples were collected at three Thousand Springs locations. All samples were analyzed for gross alpha, gross beta, and tritium. Results are listed in Table C-6 of Appendix C.

Gross alpha activity was detected in six of the ten drinking water samples (Craters of the Moon, Howe, Idaho Falls, Rest Area, Shoshone, Shoshone – duplicate samples) and in one of the three surface water samples. The highest reported gross alpha value for drinking water was (2.47 ± 0.57) pCi/L in the drinking water sample from Idaho Falls, and (3.99 ± 0.85) pCi/L in the surface water sample from Alpheus Springs. Gross beta activity was detected in nine of the ten drinking water samples (all except the control), and in all three of the surface water samples. All concentrations were similar to previous results from drinking and surface water sampling. Natural levels of radioactive decay products of thorium and uranium exist in the Snake River Plain Aquifer and are the likely source of the measured concentrations. The highest reported gross beta value was (7.68 ± 0.40) pCi/L in the drinking water sample collected from Howe. The highest reported gross beta result was (4.88 ± 0.40) pCi/L surface water sample collected from Clear Springs. Tritium was not detected in any of the drinking water samples or surface water samples.

Page intentionally left blank

5. Agricultural Products and Wildlife

Another potential pathway for contaminants to reach humans is through the food chain. The INL contractor samples multiple agricultural products and game animals from around the INL Site and southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year. Large game animals are sampled whenever they are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the fourth quarter, while potatoes are collected during the third or fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for a sampling schedule. This section discusses results from milk and alfalfa available during the second quarter of 2022.

5.1 Milk Sampling

Milk samples were collected weekly at Rigby and Terreton. Monthly samples were collected at six other locations around the INL Site (Figure 12) during the second quarter of 2022. In addition to the regional locations, commercially-available organic milk (from Colorado) was purchased as a control sample each month. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on ^{131}I .

Iodine-131 was not detected in any weekly or monthly samples during the second quarter. A sample collected in Rigby on April 19, 2022, indicated that Cesium-137 was present, however, further review of the data determined this was a false positive and that a confirming peak for ^{137}Cs was not present. No other human-made gamma-emitting radionuclides were found either. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-7.

Strontium-90 was detected in two milk samples (Minidoka and control sample from Colorado) collected during the second quarter of 2022. The results are within range of the past several years and well below the DCS of ^{90}Sr in milk (5,800 pCi/L). Data for ^{90}Sr in milk samples are listed in Appendix C, Table C-8.

Tritium was detected in the control sample collected from Colorado. All results were similar to those previously measured and similar to those found in other liquid media like precipitation. The result was well below the DCS for tritium in milk (1.2×10^7 pCi/L). Data for tritium in milk samples are listed in Appendix C, Table C-8.

5.2 Alfalfa Sampling

Four samples of alfalfa (including one duplicate) were obtained from growers in the Howe, Mud Lake, and Idaho Falls areas. All samples were analyzed for gamma-emitting radionuclides and three samples were analyzed for ^{90}Sr . Strontium-90 was found in a Mud Lake sample. No human-made gamma emitting radionuclides were found. Data for ^{137}Cs and ^{90}Sr in alfalfa samples are listed in Appendix C, Table C-9.

5.3 Large Game Animal Sampling

No big game animals killed by vehicular collisions were available for sampling during the second quarter of 2022.




Figure 12. INL contractor milk monitoring locations.

6. External Radiation

An array of optically stimulated luminescent dosimeters (OSLDs) are distributed throughout the Eastern Snake River Plain and on the INL Site (Figure 13) to monitor for environmental radiation. In November 2021 the INL Contractor deployed OSLDs at various locations, including around INL Site facilities (Figure 13). In addition, neutron dose monitoring is conducted around INL facilities and buildings where neutron radiation may be present.

OSLD results from dosimeters collected during the second quarter of 2022 are displayed in Appendix C, Table C-7. Results are presented in dose units of millirem (mrem). Similar to the low-volume air results the environmental dosimeter locations are also divided into onsite, boundary and offsite groupings. The onsite OSLD values ranged from 44.00 mrem at IF-665 O-1 to 293.5 mrem at ICPP O-20, with an overall average of 74.81 mrem, which also equates to 0.41 mrem per day. The boundary OSLD values ranged from 46.75 mrem at Blue Dome to 75.20 mrem at RRL5 O-1, with an overall average of 59.55 mrem. This equates to an average daily dose of 0.33 mrem. Offsite results varied from 48.50 mrem at Dubois to 70.50 mrem at Sugar City. The offsite average was 57.47 mrem, which also equates to 0.32 mrem per day. The reported results for dosimeters collected during second quarter 2022 were primarily below the background UTL values. Table 1 lists the locations that exceeded the background level UTL.

The facility dosimeters that exceeded the background level UTL are located at Materials and Fuels Complex (MFC) (listed as Argonne National Laboratory or ANL), Experimental Breeder Reactor I (EBR I), INTEC (listed as Idaho Chemical Processing Plant (ICPP), INL Research Center (location listed as IF-638S) and the RWMC (Table 1). The ANL O-21 result is only slightly over the UTL. EBR I result is slightly higher than the UTL but is the highest since we began measurements at that location. The ICPP results presented in Table 1 appear to follow a pattern of elevated measurements observed at those locations. The locations have consistently shown higher results when compared to other locations at INTEC. RWMC O-13A is above the UTL but not significantly. The UTL exceedances for locations near ANL, INTEC, and RWMC are most likely due to operations in those areas. All environmental dosimetry results were provided to the INL Radiation Control Department for their consideration.

Table 1. Dosimetry location above background level UTL.

Location	Ambient dose (mrem)	Background UTL (mrem)
ANL O-21	88.1	86.3
EBR I O-2	91.9	91.0
ICPP O-20	293.5	197.1
ICPP O-30	218.6	197.1
IF-638S	74.2	66.9
RWMC O-13A	98.1	86.7

All neutron dosimeters collected during second quarter 2022 were reported as ‘M’ which denotes the dose equivalents are below the minimum measurable quantity of 10 mrem. The background level for neutron dose is zero and the current dosimeters have a detection limit of 10 mrem. Any neutron dose measured is considered present due to sources inside the building. The INL contractor follows the recommendations of the manufacturer to prevent environmental damage to the neutron dosimetry by wrapping each in aluminum foil. To keep the foil intact, the dosimeter is inserted into an ultraviolet protective cloth pouch when deployed.




Figure 13. INL contractor OSLD locations.

7. Quality Assurance

Quality assurance consists of planned and systematic activities that give confidence in environmental surveillance program results (NCRP 2012). Environmental surveillance programs should provide data of known quality for the assessments and decisions being made. Quality assurance and quality control programs were maintained by the INL contractor and laboratories performing environmental analyses.

In addition to the quality assurance processes implemented by the INL contractor, the laboratories also utilize trained personnel, procedures, and quality assurance processes to ensure quality data. Data quality reviews were performed by the laboratory and any unusual conditions were addressed and identified in the case narrative prior to reporting to INL.

Field sampling elements, laboratory measurements, and quality control samples were reviewed and evaluated by the INL contractor laboratories. Results are summarized in Section 7.2-7.4. Together this information was used to assess the quality of data provided to INL contractor, and to follow-up and/or conduct a corrective action to improve processes when necessary. This multi-faceted approach to quality assurance and quality control added value to the INL contractor's monitoring program by providing confidence that all laboratory data reported in this report are reliable and of acceptable quality.

The INL contractor Quality Assurance Program consists of five ongoing tasks which measure: (1) method uncertainty; (2) data completeness; (3) data accuracy, using spike, performance evaluation and laboratory control samples; (4) data precision, using split samples, duplicate samples and recounts; and (5) presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the *Environmental Monitoring Services Quality Assurance Project Plan* (INL 2022).

Assessments of the INL contractor data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives.

Required Criteria of a Quality Program

- Quality assurance program
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

7.1 Inter-laboratory Program Performance Testing Evaluations

The Mixed Analyte Performance Evaluation Program (MAPEP) is an inter-laboratory program that uses performance testing evaluations to test the ability of the laboratories to correctly analyze radiological, non-radiological, stable organic, and stable inorganic constituents' representative of those at DOE sites. MAPEPs series are distributed to labs twice a year (January-March and July-September quarters).

For the second quarter 2022, all laboratories used by the INL Site contractor participated in one MAPEP Series 46. The matrices along with the radioanalytes of interest that received a MAPEP 'not acceptable' evaluation are discussed below. A 'not acceptable evaluation' is assigned to MAPEP results that are > +/- 30% of the reference value. The analytical laboratory is responsible for reviewing their individual MAPEP results and correcting potential quality concerns identified by MAPEP. Additional information on MAPEP is available at: <https://www.id.energy.gov/resl/mapep/mapep.html>.

ALS

ALS received nonagreement evaluations for ^{99}Tc , ^{234}U , and ^{238}U in soil. The radioanalytes are not analytes of interest in soil. Future MAPEP results in soil will be monitored to identify consecutive ‘not acceptable’ evaluations.

GEL Laboratories, LLC

GEL Laboratories received nonagreement evaluations for ^{90}Sr (vegetation), ^{55}Fe , and ^{99}Tc (soil). Iron-55 and ^{99}Tc are not radioanalytes of interest for soil analysis. Strontium-90 in vegetation will be monitored for future MAPEP results to identify consecutive ‘not acceptable’ evaluations.

Idaho State University-Environmental Assessment Laboratory

Idaho State University-Environmental Assessment Laboratory (ISU-EAL) received nonagreement evaluations for several matrices and radioanalytes of interest. The matrices and respective radioanalytes include air filter (^{57}Co), soil (^{57}Co), water (^{57}Co , ^{54}Mn , ^3H , and ^{40}K), and vegetation (^{60}Co).

ISU-EAL identified a few issues with MAPEP Series 46: (1) a reporting issue with false negatives, (2) incorrect entry of the reference date, and (3) miscalculation of uncertainty values. The corrective action was to provide laboratory personnel additional training with respect to calculating, analyzing, and reporting results to the MAPEP Program. ISU-EAL performance will be monitored for future MAPEP PT program samples to identify consecutive nonagreement evaluations.

7.2 Blanks

The INL contractor submits field blanks along with the regular samples to test for the introduction of contamination during the process of field collection, laboratory preparation, and laboratory analysis. In the event a data quality or trending issue is identified, a LabWay assessment will be created in order to track resolutions and/or corrective actions.

No concerns were identified in blanks that would indicate data quality or trending issues with sampling, handling, shipment, or analysis by the laboratory contributed to the actual sample results. Second quarter 2022 blanks are discussed below.

ALS

A total of 33 analytes were analyzed by ALS in various media. The media analyzed included: air filters, quarterly air filter composites, and atmospheric moisture.

GEL Laboratories, LLC

A total of five analytes were analyzed by GEL in various media. The media analyzed included: quarterly air filter composites and milk.

Idaho State University-Environmental Assessment Laboratory

A total of 65 analytes were analyzed by ISU-EAL in various media. The media analyzed included: air filters, quarterly air filter composites, milk, atmospheric moisture, and precipitation.

7.3 Duplicate/Replicate Samples

The INL contractor submits field duplicate/replicate samples with the regular samples to assess field collection, homogeneity, reproducibility, laboratory preparation, laboratory analysis, and precision. In the event a data quality or trending issue is identified, a LabWay assessment will be created in order to track resolutions and/or corrective actions.

No concerns were identified in duplicate/replicates that would indicate data quality or trending issues with sampling, handling, shipment, homogeneity, reproducibility, or preparation and analysis by the laboratory contributed to the actual sample results. Second quarter 2022 duplicate/replicate samples are discussed below.

ALS

A total of 62 analytes were analyzed in various media. The media analyzed included: air filters and quarterly air filter composites.

GEL Laboratories, LLC

A total of three analytes were analyzed by GEL Laboratories. The media analyzed included quarterly air filter composite samples.

Idaho State University-Environmental Assessment Laboratory

A total of 65 analytes were analyzed by ISU-EAL in various media. The media analyzed included: air filters, quarterly air filter composites, milk, produce, and drinking water.

7.4 PE Samples

Performance Evaluation (PE) samples are prepared samples that contain known values of analyte(s) of interest to the specific project, INL Site contractor program, or laboratory. PE samples are used to assess analytical method specific laboratory performance and to check that the laboratory can be within criteria set by the specific project or program for known value sample recovery. The samples are matched as closely as possible to the specific media, analytes of interest, and expected concentration or activity levels appropriate for the specific project, program, or use in decision-making. In some cases, the PE sample matrix may differ from the field samples (i.e., using deionized water with a known amount of analyte to simulate an atmospheric moisture sample). The PE samples are generally submitted with batches of field samples so they are processed simultaneously in the laboratory.

ALS

A total of 21 quarterly air filter composite PE analytes were analyzed by ALS during the second calendar quarter of 2022. The analysis performed included: alpha spec (^{241}Am , ^{238}Pu , and $^{239/240}\text{Pu}$), gamma spec (^{60}Co , ^{134}Cs , ^{137}Cs , and ^{152}Eu), and ^{90}Sr . Nineteen analytes received an acceptable performance evaluation.

Idaho State University-Environmental Assessment Laboratory

A total of six milk PE analytes were analyzed by ISU-EAL during the second calendar quarter of 2022. Gamma spectroscopy analysis was performed on the milk sample for the following analytes: ^{57}Co , ^{134}Cs , ^{137}Cs , ^{54}Mn , ^{65}Zn , and ^{3}H . Two of six analytes (^{137}Cs and ^{3}H) received an acceptable performance evaluation.

ISU-EAL received a nonagreement evaluation for failure to report four gamma spectroscopy analytes (^{57}Co , ^{134}Cs , ^{54}Mn , and ^{65}Zn). A request to perform a for-cause-review was submitted to ISU-EAL and determined there was a breakdown in the internal communication of the positive results. The corrective action was an update to the gamma analysis procedure with an emphasis on reviewing data and communication of positive results. The analytes will continue to be monitored in the future.

GEL Laboratories, LLC

Eight air filter PE analytes and one milk PE analyte were analyzed by GEL during the second calendar quarter of 2022. The analysis performed included: alpha spectroscopy (^{241}Am , ^{238}Pu , and $^{239/240}\text{Pu}$) and ^{90}Sr . All nine analytes received an acceptable performance evaluation.

As a follow up with GEL on previous ^{90}Sr performance, the INL contractor requested an internal evaluation to be performed due to GEL Laboratories, LLC receiving non-agreement for ^{90}Sr analysis of air filter composite samples for consecutive PE samples. As part of the evaluation, the INL contractor shipped two filter sets with known activities. Results of the filter sets were within the agreement criteria. No findings were reported by GEL Laboratories, LLC, however, the laboratory concluded that an undetermined error occurred during the preparation process of previously submitted samples. The INL contractor will continue to monitor GEL's performance for ^{90}Sr analysis of air filter composite samples.

Page intentionally left blank

8. References

- Cauquoin, A., P. Jean-Baptiste, C. Risia, É. Fourré, B. Stenni, and A. Landais, 2015, “The global distribution of natural tritium in precipitation simulated with an Atmospheric General Circulation Model and comparison with observations,” *Earth and Planetary Science Letters* 427 (2015) 160–170, http://www.lmd.jussieu.fr/~acauquoin/Mes_Publications/Cauquoin%20et%20al.%202015%20-%20EPSL.pdf.
- Clean Air Act of 1970 (42 USC § 7401).
- Currie, L. A., 1984, *Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements*, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2011, “Radiation Protection of the Public and the Environment,” U.S. Department of Energy O 458.1, Administrative Change 3, February 11, 2011.
- DOE, 2021, “Derived Concentration Technical Standard,” Department of Energy Standard DOE-STD-1196-2021, July 2021.
- DOE, 2015a, “Environmental Radiological Effluent Monitoring and Environmental Surveillance,” DOE-HDBK-1216-2015, March 2015.
- DOE, 2015b, “Handbook for the Department of Energy’s Mixed Analyte Performance Evaluation Program (MAPEP),” January 2015, <http://www.id.energy.gov/resl/mapec/handbookv15.pdf>.
- EPA, 2015, “ProUCL Version 5.1 Technical Guide,” EPA/600/R-07/041 October 2015.EPA, 2018, RadNet—Tracking Environmental Radiation Nationwide, <http://www.epa.gov/narel/radnet/>.
- INL, 2022, *Environmental Monitoring Services Quality Assurance Project Plan*, PLN-6690, Idaho National Laboratory.
- NCRP, 2012, *Design of Effective Radiological Effluent Monitoring and Environmental Surveillance Program*, NCRP Report No. 169, National Council on Radiation Protection and Measurements.
- Safe Drinking Water Act of 1974 (42 USC § 300f).

Page intentionally left blank

Appendix A

Summary of Sampling Schedule

Table A-1. Summary of the INL contractor's sampling schedule.

Sample Type Analysis	Collection Frequency	Locations			
		Offsite	Boundary	Onsite	
Air Sampling					
<i>Low-Volume Air</i>					
Gross Alpha, Gross Beta, ^{131}I	weekly	Blackfoot; Craters of the Moon; Dubois; Idaho Falls; IRC, IRC – North; Jackson, WY; Sugar City	Arco, Atomic City, Blue Dome, FAA Tower, Howe, Montevieu, Mud Lake	ATR Complex, CFA, EBR-I, EFS, Gate 4, Hwy 26 Rest Area, INTEC (NE corner), INTEC (westside), Main Gate, MFC – North, MFC – South, NRF, RHLLW, RWMC, RWMC – South, SMC, Van Buren	
Gamma Spec	quarterly	Blackfoot; Craters of the Moon; Dubois; Idaho Falls; IRC; IRC – North, Jackson, WY; Sugar City	Arco, Atomic City, Blue Dome, FAA Tower, Howe, Montevieu, Mud Lake	ATR Complex, CFA, EBR-I, EFS, Gate 4, Hwy 26 Rest Area, INTEC (NE corner), INTEC (westside), Main Gate, MFC – North, MFC – South, NRF, RHLLW, RWMC, RWMC – South, SMC, Van Buren	
^{90}Sr , Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule	
<i>Atmospheric Moisture</i>					
Tritium	2 to 13 weeks	Idaho Falls, Craters of the Moon	Atomic City, Howe	EFS, MFC, Van Buren	
<i>Precipitation</i>					
Tritium	monthly	Idaho Falls	None	None	
Tritium	weekly	None	Atomic City, Howe	EFS	
<i>Water Sampling</i>					
<i>Drinking Water</i>					
Gross Alpha, Gross Beta, Tritium	semi-annually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None	

Table A-1. continued.

Surface Water				
Gross Alpha, Gross Beta, Tritium	semi-annually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
External Radiation Sampling				
OSLDs				
Gamma Radiation	semiannual	Aberdeen; Blackfoot; Craters of the Moon; Dubois; Idaho Falls; Jackson, WY; Minidoka; Roberts; Sugar City	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Montevieu, Mud Lake Resident Receptor Location	Advanced Test Reactor Complex; Auxiliary Reactor Area; Central Facilities Area; Experimental Breeder Reactor I; Experimental Field Station; Gate 4; Haul E; Haul W; Highway 20; Highway 22; Highway 28; Highway 33; Idaho Nuclear Technology and Engineering Center; Lincoln Boulevard; Materials and Fuels Complex; Naval Reactors Facility; Power Burst Facility Special Power Excursion Reactor; Radioactive Waste Management Complex; Remote-handled Low-level Waste; Resident Receptor Locations; Rest Area; Test Area North, Loss-of-Fluid Test; Transient Reactor Test; Van Buren
Neutron				
Neutron Radiation	semiannual	Idaho Falls	None	Materials and Fuels Complex; Remote-handled Low-level Waste
Soil Sampling				
Soil				
Gamma Spec, ⁹⁰ Sr, Transuramics	biennially	Blackfoot, Carey, St. Anthony	Atomic City, Birch Creek, Butte City, FAA Tower, Frenchman's Cabin, Howe, Montevieu, Mud Lake (2)	EFS, Hwy 26 Rest Area, RWMC

Table A-1. continued.

Agricultural Product Sampling				
Milk				
Gamma Spec (¹³¹ I)	weekly	Rigby	Terreton	None
Gamma Spec (¹³¹ I)	monthly	Dietrich, Minidoka, Monteview, Rigby	Howe, Terreton	None
Tritium, ⁹⁰ Sr	Semi-annually	Dietrich, Minidoka, Monteview, Rigby	Howe, Terreton	None
Potatoes				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Driggs, Hamer, Idaho Falls, Rupert, Shelley, occasional samples across the U.S.	Varies among Arco, Monteview, Mud Lake, Terreton	None
Alfalfa				
Gamma Spec, ⁹⁰ Sr	annually	Idaho Falls	Howe, Mud Lake	None
Grain				
Gamma Spec, ⁹⁰ Sr	annually	Varies among American Falls, Blackfoot, Carey, Idaho Falls, Roberts, Rupert/Minidoka	Varies among Arco, Monteview, Mud Lake, Taber, Terreton	None
Lettuce				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Carey, Idaho Falls, Rigby, Sugar City	Varies among Arco, Atomic City, FAA Tower, Howe, Monteview	EFS

Table A-1. continued.

Wildlife Sampling				
<i>Big Game</i>				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads
<i>Waterfowl</i>				
Gamma Spec, ⁹⁰ Sr, Transuramics	annually	Varies among: American Falls, Firth, Fort Hall, Heise, Market Lake, Mud Lake	None	INL Site wastewater disposal ponds

Page intentionally left blank

Appendix B

Summary of MDCs and DCSs

Table B-1. Summary of approximate MDC for radiological analyses performed during second quarter 2022.

Sample Type	Analysis	Average MDC ^a	DCS ^b
Air (particulate filter) ^e	Gross alpha	2.0×10^{-15} $\mu\text{Ci}/\text{mL}$	1.1×10^{-13} $\mu\text{Ci}/\text{ml}^{\text{c}}$
	Gross beta	3.5×10^{-15} $\mu\text{Ci}/\text{mL}$	9.6×10^{-12} $\mu\text{Ci}/\text{ml}^{\text{d}}$
	¹³⁷ Cs	1.5×10^{-17} $\mu\text{Ci}/\text{mL}$	3.8×10^{-11} $\mu\text{Ci}/\text{ml}$
	⁹⁰ Sr	1.6×10^{-16} $\mu\text{Ci}/\text{mL}$	9.6×10^{-12} $\mu\text{Ci}/\text{ml}$
	²⁴¹ Am	1.3×10^{-15} $\mu\text{Ci}/\text{mL}$	1.3×10^{-13} $\mu\text{Ci}/\text{ml}$
	²³⁸ Pu	1.4×10^{-17} $\mu\text{Ci}/\text{mL}$	1.2×10^{-13} $\mu\text{Ci}/\text{ml}$
Air (charcoal cartridge) ^e	^{239/240} Pu	1.3×10^{-17} $\mu\text{Ci}/\text{mL}$	1.1×10^{-13} $\mu\text{Ci}/\text{ml}$
	¹³¹ I	2.6×10^{-13} $\mu\text{Ci}/\text{mL}$	4.5×10^{-10} $\mu\text{Ci}/\text{ml}$
Air (atmospheric moisture)	³ H	6.3×10^{-13} $\mu\text{Ci}/\text{mL}_{\text{air}}$	1.3×10^{-7} $\mu\text{Ci}/\text{ml}_{\text{air}}$
Air (precipitation)	³ H	99 pCi/L	2.6×10^6 pCi/L
Milk	¹³¹ I	0.6 pCi/L	1.0×10^4 pCi/L
	¹³⁷ Cs	0.9 pCi/L	2.7×10^4 pCi/L

a. The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95% level of confidence. MDCs are calculated and reported by the laboratories based on actual INL contractor sample results following analysis.
b. DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.
c. Based on the most restrictive human-made alpha emitter (²³⁹Pu).
d. Based on the most restrictive human-made beta emitter (⁹⁰Sr).
e. The approximate MDC for air is based on an average filtered air volume (pressure corrected) of 445 m³/week.

Appendix C

Sample Analysis Results

Table C-1. Weekly gross alpha and gross beta concentrations in air.

Sampling Group and Location	Sampling Date	GROSS ALPHA					GROSS BETA								
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s				
		Yes	No	Yes	No		Yes	No	Yes	No					
BOUNDARY															
ARCO	04/06/22	1.41	±	0.30	5.22	±	1.10	Yes	13.70	±	0.58	50.69	±	2.15	Yes
	04/13/22	0.78	±	0.30	2.87	±	1.11	No	17.20	±	0.65	63.64	±	2.41	Yes
	04/20/22	1.78	±	0.34	6.59	±	1.27	Yes	20.00	±	0.70	74.00	±	2.58	Yes
	04/27/22	1.41	±	0.33	5.22	±	1.20	Yes	16.00	±	0.63	59.20	±	2.33	Yes
	05/04/22	1.07	±	0.31	3.96	±	1.16	Yes	19.80	±	0.66	73.26	±	2.43	Yes
	05/11/22	1.73	±	0.31	6.40	±	1.15	Yes	13.00	±	0.56	48.10	±	2.08	Yes
	05/18/22	1.52	±	0.32	5.62	±	1.19	Yes	18.80	±	0.65	69.56	±	2.42	Yes
	05/25/22	0.83	±	0.28	3.08	±	1.02	Yes	16.60	±	0.61	61.42	±	2.25	Yes
	06/01/22	0.61	±	0.28	2.24	±	1.02	No	13.40	±	0.59	49.58	±	2.17	Yes
	06/08/22	0.48	±	0.28	1.79	±	1.03	No	19.90	±	0.66	73.63	±	2.45	Yes
	06/15/22	1.04	±	0.30	3.85	±	1.12	Yes	16.20	±	0.64	59.94	±	2.36	Yes
	06/22/22	1.00	±	0.30	3.70	±	1.11	Yes	18.90	±	0.64	69.93	±	2.36	Yes
	06/29/22	1.42	±	0.24	5.25	±	0.90	Yes	23.10	±	0.79	85.47	±	2.92	Yes
ATOMIC CITY	04/06/22	1.19	±	0.29	4.40	±	1.09	Yes	15.50	±	0.61	57.35	±	2.25	Yes
	04/13/22	1.57	±	0.32	5.81	±	1.18	Yes	14.60	±	0.60	54.02	±	2.21	Yes
	04/20/22	0.98	±	0.30	3.61	±	1.09	Yes	19.00	±	0.66	70.30	±	2.46	Yes
	04/27/22	0.64	±	0.30	2.38	±	1.11	No	17.40	±	0.66	64.38	±	2.44	Yes
	05/04/22	1.03	±	0.31	3.81	±	1.15	Yes	19.20	±	0.66	71.04	±	2.42	Yes
	05/11/22	1.32	±	0.30	4.88	±	1.11	Yes	13.50	±	0.58	49.95	±	2.15	Yes
	05/18/22	1.43	±	0.31	5.29	±	1.16	Yes	18.90	±	0.65	69.93	±	2.40	Yes
	05/25/22	0.84	±	0.29	3.12	±	1.06	No	17.40	±	0.64	64.38	±	2.36	Yes
	06/01/22	0.59	±	0.27	2.17	±	0.99	No	13.10	±	0.57	48.47	±	2.11	Yes
	06/08/22	1.14	±	0.32	4.22	±	1.17	Yes	21.30	±	0.69	78.81	±	2.55	Yes
	06/15/22	0.86	±	0.29	3.17	±	1.08	No	16.90	±	0.64	62.53	±	2.36	Yes
	06/22/22	0.67	±	0.34	2.48	±	1.25	No	23.20	±	0.77	85.84	±	2.85	Yes
	06/29/22	0.97	±	0.21	3.57	±	0.78	Yes	24.50	±	0.79	90.65	±	2.92	Yes
BLUE DOME	04/06/22	1.65	±	0.33	6.11	±	1.20	Yes	16.30	±	0.64	60.31	±	2.36	Yes
	04/13/22	1.01	±	0.32	3.74	±	1.20	Yes	18.80	±	0.68	69.56	±	2.53	Yes
	04/20/22	2.16	±	0.37	7.99	±	1.37	Yes	21.20	±	0.73	78.44	±	2.70	Yes
	04/27/22	1.44	±	0.32	5.33	±	1.20	Yes	16.10	±	0.63	59.57	±	2.32	Yes
	05/04/22	1.79	±	0.35	6.62	±	1.28	Yes	15.60	±	0.63	57.72	±	2.34	Yes
	05/11/22	1.49	±	0.34	5.51	±	1.24	Yes	16.00	±	0.66	59.20	±	2.44	Yes
	05/18/22	2.04	±	0.39	7.55	±	1.42	Yes	22.30	±	0.76	82.51	±	2.82	Yes
	05/25/22	0.87	±	0.28	3.20	±	1.02	Yes	14.50	±	0.59	53.65	±	2.19	Yes
	06/01/22	0.43	±	0.25	1.59	±	0.94	No	11.50	±	0.55	42.55	±	2.02	Yes
	06/08/22	0.70	±	0.30	2.59	±	1.12	No	18.10	±	0.68	66.97	±	2.52	Yes
	06/15/22	0.43	±	0.29	1.59	±	1.08	No	17.70	±	0.69	65.49	±	2.54	Yes
	06/22/22	1.49	±	0.34	5.51	±	1.27	Yes	18.10	±	0.68	66.97	±	2.50	Yes
	06/29/22	2.09	±	0.38	7.73	±	1.39	Yes	38.80	±	1.27	143.56	±	4.70	Yes
FAA TOWER	04/06/22	1.41	±	0.30	5.22	±	1.12	Yes	14.10	±	0.60	52.17	±	2.21	Yes
	04/13/22	1.37	±	0.32	5.07	±	1.19	Yes	15.70	±	0.63	58.09	±	2.32	Yes
	04/20/22	1.49	±	0.32	5.51	±	1.20	Yes	18.80	±	0.67	69.56	±	2.49	Yes
	04/27/22	1.46	±	0.34	5.40	±	1.27	Yes	18.30	±	0.68	67.71	±	2.50	Yes
	05/04/22	2.00	±	0.36	7.40	±	1.32	Yes	18.40	±	0.66	68.08	±	2.45	Yes
	05/11/22	1.06	±	0.30	3.92	±	1.10	Yes	14.70	±	0.61	54.39	±	2.25	Yes
	05/18/22	1.05	±	0.31	3.89	±	1.16	Yes	19.40	±	0.68	71.78	±	2.53	Yes
	05/25/22	1.19	±	0.32	4.40	±	1.17	Yes	16.10	±	0.66	59.57	±	2.42	Yes
	06/01/22	1.52	±	0.33	5.62	±	1.22	Yes	15.20	±	0.63	56.24	±	2.32	Yes
	06/08/22	1.56	±	0.34	5.77	±	1.27	Yes	21.10	±	0.71	78.07	±	2.61	Yes
	06/15/22	0.57	±	0.29	2.09	±	1.08	No	17.50	±	0.67	64.75	±	2.48	Yes
	06/22/22	0.70	±	0.30	2.58	±	1.12	No	17.70	±	0.66	65.49	±	2.43	Yes
	06/29/22	1.11	±	0.23	4.11	±	0.85	Yes	23.00	±	0.80	85.10	±	2.97	Yes
HOWE	04/06/22	1.35	±	0.32	5.00	±	1.17	Yes	14.80	±	0.64	54.76	±	2.35	Yes
	04/13/22	2.11	±	0.37	7.81	±	1.36	Yes	16.80	±	0.66	62.16	±	2.45	Yes
	04/20/22	1.43	±	0.32	5.29	±	1.18	Yes	17.70	±	0.66	65.49	±	2.44	Yes
	04/27/22	0.51	±	0.28	1.88	±	1.02	No	15.70	±	0.62	58.09	±	2.28	Yes
	05/04/22	2.09	±	0.34	7.73	±	1.26	Yes	16.40	±	0.61	60.68	±	2.24	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA												GROSS BETA			
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	
		Result	±	Uncertainty	Result	±	Uncertainty		Result	±	Uncertainty	Result	±	Uncertainty	
MONTEVIEW	05/11/22	0.61	±	0.28	2.27	±	1.04	No	14.60	±	0.62	54.02	±	2.30	Yes
	05/18/22	1.58	±	0.33	5.85	±	1.21	Yes	19.60	±	0.67	72.52	±	2.47	Yes
	05/25/22	0.74	±	0.27	2.73	±	0.99	No	15.30	±	0.59	56.61	±	2.19	Yes
	06/01/22	3.12	±	0.39	11.54	±	1.43	Yes	14.70	±	0.61	54.39	±	2.27	Yes
	06/08/22	0.79	±	0.30	2.91	±	1.11	No	18.60	±	0.67	68.82	±	2.48	Yes
	06/15/22	1.29	±	0.32	4.77	±	1.19	Yes	16.90	±	0.66	62.53	±	2.43	Yes
	06/22/22	1.14	±	0.32	4.22	±	1.20	Yes	19.00	±	0.67	70.30	±	2.48	Yes
	06/29/22	1.98	±	0.28	7.33	±	1.04	Yes	25.10	±	0.84	92.87	±	3.10	Yes
	04/06/22	1.71	±	0.31	6.33	±	1.15	Yes	15.40	±	0.59	56.98	±	2.20	Yes
	04/13/22	1.82	±	0.35	6.73	±	1.28	Yes	16.10	±	0.64	59.57	±	2.38	Yes
MUD LAKE	04/20/22	1.33	±	0.30	4.92	±	1.12	Yes	18.50	±	0.65	68.45	±	2.39	Yes
	04/27/22	0.85	±	0.30	3.15	±	1.12	No	16.80	±	0.64	62.16	±	2.38	Yes
	05/04/22	1.79	±	0.35	6.62	±	1.28	Yes	18.00	±	0.65	66.60	±	2.42	Yes
	05/11/22	1.39	±	0.32	5.14	±	1.17	Yes	15.20	±	0.62	56.24	±	2.30	Yes
	05/18/22	2.06	±	0.35	7.62	±	1.28	Yes	18.90	±	0.66	69.93	±	2.43	Yes
	05/25/22	1.07	±	0.29	3.96	±	1.06	Yes	15.40	±	0.60	56.98	±	2.23	Yes
	06/01/22	0.44	±	0.26	1.62	±	0.95	No	12.80	±	0.56	47.36	±	2.08	Yes
	06/08/22	0.80	±	0.30	2.95	±	1.10	No	19.30	±	0.67	71.41	±	2.48	Yes
	06/15/22	1.08	±	0.31	4.00	±	1.14	Yes	18.00	±	0.65	66.60	±	2.41	Yes
	06/22/22	1.38	±	0.34	5.11	±	1.25	Yes	18.70	±	0.68	69.19	±	2.51	Yes
	06/29/22	1.93	±	0.28	7.14	±	1.03	Yes	26.60	±	0.85	98.42	±	3.16	Yes
OFFSITE	04/06/22	1.31	±	0.28	4.85	±	1.04	Yes	13.40	±	0.56	49.58	±	2.06	Yes
	04/13/22	0.78	±	0.28	2.87	±	1.05	No	12.60	±	0.58	46.62	±	2.14	Yes
BLACKFOOT	04/20/22	1.02	±	0.28	3.77	±	1.02	Yes	13.40	±	0.58	49.58	±	2.14	Yes
	04/27/22	0.73	±	0.28	2.71	±	1.04	No	13.60	±	0.59	50.32	±	2.18	Yes
	05/04/22	1.34	±	0.31	4.96	±	1.13	Yes	13.90	±	0.58	51.43	±	2.13	Yes
	05/11/22	0.84	±	0.35	3.11	±	1.29	No	14.90	±	0.74	55.13	±	2.74	Yes
	05/18/22	1.38	±	0.28	5.11	±	1.02	Yes	11.90	±	0.52	44.03	±	1.93	Yes
	05/25/22	0.26	±	0.20	0.96	±	0.75	No	6.33	±	0.45	23.42	±	1.65	Yes
	06/01/22	0.30	±	0.19	1.12	±	0.69	No	4.14	±	0.36	15.32	±	1.34	Yes
	06/08/22	0.52	±	0.25	1.91	±	0.91	No	6.73	±	0.49	24.90	±	1.83	Yes
	06/15/22	0.64	±	0.29	2.38	±	1.05	No	12.90	±	0.61	47.73	±	2.27	Yes
	06/22/22	0.79	±	0.31	2.93	±	1.14	No	20.60	±	0.68	76.22	±	2.52	Yes
	06/29/22	2.41	±	0.30	8.92	±	1.10	Yes	26.60	±	0.84	98.42	±	3.10	Yes
	04/06/22	1.55	±	0.32	5.74	±	1.19	Yes	16.10	±	0.64	59.57	±	2.36	Yes
	04/06/22	0.76	±	0.60	2.81	±	2.22	No	15.30	±	2.30	56.61	±	8.51	Yes
	04/13/22	1.36	±	0.33	5.03	±	1.24	Yes	14.70	±	0.64	54.39	±	2.38	Yes
	04/13/22	1.40	±	0.73	5.18	±	2.70	No	13.50	±	2.20	49.95	±	8.14	Yes
	04/20/22	1.41	±	0.32	5.22	±	1.18	Yes	17.50	±	0.66	64.75	±	2.46	Yes
	04/20/22	1.28	±	0.86	4.74	±	3.18	No	20.00	±	2.80	74.00	±	10.36	Yes
	04/27/22	1.78	±	0.36	6.59	±	1.32	Yes	18.30	±	0.68	67.71	±	2.52	Yes
	04/27/22	0.10	±	0.57	0.37	±	2.11	No	17.10	±	2.50	63.27	±	9.25	Yes
	05/04/22	1.70	±	0.36	6.29	±	1.32	Yes	18.20	±	0.68	67.34	±	2.53	Yes
	05/04/22	1.02	±	0.67	3.77	±	2.48	No	18.70	±	2.60	69.19	±	9.62	Yes
	05/11/22	0.88	±	0.30	3.25	±	1.10	No	15.70	±	0.64	58.09	±	2.36	Yes
	05/11/22	1.11	±	0.69	4.11	±	2.55	No	13.50	±	2.20	49.95	±	8.14	Yes
	05/18/22	1.87	±	0.34	6.92	±	1.25	Yes	17.30	±	0.65	64.01	±	2.39	Yes
	05/18/22	2.31	±	0.93	8.55	±	3.44	No	17.50	±	2.50	64.75	±	9.25	Yes
	05/25/22	1.09	±	0.30	4.03	±	1.12	Yes	16.70	±	0.65	61.79	±	2.39	Yes
	05/25/22	1.15	±	0.83	4.26	±	3.07	No	13.50	±	2.30	49.95	±	8.51	Yes
	06/01/22	0.25	±	0.26	0.91	±	0.94	No	12.10	±	0.57	44.77	±	2.12	Yes
	06/01/22	0.10	±	0.53	0.37	±	1.96	No	1.01	±	0.97	3.74	±	3.59	No
	06/08/22	1.18	±	0.33	4.37	±	1.22	Yes	21.70	±	0.71	80.29	±	2.63	Yes
	06/08/22	1.84	±	0.92	6.81	±	3.40	No	19.50	±	2.70	72.15	±	9.99	Yes
	06/15/22	1.36	±	0.33	5.03	±	1.21	Yes	16.50	±	0.66	61.05	±	2.43	Yes
	06/15/22	1.04	±	0.78	3.85	±	2.89	No	9.00	±	1.90	33.30	±	7.03	Yes
	06/22/22	1.54	±	0.39	5.70	±	1.44	Yes	20.20	±	0.78	74.74	±	2.87	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA		
		Result \pm 1s Uncertainty ($\times 10^{-15}$ $\mu\text{Ci/mL}$)	Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s	Result \pm 1s Uncertainty ($\times 10^{-15}$ $\mu\text{Ci/mL}$)	Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s
CRATERS OF THE MOON	06/22/22	1.60 \pm 1.00	5.92 \pm 3.70	No	19.90 \pm 2.80	73.63 \pm 10.36	Yes
	06/29/22	1.10 \pm 0.22	4.07 \pm 0.81	Yes	23.90 \pm 0.78	88.43 \pm 2.89	Yes
	06/29/22	0.61 \pm 0.73	2.26 \pm 2.70	No	24.80 \pm 3.20	91.76 \pm 11.84	Yes
	04/06/22	1.39 \pm 0.30	5.14 \pm 1.10	Yes	13.80 \pm 0.58	51.06 \pm 2.14	Yes
	04/06/22	0.48 \pm 0.54	1.78 \pm 2.00	No	15.70 \pm 2.40	58.09 \pm 8.88	Yes
	04/13/22	1.68 \pm 0.33	6.22 \pm 1.22	Yes	15.80 \pm 0.62	58.46 \pm 2.29	Yes
	04/13/22	1.17 \pm 0.70	4.33 \pm 2.59	No	13.90 \pm 2.20	51.43 \pm 8.14	Yes
	04/20/22	1.33 \pm 0.31	4.92 \pm 1.15	Yes	19.20 \pm 0.67	71.04 \pm 2.47	Yes
	04/20/22	0.13 \pm 0.59	0.48 \pm 2.18	No	22.80 \pm 3.00	84.36 \pm 11.10	Yes
	04/27/22	0.93 \pm 0.31	3.44 \pm 1.13	Yes	16.50 \pm 0.64	61.05 \pm 2.36	Yes
	04/27/22	0.78 \pm 0.75	2.89 \pm 2.78	No	20.10 \pm 2.80	74.37 \pm 10.36	Yes
	05/04/22	1.68 \pm 0.32	6.22 \pm 1.19	Yes	17.30 \pm 0.61	64.01 \pm 2.25	Yes
	05/04/22	1.08 \pm 0.70	4.00 \pm 2.59	No	15.60 \pm 2.40	57.72 \pm 8.88	Yes
	05/11/22	1.17 \pm 0.28	4.33 \pm 1.04	Yes	12.70 \pm 0.55	46.99 \pm 2.05	Yes
	05/11/22	1.72 \pm 0.82	6.36 \pm 3.03	No	11.80 \pm 2.00	43.66 \pm 7.40	Yes
	05/18/22	1.47 \pm 0.32	5.44 \pm 1.17	Yes	19.20 \pm 0.65	71.04 \pm 2.41	Yes
	05/18/22	1.68 \pm 0.81	6.22 \pm 3.00	No	17.10 \pm 2.50	63.27 \pm 9.25	Yes
	05/25/22	0.90 \pm 0.29	3.34 \pm 1.07	Yes	18.40 \pm 0.65	68.08 \pm 2.39	Yes
	05/25/22	-0.18 \pm 0.49	-0.67 \pm 1.81	No	12.10 \pm 2.00	44.77 \pm 7.40	Yes
	06/01/22	0.26 \pm 0.24	0.95 \pm 0.90	No	11.80 \pm 0.55	43.66 \pm 2.02	Yes
	06/01/22	0.45 \pm 0.50	1.67 \pm 1.85	No	11.60 \pm 2.00	42.92 \pm 7.40	Yes
	06/08/22	1.19 \pm 0.31	4.40 \pm 1.16	Yes	19.30 \pm 0.67	71.41 \pm 2.47	Yes
	06/08/22	1.13 \pm 0.82	4.18 \pm 3.03	No	21.30 \pm 2.90	78.81 \pm 10.73	Yes
	06/15/22	0.46 \pm 0.27	1.71 \pm 1.00	No	15.20 \pm 0.62	56.24 \pm 2.29	Yes
	06/15/22	0.87 \pm 0.74	3.22 \pm 2.74	No	13.80 \pm 2.30	51.06 \pm 8.51	Yes
	06/22/22	0.95 \pm 0.32	3.52 \pm 1.19	No	20.70 \pm 0.69	76.59 \pm 2.56	Yes
	06/22/22	2.00 \pm 1.10	7.40 \pm 4.07	No	18.60 \pm 2.80	68.82 \pm 10.36	Yes
	06/29/22	1.14 \pm 0.88	4.22 \pm 3.26	No	24.30 \pm 0.81	89.91 \pm 2.99	Yes
	06/29/22	1.10 \pm 0.23	4.07 \pm 0.84	Yes	24.70 \pm 3.30	91.39 \pm 12.21	Yes
DUBOIS	04/06/22	2.22 \pm 0.34	8.21 \pm 1.26	Yes	14.40 \pm 0.60	53.28 \pm 2.23	Yes
	04/13/22	1.40 \pm 0.32	5.18 \pm 1.19	Yes	14.00 \pm 0.61	51.80 \pm 2.25	Yes
	04/20/22	1.48 \pm 0.33	5.48 \pm 1.22	Yes	20.70 \pm 0.70	76.59 \pm 2.59	Yes
	04/27/22	1.21 \pm 0.32	4.48 \pm 1.18	Yes	17.10 \pm 0.64	63.27 \pm 2.38	Yes
	05/04/22	2.10 \pm 0.36	7.77 \pm 1.34	Yes	16.30 \pm 0.64	60.31 \pm 2.37	Yes
	05/11/22	0.85 \pm 0.29	3.15 \pm 1.08	No	15.90 \pm 0.63	58.83 \pm 2.33	Yes
	05/18/22	1.84 \pm 0.36	6.81 \pm 1.34	Yes	21.60 \pm 0.73	79.92 \pm 2.69	Yes
	05/25/22	0.48 \pm 0.26	1.79 \pm 0.96	No	15.20 \pm 0.60	56.24 \pm 2.23	Yes
	06/01/22	0.62 \pm 0.28	2.30 \pm 1.02	No	13.70 \pm 0.59	50.69 \pm 2.17	Yes
	06/08/22	1.36 \pm 0.32	5.03 \pm 1.19	Yes	18.90 \pm 0.67	69.93 \pm 2.46	Yes
	06/15/22	1.13 \pm 0.31	4.18 \pm 1.16	Yes	17.50 \pm 0.66	64.75 \pm 2.43	Yes
	06/22/22	1.50 \pm 0.35	5.55 \pm 1.29	Yes	17.30 \pm 0.68	64.01 \pm 2.51	Yes
	06/29/22	2.79 \pm 0.33	10.32 \pm 1.22	Yes	25.90 \pm 0.88	95.83 \pm 3.26	Yes
DUBOIS (QA)	04/06/22	2.11 \pm 0.33	7.81 \pm 1.24	No	15.40 \pm 0.61	56.98 \pm 2.25	Yes
	04/13/22	1.91 \pm 0.36	7.07 \pm 1.34	No	17.20 \pm 0.67	63.64 \pm 2.49	Yes
	04/20/22	1.74 \pm 0.34	6.44 \pm 1.25	No	20.20 \pm 0.69	74.74 \pm 2.56	Yes
	04/27/22	1.79 \pm 0.35	6.62 \pm 1.28	No	19.30 \pm 0.67	71.41 \pm 2.47	Yes
	05/04/22	1.75 \pm 0.34	6.48 \pm 1.24	No	18.40 \pm 0.64	68.08 \pm 2.36	Yes
	05/11/22	0.83 \pm 0.29	3.07 \pm 1.06	No	15.10 \pm 0.62	55.87 \pm 2.28	Yes
	05/18/22	1.52 \pm 0.33	5.62 \pm 1.22	No	20.80 \pm 0.69	76.96 \pm 2.54	Yes
	05/25/22	0.99 \pm 0.29	3.67 \pm 1.07	No	15.60 \pm 0.62	57.72 \pm 2.29	Yes
	06/01/22	1.87 \pm 0.33	6.92 \pm 1.21	No	15.10 \pm 0.59	55.87 \pm 2.19	Yes
	06/08/22	0.63 \pm 0.30	2.33 \pm 1.10	No	20.50 \pm 0.69	75.85 \pm 2.56	Yes
	06/15/22	0.75 \pm 0.30	2.79 \pm 1.12	No	21.20 \pm 0.70	78.44 \pm 2.58	Yes
	06/22/22	0.88 \pm 0.31	3.27 \pm 1.13	No	16.20 \pm 0.64	59.94 \pm 2.36	Yes
	06/29/22	1.49 \pm 0.25	5.51 \pm 0.93	No	22.40 \pm 0.79	82.88 \pm 2.94	Yes
IDAHO FALLS	04/06/22	2.51 \pm 0.35	9.29 \pm 1.30	Yes	13.40 \pm 0.59	49.58 \pm 2.18	Yes
	04/06/22	1.49 \pm 0.84	5.51 \pm 3.11	No	12.40 \pm 2.20	45.88 \pm 8.14	Yes
	04/13/22	1.10 \pm 0.31	4.07 \pm 1.14	Yes	14.00 \pm 0.61	51.80 \pm 2.24	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA		
		Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)	Result > 3s
	04/13/22	0.45 ± 0.62	1.67 ± 2.29	No	17.10 ± 2.50	63.27 ± 9.25	Yes
	04/20/22	1.79 ± 0.34	6.62 ± 1.24	Yes	18.60 ± 0.67	68.82 ± 2.48	Yes
	04/20/22	1.91 ± 0.96	7.07 ± 3.55	No	18.90 ± 2.70	69.93 ± 9.99	Yes
	04/27/22	0.98 ± 0.32	3.63 ± 1.18	Yes	18.20 ± 0.67	67.34 ± 2.49	Yes
	04/27/22	-0.19 ± 0.56	-0.70 ± 2.07	No	16.60 ± 2.50	61.42 ± 9.25	Yes
	05/04/22	1.30 ± 0.33	4.81 ± 1.23	Yes	19.40 ± 0.67	71.78 ± 2.49	Yes
	05/04/22	1.23 ± 0.79	4.55 ± 2.92	No	14.80 ± 2.30	54.76 ± 8.51	Yes
	05/11/22	1.32 ± 0.30	4.88 ± 1.12	Yes	13.70 ± 0.59	50.69 ± 2.18	Yes
	05/11/22	1.93 ± 0.93	7.14 ± 3.44	No	13.30 ± 2.30	49.21 ± 8.51	Yes
	05/18/22	1.67 ± 0.32	6.18 ± 1.20	Yes	18.00 ± 0.64	66.60 ± 2.37	Yes
	05/18/22	1.63 ± 0.88	6.03 ± 3.26	No	20.20 ± 2.80	74.74 ± 10.36	Yes
	05/25/22	1.12 ± 0.29	4.14 ± 1.09	Yes	15.30 ± 0.61	56.61 ± 2.26	Yes
	05/25/22	1.65 ± 0.98	6.11 ± 3.63	No	18.30 ± 2.80	67.71 ± 10.36	Yes
	06/01/22	1.07 ± 0.29	3.96 ± 1.09	Yes	12.60 ± 0.57	46.62 ± 2.12	Yes
	06/01/22	0.34 ± 0.53	1.26 ± 1.96	No	12.40 ± 2.10	45.88 ± 7.77	Yes
	06/08/22	1.39 ± 0.34	5.14 ± 1.24	Yes	20.60 ± 0.70	76.22 ± 2.60	Yes
a	06/08/22	±	±	No	±	±	No
	06/15/22	0.96 ± 0.31	3.56 ± 1.14	Yes	18.10 ± 0.66	66.97 ± 2.46	Yes
	06/15/22	2.20 ± 1.20	8.14 ± 4.44	No	14.80 ± 2.60	54.76 ± 9.62	Yes
	06/22/22	0.85 ± 0.33	3.13 ± 1.22	No	20.00 ± 0.71	74.00 ± 2.64	Yes
	06/22/22	0.13 ± 0.56	0.48 ± 2.07	No	20.50 ± 2.80	75.85 ± 10.36	Yes
	06/29/22	2.03 ± 0.29	7.51 ± 1.07	Yes	25.40 ± 0.86	93.98 ± 3.16	Yes
	06/29/22	-0.21 ± 0.59	-0.78 ± 2.18	No	31.60 ± 3.80	116.92 ± 14.06	Yes
IRC	04/06/22	1.43 ± 0.76	5.29 ± 2.81	No	14.30 ± 2.30	52.91 ± 8.51	Yes
	04/13/22	0.82 ± 0.61	3.03 ± 2.26	No	14.40 ± 2.20	53.28 ± 8.14	Yes
	04/20/22	0.14 ± 0.59	0.52 ± 2.18	No	20.90 ± 2.80	77.33 ± 10.36	Yes
	04/27/22	0.86 ± 0.77	3.18 ± 2.85	No	16.50 ± 2.50	61.05 ± 9.25	Yes
	05/04/22	1.68 ± 0.80	6.22 ± 2.96	No	19.60 ± 2.70	72.52 ± 9.99	Yes
	05/11/22	1.15 ± 0.70	4.26 ± 2.59	No	13.30 ± 2.20	49.21 ± 8.14	Yes
	05/18/22	0.80 ± 0.61	2.96 ± 2.26	No	18.50 ± 2.60	68.45 ± 9.62	Yes
	05/25/22	1.79 ± 0.96	6.62 ± 3.55	No	17.50 ± 2.60	64.75 ± 9.62	Yes
	06/01/22	0.68 ± 0.58	2.52 ± 2.15	No	13.00 ± 2.10	48.10 ± 7.77	Yes
	06/08/22	1.21 ± 0.79	4.48 ± 2.92	No	21.90 ± 2.80	81.03 ± 10.36	Yes
	06/15/22	-0.44 ± 0.53	-1.63 ± 1.96	No	14.40 ± 2.30	53.28 ± 8.51	Yes
	06/22/22	0.62 ± 0.72	2.29 ± 2.66	No	20.60 ± 2.80	76.22 ± 10.36	Yes
	06/29/22	0.78 ± 0.74	2.89 ± 2.74	No	23.90 ± 3.10	88.43 ± 11.47	Yes
IRC (NORTH)	04/06/22	0.82 ± 0.63	3.03 ± 2.33	No	16.80 ± 2.50	62.16 ± 9.25	Yes
	04/13/22	0.17 ± 0.53	0.63 ± 1.96	No	14.10 ± 2.30	52.17 ± 8.51	Yes
	04/20/22	1.73 ± 0.93	6.40 ± 3.44	No	18.90 ± 2.60	69.93 ± 9.62	Yes
	04/27/22	-0.02 ± 0.61	-0.07 ± 2.26	No	19.50 ± 2.70	72.15 ± 9.99	Yes
	05/04/22	1.42 ± 0.75	5.25 ± 2.78	No	19.40 ± 2.70	71.78 ± 9.99	Yes
	05/11/22	1.45 ± 0.79	5.37 ± 2.92	No	18.10 ± 2.60	66.97 ± 9.62	Yes
	05/18/22	0.78 ± 0.61	2.89 ± 2.26	No	15.80 ± 2.40	58.46 ± 8.88	Yes
	05/25/22	0.66 ± 0.75	2.44 ± 2.78	No	13.70 ± 2.20	50.69 ± 8.14	Yes
	06/01/22	0.50 ± 0.53	1.85 ± 1.96	No	16.20 ± 2.40	59.94 ± 8.88	Yes
	06/08/22	1.52 ± 0.90	5.62 ± 3.33	No	24.80 ± 3.10	91.76 ± 11.47	Yes
a	06/15/22	±	±	No	±	±	No
a	06/22/22	2.20 ± 1.20	8.14 ± 4.44	No	26.70 ± 3.70	98.79 ± 13.69	Yes
a	06/29/22	±	±	No	±	±	No
JACKSON, WY	04/06/22	2.19 ± 0.37	8.10 ± 1.35	Yes	19.30 ± 0.69	71.41 ± 2.57	Yes
	04/13/22	0.54 ± 0.30	1.99 ± 1.10	No	14.80 ± 0.65	54.76 ± 2.40	Yes
	04/20/22	2.06 ± 0.37	7.62 ± 1.37	Yes	21.20 ± 0.73	78.44 ± 2.72	Yes
	04/27/22	2.32 ± 0.38	8.58 ± 1.41	Yes	20.70 ± 0.71	76.59 ± 2.61	Yes
	05/04/22	2.41 ± 0.40	8.92 ± 1.47	Yes	22.00 ± 0.74	81.40 ± 2.72	Yes
	05/11/22	1.57 ± 0.33	5.81 ± 1.23	Yes	15.90 ± 0.65	58.83 ± 2.39	Yes
	05/18/22	1.96 ± 0.36	7.25 ± 1.34	Yes	18.10 ± 0.70	66.97 ± 2.57	Yes
	05/25/22	0.81 ± 0.31	3.00 ± 1.13	No	16.40 ± 0.67	60.68 ± 2.49	Yes
	06/01/22	0.83 ± 0.30	3.09 ± 1.12	No	13.10 ± 0.62	48.47 ± 2.28	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA													GROSS BETA		
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
		Mean	SD	CV%	Mean	SD	CV%		Mean	SD	CV%	Mean	SD	CV%	
SUGAR CITY	06/08/22	0.48	±	0.31	1.78	±	1.13	No	21.30	±	0.73	78.81	±	2.70	Yes
	06/15/22	0.67	±	0.32	2.47	±	1.18	No	19.70	±	0.73	72.89	±	2.69	Yes
	06/22/22	0.55	±	0.27	2.05	±	1.00	No	19.00	±	0.61	70.30	±	2.26	Yes
	06/29/22	0.99	±	0.25	3.67	±	0.91	Yes	27.80	±	0.93	102.86	±	3.44	Yes
	04/06/22	2.42	±	0.34	8.95	±	1.25	Yes	14.40	±	0.58	53.28	±	2.15	Yes
	04/06/22	1.21	±	0.74	4.48	±	2.74	No	18.90	±	2.60	69.93	±	9.62	Yes
	04/13/22	1.43	±	0.32	5.29	±	1.17	Yes	15.80	±	0.61	58.46	±	2.26	Yes
	04/13/22	1.65	±	0.80	6.11	±	2.96	No	15.60	±	2.40	57.72	±	8.88	Yes
	04/20/22	1.72	±	0.34	6.36	±	1.26	Yes	19.20	±	0.69	71.04	±	2.55	Yes
	04/20/22	2.07	±	0.94	7.66	±	3.48	No	17.60	±	2.60	65.12	±	9.62	Yes
	04/27/22	1.08	±	0.32	4.00	±	1.18	Yes	19.00	±	0.67	70.30	±	2.48	Yes
	04/27/22	0.54	±	0.67	2.00	±	2.48	No	20.70	±	2.80	76.59	±	10.36	Yes
	05/04/22	2.33	±	0.39	8.62	±	1.43	Yes	19.90	±	0.71	73.63	±	2.61	Yes
	05/04/22	1.22	±	0.74	4.51	±	2.74	No	18.20	±	2.60	67.34	±	9.62	Yes
	05/11/22	1.04	±	0.28	3.85	±	1.03	Yes	14.50	±	0.58	53.65	±	2.13	Yes
	05/11/22	0.39	±	0.53	1.44	±	1.96	No	15.90	±	2.40	58.83	±	8.88	Yes
	05/18/22	3.44	±	0.53	12.73	±	1.95	Yes	28.70	±	0.98	106.19	±	3.62	Yes
	05/18/22	0.96	±	0.67	3.55	±	2.48	No	13.70	±	2.20	50.69	±	8.14	Yes
	05/25/22	0.72	±	0.28	2.65	±	1.04	No	16.00	±	0.63	59.20	±	2.32	Yes
	05/25/22	1.41	±	0.89	5.22	±	3.29	No	15.50	±	2.40	57.35	±	8.88	Yes
	06/01/22	2.24	±	0.35	8.29	±	1.31	Yes	14.60	±	0.61	54.02	±	2.25	Yes
	06/01/22	1.70	±	0.81	6.29	±	3.00	No	12.80	±	2.10	47.36	±	7.77	Yes
	06/08/22	1.28	±	0.32	4.74	±	1.20	Yes	19.40	±	0.68	71.78	±	2.51	Yes
	06/08/22	1.93	±	0.93	7.14	±	3.44	No	19.50	±	2.70	72.15	±	9.99	Yes
	06/15/22	0.87	±	0.30	3.20	±	1.10	No	17.70	±	0.65	65.49	±	2.41	Yes
	06/15/22	0.31	±	0.67	1.15	±	2.48	No	20.40	±	2.80	75.48	±	10.36	Yes
	06/22/22	1.29	±	0.33	4.77	±	1.22	Yes	18.10	±	0.67	66.97	±	2.46	Yes
	06/22/22	2.30	±	1.00	8.51	±	3.70	No	16.70	±	2.50	61.79	±	9.25	Yes
	06/29/22	2.35	±	0.30	8.70	±	1.10	Yes	26.40	±	0.85	97.68	±	3.15	Yes
	06/29/22	0.86	±	0.75	3.18	±	2.78	No	19.10	±	2.70	70.67	±	9.99	Yes
ONSITE															
ATR COMPLEX	04/06/22	1.81	±	0.85	6.70	±	3.15	No	12.70	±	2.20	46.99	±	8.14	Yes
	04/13/22	1.21	±	0.71	4.48	±	2.63	No	17.60	±	2.50	65.12	±	9.25	Yes
	04/20/22	0.71	±	0.74	2.63	±	2.74	No	18.60	±	2.70	68.82	±	9.99	Yes
	04/27/22	0.81	±	0.73	3.00	±	2.70	No	16.00	±	2.50	59.20	±	9.25	Yes
	05/04/22	1.34	±	0.73	4.96	±	2.70	No	16.90	±	2.40	62.53	±	8.88	Yes
	05/11/22	1.38	±	0.72	5.11	±	2.66	No	12.40	±	2.00	45.88	±	7.40	Yes
	05/18/22	0.81	±	0.60	3.00	±	2.22	No	18.00	±	2.50	66.60	±	9.25	Yes
	05/25/22	0.10	±	0.62	0.37	±	2.29	No	18.60	±	2.70	68.82	±	9.99	Yes
	06/01/22	0.31	±	0.49	1.15	±	1.81	No	15.20	±	2.30	56.24	±	8.51	Yes
	06/08/22	2.60	±	1.00	9.62	±	3.70	No	22.60	±	2.90	83.62	±	10.73	Yes
	06/15/22	-0.18	±	0.50	-0.67	±	1.85	No	18.60	±	2.60	68.82	±	9.62	Yes
	06/22/22	0.76	±	0.69	2.81	±	2.55	No	17.20	±	2.50	63.64	±	9.25	Yes
	06/29/22	1.81	±	0.90	6.70	±	3.33	No	24.10	±	3.10	89.17	±	11.47	Yes
CFA	04/06/22	1.02	±	0.71	3.77	±	2.63	No	13.60	±	2.20	50.32	±	8.14	Yes
	04/13/22	0.75	±	0.62	2.78	±	2.29	No	14.60	±	2.20	54.02	±	8.14	Yes
	04/20/22	0.25	±	0.64	0.93	±	2.37	No	19.40	±	2.60	71.78	±	9.62	Yes
	04/27/22	2.08	±	0.95	7.70	±	3.52	No	18.60	±	2.60	68.82	±	9.62	Yes
	05/04/22	1.34	±	0.75	4.96	±	2.78	No	17.90	±	2.50	66.23	±	9.25	Yes
	05/11/22	2.70	±	1.00	9.99	±	3.70	No	15.00	±	2.30	55.50	±	8.51	Yes
	05/18/22	1.20	±	0.76	4.44	±	2.81	No	18.90	±	2.60	69.93	±	9.62	Yes
	05/25/22	0.21	±	0.61	0.78	±	2.26	No	16.90	±	2.50	62.53	±	9.25	Yes
	06/01/22	2.45	±	0.95	9.07	±	3.52	No	12.10	±	2.10	44.77	±	7.77	Yes
	06/08/22	0.12	±	0.64	0.44	±	2.37	No	22.90	±	3.00	84.73	±	11.10	Yes
	06/15/22	0.49	±	0.64	1.81	±	2.37	No	12.90	±	2.10	47.73	±	7.77	Yes
	06/22/22	0.89	±	0.79	3.29	±	2.92	No	21.10	±	3.00	78.07	±	11.10	Yes
	06/29/22	1.33	±	0.84	4.92	±	3.11	No	27.00	±	3.40	99.90	±	12.58	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA												GROSS BETA		
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s	
		Result	Uncertainty	Result	Uncertainty	Result		Result	Uncertainty	Result	Uncertainty	Result		
EBR-I	04/06/22	2.03	± 0.95	7.51	± 3.52	No	15.90	± 2.40	58.83	± 8.88	Yes			
	04/13/22	0.98	± 0.77	3.63	± 2.85	No	15.00	± 2.30	55.50	± 8.51	Yes			
	04/20/22	0.06	± 0.58	0.22	± 2.15	No	19.60	± 2.60	72.52	± 9.62	Yes			
	04/27/22	0.71	± 0.72	2.63	± 2.66	No	15.00	± 2.30	55.50	± 8.51	Yes			
	05/04/22	1.86	± 0.92	6.88	± 3.40	No	16.90	± 2.50	62.53	± 9.25	Yes			
	05/11/22	0.14	± 0.58	0.52	± 2.15	No	14.20	± 2.20	52.54	± 8.14	Yes			
	05/18/22	-0.45	± 0.50	-1.67	± 1.85	No	18.20	± 2.50	67.34	± 9.25	Yes			
	05/25/22	0.37	± 0.55	1.37	± 2.04	No	10.20	± 1.90	37.74	± 7.03	Yes			
	06/01/22	1.37	± 0.73	5.07	± 2.70	No	10.70	± 1.90	39.59	± 7.03	Yes			
	06/08/22	0.85	± 0.76	3.15	± 2.81	No	21.10	± 2.90	78.07	± 10.73	Yes			
	06/15/22	0.85	± 0.72	3.15	± 2.66	No	16.10	± 2.40	59.57	± 8.88	Yes			
	06/22/22	0.91	± 0.85	3.37	± 3.15	No	21.70	± 3.00	80.29	± 11.10	Yes			
	06/29/22	0.02	± 0.54	0.07	± 2.00	No	27.10	± 3.40	100.27	± 12.58	Yes			
EFS	04/06/22	1.57	± 0.31	5.81	± 1.16	Yes	16.80	± 0.63	62.16	± 2.31	Yes			
	04/13/22	1.40	± 0.74	5.18	± 2.74	No	13.30	± 2.20	49.21	± 8.14	Yes			
	04/20/22	1.22	± 0.33	4.51	± 1.20	Yes	19.20	± 0.67	71.04	± 2.49	Yes			
	04/27/22	1.42	± 0.75	5.25	± 2.78	No	19.80	± 2.70	73.26	± 9.99	Yes			
	05/04/22	1.48	± 0.34	5.48	± 1.27	Yes	23.50	± 0.74	86.95	± 2.75	Yes			
	05/11/22	0.95	± 0.81	3.52	± 3.00	No	22.40	± 2.90	82.88	± 10.73	Yes			
	05/18/22	1.43	± 0.34	5.29	± 1.27	Yes	19.30	± 0.69	71.41	± 2.56	Yes			
	06/01/22	2.70	± 1.10	9.99	± 4.07	No	16.60	± 2.50	61.42	± 9.25	Yes			
	06/08/22	1.52	± 0.33	5.62	± 1.21	Yes	18.90	± 0.65	69.93	± 2.39	Yes			
	06/15/22	0.75	± 0.62	2.78	± 2.29	No	19.00	± 2.70	70.30	± 9.99	Yes			
	06/22/22	1.22	± 0.31	4.51	± 1.13	Yes	17.40	± 0.63	64.38	± 2.34	Yes			
	06/29/22	1.98	± 0.86	7.33	± 3.18	No	15.30	± 2.40	56.61	± 8.88	Yes			
	07/06/22	1.60	± 0.33	5.92	± 1.21	Yes	20.30	± 0.67	75.11	± 2.48	Yes			
	07/13/22	1.08	± 0.69	4.00	± 2.55	No	19.70	± 2.70	72.89	± 9.99	Yes			
	07/20/22	0.75	± 0.27	2.76	± 1.01	No	18.00	± 0.62	66.60	± 2.29	Yes			
	07/27/22	0.33	± 0.69	1.22	± 2.55	No	16.70	± 2.50	61.79	± 9.25	Yes			
	08/03/22	2.29	± 0.35	8.47	± 1.29	Yes	15.60	± 0.61	57.72	± 2.24	Yes			
	08/10/22	1.84	± 0.80	6.81	± 2.96	No	12.20	± 2.00	45.14	± 7.40	Yes			
	08/17/22	0.83	± 0.31	3.06	± 1.13	No	22.20	± 0.70	82.14	± 2.59	Yes			
	08/24/22	1.61	± 0.86	5.96	± 3.18	No	20.50	± 2.70	75.85	± 9.99	Yes			
	09/01/22	0.93	± 0.31	3.44	± 1.14	Yes	19.40	± 0.68	71.78	± 2.50	Yes			
	09/08/22	-0.33	± 0.51	-1.22	± 1.89	No	15.20	± 2.30	56.24	± 8.51	Yes			
	09/15/22	1.40	± 0.37	5.18	± 1.37	Yes	23.00	± 0.77	85.10	± 2.83	Yes			
	09/22/22	1.09	± 0.84	4.03	± 3.11	No	23.30	± 3.00	86.21	± 11.10	Yes			
	09/29/22	1.24	± 0.24	4.59	± 0.90	Yes	27.90	± 0.87	103.23	± 3.23	Yes			
	10/06/22	2.30	± 1.00	8.51	± 3.70	No	26.00	± 3.30	96.20	± 12.21	Yes			
GATE 4	04/06/22	1.39	± 0.74	5.14	± 2.74	No	15.60	± 2.40	57.72	± 8.88	Yes			
	04/13/22	1.38	± 0.73	5.11	± 2.70	No	22.40	± 2.90	82.88	± 10.73	Yes			
	04/20/22	0.95	± 0.80	3.52	± 2.96	No	21.30	± 2.90	78.81	± 10.73	Yes			
	04/27/22	1.69	± 0.92	6.25	± 3.40	No	22.00	± 3.00	81.40	± 11.10	Yes			
	05/04/22	0.45	± 0.53	1.67	± 1.96	No	18.30	± 2.60	67.71	± 9.62	Yes			
	05/11/22	1.37	± 0.74	5.07	± 2.74	No	15.20	± 2.30	56.24	± 8.51	Yes			
	05/18/22	1.96	± 0.86	7.25	± 3.18	No	17.60	± 2.50	65.12	± 9.25	Yes			
	05/25/22	1.67	± 0.93	6.18	± 3.44	No	16.40	± 2.50	60.68	± 9.25	Yes			
	06/01/22	0.08	± 0.48	0.30	± 1.78	No	9.30	± 1.70	34.41	± 6.29	Yes			
	06/08/22	1.77	± 0.90	6.55	± 3.33	No	22.20	± 2.90	82.14	± 10.73	Yes			
	06/15/22	1.74	± 0.92	6.44	± 3.40	No	20.60	± 2.70	76.22	± 9.99	Yes			
	06/22/22	1.52	± 0.88	5.62	± 3.26	No	18.40	± 2.60	68.08	± 9.62	Yes			
	06/29/22	-0.32	± 0.49	-1.18	± 1.81	No	29.40	± 3.50	108.78	± 12.95	Yes			
HIGHWAY 26 REST AREA	04/06/22	0.69	± 0.62	2.55	± 2.29	No	12.70	± 2.10	46.99	± 7.77	Yes			
	04/13/22	1.90	± 0.86	7.03	± 3.18	No	18.20	± 2.50	67.34	± 9.25	Yes			
	04/20/22	0.86	± 0.73	3.18	± 2.70	No	21.30	± 2.90	78.81	± 10.73	Yes			
	04/27/22	2.12	± 0.97	7.84	± 3.59	No	20.50	± 2.80	75.85	± 10.36	Yes			
	05/04/22	1.63	± 0.81	6.03	± 3.00	No	17.00	± 2.40	62.90	± 8.88	Yes			

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA												GROSS BETA							
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s			Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s		
		Result	±	Uncertainty	Result	±	Uncertainty	Result	±	Uncertainty	Result	±	Uncertainty	Result	±	Uncertainty	Result	±	Uncertainty
INTEC (NE CORNER)	05/11/22	1.75	±	0.85	6.48	±	3.15	No	14.60	±	2.20	54.02	±	8.14	Yes				
	05/18/22	1.77	±	0.87	6.55	±	3.22	No	21.00	±	2.80	77.70	±	10.36	Yes				
	05/25/22	1.54	±	0.87	5.70	±	3.22	No	19.80	±	2.80	73.26	±	10.36	Yes				
	06/01/22	-0.52	±	0.51	-1.92	±	1.89	No	26.60	±	3.20	98.42	±	11.84	Yes				
	06/08/22	0.23	±	0.59	0.85	±	2.18	No	16.70	±	2.50	61.79	±	9.25	Yes				
	06/15/22	2.20	±	1.00	8.14	±	3.70	No	22.30	±	3.00	82.51	±	11.10	Yes				
	06/22/22	0.12	±	0.61	0.44	±	2.26	No	20.30	±	2.80	75.11	±	10.36	Yes				
	06/29/22	0.12	±	0.58	0.44	±	2.15	No	29.10	±	3.50	107.67	±	12.95	Yes				
	04/06/22	2.02	±	0.87	7.47	±	3.22	No	13.40	±	2.20	49.58	±	8.14	Yes				
	04/13/22	0.54	±	0.53	2.00	±	1.96	No	18.40	±	2.60	68.08	±	9.62	Yes				
INTEC (WEST SIDE)	04/20/22	0.24	±	0.60	0.89	±	2.22	No	18.50	±	2.70	68.45	±	9.99	Yes				
	04/27/22	0.77	±	0.78	2.85	±	2.89	No	18.50	±	2.70	68.45	±	9.99	Yes				
	05/04/22	0.14	±	0.52	0.52	±	1.92	No	23.70	±	3.00	87.69	±	11.10	Yes				
	05/11/22	0.52	±	0.53	1.92	±	1.96	No	10.70	±	2.00	39.59	±	7.40	Yes				
	05/18/22	1.09	±	0.69	4.03	±	2.55	No	19.10	±	2.70	70.67	±	9.99	Yes				
	05/25/22	0.51	±	0.65	1.89	±	2.41	No	9.30	±	1.80	34.41	±	6.66	Yes				
	06/01/22	0.11	±	0.62	0.41	±	2.29	No	16.50	±	2.50	61.05	±	9.25	Yes				
	06/08/22	0.47	±	0.70	1.74	±	2.59	No	22.40	±	3.00	82.88	±	11.10	Yes				
	06/15/22	0.65	±	0.77	2.41	±	2.85	No	13.60	±	2.30	50.32	±	8.51	Yes				
	06/22/22	0.40	±	0.69	1.48	±	2.55	No	16.90	±	2.50	62.53	±	9.25	Yes				
	a 06/29/22	±	±	±	No	±	±	No	±	±	±	No	±	±	No	±	±	±	±
	04/06/22	2.21	±	0.95	8.18	±	3.52	No	17.60	±	2.60	65.12	±	9.62	Yes				
	04/13/22	1.18	±	0.72	4.37	±	2.66	No	15.90	±	2.50	58.83	±	9.25	Yes				
INTEC (QA)	04/20/22	0.18	±	0.62	0.67	±	2.29	No	20.10	±	2.90	74.37	±	10.73	Yes				
	a 04/27/22	±	±	±	No	±	±	No	±	±	±	No	±	±	No	±	±	±	±
	05/04/22	0.44	±	0.56	1.63	±	2.07	No	13.80	±	2.30	51.06	±	8.51	Yes				
	05/11/22	0.49	±	0.49	1.81	±	1.81	No	15.70	±	2.30	58.09	±	8.51	Yes				
	05/18/22	1.13	±	0.69	4.18	±	2.55	No	24.60	±	3.10	91.02	±	11.47	Yes				
	05/25/22	0.10	±	0.61	0.37	±	2.26	No	17.30	±	2.60	64.01	±	9.62	Yes				
	06/01/22	1.59	±	0.75	5.88	±	2.78	No	10.40	±	1.90	38.48	±	7.03	Yes				
	06/08/22	1.05	±	0.75	3.89	±	2.78	No	16.30	±	2.40	60.31	±	8.88	Yes				
	06/15/22	0.28	±	0.62	1.04	±	2.29	No	18.40	±	2.50	68.08	±	9.25	Yes				
	06/22/22	1.57	±	0.85	5.81	±	3.15	No	21.10	±	2.80	78.07	±	10.36	Yes				
	06/29/22	0.80	±	0.73	2.96	±	2.70	No	26.30	±	3.30	97.31	±	12.21	Yes				
	04/06/22	0.94	±	0.68	3.48	±	2.52	No	15.80	±	2.40	58.46	±	8.88	Yes				
	04/13/22	1.25	±	0.72	4.63	±	2.66	No	13.90	±	2.20	51.43	±	8.14	Yes				
MAIN GATE	04/20/22	-0.25	±	0.53	-0.93	±	1.96	No	21.90	±	2.90	81.03	±	10.73	Yes				
	04/27/22	0.40	±	0.66	1.48	±	2.44	No	17.90	±	2.60	66.23	±	9.62	Yes				
	05/04/22	0.03	±	0.51	0.11	±	1.89	No	21.10	±	2.80	78.07	±	10.36	Yes				
	05/11/22	0.68	±	0.60	2.52	±	2.22	No	12.10	±	2.10	44.77	±	7.77	Yes				
	05/18/22	0.96	±	0.68	3.55	±	2.52	No	25.20	±	3.20	93.24	±	11.84	Yes				
	05/25/22	0.45	±	0.67	1.67	±	2.48	No	15.20	±	2.40	56.24	±	8.88	Yes				
	06/01/22	0.94	±	0.68	3.48	±	2.52	No	9.90	±	1.80	36.63	±	6.66	Yes				
	06/08/22	1.26	±	0.77	4.66	±	2.85	No	21.40	±	2.80	79.18	±	10.36	Yes				
	06/15/22	1.02	±	0.74	3.77	±	2.74	No	19.90	±	2.70	73.63	±	9.99	Yes				
	06/22/22	0.68	±	0.69	2.52	±	2.55	No	21.60	±	2.80	79.92	±	10.36	Yes				
	06/29/22	0.25	±	0.59	0.93	±	2.18	No	30.20	±	3.50	111.74	±	12.95	Yes				
	04/06/22	1.73	±	0.32	6.40	±	1.18	Yes	14.90	±	0.61	55.13	±	2.24	Yes				
	04/13/22	1.46	±	0.33	5.40	±	1.21	Yes	15.80	±	0.63	58.46	±	2.33	Yes				
	04/20/22	2.42	±	0.37	8.95	±	1.38	Yes	19.30	±	0.70	71.41	±	2.59	Yes				
C-8	04/27/22	1.27	±	0.33	4.70	±	1.21	Yes	16.00	±	0.64	59.20	±	2.38	Yes				
	05/04/22	1.62	±	0.34	5.99	±	1.25	Yes	17.00	±	0.64	62.90	±	2.36	Yes				
	05/11/22	1.36	±	0.30	5.03	±	1.11	Yes	14.10	±	0.59	52.17	±	2.16	Yes				
	05/18/22	1.19	±	0.32	4.40	±	1.18	Yes	18.50	±	0.67	68.45	±	2.49	Yes				
	05/25/22	0.46	±	0.27	1.71	±	1.00	No	17.50	±	0.65	64.75	±	2.39	Yes				
	06/01/22	2.21	±	0.36	8.18	±	1.31	Yes	15.00	±	0.62	55.50	±	2.29	Yes				
	06/08/22	1.43	±	0.33	5.29	±	1.21	Yes	19.80	±	0.67	73.26	±	2.49	Yes				

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA												GROSS BETA			
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	
		Result	±	Uncertainty	Result	±	Uncertainty		Result	±	Uncertainty	Result	±	Uncertainty	
MFC (NORTH)	06/15/22	0.72	±	0.29	2.65	±	1.09	No	16.80	±	0.65	62.16	±	2.41	Yes
	06/22/22	1.32	±	0.33	4.88	±	1.21	Yes	20.40	±	0.68	75.48	±	2.50	Yes
	06/29/22	1.04	±	0.23	3.85	±	0.84	Yes	25.00	±	0.83	92.50	±	3.06	Yes
	04/06/22	1.64	±	0.80	6.07	±	2.96	No	15.40	±	2.40	56.98	±	8.88	Yes
	04/13/22	1.43	±	0.75	5.29	±	2.78	No	15.60	±	2.40	57.72	±	8.88	Yes
	04/20/22	0.94	±	0.79	3.48	±	2.92	No	21.80	±	2.90	80.66	±	10.73	Yes
	04/27/22	1.66	±	0.90	6.14	±	3.33	No	14.50	±	2.30	53.65	±	8.51	Yes
	05/04/22	0.54	±	0.53	2.00	±	1.96	No	14.70	±	2.30	54.39	±	8.51	Yes
	05/11/22	0.07	±	0.50	0.26	±	1.85	No	18.10	±	2.50	66.97	±	9.25	Yes
	05/18/22	3.40	±	1.10	12.58	±	4.07	Yes	23.90	±	3.10	88.43	±	11.47	Yes
	05/25/22	1.39	±	0.92	5.14	±	3.40	No	20.10	±	2.80	74.37	±	10.36	Yes
	06/01/22	1.80	±	0.85	6.66	±	3.15	No	12.60	±	2.10	46.62	±	7.77	Yes
	06/08/22	2.50	±	1.10	9.25	±	4.07	No	22.50	±	3.00	83.25	±	11.10	Yes
	06/15/22	1.33	±	0.86	4.92	±	3.18	No	15.50	±	2.40	57.35	±	8.88	Yes
	06/22/22	2.50	±	1.10	9.25	±	4.07	No	21.00	±	2.90	77.70	±	10.73	Yes
	06/29/22	0.45	±	0.62	1.67	±	2.29	No	15.10	±	2.40	55.87	±	8.88	Yes
MFC (SOUTH)	04/06/22	1.43	±	0.75	5.29	±	2.78	No	13.70	±	2.20	50.69	±	8.14	Yes
	04/13/22	1.79	±	0.84	6.62	±	3.11	No	12.50	±	2.10	46.25	±	7.77	Yes
	04/20/22	0.43	±	0.65	1.59	±	2.41	No	17.00	±	2.50	62.90	±	9.25	Yes
	04/27/22	0.17	±	0.57	0.63	±	2.11	No	12.80	±	2.10	47.36	±	7.77	Yes
	05/04/22	0.53	±	0.54	1.96	±	2.00	No	15.20	±	2.30	56.24	±	8.51	Yes
	05/11/22	-0.05	±	0.53	-0.19	±	1.96	No	6.20	±	1.50	22.94	±	5.55	Yes
	05/18/22	2.05	±	0.89	7.59	±	3.29	No	18.20	±	2.60	67.34	±	9.62	Yes
	05/25/22	-0.34	±	0.52	-1.26	±	1.92	No	6.90	±	1.60	25.53	±	5.92	Yes
	06/01/22	1.43	±	0.76	5.29	±	2.81	No	14.20	±	2.30	52.54	±	8.51	Yes
	06/08/22	-0.07	±	0.56	-0.26	±	2.07	No	18.30	±	2.70	67.71	±	9.99	Yes
	06/15/22	1.35	±	0.82	5.00	±	3.03	No	17.10	±	2.50	63.27	±	9.25	Yes
	06/22/22	-0.09	±	0.56	-0.33	±	2.07	No	1.90	±	1.10	7.03	±	4.07	No
	06/29/22	1.71	±	0.94	6.33	±	3.48	No	28.50	±	3.50	105.45	±	12.95	Yes
NRF	04/06/22	1.61	±	0.85	5.96	±	3.15	No	18.40	±	2.70	68.08	±	9.99	Yes
	04/13/22	-0.28	±	0.68	-1.04	±	2.52	No	22.40	±	3.20	82.88	±	11.84	Yes
	04/20/22	1.87	±	0.95	6.92	±	3.52	No	20.70	±	2.80	76.59	±	10.36	Yes
	04/27/22	1.00	±	1.80	3.70	±	6.66	No	14.50	±	4.40	53.65	±	16.28	Yes
	05/04/22	1.57	±	0.83	5.81	±	3.07	No	19.60	±	2.70	72.52	±	9.99	Yes
	05/11/22	1.59	±	0.81	5.88	±	3.00	No	15.70	±	2.40	58.09	±	8.88	Yes
	05/18/22	1.29	±	0.76	4.77	±	2.81	No	21.40	±	2.90	79.18	±	10.73	Yes
	05/25/22	0.21	±	0.61	0.78	±	2.26	No	16.70	±	2.50	61.79	±	9.25	Yes
	06/01/22	0.19	±	0.49	0.70	±	1.81	No	10.50	±	1.90	38.85	±	7.03	Yes
	06/08/22	1.31	±	0.78	4.85	±	2.89	No	16.90	±	2.40	62.53	±	8.88	Yes
	06/15/22	1.50	±	0.87	5.55	±	3.22	No	17.00	±	2.50	62.90	±	9.25	Yes
	06/22/22	1.42	±	0.90	5.25	±	3.33	No	23.80	±	3.10	88.06	±	11.47	Yes
	06/29/22	2.30	±	1.00	8.51	±	3.70	No	24.20	±	3.10	89.54	±	11.47	Yes
RHLLW	04/06/22	1.06	±	0.67	3.92	±	2.48	No	12.20	±	2.10	45.14	±	7.77	Yes
	04/13/22	0.22	±	0.50	0.81	±	1.85	No	18.90	±	2.60	69.93	±	9.62	Yes
	04/20/22	0.06	±	0.58	0.22	±	2.15	No	19.30	±	2.70	71.41	±	9.99	Yes
	04/27/22	0.66	±	0.74	2.44	±	2.74	No	21.00	±	2.80	77.70	±	10.36	Yes
	05/04/22	0.14	±	0.50	0.52	±	1.85	No	21.30	±	2.80	78.81	±	10.36	Yes
	05/11/22	1.35	±	0.73	5.00	±	2.70	No	13.20	±	2.10	48.84	±	7.77	Yes
	05/18/22	1.64	±	0.79	6.07	±	2.92	No	16.20	±	2.40	59.94	±	8.88	Yes
	05/25/22	0.39	±	0.67	1.44	±	2.48	No	19.20	±	2.70	71.04	±	9.99	Yes
	06/01/22	1.25	±	0.71	4.63	±	2.63	No	12.60	±	2.00	46.62	±	7.40	Yes
	06/08/22	1.67	±	0.86	6.18	±	3.18	No	18.20	±	2.60	67.34	±	9.62	Yes
	06/15/22	1.16	±	0.81	4.29	±	3.00	No	16.70	±	2.40	61.79	±	8.88	Yes
	06/22/22	0.50	±	0.65	1.85	±	2.41	No	20.00	±	2.80	74.00	±	10.36	Yes
	06/29/22	0.99	±	0.83	3.66	±	3.07	No	30.50	±	3.60	112.85	±	13.32	Yes
RWMC	04/06/22	0.53	±	0.63	1.96	±	2.33	No	14.20	±	2.20	52.54	±	8.14	Yes
	04/13/22	0.66	±	0.70	2.44	±	2.59	No	16.50	±	2.40	61.05	±	8.88	Yes
	04/20/22	1.56	±	0.86	5.77	±	3.18	No	20.30	±	2.70	75.11	±	9.99	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA													GROSS BETA		
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)		Result > 3s	
		Result	±	Uncertainty	Result	±	Uncertainty		Result	±	Uncertainty	Result	±	Uncertainty	
04/27/22	0.15	±	0.55	0.56	±	2.04	No	18.70	±	2.60	69.19	±	9.62	Yes	
	1.29	±	0.82	4.77	±	3.03	No	16.40	±	2.40	60.68	±	8.88	Yes	
	1.24	±	0.80	4.59	±	2.96	No	14.00	±	2.20	51.80	±	8.14	Yes	
	1.22	±	0.81	4.51	±	3.00	No	21.60	±	2.80	79.92	±	10.36	Yes	
	0.51	±	0.65	1.89	±	2.41	No	15.70	±	2.40	58.09	±	8.88	Yes	
	0.40	±	0.62	1.48	±	2.29	No	9.10	±	1.70	33.67	±	6.29	Yes	
	-0.19	±	0.54	-0.70	±	2.00	No	21.30	±	2.90	78.81	±	10.73	Yes	
	1.73	±	0.90	6.40	±	3.33	No	18.90	±	2.70	69.93	±	9.99	Yes	
	-0.18	±	0.63	-0.67	±	2.33	No	21.60	±	2.90	79.92	±	10.73	Yes	
	-0.52	±	0.54	-1.92	±	2.00	No	29.70	±	3.60	109.89	±	13.32	Yes	
RWMC (QA)	04/06/22	0.79	±	0.59	2.92	±	2.18	No	15.00	±	2.30	55.50	±	8.51	Yes
	2.26	±	0.93	8.36	±	3.44	No	13.80	±	2.20	51.06	±	8.14	Yes	
	0.78	±	0.71	2.89	±	2.63	No	20.60	±	2.80	76.22	±	10.36	Yes	
	-0.80	±	0.54	-2.96	±	2.00	No	17.70	±	2.60	65.49	±	9.62	Yes	
	1.04	±	0.68	3.85	±	2.52	No	17.90	±	2.50	66.23	±	9.25	Yes	
	1.79	±	0.87	6.62	±	3.22	No	13.90	±	2.20	51.43	±	8.14	Yes	
	0.89	±	0.69	3.29	±	2.55	No	20.70	±	2.70	76.59	±	9.99	Yes	
	1.53	±	0.88	5.66	±	3.26	No	15.70	±	2.50	58.09	±	9.25	Yes	
	0.20	±	0.51	0.74	±	1.89	No	13.10	±	2.10	48.47	±	7.77	Yes	
	1.32	±	0.85	4.88	±	3.15	No	19.50	±	2.80	72.15	±	10.36	Yes	
	1.37	±	0.82	5.07	±	3.03	No	16.00	±	2.40	59.20	±	8.88	Yes	
	1.15	±	0.82	4.26	±	3.03	No	18.20	±	2.70	67.34	±	9.99	Yes	
	1.32	±	0.86	4.88	±	3.18	No	27.50	±	3.50	101.75	±	12.95	Yes	
	04/06/22	1.47	±	0.83	5.44	±	3.07	No	16.40	±	2.50	60.68	±	9.25	Yes
	1.94	±	0.92	7.18	±	3.40	No	17.20	±	2.60	63.64	±	9.62	Yes	
	0.59	±	0.64	2.18	±	2.37	No	18.70	±	2.60	69.19	±	9.62	Yes	
RWMC (SOUTH)	04/27/22	0.00	±	0.54	0.00	±	2.00	No	17.10	±	2.50	63.27	±	9.25	Yes
	-0.26	±	0.53	-0.96	±	1.96	No	16.90	±	2.60	62.53	±	9.62	Yes	
	0.39	±	0.60	1.44	±	2.22	No	15.30	±	2.40	56.61	±	8.88	Yes	
	1.32	±	0.82	4.88	±	3.03	No	19.30	±	2.80	71.41	±	10.36	Yes	
	-0.11	±	0.56	-0.41	±	2.07	No	18.80	±	2.70	69.56	±	9.99	Yes	
	2.80	±	1.10	10.36	±	4.07	No	13.70	±	2.30	50.69	±	8.51	Yes	
	a 06/08/22	±	±	No	±	±	No	±	±	±	±	±	±	No	
	06/15/22	-1.50	±	1.50	-5.55	±	5.55	No	16.90	±	4.40	62.53	±	16.28	Yes
	2.30	±	1.30	8.51	±	4.81	No	21.00	±	3.40	77.70	±	12.58	Yes	
	06/29/22	1.07	±	0.87	3.96	±	3.22	No	28.00	±	3.50	103.60	±	12.95	Yes
SMC	04/06/22	1.38	±	0.75	5.11	±	2.78	No	15.10	±	2.40	55.87	±	8.88	Yes
	1.69	±	0.80	6.25	±	2.96	No	17.70	±	2.60	65.49	±	9.62	Yes	
	0.25	±	0.59	0.93	±	2.18	No	19.10	±	2.70	70.67	±	9.99	Yes	
	-0.39	±	0.54	-1.44	±	2.00	No	20.40	±	2.80	75.48	±	10.36	Yes	
	0.52	±	0.53	1.92	±	1.96	No	18.70	±	2.60	69.19	±	9.62	Yes	
	-0.21	±	0.52	-0.78	±	1.92	No	12.30	±	2.10	45.51	±	7.77	Yes	
	0.98	±	0.69	3.63	±	2.55	No	15.70	±	2.40	58.09	±	8.88	Yes	
	0.31	±	0.64	1.15	±	2.37	No	15.00	±	2.30	55.50	±	8.51	Yes	
	0.13	±	0.51	0.48	±	1.89	No	11.80	±	2.00	43.66	±	7.40	Yes	
	1.28	±	0.83	4.74	±	3.07	No	18.40	±	2.50	68.08	±	9.25	Yes	
	1.51	±	0.91	5.59	±	3.37	No	21.80	±	2.90	80.66	±	10.73	Yes	
	0.04	±	0.60	0.15	±	2.22	No	18.20	±	2.60	67.34	±	9.62	Yes	
	2.04	±	0.98	7.55	±	3.63	No	25.30	±	3.20	93.61	±	11.84	Yes	
	04/06/22	2.04	±	0.34	7.55	±	1.26	Yes	14.50	±	0.62	53.65	±	2.29	Yes
	0.78	±	0.62	2.89	±	2.29	No	15.50	±	2.40	57.35	±	8.88	Yes	
	1.09	±	0.30	4.03	±	1.11	Yes	17.50	±	0.62	64.75	±	2.30	Yes	
	1.08	±	0.67	4.00	±	2.48	No	20.70	±	2.80	76.59	±	10.36	Yes	
	2.09	±	0.34	7.73	±	1.27	Yes	19.40	±	0.67	71.78	±	2.46	Yes	
	-0.17	±	0.50	-0.63	±	1.85	No	16.00	±	2.40	59.20	±	8.88	Yes	
	1.00	±	0.31	3.70	±	1.14	Yes	18.20	±	0.65	67.34	±	2.41	Yes	
	2.50	±	1.00	9.25	±	3.70	No	18.60	±	2.60	68.82	±	9.62	Yes	
	1.19	±	0.32	4.40	±	1.17	Yes	18.40	±	0.64	68.08	±	2.38	Yes	

Table C-1. Weekly gross alpha and gross beta concentrations in air.

Sampling Group and Location	Sampling Date	GROSS ALPHA			GROSS BETA		
		Result \pm 1s Uncertainty ($\times 10^{-15}$ $\mu\text{Ci/mL}$)	Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s	Result \pm 1s Uncertainty ($\times 10^{-15}$ $\mu\text{Ci/mL}$)	Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)	Result > 3s
	05/04/22	0.52 \pm 0.52	1.92 \pm 1.92	No	14.00 \pm 2.20	51.80 \pm 8.14	Yes
	05/11/22	1.13 \pm 0.29	4.18 \pm 1.08	Yes	14.20 \pm 0.59	52.54 \pm 2.18	Yes
	05/11/22	2.35 \pm 0.93	8.70 \pm 3.44	No	14.60 \pm 2.30	54.02 \pm 8.51	Yes
	05/18/22	1.22 \pm 0.32	4.51 \pm 1.18	Yes	19.70 \pm 0.68	72.89 \pm 2.51	Yes
	05/18/22	1.24 \pm 0.74	4.59 \pm 2.74	No	18.70 \pm 2.60	69.19 \pm 9.62	Yes
	05/25/22	0.69 \pm 0.28	2.56 \pm 1.04	No	17.40 \pm 0.64	64.38 \pm 2.37	Yes
	05/25/22	1.64 \pm 0.90	6.07 \pm 3.33	No	16.10 \pm 2.50	59.57 \pm 9.25	Yes
	06/01/22	1.43 \pm 0.30	5.29 \pm 1.12	Yes	14.60 \pm 0.58	54.02 \pm 2.13	Yes
	06/01/22	0.67 \pm 0.70	2.48 \pm 2.59	No	14.70 \pm 2.30	54.39 \pm 8.51	Yes
	06/08/22	0.94 \pm 0.29	3.48 \pm 1.09	Yes	19.00 \pm 0.65	70.30 \pm 2.39	Yes
	06/08/22	0.51 \pm 0.68	1.89 \pm 2.52	No	20.30 \pm 2.80	75.11 \pm 10.36	Yes
	06/15/22	0.89 \pm 0.30	3.31 \pm 1.09	Yes	16.80 \pm 0.64	62.16 \pm 2.36	Yes
	06/15/22	0.96 \pm 0.79	3.55 \pm 2.92	No	19.00 \pm 2.60	70.30 \pm 9.62	Yes
	06/22/22	1.42 \pm 0.32	5.25 \pm 1.19	Yes	16.50 \pm 0.63	61.05 \pm 2.32	Yes
	06/22/22	1.16 \pm 0.83	4.29 \pm 3.07	No	21.10 \pm 2.90	78.07 \pm 10.73	Yes
	06/29/22	1.41 \pm 0.25	5.22 \pm 0.93	Yes	24.50 \pm 0.83	90.65 \pm 3.09	Yes
	06/29/22	1.44 \pm 0.87	5.33 \pm 3.22	No	26.30 \pm 3.30	97.31 \pm 12.21	Yes
VAN BUREN (QA)	04/06/22	1.62 \pm 0.31	5.99 \pm 1.15	Yes	14.80 \pm 0.60	54.76 \pm 2.21	Yes
	04/13/22	0.83 \pm 0.31	3.08 \pm 1.14	No	17.40 \pm 0.66	64.38 \pm 2.45	Yes
	04/20/22	1.57 \pm 0.34	5.81 \pm 1.25	Yes	22.20 \pm 0.72	82.14 \pm 2.66	Yes
	04/27/22	1.22 \pm 0.32	4.51 \pm 1.17	Yes	16.60 \pm 0.64	61.42 \pm 2.35	Yes
	05/04/22	2.30 \pm 0.36	8.51 \pm 1.32	Yes	16.90 \pm 0.63	62.53 \pm 2.32	Yes
	05/11/22	1.30 \pm 0.30	4.81 \pm 1.11	Yes	15.00 \pm 0.60	55.50 \pm 2.21	Yes
	05/18/22	1.72 \pm 0.33	6.36 \pm 1.22	Yes	18.40 \pm 0.65	68.08 \pm 2.41	Yes
	05/25/22	0.19 \pm 0.26	0.72 \pm 0.95	No	17.70 \pm 0.64	65.49 \pm 2.38	Yes
	06/01/22	0.63 \pm 0.28	2.34 \pm 1.04	No	13.80 \pm 0.60	51.06 \pm 2.21	Yes
	06/08/22	0.98 \pm 0.31	3.63 \pm 1.14	Yes	19.70 \pm 0.67	72.89 \pm 2.49	Yes
	06/15/22	0.67 \pm 0.28	2.47 \pm 1.05	No	15.20 \pm 0.62	56.24 \pm 2.31	Yes
	06/22/22	0.65 \pm 0.30	2.39 \pm 1.10	No	20.40 \pm 0.67	75.48 \pm 2.49	Yes
	06/29/22	0.99 \pm 0.22	3.66 \pm 0.82	Yes	22.90 \pm 0.80	84.73 \pm 2.95	Yes

a. Invalid sample identified in red

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10⁻¹⁵ µCi/mL)		Result ± 1s Uncertainty (x 10⁻¹¹ Bq/mL)		Result > 3s	
BOUNDARY							
ARCO	04/06/22	0.59	±	1.36	2.19	± 5.03	No
	04/13/22	1.31	±	12.70	4.85	± 46.99	No
	04/20/22	-1.81	±	1.33	-6.70	± 4.92	No
	04/27/22	-3.16	±	3.70	-11.69	± 13.69	No
	05/04/22	-1.67	±	1.23	-6.18	± 4.55	No
	05/11/22	-0.55	±	1.21	-2.02	± 4.48	No
	05/18/22	1.67	±	1.28	6.18	± 4.74	No
	05/25/22	-1.41	±	1.25	-5.22	± 4.63	No
	06/01/22	-0.54	±	1.97	-2.00	± 7.29	No
	06/08/22	-0.91	±	1.23	-3.37	± 4.55	No
	06/15/22	0.36	±	1.25	1.32	± 4.63	No
	06/22/22	-1.09	±	1.15	-4.03	± 4.26	No
	06/29/22	-1.53	±	1.51	-5.66	± 5.59	No
ATOMIC CITY	04/06/22	0.60	±	1.36	2.21	± 5.03	No
	04/13/22	1.24	±	12.10	4.59	± 44.77	No
	04/20/22	-1.73	±	1.27	-6.40	± 4.70	No
	04/27/22	-3.24	±	3.80	-11.99	± 14.06	No
	05/04/22	-1.69	±	1.25	-6.25	± 4.63	No
	05/11/22	-0.57	±	1.26	-2.10	± 4.66	No
	05/18/22	1.64	±	1.25	6.07	± 4.63	No
	05/25/22	-1.47	±	1.31	-5.44	± 4.85	No
	06/01/22	-0.53	±	1.92	-1.95	± 7.10	No
	06/08/22	-0.93	±	1.25	-3.43	± 4.63	No
	06/15/22	0.35	±	1.22	1.30	± 4.51	No
	06/22/22	-1.30	±	1.37	-4.81	± 5.07	No
	06/29/22	-1.48	±	1.46	-5.48	± 5.40	No
BLUE DOME	04/06/22	-0.59	±	1.19	-2.17	± 4.40	No
	04/13/22	-1.13	±	1.25	-4.18	± 4.63	No
	04/20/22	0.93	±	1.28	3.44	± 4.74	No
	04/27/22	-2.58	±	1.26	-9.55	± 4.66	No
	05/04/22	0.51	±	1.20	1.90	± 4.44	No
	05/11/22	2.55	±	1.33	9.44	± 4.92	No
	05/18/22	-1.68	±	1.34	-6.22	± 4.96	No
	05/25/22	-0.11	±	1.08	-0.40	± 4.00	No
	06/01/22	0.58	±	1.21	2.16	± 4.48	No
	06/08/22	-1.56	±	1.26	-5.77	± 4.66	No
	06/15/22	0.25	±	1.26	0.93	± 4.66	No
	06/22/22	0.18	±	1.17	0.66	± 4.33	No
	06/29/22	2.64	±	1.83	9.77	± 6.77	No
FAA TOWER	04/06/22	-0.58	±	1.17	-2.13	± 4.33	No
	04/13/22	-1.09	±	1.20	-4.03	± 4.44	No
	04/20/22	0.88	±	1.21	3.25	± 4.48	No
	04/27/22	-2.69	±	1.32	-9.95	± 4.88	No
	05/04/22	0.50	±	1.17	1.85	± 4.33	No
	05/11/22	2.37	±	1.24	8.77	± 4.59	No
	05/18/22	-1.54	±	1.23	-5.70	± 4.55	No
	05/25/22	-0.12	±	1.19	-0.44	± 4.40	No
	06/01/22	0.62	±	1.28	2.28	± 4.74	No
	06/08/22	-1.50	±	1.21	-5.55	± 4.48	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	
HOWE	06/15/22	0.24	± 1.22	0.90	± 4.51	No
	06/22/22	0.18	± 1.14	0.65	± 4.22	No
	06/29/22	1.73	± 1.20	6.40	± 4.44	No
	04/06/22	-0.62	± 1.26	-2.30	± 4.66	No
	04/13/22	-1.14	± 1.26	-4.22	± 4.66	No
	04/20/22	0.88	± 1.21	3.26	± 4.48	No
	04/27/22	-2.54	± 1.24	-9.40	± 4.59	No
	05/04/22	0.47	± 1.09	1.72	± 4.03	No
	05/11/22	2.47	± 1.29	9.14	± 4.77	No
	05/18/22	-1.46	± 1.17	-5.40	± 4.33	No
	05/25/22	-0.11	± 1.06	-0.39	± 3.92	No
	06/01/22	0.60	± 1.24	2.21	± 4.59	No
	06/08/22	-1.50	± 1.21	-5.55	± 4.48	No
	06/15/22	0.24	± 1.19	0.88	± 4.40	No
MONTEVIEW	06/22/22	0.17	± 1.12	0.63	± 4.14	No
	06/29/22	1.75	± 1.21	6.48	± 4.48	No
	04/06/22	-0.54	± 1.10	-2.01	± 4.07	No
	04/13/22	-1.11	± 1.23	-4.11	± 4.55	No
	04/20/22	0.83	± 1.14	3.07	± 4.22	No
	04/27/22	-2.62	± 1.28	-9.69	± 4.74	No
	05/04/22	0.50	± 1.17	1.84	± 4.33	No
	05/11/22	2.40	± 1.25	8.88	± 4.63	No
	05/18/22	-1.46	± 1.17	-5.40	± 4.33	No
	05/25/22	-0.11	± 1.07	-0.40	± 3.96	No
	06/01/22	0.58	± 1.20	2.14	± 4.44	No
	06/08/22	-1.46	± 1.18	-5.40	± 4.37	No
	06/15/22	0.23	± 1.14	0.84	± 4.22	No
	06/22/22	0.18	± 1.15	0.65	± 4.26	No
	06/29/22	1.75	± 1.21	6.48	± 4.48	No
MUD LAKE	04/06/22	-0.53	± 1.08	-1.97	± 4.00	No
	04/13/22	-1.09	± 1.20	-4.03	± 4.44	No
	04/20/22	0.85	± 1.16	3.13	± 4.29	No
	04/27/22	-2.57	± 1.26	-9.51	± 4.66	No
	05/04/22	0.48	± 1.12	1.77	± 4.14	No
	05/11/22	3.19	± 1.67	11.80	± 6.18	No
	05/18/22	-1.33	± 1.06	-4.92	± 3.92	No
	05/25/22	-0.10	± 1.04	-0.38	± 3.85	No
	06/01/22	0.49	± 1.02	1.82	± 3.77	No
	06/08/22	-1.56	± 1.25	-5.77	± 4.63	No
	06/15/22	0.25	± 1.25	0.92	± 4.63	No
	06/22/22	0.17	± 1.10	0.62	± 4.07	No
	06/29/22	1.69	± 1.17	6.25	± 4.33	No
OFFSITE						
BLACKFOOT	04/06/22	0.63	± 1.43	2.32	± 5.29	No
	04/06/22	-107.11	± 143.22	-396.31	± 529.91	No
	04/13/22	1.39	± 13.50	5.14	± 49.95	No
	04/13/22	-75.12	± 119.33	-277.93	± 441.52	No
	04/20/22	-1.82	± 1.34	-6.73	± 4.96	No
	04/20/22	-2.92	± 110.82	-10.80	± 410.03	No
	04/27/22	-3.28	± 3.84	-12.14	± 14.21	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10⁻¹¹ Bq/mL)	Result > 3s
WYOMING	04/27/22	144.76 ± 146.56	535.61 ± 542.27	No
	05/04/22	-1.85 ± 1.37	-6.85 ± 5.07	No
	05/04/22	-8.59 ± 136.61	-31.79 ± 505.46	No
	05/11/22	-0.60 ± 1.34	-2.22 ± 4.96	No
	05/11/22	52.68 ± 133.10	194.91 ± 492.47	No
	05/18/22	1.72 ± 1.31	6.36 ± 4.85	No
	05/18/22	4.92 ± 154.61	18.21 ± 572.06	No
	05/25/22	-1.54 ± 1.36	-5.70 ± 5.03	No
	05/25/22	-5.64 ± 136.13	-20.88 ± 503.68	No
	06/01/22	-0.55 ± 2.01	-2.05 ± 7.44	No
	06/01/22	-61.18 ± 145.16	-226.37 ± 537.09	No
	06/08/22	-0.97 ± 1.30	-3.57 ± 4.81	No
	06/08/22	12.97 ± 137.25	47.97 ± 507.83	No
	06/15/22	0.37 ± 1.29	1.37 ± 4.77	No
	06/15/22	-1.08 ± 124.54	-3.99 ± 460.80	No
	06/22/22	-1.43 ± 1.50	-5.29 ± 5.55	No
	06/22/22	61.05 ± 147.56	225.87 ± 545.97	No
	06/29/22	-1.47 ± 1.46	-5.44 ± 5.40	No
	06/29/22	86.00 ± 151.17	318.20 ± 559.33	No
CRATERS OF THE MOON	04/06/22	0.59 ± 1.35	2.19 ± 5.00	No
	04/06/22	-23.48 ± 146.45	-86.86 ± 541.87	No
	04/13/22	1.26 ± 12.20	4.66 ± 45.14	No
	04/13/22	68.02 ± 158.40	251.66 ± 586.08	No
	04/20/22	-1.73 ± 1.27	-6.40 ± 4.70	No
	04/20/22	-41.62 ± 144.75	-153.99 ± 535.58	No
	04/27/22	-3.17 ± 3.72	-11.73 ± 13.76	No
	04/27/22	101.46 ± 180.39	375.40 ± 667.44	No
	05/04/22	-1.59 ± 1.18	-5.88 ± 4.37	No
	05/04/22	167.00 ± 138.18	617.90 ± 511.27	No
	05/11/22	-0.54 ± 1.21	-2.01 ± 4.48	No
	05/11/22	-112.86 ± 139.86	-417.58 ± 517.48	No
	05/18/22	1.64 ± 1.25	6.07 ± 4.63	No
	05/18/22	-0.12 ± 137.01	-0.43 ± 506.94	No
	05/25/22	-1.45 ± 1.29	-5.37 ± 4.77	No
	05/25/22	-58.24 ± 144.52	-215.49 ± 534.72	No
	06/01/22	-0.52 ± 1.89	-1.92 ± 6.99	No
	06/01/22	-21.81 ± 140.04	-80.69 ± 518.15	No
	06/08/22	-0.93 ± 1.26	-3.46 ± 4.66	No
	06/08/22	-1.73 ± 140.57	-6.38 ± 520.11	No
	06/15/22	0.36 ± 1.25	1.32 ± 4.63	No
	06/15/22	-5.17 ± 129.81	-19.14 ± 480.30	No
	06/22/22	-1.18 ± 1.24	-4.37 ± 4.59	No
	06/22/22	76.18 ± 171.95	281.87 ± 636.22	No
	06/29/22	-1.54 ± 1.52	-5.70 ± 5.62	No
	06/29/22	-242.06 ± 167.06	-895.62 ± 618.12	No
DUBOIS	04/06/22	-0.58 ± 1.17	-2.14 ± 4.33	No
	04/13/22	-1.11 ± 1.23	-4.11 ± 4.55	No
	04/20/22	0.88 ± 1.21	3.26 ± 4.48	No
	04/27/22	-2.60 ± 1.27	-9.62 ± 4.70	No
	05/04/22	0.51 ± 1.20	1.89 ± 4.44	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		
	05/11/22	2.40	± 1.25	8.88	± 4.63	No
	05/18/22	-1.58	± 1.26	-5.85	± 4.66	No
	05/25/22	-0.11	± 1.09	-0.40	± 4.03	No
	06/01/22	0.59	± 1.23	2.19	± 4.55	No
	06/08/22	-1.46	± 1.18	-5.40	± 4.37	No
	06/15/22	0.23	± 1.17	0.87	± 4.33	No
	06/22/22	0.18	± 1.20	0.68	± 4.44	No
	06/29/22	1.86	± 1.29	6.88	± 4.77	No
DUBOS (QA)	04/06/22	-0.56	± 1.14	-2.08	± 4.22	No
	04/13/22	-1.15	± 1.27	-4.26	± 4.70	No
	04/20/22	0.88	± 1.21	3.25	± 4.48	No
	04/27/22	-2.54	± 1.25	-9.40	± 4.63	No
	05/04/22	0.47	± 1.11	1.74	± 4.11	No
	05/11/22	2.38	± 1.24	8.81	± 4.59	No
	05/18/22	-1.48	± 1.19	-5.48	± 4.40	No
	05/25/22	-0.11	± 1.11	-0.41	± 4.11	No
	06/01/22	0.57	± 1.18	2.09	± 4.37	No
	06/08/22	-1.49	± 1.20	-5.51	± 4.44	No
	06/15/22	0.23	± 1.15	0.85	± 4.26	No
	06/22/22	0.17	± 1.14	0.64	± 4.22	No
	06/29/22	1.72	± 1.19	6.36	± 4.40	No
IDAHO FALLS	04/06/22	-0.58	± 1.17	-2.13	± 4.33	No
	04/06/22	-53.87	± 153.62	-199.30	± 568.39	No
	04/13/22	-1.10	± 1.22	-4.07	± 4.51	No
	04/13/22	-28.82	± 141.70	-106.65	± 524.29	No
	04/20/22	0.88	± 1.21	3.24	± 4.48	No
	04/20/22	-66.06	± 134.40	-244.41	± 497.28	No
	04/27/22	-2.69	± 1.32	-9.95	± 4.88	No
	04/27/22	-81.49	± 258.29	-301.52	± 955.67	No
	05/04/22	0.50	± 1.17	1.85	± 4.33	No
	05/04/22	10.78	± 152.38	39.87	± 563.81	No
	05/11/22	2.34	± 1.22	8.66	± 4.51	No
	05/11/22	152.88	± 114.87	565.66	± 425.02	No
	05/18/22	-1.45	± 1.16	-5.37	± 4.29	No
	05/18/22	-141.44	± 132.10	-523.33	± 488.77	No
	05/25/22	-0.11	± 1.10	-0.41	± 4.07	No
	05/25/22	42.16	± 142.32	155.99	± 526.58	No
	06/01/22	0.60	± 1.24	2.21	± 4.59	No
	06/01/22	17.21	± 127.21	63.68	± 470.68	No
	06/08/22	-1.51	± 1.22	-5.59	± 4.51	No
	a 06/08/22		±		±	No
	06/15/22	0.23	± 1.17	0.86	± 4.33	No
	06/15/22	-138.15	± 175.21	-511.16	± 648.28	No
	06/22/22	0.18	± 1.20	0.68	± 4.44	No
	06/22/22	-28.36	± 126.87	-104.93	± 469.42	No
	06/29/22	1.80	± 1.25	6.66	± 4.63	No
	06/29/22	-2.89	± 152.45	-10.68	± 564.07	No
IRC	04/06/22	-81.30	± 117.29	-300.80	± 433.97	No
	04/13/22	5.18	± 127.02	19.16	± 469.97	No
	04/20/22	-43.02	± 133.24	-159.19	± 492.99	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	
	04/27/22	48.12	± 155.13	178.03	± 573.98	No
	05/04/22	109.60	± 127.24	405.52	± 470.79	No
	05/11/22	-89.63	± 125.25	-331.63	± 463.43	No
	05/18/22	-71.77	± 137.58	-265.55	± 509.05	No
	05/25/22	-43.93	± 147.13	-162.55	± 544.38	No
	06/01/22	-0.39	± 130.98	-1.45	± 484.63	No
	06/08/22	-31.80	± 121.62	-117.65	± 449.99	No
	06/15/22	-20.97	± 149.11	-77.59	± 551.71	No
	06/22/22	-2.80	± 111.06	-10.36	± 410.92	No
	06/29/22	-125.33	± 137.91	-463.72	± 510.27	No
IRC (NORTH)	04/06/22	-3.91	± 120.86	-14.48	± 447.18	No
	04/13/22	165.59	± 133.13	612.68	± 492.58	No
	04/20/22	-54.11	± 118.79	-200.20	± 439.52	No
	04/27/22	217.88	± 183.88	806.16	± 680.36	No
	05/04/22	-3.45	± 110.90	-12.77	± 410.33	No
	05/11/22	-96.40	± 151.11	-356.69	± 559.11	No
	05/18/22	5.98	± 119.31	22.12	± 441.45	No
	05/25/22	-33.57	± 132.05	-124.20	± 488.59	No
	06/01/22	-87.31	± 106.52	-323.05	± 394.12	No
	06/08/22	-34.04	± 114.65	-125.94	± 424.21	No
	a 06/15/22		±		±	No
	06/22/22	128.60	± 182.12	475.82	± 673.84	No
	a 06/29/22		±		±	No
JACKSON, WY	04/06/22	0.64	± 1.47	2.38	± 5.44	No
	04/13/22	1.42	± 13.80	5.25	± 51.06	No
	04/20/22	-1.90	± 1.39	-7.03	± 5.14	No
	04/27/22	-3.22	± 3.77	-11.91	± 13.95	No
	05/04/22	-1.85	± 1.37	-6.85	± 5.07	No
	05/11/22	-0.61	± 1.35	-2.25	± 5.00	No
	05/18/22	1.88	± 1.44	6.96	± 5.33	No
	05/25/22	-1.66	± 1.47	-6.14	± 5.44	No
	06/01/22	-0.59	± 2.15	-2.19	± 7.96	No
	06/08/22	-1.03	± 1.39	-3.81	± 5.14	No
	06/15/22	0.39	± 1.37	1.46	± 5.07	No
	06/22/22	-1.02	± 1.07	-3.77	± 3.96	No
	06/29/22	-1.79	± 1.77	-6.62	± 6.55	No
	04/06/22	-0.54	± 1.10	-2.01	± 4.07	No
	04/06/22	-93.10	± 152.41	-344.46	± 563.92	No
	04/13/22	-1.04	± 1.15	-3.85	± 4.26	No
	04/13/22	19.64	± 151.33	72.65	± 559.92	No
	04/20/22	0.90	± 1.24	3.34	± 4.59	No
	04/20/22	9.25	± 132.67	34.22	± 490.88	No
	04/27/22	-2.60	± 1.27	-9.62	± 4.70	No
	04/27/22	-79.31	± 153.92	-293.46	± 569.50	No
	05/04/22	0.53	± 1.24	1.95	± 4.59	No
	05/04/22	-104.33	± 139.49	-386.02	± 516.11	No
	05/11/22	2.19	± 1.14	8.10	± 4.22	No
	05/11/22	-32.52	± 124.48	-120.31	± 460.58	No
	05/18/22	-2.14	± 1.71	-7.92	± 6.33	No
	05/18/22	-118.89	± 145.72	-439.89	± 539.16	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	
	05/25/22	-0.11	± 1.12	-0.41	± 4.14	No
	05/25/22	-94.99	± 160.15	-351.46	± 592.56	No
	06/01/22	0.60	± 1.25	2.22	± 4.63	No
	06/01/22	34.34	± 148.68	127.04	± 550.12	No
	06/08/22	-1.48	± 1.19	-5.48	± 4.40	No
	06/08/22	-98.11	± 135.74	-363.00	± 502.24	No
	06/15/22	0.23	± 1.15	0.85	± 4.26	No
	06/15/22	-43.03	± 132.90	-159.20	± 491.73	No
	06/22/22	0.18	± 1.14	0.65	± 4.22	No
	06/22/22	-98.94	± 148.82	-366.08	± 550.63	No
	06/29/22	1.74	± 1.21	6.44	± 4.48	No
	06/29/22	-119.10	± 133.81	-440.67	± 495.10	No
ONSITE						
ATR COMPLEX	04/06/22	110.49	± 137.70	408.81	± 509.49	No
	04/13/22	19.24	± 137.04	71.18	± 507.05	No
	04/20/22	-55.94	± 131.55	-206.98	± 486.74	No
	04/27/22	-9.58	± 140.56	-35.43	± 520.07	No
	05/04/22	18.07	± 125.75	66.85	± 465.28	No
	05/11/22	-143.19	± 127.94	-529.80	± 473.38	No
	05/18/22	148.65	± 137.88	550.01	± 510.16	No
	05/25/22	-111.58	± 148.71	-412.85	± 550.23	No
	06/01/22	-65.24	± 144.44	-241.40	± 534.43	No
	06/08/22	-52.83	± 132.39	-195.46	± 489.84	No
	06/15/22	-37.19	± 137.13	-137.58	± 507.38	No
	06/22/22	47.03	± 136.17	174.03	± 503.83	No
	06/29/22	-12.60	± 137.23	-46.63	± 507.75	No
CFA	04/06/22	-86.75	± 121.06	-320.96	± 447.92	No
	04/13/22	-71.74	± 124.81	-265.44	± 461.80	No
	04/20/22	118.62	± 101.33	438.89	± 374.92	No
	04/27/22	-91.44	± 135.47	-338.34	± 501.24	No
	05/04/22	104.99	± 141.03	388.46	± 521.81	No
	05/11/22	-90.26	± 141.32	-333.97	± 522.88	No
	05/18/22	-78.23	± 141.31	-289.45	± 522.85	No
	05/25/22	-5.40	± 159.64	-19.99	± 590.67	No
	06/01/22	41.35	± 140.55	153.00	± 520.04	No
	06/08/22	7.17	± 124.59	26.54	± 460.98	No
	06/15/22	-263.81	± 145.40	-976.10	± 537.98	No
	06/22/22	-5.68	± 163.17	-21.03	± 603.73	No
	06/29/22	-43.14	± 155.86	-159.61	± 576.68	No
EBR-I	04/06/22	-1.96	± 136.17	-7.26	± 503.83	No
	04/13/22	-64.03	± 145.80	-236.92	± 539.46	No
	04/20/22	-102.54	± 139.56	-379.40	± 516.37	No
	04/27/22	-34.10	± 141.62	-126.15	± 523.99	No
	05/04/22	-126.17	± 146.64	-466.83	± 542.57	No
	05/11/22	-0.46	± 119.27	-1.71	± 441.30	No
	05/18/22	-9.14	± 147.00	-33.83	± 543.90	No
	05/25/22	106.59	± 112.90	394.38	± 417.73	No
	06/01/22	2.48	± 125.73	9.18	± 465.20	No
	06/08/22	-37.47	± 142.99	-138.64	± 529.06	No
	06/15/22	2.29	± 122.77	8.49	± 454.25	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10⁻¹⁵ µCi/mL)	Result ± 1s Uncertainty (x 10⁻¹¹ Bq/mL)	Result > 3s
	06/22/22	-133.47 ± 158.44	-493.84 ± 586.23	No
	06/29/22	68.54 ± 134.07	253.59 ± 496.06	No
EFS	04/06/22	0.59 ± 1.36	2.19 ± 5.03	No
	04/06/22	1.72 ± 123.93	6.37 ± 458.54	No
	04/13/22	1.29 ± 12.50	4.77 ± 46.25	No
	04/13/22	-50.88 ± 123.00	-188.27 ± 455.10	No
	04/20/22	-1.82 ± 1.33	-6.73 ± 4.92	No
	04/20/22	-96.01 ± 134.70	-355.23 ± 498.39	No
	04/27/22	-3.28 ± 3.85	-12.14 ± 14.25	No
	04/27/22	95.59 ± 124.93	353.68 ± 462.24	No
	05/04/22	-1.66 ± 1.23	-6.14 ± 4.55	No
	05/04/22	-102.11 ± 143.72	-377.81 ± 531.76	No
	05/11/22	-0.56 ± 1.24	-2.06 ± 4.59	No
	05/11/22	-43.80 ± 114.09	-162.06 ± 422.13	No
	05/18/22	1.66 ± 1.26	6.14 ± 4.66	No
	05/18/22	-144.94 ± 123.24	-536.28 ± 455.99	No
	05/25/22	-1.38 ± 1.22	-5.11 ± 4.51	No
	05/25/22	-17.74 ± 144.74	-65.65 ± 535.54	No
	06/01/22	-0.52 ± 1.88	-1.91 ± 6.96	No
	06/01/22	-50.32 ± 126.05	-186.17 ± 466.39	No
	06/08/22	-0.93 ± 1.25	-3.43 ± 4.63	No
	06/08/22	-4.83 ± 129.50	-17.85 ± 479.15	No
	06/15/22	0.36 ± 1.24	1.31 ± 4.59	No
	06/15/22	-114.26 ± 134.93	-422.76 ± 499.24	No
	06/22/22	-1.30 ± 1.37	-4.81 ± 5.07	No
	06/22/22	-72.23 ± 140.39	-267.25 ± 519.44	No
	06/29/22	-1.61 ± 1.59	-5.96 ± 5.88	No
	06/29/22	-108.62 ± 141.85	-401.89 ± 524.85	No
GATE4	04/06/22	-4.50 ± 143.01	-16.66 ± 529.14	No
	04/13/22	161.18 ± 149.15	596.37 ± 551.86	No
	04/20/22	-51.21 ± 130.42	-189.47 ± 482.55	No
	04/27/22	17.92 ± 156.01	66.32 ± 577.24	No
	05/04/22	-101.23 ± 135.38	-374.55 ± 500.91	No
	05/11/22	-8.48 ± 140.09	-31.37 ± 518.33	No
	05/18/22	9.27 ± 144.12	34.28 ± 533.24	No
	05/25/22	-34.55 ± 155.55	-127.83 ± 575.54	No
	06/01/22	-161.83 ± 126.86	-598.77 ± 469.38	No
	06/08/22	-81.40 ± 121.29	-301.19 ± 448.77	No
	06/15/22	-15.90 ± 131.63	-58.83 ± 487.03	No
	06/22/22	-0.37 ± 141.92	-1.38 ± 525.10	No
	06/29/22	-14.28 ± 104.49	-52.82 ± 386.61	No
HIGHWAY 26 REST AREA	04/06/22	14.28 ± 128.09	52.84 ± 473.93	No
	04/13/22	41.49 ± 136.16	153.51 ± 503.79	No
	04/20/22	-243.39 ± 141.08	-900.54 ± 522.00	No
	04/27/22	-115.28 ± 142.43	-426.54 ± 526.99	No
	05/04/22	-42.50 ± 139.88	-157.26 ± 517.56	No
	05/11/22	-111.95 ± 141.66	-414.22 ± 524.14	No
	05/18/22	-154.80 ± 153.32	-572.76 ± 567.28	No
	05/25/22	-37.97 ± 144.14	-140.50 ± 533.32	No
	06/01/22	-2.68 ± 135.13	-9.93 ± 499.98	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	
	06/08/22	-103.69	± 121.65	-383.65	± 450.11	No
	06/15/22	97.48	± 117.77	360.69	± 435.75	No
	06/22/22	3.78	± 125.99	13.99	± 466.16	No
	06/29/22	14.85	± 124.69	54.95	± 461.35	No
INTEC (NE CORNER)	04/06/22	73.55	± 153.97	272.15	± 569.69	No
	04/13/22	-56.60	± 135.33	-209.41	± 500.72	No
	04/20/22	3.68	± 98.20	13.62	± 363.34	No
	04/27/22	-45.74	± 151.74	-169.24	± 561.44	No
	05/04/22	-84.43	± 142.91	-312.38	± 528.77	No
	05/11/22	-35.76	± 122.98	-132.32	± 455.03	No
	05/18/22	-78.71	± 132.57	-291.24	± 490.51	No
	05/25/22	-45.02	± 125.73	-166.59	± 465.20	No
	06/01/22	-60.54	± 137.61	-224.01	± 509.16	No
	06/08/22	3.07	± 124.41	11.38	± 460.32	No
	06/15/22	-132.29	± 149.98	-489.47	± 554.93	No
	06/22/22	102.33	± 137.68	378.62	± 509.42	No
	a 06/29/22		±		±	No
INTEC (WEST SIDE)	04/06/22	15.85	± 137.15	58.65	± 507.46	No
	04/13/22	0.76	± 128.53	2.82	± 475.56	No
	a 04/27/22		±		±	No
	04/20/22	-30.63	± 145.22	-113.33	± 537.31	No
	05/04/22	-115.34	± 156.70	-426.76	± 579.79	No
	05/11/22	-90.33	± 145.41	-334.22	± 538.02	No
	05/18/22	-57.84	± 159.54	-214.02	± 590.30	No
	05/25/22	5.08	± 121.15	18.78	± 448.26	No
	06/01/22	-49.41	± 119.14	-182.81	± 440.82	No
	06/08/22	-51.90	± 114.67	-192.04	± 424.28	No
	06/15/22	-56.35	± 122.56	-208.50	± 453.47	No
	06/22/22	108.12	± 136.09	400.04	± 503.53	No
	06/29/22	2.11	± 108.38	7.82	± 401.01	No
INTEC (QA)	04/06/22	141.38	± 125.06	523.11	± 462.72	No
	04/13/22	-83.99	± 115.62	-310.77	± 427.79	No
	04/20/22	-62.90	± 141.23	-232.74	± 522.55	No
	04/27/22	-171.62	± 164.71	-634.99	± 609.43	No
	05/04/22	-108.88	± 140.74	-402.86	± 520.74	No
	05/11/22	-72.16	± 144.66	-267.00	± 535.24	No
	05/18/22	-69.91	± 127.54	-258.66	± 471.90	No
	05/25/22	-110.84	± 152.28	-410.11	± 563.44	No
	06/01/22	10.68	± 128.83	39.53	± 476.67	No
	06/08/22	-84.40	± 137.85	-312.28	± 510.05	No
	06/15/22	-104.93	± 118.80	-388.24	± 439.56	No
	06/22/22	-97.03	± 124.51	-359.01	± 460.69	No
	06/29/22	9.27	± 125.41	34.30	± 464.02	No
MAIN GATE	04/06/22	0.60	± 1.38	2.23	± 5.11	No
	04/13/22	1.30	± 12.60	4.81	± 46.62	No
	04/20/22	-1.86	± 1.36	-6.88	± 5.03	No
	04/27/22	-3.27	± 3.83	-12.10	± 14.17	No
	05/04/22	-1.74	± 1.29	-6.44	± 4.77	No
	05/11/22	-0.56	± 1.24	-2.06	± 4.59	No
	05/18/22	1.77	± 1.35	6.55	± 5.00	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	(x 10 ⁻¹¹ Bq/mL)	
	05/25/22	-1.50	± 1.33	-5.55	± 4.92	No
	06/01/22	-0.55	± 1.98	-2.02	± 7.33	No
	06/08/22	-0.93	± 1.25	-3.44	± 4.63	No
	06/15/22	0.36	± 1.27	1.35	± 4.70	No
	06/22/22	-1.14	± 1.20	-4.22	± 4.44	No
	06/29/22	-1.58	± 1.56	-5.85	± 5.77	No
MFC (NORTH)	04/06/22	-81.44	± 136.86	-301.32	± 506.38	No
	04/13/22	7.92	± 135.18	29.31	± 500.17	No
	04/20/22	-65.93	± 137.44	-243.96	± 508.53	No
	04/27/22	-87.48	± 121.52	-323.67	± 449.62	No
	05/04/22	6.16	± 93.03	22.81	± 344.21	No
	05/11/22	-3.24	± 104.23	-11.98	± 385.65	No
	05/18/22	10.00	± 142.60	37.01	± 527.62	No
	05/25/22	-165.10	± 146.88	-610.87	± 543.46	No
	06/01/22	-16.67	± 130.75	-61.69	± 483.78	No
	06/08/22	-119.73	± 134.36	-443.00	± 497.13	No
	06/15/22	-108.58	± 142.12	-401.75	± 525.84	No
	06/22/22	87.39	± 143.93	323.33	± 532.54	No
	06/29/22	-11.48	± 131.26	-42.48	± 485.66	No
MFC (SOUTH)	04/06/22	-31.85	± 133.87	-117.83	± 495.32	No
	04/13/22	-179.63	± 152.40	-664.63	± 563.88	No
	04/20/22	1.73	± 121.21	6.42	± 448.48	No
	04/27/22	-40.28	± 111.87	-149.03	± 413.92	No
	05/04/22	47.98	± 123.62	177.51	± 457.39	No
	05/11/22	59.28	± 135.92	219.34	± 502.90	No
	05/18/22	-5.30	± 135.85	-19.61	± 502.65	No
	05/25/22	24.21	± 104.68	89.57	± 387.32	No
	06/01/22	-11.85	± 112.61	-43.83	± 416.66	No
	06/08/22	-90.49	± 151.36	-334.82	± 560.03	No
	06/15/22	78.55	± 115.10	290.65	± 425.87	No
	06/22/22	-51.21	± 140.89	-189.48	± 521.29	No
	06/29/22	-78.30	± 149.79	-289.72	± 554.22	No
NRF	04/06/22	-133.03	± 151.01	-492.21	± 558.74	No
	04/13/22	253.72	± 296.02	938.76	± 1095.27	No
	04/20/22	-100.60	± 127.50	-372.22	± 471.75	No
	04/27/22	-392.25	± 410.55	-1451.33	± 1519.04	No
	05/04/22	-34.63	± 140.81	-128.13	± 521.00	No
	05/11/22	77.70	± 150.89	287.48	± 558.29	No
	05/18/22	20.77	± 139.39	76.86	± 515.74	No
	05/25/22	-5.16	± 156.22	-19.09	± 578.01	No
	06/01/22	50.60	± 128.25	187.21	± 474.53	No
	06/08/22	-14.63	± 126.61	-54.14	± 468.46	No
	06/15/22	9.32	± 139.17	34.49	± 514.93	No
	06/22/22	25.06	± 140.15	92.73	± 518.56	No
	06/29/22	-80.89	± 140.08	-299.30	± 518.30	No
RHLLW	04/06/22	-86.46	± 150.11	-319.88	± 555.41	No
	04/13/22	154.72	± 131.46	572.46	± 486.40	No
	04/20/22	-42.61	± 133.65	-157.64	± 494.51	No
	04/27/22	-75.88	± 124.20	-280.74	± 459.54	No
	05/04/22	-128.83	± 136.54	-476.67	± 505.20	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		
	05/11/22	7.55	±	131.72	27.93	± 487.36 No
	05/18/22	-42.21	±	135.75	-156.18	± 502.28 No
	05/25/22	209.09	±	137.25	773.63	± 507.83 No
	06/01/22	-13.97	±	133.75	-51.69	± 494.88 No
	06/08/22	102.79	±	129.67	380.32	± 479.78 No
	06/15/22	-111.86	±	135.72	-413.88	± 502.16 No
	06/22/22	-4.12	±	125.85	-15.25	± 465.65 No
	06/29/22	0.00	±	141.74	0.00	± 524.44 No
RWMC	04/06/22	-3.29	±	116.50	-12.15	± 431.05 No
	04/13/22	-86.58	±	145.24	-320.33	± 537.39 No
	04/20/22	4.47	±	94.01	16.54	± 347.82 No
	04/27/22	-2.24	±	104.59	-8.29	± 386.98 No
	05/04/22	17.62	±	118.63	65.19	± 438.93 No
	05/11/22	62.36	±	135.02	230.75	± 499.57 No
	05/18/22	5.11	±	143.74	18.91	± 531.84 No
	05/25/22	15.96	±	148.57	59.04	± 549.71 No
	06/01/22	-81.39	±	134.76	-301.14	± 498.61 No
	06/08/22	-109.12	±	139.74	-403.74	± 517.04 No
	06/15/22	-54.56	±	126.99	-201.85	± 469.86 No
	06/22/22	6.01	±	160.51	22.26	± 593.89 No
	06/29/22	226.03	±	114.66	836.31	± 424.24 No
RWMC (QA)	04/06/22	-9.58	±	125.00	-35.46	± 462.50 No
	04/13/22	122.48	±	108.08	453.18	± 399.90 No
	04/20/22	13.78	±	128.30	50.97	± 474.71 No
	04/27/22	-136.92	±	155.32	-506.60	± 574.68 No
	05/04/22	110.38	±	155.33	408.41	± 574.72 No
	05/11/22	-85.10	±	124.57	-314.86	± 460.91 No
	05/18/22	-97.85	±	157.97	-362.04	± 584.49 No
	05/25/22	-34.81	±	157.00	-128.80	± 580.90 No
	06/01/22	-84.39	±	140.58	-312.24	± 520.15 No
	06/08/22	-11.56	±	158.24	-42.75	± 585.49 No
	06/15/22	-82.92	±	147.23	-306.80	± 544.75 No
	06/22/22	-20.53	±	129.66	-75.95	± 479.74 No
	06/29/22	-7.07	±	166.74	-26.17	± 616.94 No
RWMC (SOUTH)	04/06/22	-28.58	±	134.77	-105.74	± 498.65 No
	04/13/22	-60.94	±	149.57	-225.47	± 553.41 No
	04/20/22	-71.61	±	124.80	-264.94	± 461.76 No
	04/27/22	-2.73	±	140.22	-10.09	± 518.81 No
	05/04/22	18.17	±	151.62	67.24	± 560.99 No
	05/11/22	23.04	±	144.94	85.24	± 536.28 No
	05/18/22	37.51	±	135.74	138.78	± 502.24 No
	05/25/22	-80.84	±	122.47	-299.11	± 453.14 No
	06/01/22	68.82	±	102.77	254.65	± 380.25 No
	a 06/08/22	±			±	No
	06/15/22	408.84	±	305.39	1512.71	± 1129.94 No
	06/22/22	-45.99	±	183.90	-170.17	± 680.43 No
	06/29/22	-63.65	±	126.32	-235.51	± 467.38 No
SMC	04/06/22	-95.17	±	131.93	-352.13	± 488.14 No
	04/13/22	-138.92	±	145.80	-514.00	± 539.46 No
	04/20/22	52.05	±	144.80	192.59	± 535.76 No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		
	04/27/22	-59.91	± 146.52	-221.66	± 542.12	No
	05/04/22	70.21	± 120.18	259.78	± 444.67	No
	05/11/22	-100.45	± 141.61	-371.67	± 523.96	No
	05/18/22	-125.42	± 128.55	-464.05	± 475.64	No
	05/25/22	-70.25	± 135.11	-259.94	± 499.91	No
	06/01/22	-80.46	± 152.45	-297.72	± 564.07	No
	06/08/22	11.15	± 130.62	41.24	± 483.29	No
	06/15/22	-117.57	± 142.19	-435.01	± 526.10	No
	06/22/22	-31.98	± 129.14	-118.32	± 477.82	No
	06/29/22	-158.31	± 125.70	-585.75	± 465.09	No
VAN BUREN	04/06/22	0.63	± 1.45	2.35	± 5.37	No
	04/06/22	151.30	± 102.95	559.81	± 380.92	No
	04/13/22	1.20	± 11.70	4.44	± 43.29	No
	04/13/22	39.54	± 153.68	146.31	± 568.62	No
	04/20/22	-1.71	± 1.26	-6.33	± 4.66	No
	04/20/22	38.70	± 148.69	143.19	± 550.15	No
	04/27/22	-3.09	± 3.62	-11.43	± 13.39	No
	04/27/22	-3.36	± 141.66	-12.44	± 524.14	No
	05/04/22	-1.68	± 1.24	-6.22	± 4.59	No
	05/04/22	103.14	± 153.05	381.62	± 566.29	No
	05/11/22	-0.56	± 1.24	-2.07	± 4.59	No
	05/11/22	-0.77	± 99.16	-2.85	± 366.91	No
	05/18/22	1.73	± 1.32	6.40	± 4.88	No
	05/18/22	-177.43	± 159.34	-656.49	± 589.56	No
	05/25/22	-1.48	± 1.32	-5.48	± 4.88	No
	05/25/22	-120.61	± 136.78	-446.26	± 506.09	No
	06/01/22	-0.50	± 1.82	-1.85	± 6.73	No
	06/01/22	20.93	± 134.69	77.43	± 498.35	No
	06/08/22	-0.90	± 1.21	-3.31	± 4.48	No
	06/08/22	159.24	± 119.72	589.19	± 442.96	No
	06/15/22	0.35	± 1.22	1.30	± 4.51	No
	06/15/22	9.89	± 148.31	36.61	± 548.75	No
	06/22/22	-1.14	± 1.21	-4.22	± 4.48	No
	06/22/22	-96.61	± 159.04	-357.47	± 588.45	No
	06/29/22	-1.61	± 1.59	-5.96	± 5.88	No
	06/29/22	-4.68	± 146.96	-17.31	± 543.75	No
VAN BUREN (QA)	04/06/22	0.59	± 1.35	2.19	± 5.00	No
	04/13/22	1.33	± 13.00	4.92	± 48.10	No
	04/20/22	-1.78	± 1.31	-6.59	± 4.85	No
	04/27/22	-3.14	± 3.68	-11.62	± 13.62	No
	05/04/22	-1.68	± 1.24	-6.22	± 4.59	No
	05/11/22	-0.56	± 1.23	-2.05	± 4.55	No
	05/18/22	1.68	± 1.28	6.22	± 4.74	No
	05/25/22	-1.49	± 1.32	-5.51	± 4.88	No
	06/01/22	-0.55	± 2.00	-2.03	± 7.40	No
	06/08/22	-0.94	± 1.26	-3.47	± 4.66	No
	06/15/22	0.36	± 1.25	1.33	± 4.63	No
	06/22/22	-1.13	± 1.19	-4.18	± 4.40	No
	06/29/22	-1.56	± 1.54	-5.77	± 5.70	No

a. Invalid sample identified in red

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)		Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)		Result > 3s
BOUNDARY							
ARCO	06/29/22	Cesium-137	-174.00	± 148.00	-643.80	± 547.60	No
a	06/29/22	Strontium-90		± 0.00	± 0.00	± 0.00	No
ATOMIC CITY	06/29/22	Cesium-137	-85.10	± 170.00	-314.87	± 629.00	No
a	06/29/22	Strontium-90		± 0.00	± 0.00	± 0.00	No
BLUE DOME	06/29/22	Americium-241	5.42	± 5.42	20.05	± 20.05	No
	06/29/22	Cesium-137	2.97	± 155.00	10.99	± 573.50	No
	06/29/22	Plutonium-238	7.97	± 12.20	29.49	± 45.14	No
	06/29/22	Plutonium-239/240	-10.60	± 14.00	-39.22	± 51.80	No
FAA TOWER	06/29/22	Cesium-137	-209.00	± 155.00	-773.30	± 573.50	No
a	06/29/22	Strontium-90		± 0.00	± 0.00	± 0.00	No
HOWE	06/29/22	Americium-241	-3.51	± 4.96	-12.99	± 18.35	No
	06/29/22	Cesium-137	41.80	± 164.00	154.66	± 606.80	No
	06/29/22	Plutonium-238	12.60	± 11.00	46.62	± 40.70	No
	06/29/22	Plutonium-239/240	-20.10	± 10.60	-74.37	± 39.22	No
MONTEVIEW	06/29/22	Cesium-137	-197.00	± 150.00	-728.90	± 555.00	No
	06/29/22	Strontium-90	8.13	± 6.37	30.08	± 23.57	No
MUD LAKE	06/29/22	Cesium-137	-116.00	± 147.00	-429.20	± 543.90	No
OFFSITE							
BLACKFOOT	06/30/22	Americium-241	-1.80	± 2.50	-6.66	± 9.25	No
	06/29/22	Cesium-137	-70.50	± 180.00	-260.85	± 666.00	No
	06/30/22	Cesium-137	-21.00	± 38.00	-77.70	± 140.60	No
	06/30/22	Plutonium-238	5.70	± 3.60	21.09	± 13.32	No
	06/30/22	Plutonium-239/240	5.70	± 3.60	21.09	± 13.32	No
a	06/29/22	Strontium-90		± 0.00	± 0.00	± 0.00	No
	06/30/22	Strontium-90	-46.00	± 36.00	-170.20	± 133.20	No
CRATERS OF THE MOON	06/30/22	Americium-241	-5.50	± 2.80	-20.35	± 10.36	No
	06/29/22	Cesium-137	-262.00	± 154.00	-969.40	± 569.80	No
	06/30/22	Cesium-137	-4.00	± 50.00	-14.80	± 185.00	No
	06/30/22	Plutonium-238	0.90	± 3.50	3.33	± 12.95	No
	06/30/22	Plutonium-239/240	1.30	± 3.50	4.81	± 12.95	No
	06/30/22	Strontium-90	134.00	± 66.00	495.80	± 244.20	No
DUBOIS	06/29/22	Americium-241	9.72	± 6.48	35.96	± 23.98	No
	06/29/22	Cesium-137	341.00	± 253.00	1261.70	± 936.10	No
	06/29/22	Plutonium-238	0.00	± 4.45	0.00	± 16.47	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
			(x 10 ⁻¹⁸ µCi/mL)		(x 10 ⁻¹⁴ Bq/mL)		
DUBOIS (QA)	06/29/22	Plutonium-239/240	-2.21	± 3.83	-8.18	± 14.17	No
	06/29/22	Americium-241	0.00	± 5.33	0.00	± 19.72	No
	06/29/22	Cesium-137	-43.90	± 173.00	-162.43	± 640.10	No
	06/29/22	Plutonium-238	-5.09	± 7.19	-18.83	± 26.60	No
IDAHO FALLS	06/29/22	Plutonium-239/240	17.70	± 10.40	65.49	± 38.48	No
	06/30/22	Americium-241	2.80	± 4.00	10.36	± 14.80	No
	06/29/22	Cesium-137	59.40	± 239.00	219.78	± 884.30	No
	06/30/22	Cesium-137	-157.00	± 63.00	-580.90	± 233.10	No
	06/30/22	Plutonium-238	3.60	± 3.50	13.32	± 12.95	No
	06/30/22	Plutonium-239/240	1.60	± 3.50	5.92	± 12.95	No
IRC	06/30/22	Strontium-90	78.00	± 48.00	288.60	± 177.60	No
	06/30/22	Americium-241	-0.70	± 2.60	-2.59	± 9.62	No
	06/30/22	Cesium-137	26.00	± 49.00	96.20	± 181.30	No
	06/30/22	Plutonium-238	7.00	± 4.10	25.90	± 15.17	No
	06/30/22	Plutonium-239/240	1.50	± 3.10	5.55	± 11.47	No
IRC (NORTH)	06/30/22	Strontium-90	63.00	± 45.00	233.10	± 166.50	No
	06/30/22	Americium-241	-3.50	± 2.60	-12.95	± 9.62	No
	06/30/22	Cesium-137	-103.00	± 64.00	-381.10	± 236.80	No
	06/30/22	Plutonium-238	0.30	± 5.10	1.11	± 18.87	No
	06/30/22	Plutonium-239/240	2.40	± 5.10	8.88	± 18.87	No
JACKSON, WY	06/30/22	Strontium-90	159.00	± 57.00	588.30	± 210.90	No
	06/29/22	Cesium-137	-52.00	± 107.00	-192.40	± 395.90	No
	a 06/29/22	Strontium-90		±	0.00	± 0.00	No
SUGAR CITY	06/30/22	Americium-241	-2.80	± 2.20	-10.36	± 8.14	No
	06/29/22	Cesium-137	-105.00	± 113.00	-388.50	± 418.10	No
	06/30/22	Cesium-137	-22.00	± 51.00	-81.40	± 188.70	No
	06/30/22	Plutonium-238	2.20	± 2.60	8.14	± 9.62	No
	06/30/22	Plutonium-239/240	2.20	± 2.60	8.14	± 9.62	No
	06/30/22	Strontium-90	-161.00	± 48.00	-595.70	± 177.60	No
ONSITE							
ATR COMPLEX	06/30/22	Americium-241	-2.60	± 2.70	-9.62	± 9.99	No
	06/30/22	Cesium-137	-141.00	± 54.00	-521.70	± 199.80	No
	06/30/22	Plutonium-238	3.50	± 3.40	12.95	± 12.58	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)		Result > 3s	
			Mean	±	Sigma	Mean	±		
CFA	06/30/22	Plutonium-239/240	3.80	±	3.40	14.06	±	12.58	No
	06/30/22	Strontium-90	-17.00	±	39.00	-62.90	±	144.30	No
	06/30/22	Americium-241	400.00	±	1400.00	1480.00	±	5180.00	No
	06/30/22	Americium-241	0.70	±	3.20	2.59	±	11.84	No
	06/30/22	Cesium-137	-23.00	±	56.00	-85.10	±	207.20	No
	06/30/22	Plutonium-238	3.40	±	3.60	12.58	±	13.32	No
EBR-I	06/30/22	Plutonium-239/240	7.10	±	4.20	26.27	±	15.54	No
	06/30/22	Strontium-90	21.00	±	41.00	77.70	±	151.70	No
	06/30/22	Americium-241	-3.50	±	2.30	-12.95	±	8.51	No
	06/30/22	Cesium-137	-37.00	±	38.00	-136.90	±	140.60	No
	06/30/22	Plutonium-238	4.10	±	2.60	15.17	±	9.62	No
EFS	06/30/22	Plutonium-239/240	0.90	±	2.50	3.33	±	9.25	No
	06/30/22	Strontium-90	-206.00	±	48.00	-762.20	±	177.60	No
	06/30/22	Americium-241	5.00	±	3.80	18.50	±	14.06	No
	06/29/22	Cesium-137	-52.50	±	149.00	-194.25	±	551.30	No
	06/30/22	Cesium-137	34.00	±	65.00	125.80	±	240.50	No
	06/30/22	Plutonium-238	4.10	±	3.50	15.17	±	12.95	No
a	06/29/22	Plutonium-239/240	1.60	±	3.50	5.92	±	12.95	No
	06/30/22	Strontium-90	0.00	±	0.00	0.00	±	0.00	No
GATE4	06/30/22	Strontium-90	21.00	±	42.00	77.70	±	155.40	No
	06/30/22	Americium-241	1.80	±	3.20	6.66	±	11.84	No
	06/30/22	Cesium-137	-82.00	±	54.00	-303.40	±	199.80	No
	06/30/22	Plutonium-238	2.00	±	3.60	7.40	±	13.32	No
	06/30/22	Plutonium-239/240	1.70	±	3.60	6.29	±	13.32	No
	06/30/22	Strontium-90	57.00	±	44.00	210.90	±	162.80	No
HWY 26 REST AREA	06/30/22	Americium-241	-3.10	±	2.20	-11.47	±	8.14	No
	06/30/22	Cesium-137	-141.00	±	48.00	-521.70	±	177.60	No
	06/30/22	Plutonium-238	3.10	±	3.00	11.47	±	11.10	No
	06/30/22	Plutonium-239/240	2.50	±	3.00	9.25	±	11.10	No
	06/30/22	Strontium-90	-132.00	±	38.00	-488.40	±	140.60	No
INTEC (NE CORNER)	06/30/22	Americium-241	-0.30	±	3.20	-1.11	±	11.84	No
	06/30/22	Cesium-137	-65.00	±	71.00	-240.50	±	262.70	No
	06/30/22	Plutonium-238	0.50	±	3.40	1.85	±	12.58	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)		Result > 3s	
			Mean	±	Sigma	Mean	±		
INTEC (QA)	06/30/22	Plutonium-239/240	2.80	±	3.40	10.36	±	12.58	No
	06/30/22	Strontium-90	234.00	±	79.00	865.80	±	292.30	No
	06/30/22	Americium-241	-1.20	±	3.00	-4.44	±	11.10	No
	06/30/22	Cesium-137	54.00	±	45.00	199.80	±	166.50	No
	06/30/22	Plutonium-238	1.40	±	2.80	5.18	±	10.36	No
INTEC (WEST SIDE)	06/30/22	Plutonium-239/240	2.90	±	2.80	10.73	±	10.36	No
	06/30/22	Strontium-90	100.00	±	53.00	370.00	±	196.10	No
	06/30/22	Americium-241	-3.10	±	2.50	-11.47	±	9.25	No
	06/30/22	Cesium-137	-88.00	±	65.00	-325.60	±	240.50	No
	06/30/22	Plutonium-238	3.40	±	3.60	12.58	±	13.32	No
MAIN GATE	06/30/22	Plutonium-239/240	2.10	±	3.60	7.77	±	13.32	No
	06/30/22	Strontium-90	29.00	±	43.00	107.30	±	159.10	No
	06/29/22	Cesium-137	38.00	±	108.00	140.60		399.60	No
	a 06/29/22	Strontium-90		±		0.00		0.00	No
	06/30/22	Americium-241	-2.90	±	2.50	-10.73	±	9.25	No
MFC (NORTH)	06/30/22	Cesium-137	-57.00	±	65.00	-210.90	±	240.50	No
	06/30/22	Plutonium-238	4.70	±	2.90	17.39	±	10.73	No
	06/30/22	Plutonium-239/240	-0.30	±	2.90	-1.11	±	10.73	No
	06/30/22	Strontium-90	66.00	±	43.00	244.20	±	159.10	No
	06/30/22	Americium-241	0.40	±	2.80	1.48	±	10.36	No
MFC (SOUTH)	06/30/22	Cesium-137	-64.00	±	58.00	-236.80	±	214.60	No
	06/30/22	Plutonium-238	0.20	±	3.30	0.74	±	12.21	No
	06/30/22	Plutonium-239/240	8.80	±	4.30	32.56	±	15.91	No
	06/30/22	Strontium-90	23.00	±	42.00	85.10	±	155.40	No
	06/30/22	Americium-241	5.80	±	4.30	21.46	±	15.91	No
NRF	06/30/22	Cesium-137	-30.00	±	53.00	-111.00	±	196.10	No
	06/30/22	Plutonium-238	0.80	±	2.90	2.96	±	10.73	No
	06/30/22	Plutonium-239/240	4.60	±	2.90	17.02	±	10.73	No
	06/30/22	Strontium-90	47.00	±	44.00	173.90	±	162.80	No
	06/30/22	Americium-241	-2.00	±	2.50	-7.40	±	9.25	No
RHLLW	06/30/22	Cesium-137	-105.00	±	59.00	-388.50	±	218.30	No
	06/30/22	Plutonium-238	1.40	±	3.80	5.18	±	14.06	No
	06/30/22	Plutonium-239/240	6.10	±	3.90	22.57	±	14.43	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)		Result > 3s	
			Mean	±	Sigma	Mean	±		
RWMC	06/30/22	Strontium-90	80.00	±	45.00	296.00	±	166.50	No
	06/30/22	Americium-241	-0.80	±	3.00	-2.96	±	11.10	No
	06/30/22	Cesium-137	-26.00	±	43.00	-96.20	±	159.10	No
	06/30/22	Plutonium-238	1.10	±	3.10	4.07	±	11.47	No
	06/30/22	Plutonium-239/240	1.70	±	3.10	6.29	±	11.47	No
RWMC (QA)	06/30/22	Strontium-90	-50.00	±	39.00	-185.00	±	144.30	No
	06/30/22	Americium-241	5.70	±	4.50	21.09	±	16.65	No
	06/30/22	Cesium-137	51.00	±	55.00	188.70	±	203.50	No
	06/30/22	Plutonium-238	-2.60	±	5.20	-9.62	±	19.24	No
	06/30/22	Plutonium-239/240	-0.50	±	5.10	-1.85	±	18.87	No
RWMC (SOUTH)	06/30/22	Strontium-90	81.00	±	42.00	299.70	±	155.40	No
	06/30/22	Americium-241	-4.80	±	3.70	-17.76	±	13.69	No
	06/30/22	Cesium-137	-17.00	±	69.00	-62.90	±	255.30	No
	06/30/22	Plutonium-238	0.90	±	3.30	3.33	±	12.21	No
	06/30/22	Plutonium-239/240	3.00	±	3.30	11.10	±	12.21	No
SMC	06/30/22	Strontium-90	-94.00	±	48.00	-347.80	±	177.60	No
	06/30/22	Americium-241	1.20	±	3.40	4.44	±	12.58	No
	06/30/22	Cesium-137	-49.00	±	61.00	-181.30	±	225.70	No
	06/30/22	Plutonium-238	6.70	±	3.40	24.79	±	12.58	No
	06/30/22	Plutonium-239/240	2.20	±	2.60	8.14	±	9.62	No
VAN BUREN GATE	06/30/22	Strontium-90	-50.00	±	38.00	-185.00	±	140.60	No
	06/30/22	Americium-241	6.10	±	4.90	22.57	±	18.13	No
	06/29/22	Cesium-137	-49.10	±	143.00	-181.67	±	529.10	No
	06/30/22	Cesium-137	-26.00	±	49.00	-96.20	±	181.30	No
	06/30/22	Plutonium-238	4.50	±	3.20	16.65	±	11.84	No
	06/30/22	Plutonium-239/240	-0.30	±	3.20	-1.11	±	11.84	No
	a 06/29/22	Strontium-90		±		0.00	±	0.00	No
VAN BUREN (QA)	06/30/22	Strontium-90	-41.00	±	39.00	-151.70	±	144.30	No
	06/29/22	Cesium-137	-292.00	±	154.00	-1080.40	±	569.80	No
	a 06/29/22	Strontium-90		±		0.00	±	0.00	No

a. Results were considered invalid due to laboratory quality assurance protocol.

Table C-4. Tritium concentrations in atmospheric moisture.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s			
		(x 10 ⁻¹³ µCi/mL _{air})		(x 10 ⁻⁹ Bq/mL _{air})							
BOUNDARY											
ATOMIC CITY	06/01/22	2.65	±	0.99	9.81	±	3.65	No			
	06/22/22	7.18	±	2.20	26.57	±	8.14	Yes			
	07/20/22	1.61	±	1.33	5.96	±	4.92	No			
HOWE	05/25/22	4.09	±	1.13	15.13	±	4.18	Yes			
	06/15/22	-4.03	±	2.71	-14.91	±	10.03	No			
OFFSITE											
CRATERS OF THE MOON	04/27/22	-2.20	±	1.60	-8.14	±	5.92	No			
	06/15/22	1.70	±	2.70	6.29	±	9.99	No			
IDAHO FALLS	04/27/22	2.40	±	1.40	8.88	±	5.18	No			
	05/11/22	2.41	±	1.08	8.92	±	4.00	No			
	06/08/22	5.18	±	1.94	19.17	±	7.18	No			
	06/08/22	1.40	±	2.30	5.18	±	8.51	No			
	06/29/22	5.38	±	2.23	19.91	±	8.25	No			
	07/20/22	-1.01	±	1.33	-3.74	±	4.92	No			
ONSITE											
EFS	04/06/22	5.20	±	1.80	19.24	±	6.66	No			
	05/18/22	5.50	±	2.40	20.35	±	8.88	No			
	05/25/22	4.15	±	1.20	15.36	±	4.44	Yes			
	06/09/22	3.20	±	3.10	11.84	±	11.47	No			
	06/15/22	2.05	±	2.33	7.59	±	8.62	No			
	07/13/22	3.38	±	0.95	12.51	±	3.50	Yes			
VAN BUREN	04/20/22	-2.30	±	1.90	-8.51	±	7.03	No			
	05/25/22	2.60	±	2.80	9.62	±	10.36	No			
	06/29/22	4.60	±	3.10	17.02	±	11.47	No			

Table C-5. Monthly and weekly tritium concentrations in precipitation.

Location	Start Date	End Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
BOUNDARY									
ATOMIC CITY	04/06/22	04/13/22	17.50	±	33.50	0.65	±	1.24	No
	04/20/22	04/27/22	31.50	±	33.60	1.17	±	1.24	No
	04/27/22	05/04/22	48.50	±	26.10	1.79	±	0.97	No
	05/25/22	06/01/22	33.10	±	26.00	1.22	±	0.96	No
HOWE	04/06/22	04/13/22	203.00	±	35.10	7.51	±	1.30	Yes
	04/27/22	05/04/22	83.60	±	34.40	3.09	±	1.27	No
	05/18/22	05/25/22	86.00	±	34.50	3.18	±	1.28	No
	05/25/22	06/01/22	-17.10	±	33.90	-0.63	±	1.25	No
	06/08/22	06/15/22	36.50	±	33.60	1.35	±	1.24	No
OFFSITE									
IDAHO FALLS	04/01/22	04/30/22	20.30	±	34.50	0.75	±	1.28	No
	05/01/22	05/31/22	50.60	±	34.60	1.87	±	1.28	No
	06/01/22	06/30/22	4.90	±	26.10	0.18	±	0.97	No
ONSITE									
EFS	04/06/22	04/13/22	19.20	±	25.60	0.71	±	0.95	No
	04/27/22	05/04/22	50.00	±	25.90	1.85	±	0.96	No
	05/25/22	06/01/22	39.70	±	26.00	1.47	±	0.96	No
	06/08/22	06/15/22	28.70	±	25.80	1.06	±	0.95	No

Table C-6. Gross alpha, gross beta, and tritium concentrations in surface and drinking water.

Location	Sampling Date	Analyte	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
			(pCi/L)	(Bq/L)	(Bq/L)	(Bq/L)	
SURFACE WATER							
ALPHEUS SPRING	05/09/22	Gross Alpha	3.99 ± 0.85	0.15 ± 0.03	Yes		
	05/09/22	Gross Beta	1.90 ± 0.52	0.07 ± 0.02	Yes		
	05/09/22	Tritium	35.70 ± 32.80	1.32 ± 1.21	No		
BILL JONES JR.	05/09/22	Gross Alpha	1.41 ± 0.49	0.05 ± 0.02	No		
	TROUT FARM	Gross Beta	4.68 ± 0.48	0.17 ± 0.02	Yes		
		Tritium	0.43 ± 32.60	0.02 ± 1.21	No		
CLEAR SPRINGS	05/09/22	Gross Alpha	1.01 ± 0.35	0.04 ± 0.01	No		
	05/09/22	Gross Beta	4.88 ± 0.40	0.18 ± 0.01	Yes		
		Tritium	17.80 ± 32.70	0.66 ± 1.21	No		
DRINKING WATER							
ATOMIC CITY	05/24/22	Gross Alpha	1.58 ± 0.54	0.06 ± 0.02	No		
	05/24/22	Gross Beta	4.14 ± 0.48	0.15 ± 0.02	Yes		
	05/24/22	Tritium	-19.00 ± 25.70	-0.70 ± 0.95	No		
CONTROL	05/25/22	Gross Alpha	0.36 ± 0.16	0.01 ± 0.01	No		
	05/25/22	Gross Beta	0.18 ± 0.42	0.01 ± 0.02	No		
		Tritium	-13.20 ± 32.50	-0.49 ± 1.20	No		
CRATERS OF THE MOON	05/25/22	Gross Alpha	2.21 ± 0.32	0.08 ± 0.01	Yes		
	05/25/22	Gross Beta	3.46 ± 0.36	0.13 ± 0.01	Yes		
		Tritium	30.40 ± 26.10	1.13 ± 0.97	No		
HOWE	05/18/22	Gross Alpha	1.27 ± 0.28	0.05 ± 0.01	Yes		
	05/18/22	Gross Beta	7.68 ± 0.40	0.28 ± 0.01	Yes		
		Tritium	10.30 ± 24.20	0.38 ± 0.90	No		
IDAHO FALLS	05/25/22	Gross Alpha	2.47 ± 0.57	0.09 ± 0.02	Yes		
	05/25/22	Gross Beta	4.69 ± 0.41	0.17 ± 0.02	Yes		
		Tritium	0.80 ± 25.80	0.03 ± 0.96	No		
MINIDOKA	05/09/22	Gross Alpha	0.64 ± 0.35	0.02 ± 0.01	No		
	05/09/22	Gross Beta	2.11 ± 0.41	0.08 ± 0.02	Yes		
		Tritium	17.10 ± 33.50	0.63 ± 1.24	No		
MUD LAKE	05/10/22	Gross Alpha	0.43 ± 0.19	0.02 ± 0.01	No		
	05/10/22	Gross Beta	4.28 ± 0.33	0.16 ± 0.01	Yes		
		Tritium	-34.50 ± 33.20	-1.28 ± 1.23	No		
REST AREA	05/24/22	Gross Alpha	1.24 ± 0.29	0.05 ± 0.01	Yes		
	05/24/22	Gross Beta	3.24 ± 0.35	0.12 ± 0.01	Yes		
		Tritium	26.40 ± 33.50	0.98 ± 1.24	No		
SHOSHONE	05/09/22	Gross Alpha	1.99 ± 0.39	0.07 ± 0.01	Yes		
	05/09/22	Gross Beta	3.49 ± 0.35	0.13 ± 0.01	Yes		
		Tritium	16.90 ± 33.50	0.63 ± 1.24	No		
SHOSHONE (DUPLICATE)	05/09/22	Gross Alpha	1.38 ± 0.39	0.05 ± 0.01	Yes		
	05/09/22	Gross Beta	3.85 ± 0.36	0.14 ± 0.01	Yes		
		Tritium	2.57 ± 32.60	0.10 ± 1.21	No		

Table C-7. Weekly and monthly iodine-131 and cesium-137 concentrations in milk.

Location	Sampling Date	Iodine-131			Cesium-137		
		Result ± 1s Uncertainty (pCi/L)	Result ± 1s Uncertainty (Bq/L)	Result > 3s	Result ± 1s Uncertainty (pCi/L)	Result ± 1s Uncertainty (Bq/L)	Result > 3s
CONTROL	04/05/22	0.52 ± 1.40	0.02 ± 0.05	No	1.44 ± 1.47	0.05 ± 0.05	No
	05/03/22	-1.02 ± 1.60	-0.04 ± 0.06	No	1.13 ± 0.65	0.04 ± 0.02	No
	06/08/22	1.12 ± 1.26	0.04 ± 0.05	No	0.30 ± 1.42	0.01 ± 0.05	No
DIETRICH	04/05/22	0.24 ± 0.87	0.01 ± 0.03	No	0.26 ± 0.62	0.01 ± 0.02	No
	05/03/22	-1.19 ± 1.08	-0.04 ± 0.04	No	0.60 ± 0.67	0.02 ± 0.02	No
	06/07/22	1.03 ± 1.20	0.04 ± 0.04	No	1.39 ± 0.68	0.05 ± 0.03	No
HOWE	04/06/22	-0.53 ± 1.48	-0.02 ± 0.05	No	1.59 ± 1.46	0.06 ± 0.05	No
	05/03/22	0.25 ± 1.47	0.01 ± 0.05	No	0.26 ± 0.66	0.01 ± 0.02	No
	06/06/22	0.38 ± 1.12	0.01 ± 0.04	No	-0.88 ± 1.38	-0.03 ± 0.05	No
	duplicate 06/06/22	-0.84 ± 1.04	-0.03 ± 0.04	No	0.03 ± 0.64	0.00 ± 0.02	No
MINIDOKA	04/05/22	-1.25 ± 1.01	-0.05 ± 0.04	No	-0.02 ± 1.40	0.00 ± 0.05	No
	05/03/22	-0.27 ± 1.10	-0.01 ± 0.04	No	-0.15 ± 1.42	-0.01 ± 0.05	No
	06/07/22	-1.43 ± 1.11	-0.05 ± 0.04	No	0.56 ± 0.67	0.02 ± 0.02	No
MONTEVIEW	04/05/22	1.87 ± 1.23	0.07 ± 0.05	No	1.43 ± 0.70	0.05 ± 0.03	No
	05/03/22	4.30 ± 4.15	0.16 ± 0.15	No	3.66 ± 3.34	0.14 ± 0.12	No
	06/08/22	-0.51 ± 1.13	-0.02 ± 0.04	No	0.47 ± 0.66	0.02 ± 0.02	No
RIGBY	04/05/22	-0.52 ± 1.05	-0.02 ± 0.04	No	0.12 ± 0.64	0.00 ± 0.02	No
	duplicate 04/05/22	-2.02 ± 1.41	-0.07 ± 0.05	No	1.78 ± 1.47	0.07 ± 0.05	No
	04/13/22	0.39 ± 1.02	0.01 ± 0.04	No	0.58 ± 1.40	0.02 ± 0.05	No
	04/19/22	-0.38 ± 0.96	-0.01 ± 0.04	No	2.3 ^a ± 0.74	0.09 ± 0.03	Yes
	04/27/22	1.99 ± 1.15	0.07 ± 0.04	No	0.86 ± 1.46	0.03 ± 0.05	No
	05/03/22	-0.86 ± 1.21	-0.03 ± 0.04	No	-0.47 ± 1.50	-0.02 ± 0.06	No
	05/11/22	-0.01 ± 1.03	0.00 ± 0.04	No	0.38 ± 0.67	0.01 ± 0.02	No
	05/17/22	2.85 ± 1.17	0.11 ± 0.04	No	1.37 ± 1.40	0.05 ± 0.05	No
	05/25/22	-0.16 ± 0.96	-0.01 ± 0.04	No	0.71 ± 0.65	0.03 ± 0.02	No
	05/31/22	-0.95 ± 1.27	-0.04 ± 0.05	No	-0.13 ± 1.39	0.00 ± 0.05	No
	06/08/22	0.78 ± 1.32	0.03 ± 0.05	No	-1.22 ± 1.49	-0.05 ± 0.06	No
	06/14/22	-1.30 ± 1.16	-0.05 ± 0.04	No	0.00 ± 1.38	0.00 ± 0.05	No
	06/22/22	-0.71 ± 0.97	-0.03 ± 0.04	No	-0.35 ± 1.42	-0.01 ± 0.05	No
TERRETON	04/05/22	0.91 ± 1.13	0.03 ± 0.04	No	0.14 ± 1.37	0.01 ± 0.05	No
	04/13/22	-1.19 ± 0.85	-0.08 ± 0.04	No	1.12 ± 0.66	-0.06 ± 0.04	No
	04/19/22	-0.83 ± 0.92	-0.03 ± 0.03	No	-0.81 ± 0.67	-0.03 ± 0.02	No
	04/27/22	0.55 ± 1.00	0.02 ± 0.04	No	-1.11 ± 1.59	-0.04 ± 0.06	No
	05/03/22	0.25 ± 1.15	0.01 ± 0.04	No	0.09 ± 0.65	0.00 ± 0.02	No
	05/11/22	-0.30 ± 0.95	-0.01 ± 0.04	No	1.12 ± 0.66	0.04 ± 0.02	No
	05/17/22	0.31 ± 0.88	0.01 ± 0.03	No	-0.25 ± 0.63	-0.01 ± 0.02	No
	05/25/22	0.38 ± 0.81	0.01 ± 0.03	No	0.92 ± 0.64	0.03 ± 0.02	No
	05/31/22	0.75 ± 0.89	0.03 ± 0.03	No	-0.16 ± 0.63	-0.01 ± 0.02	No
	06/06/22	-1.67 ± 0.99	-0.06 ± 0.04	No	0.61 ± 0.65	0.02 ± 0.02	No
	06/14/22	0.59 ± 0.89	0.02 ± 0.03	No	-0.99 ± 0.66	-0.04 ± 0.02	No
	06/22/22	-0.28 ± 0.82	-0.01 ± 0.03	No	-0.68 ± 0.66	-0.03 ± 0.02	No
	06/28/22	1.07 ± 0.90	0.04 ± 0.03	No	0.50 ± 0.66	0.02 ± 0.02	No

^a The associated energy peak was not present.

Table C-8. Strontium-90 and tritium concentrations in milk.

Location	Sampling Date	Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)			Result > 3s
		Strontium-90						
BROOMFIELD, CO	05/03/22	0.46	±	0.13	0.02	±	0.00	Yes
DIETRICH	05/03/22	0.13	±	0.10	0.00	±	0.00	No
HOWE	05/03/22	0.52	±	0.19	0.02	±	0.01	No
MINIDOKA	05/03/22	0.55	±	0.13	0.02	±	0.00	Yes
MONTEVIEW	05/03/22	0.05	±	0.13	0.00	±	0.00	No
RIGBY	05/03/22	0.15	±	0.13	0.01	±	0.00	No
TERRETON	05/03/22	-0.04	±	0.16	0.00	±	0.01	No
Tritium								
BROOMFIELD, CO	05/03/22	123.00	±	25.70	4.56	±	0.95	Yes
DIETRICH	05/03/22	58.60	±	24.80	2.17	±	0.92	No
HOWE	05/03/22	-9.98	±	24.00	-0.37	±	0.89	No
MINIDOKA	05/03/22	34.60	±	25.40	1.28	±	0.94	No
MONTEVIEW	05/03/22	2.72	±	24.20	0.10	±	0.90	No
RIGBY	05/03/22	23.90	±	25.30	0.89	±	0.94	No
TERRETON	05/03/22	3.87	±	25.10	0.14	±	0.93	No

Table C-9. Gamma-emitting radionuclides and strontium-90 in alfalfa.

Location	Sampling Date	Result \pm 1s Uncertainty		Result \pm 1s Uncertainty		Result > 3s		
		pCi/kg	Bq/kg	Bq/kg				
CESIUM-137								
HOWE	06/14/22	58.10	\pm	191.00	2.15	\pm	7.07	No
IDAHO FALLS	06/14/22	-15.60	\pm	60.30	-0.58	\pm	2.23	No
IDAHO FALLS (QA)	06/14/22	56.20	\pm	64.10	2.08	\pm	2.37	No
MUD LAKE	06/14/22	420.00	\pm	194.00	15.56	\pm	7.19	No
STRONTIUM-90								
HOWE	06/14/22	-8.49	\pm	17.10	-0.31	\pm	0.63	No
IDAHO FALLS	06/14/22	27.10	\pm	18.50	1.00	\pm	0.69	No
MUD LAKE	06/14/22	90.80	\pm	19.50	3.36	\pm	0.72	Yes

Table C-10. External radiation measurements using OSLDs.

Location	Start Date	End Date	Radiation Measurement ± 1s Uncertainty		Dose
			Result	Sigma Uncertainty	
			mrem	mrem/day	
BOUNDARY					
ARCO O-1	11/03/21	05/04/22	55.20	±	2.76
ARCO	11/03/21	05/04/22	57.05	±	2.86
ATOMIC CITY O-2	11/01/21	05/02/22	59.90	±	3.00
ATOMIC CITY	11/03/21	05/04/22	57.55	±	2.88
BLUE DOME	11/03/21	05/03/22	46.75	±	2.34
HOWE O-3	11/01/21	05/03/22	54.40	±	2.72
HOWE	11/03/21	05/03/22	58.35	±	2.92
MONTEVIEW O-4	11/01/21	05/03/22	62.60	±	3.13
MONTEVIEW	11/03/21	05/03/22	55.90	±	2.80
MUD LAKE O-5	11/01/21	05/03/22	66.80	±	3.34
MUD LAKE	11/03/21	05/03/22	61.75	±	3.09
RRL 3 O-1	11/01/21	05/02/22	62.70	±	3.14
RRL 5 O-1	11/01/21	05/02/22	75.20	±	3.76
RRL 6 O-1	11/01/21	05/02/22	67.30	±	3.37
RENO RANCH O-6	11/01/21	05/03/22	56.30	±	2.82
RENO RANCH	11/03/21	05/03/22	55.05	±	2.76
Boundary Average			59.55		0.33
OFFSITE					
ABERDEEN	11/02/21	05/05/22	57.60	±	2.89
BLACKFOOT O-9 (MOUNTAIN VIEW)	11/03/21	05/04/22	57.00	±	2.85
BLACKFOOT (MOUNTAIN VIEW)	11/03/21	05/04/22	51.10	±	2.56
CRATERS OF THE MOON O-7	11/03/21	05/04/22	56.30	±	2.82
CRATERS OF THE MOON	11/03/21	05/04/22	52.95	±	2.65
DUBIOS	11/03/21	05/03/22	48.50	±	2.43
IDAHO FALLS O-10	11/02/21	05/04/22	59.40	±	2.97
IDAHO FALLS	11/03/21	05/03/22	54.15	±	2.71
JACKSON WY	11/04/21	05/05/22	55.80	±	2.79
MINIDOKA	11/02/21	05/05/22	54.15	±	2.71
RobNOAA	11/01/21	05/03/22	65.60	±	3.28
ROBERTS	11/02/21	05/03/22	64.10	±	3.21
SUGAR CITY	11/03/21	05/03/22	70.50	±	3.53
Offsite Average			57.47		0.32
ONSITE					
ANL O-12	11/01/21	05/04/22	56.90	±	2.85
ANL O-14	11/01/21	05/04/22	59.60	±	2.98
ANL O-15	11/01/21	05/04/22	66.40	±	3.32

Table C-10. External radiation measurements using OSLDs.

Location	Start Date	End Date	Radiation Measurement ± 1s Uncertainty		Dose mrem/day	
			Result	Sigma Uncertainty		
			mrem			
ANL O-16	11/01/21	05/04/22	65.70	±	3.29	0.36
ANL O-18	11/01/21	05/04/22	65.20	±	3.26	0.35
ANL O-19	11/01/21	05/04/22	59.30	±	2.97	0.32
ANL O-20	11/01/21	05/04/22	73.50	±	3.68	0.40
ANL O-21	11/01/21	05/04/22	88.10	±	4.41	0.48
ANL O-22	11/01/21	05/04/22	80.70	±	4.04	0.44
ANL O-23	11/01/21	05/04/22	74.30	±	3.72	0.40
ANL O-24	11/01/21	05/04/22	68.40	±	3.42	0.37
ANL O-25	11/01/21	05/04/22	70.60	±	3.53	0.38
ANL O-26	11/01/21	05/04/22	67.50	±	3.38	0.37
ANL O-7	11/01/21	05/04/22	70.20	±	3.51	0.38
ANL O-8	11/01/21	05/04/22	66.60	±	3.33	0.36
ARA I&II O-1	11/01/21	05/02/22	61.80	±	3.09	0.34
CFA O-1	11/01/21	05/02/22	66.40	±	3.32	0.36
EBR I O-1	11/01/21	05/02/22	62.50	±	3.13	0.34
EBR I O-2	11/01/21	05/02/22	91.90	±	4.60	0.50
EBR I O-3	11/01/21	05/02/22	263.00	±	13.15	1.44
EFS O-1	11/02/21	05/03/22	64.30	±	3.22	0.35
GATE4 O-1	11/01/21	05/03/22	58.80	±	2.94	0.32
HAUL E O-1	11/01/21	05/03/22	62.00	±	3.10	0.34
HAUL W O-2	11/01/21	05/03/22	70.00	±	3.50	0.38
HWY20 MILE O-266	11/01/21	05/03/22	63.60	±	3.18	0.35
HWY20 MILE O-270 ^a	11/01/21	--	--	±	--	--
HWY20 MILE O-276	11/01/21	05/03/22	64.00	±	3.20	0.35
HWY22 T28 O-1	11/01/21	05/03/22	58.50	±	2.93	0.32
HWY28 N2300 O-2	11/01/21	05/03/22	53.10	±	2.66	0.29
HWY33 T17 O-3	11/01/21	05/03/22	59.30	±	2.97	0.32
ICPP O-14	11/02/21	05/02/22	106.60	±	5.33	0.59
ICPP O-15	11/02/21	05/02/22	159.60	±	7.98	0.88
ICPP O-17	11/02/21	05/02/22	70.40	±	3.52	0.39
ICPP O-19	11/02/21	05/02/22	101.20	±	5.06	0.56
ICPP O-20	11/02/21	05/02/22	293.50	±	14.68	1.62
ICPP O-21	11/02/21	05/02/22	84.30	±	4.22	0.47
ICPP O-22	11/02/21	05/02/22	98.20	±	4.91	0.54
ICPP O-25	11/02/21	05/02/22	81.70	±	4.09	0.45
ICPP O-26	11/02/21	05/02/22	71.80	±	3.59	0.40
ICPP O-27	11/02/21	05/02/22	183.90	±	9.20	1.02

Table C-10. External radiation measurements using OSLDs.

Location	Start Date	End Date	Radiation Measurement ± 1s Uncertainty		Dose mrem/day	
			Result	Sigma Uncertainty		
			mrem			
ICPP O-28	11/02/21	05/02/22	196.40	±	9.82	1.08
ICPP O-30	11/02/21	05/02/22	218.60	±	10.93	1.21
ICPP O-9	11/02/21	05/02/22	86.30	±	4.32	0.48
ICPP TREEFARM O-1	11/02/21	05/02/22	119.00	±	5.95	0.66
ICPP TREEFARM O-2	11/02/21	05/02/22	77.90	±	3.90	0.43
ICPP TREEFARM O-3	11/02/21	05/02/22	86.00	±	4.30	0.47
ICPP TREEFARM O-4	11/02/21	05/02/22	125.70	±	6.29	0.69
IF-603E O-2	11/02/21	05/04/22	54.10	±	2.71	0.30
IF-603N O-1	11/02/21	05/04/22	57.20	±	2.86	0.31
IF-603S O-3	11/02/21	05/04/22	53.40	±	2.67	0.29
IF-603W O-4	11/02/21	05/04/22	60.60	±	3.03	0.33
IF-616N O-36	11/02/21	05/02/22	53.40	±	2.67	0.29
IF-627 O-30	11/02/21	05/04/22	53.50	±	2.68	0.29
IF-638E O-2	11/02/21	05/04/22	56.30	±	2.82	0.31
IF-638N O-1	11/02/21	05/04/22	56.60	±	2.83	0.31
IF-638S O-3	11/02/21	05/04/22	74.20	±	3.71	0.41
IF-638W O-4	11/02/21	05/04/22	57.00	±	2.85	0.31
IF-665 O-1	11/02/21	05/02/22	44.00	±	2.20	0.24
IF-665 O-2	11/02/21	05/02/22	56.20	±	2.81	0.31
IF-665 O-3	11/02/21	05/02/22	51.50	±	2.58	0.28
IF-665 O-4	11/02/21	05/02/22	48.50	±	2.43	0.27
IF-665 O-5	11/02/21	05/02/22	52.30	±	2.62	0.29
IF-665W O-37	11/02/21	05/02/22	60.00	±	3.00	0.33
IF-670D O-34	11/02/21	05/02/22	58.40	±	2.92	0.32
IF-670E O-32	11/02/21	05/02/22	52.90	±	2.65	0.29
IF-670N O-31	11/02/21	05/02/22	57.40	±	2.87	0.32
IF-670S O-33	11/02/21	05/02/22	62.90	±	3.15	0.35
IF-670W O-35	11/02/21	05/02/22	62.70	±	3.14	0.35
IF-675D O-33	11/02/21	05/02/22	54.90	±	2.75	0.30
IF-675E O-31	11/02/21	05/02/22	48.00	±	2.40	0.27
IF-675S O-34	11/02/21	05/02/22	62.00	±	3.10	0.34
IF-675W O-35	11/02/21	05/02/22	56.10	±	2.81	0.31
IF-688B O-1	11/02/21	05/04/22	53.90	±	2.70	0.29
IF-688B O-2	11/02/21	05/04/22	52.20	±	2.61	0.29
IF-689 O-7	11/02/21	05/04/22	55.70	±	2.79	0.30
IF-689 O-8	11/02/21	05/04/22	49.70	±	2.49	0.27
IF-IDA O-38	11/02/21	05/04/22	50.40	±	2.52	0.28

Table C-10. External radiation measurements using OSLDs.

Location	Start Date	End Date	Radiation Measurement ± 1s Uncertainty		Dose mrem/day	
			Result	Sigma Uncertainty		
			mrem			
IF-IRC O-39	11/02/21	05/04/22	59.00	±	2.95	0.32
LINCOLNBLVD O-1	11/01/21	05/02/22	70.60	±	3.53	0.39
LINCOLNBLVD O-15	11/01/21	05/03/22	74.10	±	3.71	0.40
LINCOLNBLVD O-25	11/01/21	05/03/22	63.80	±	3.19	0.35
LINCOLNBLVD O-3	11/01/21	05/03/22	70.90	±	3.55	0.39
LINCOLNBLVD O-5	11/01/21	05/03/22	72.20	±	3.61	0.39
LINCOLNBLVD O-9	11/01/21	05/03/22	69.50	±	3.48	0.38
MAIN GATE O-1	11/01/21	05/02/22	64.30	±	3.22	0.35
NRF O-11	11/02/21	05/03/22	65.90	±	3.30	0.36
NRF O-16	11/02/21	05/03/22	62.50	±	3.13	0.34
NRF O-18	11/02/21	05/03/22	68.80	±	3.44	0.38
NRF O-19	11/02/21	05/03/22	69.40	±	3.47	0.38
NRF O-20	11/02/21	05/03/22	72.60	±	3.63	0.40
NRF O-21	11/02/21	05/03/22	64.60	±	3.23	0.35
NRF O-22	11/02/21	05/03/22	60.20	±	3.01	0.33
NRF O-23	11/02/21	05/03/22	57.60	±	2.88	0.32
NRF O-24	11/02/21	05/03/22	66.80	±	3.34	0.37
PBF SPERT O-1	11/01/21	05/02/22	70.20	±	3.51	0.39
REST O-1	11/03/21	05/03/22	62.00	±	3.10	0.34
RHLLW O-1	11/03/21	05/03/22	67.40	±	3.37	0.37
RHLLW O-2	11/03/21	05/03/22	67.00	±	3.35	0.37
RHLLW O-3	11/03/21	05/03/22	69.40	±	3.47	0.38
RHLLW O-4	11/03/21	05/03/22	74.30	±	3.72	0.41
RHLLW O-5	11/03/21	05/03/22	68.10	±	3.41	0.38
RHLLW O-6	11/03/21	05/03/22	70.40	±	3.52	0.39
RRL17 O-1	11/01/21	05/03/22	62.60	±	3.13	0.34
RRL24 O-1	11/01/21	05/03/22	59.50	±	2.98	0.33
RWMC O-11A	11/01/21	05/02/22	74.20	±	3.71	0.41
RWMC O-13A	11/01/21	05/02/22	98.10	±	4.91	0.54
RWMC O-19A	11/01/21	05/02/22	72.10	±	3.61	0.40
RWMC O-21A	11/01/21	05/02/22	75.50	±	3.78	0.41
RWMC O-23A	11/01/21	05/02/22	65.70	±	3.29	0.36
RWMC O-25A	11/01/21	05/02/22	60.90	±	3.05	0.33
RWMC O-27A	11/01/21	05/02/22	66.60	±	3.33	0.37
RWMC O-29A	11/01/21	05/02/22	64.80	±	3.24	0.36
RWMC O-39	11/01/21	05/02/22	68.40	±	3.42	0.38
RWMC O-3A	11/01/21	05/02/22	67.70	±	3.39	0.37

Table C-10. External radiation measurements using OSLDs.

Location	Start Date	End Date	Radiation Measurement ± 1s Uncertainty		Dose mrem/day	
			Result	Sigma Uncertainty		
			mrem			
RWMC O-41	11/01/21	05/02/22	142.70	±	7.14	0.78
RWMC O-43	11/01/21	05/02/22	65.20	±	3.26	0.36
RWMC O-46	11/01/21	05/02/22	64.10	±	3.21	0.35
RWMC O-47	11/01/21	05/02/22	65.70	±	3.29	0.36
RWMC O-5A	11/01/21	05/02/22	64.50	±	3.23	0.35
RWMC O-7A	11/01/21	05/02/22	61.90	±	3.10	0.34
RWMC O-9A	11/01/21	05/02/22	84.70	±	4.24	0.47
TAN LOFT O-10	11/02/21	05/03/22	72.20	±	3.61	0.40
TAN LOFT O-11	11/02/21	05/03/22	66.40	±	3.32	0.36
TAN LOFT O-12	11/02/21	05/03/22	55.00	±	2.75	0.30
TAN LOFT O-13	11/02/21	05/03/22	70.70	±	3.54	0.39
TAN LOFT O-6	11/02/21	05/03/22	62.30	±	3.12	0.34
TAN LOFT O-7	11/02/21	05/03/22	72.00	±	3.60	0.40
TAN LOFT O-8	11/02/21	05/03/22	61.00	±	3.05	0.34
TAN LOFT O-9	11/02/21	05/03/22	51.60	±	2.58	0.28
TRA O-1	11/03/21	05/03/22	72.40	±	3.62	0.40
TRA O-10	11/03/21	05/04/22	139.70	±	6.99	0.77
TRA O-11	11/03/21	05/04/22	138.30	±	6.92	0.76
TRA O-12	11/03/21	05/04/22	80.50	±	4.03	0.44
TRA O-13	11/03/21	05/04/22	76.90	±	3.85	0.42
TRA O-14	11/03/21	05/03/22	69.30	±	3.47	0.38
TRA O-15	11/03/21	05/03/22	68.90	±	3.45	0.38
TRA O-16	11/03/21	05/04/22	77.20	±	3.86	0.42
TRA O-17	11/03/21	05/09/22	73.80	±	3.69	0.39
TRA O-18	11/03/21	05/09/22	75.00	±	3.75	0.40
TRA O-19	11/03/21	05/09/22	89.30	±	4.47	0.48
TRA O-20	11/03/21	05/09/22	70.20	±	3.51	0.38
TRA O-21	11/03/21	05/09/22	74.50	±	3.73	0.40
TRA O-22	11/03/21	05/09/22	63.10	±	3.16	0.34
TRA O-23	11/03/21	05/03/22	66.30	±	3.32	0.37
TRA O-24	11/03/21	05/04/22	69.90	±	3.50	0.38
TRA O-25	11/03/21	05/04/22	73.00	±	3.65	0.40
TRA O-26	11/03/21	05/04/22	70.00	±	3.50	0.38
TRA O-27	11/03/21	05/04/22	71.40	±	3.57	0.39
TRA O-28	11/03/21	05/04/22	72.70	±	3.64	0.40
TRA O-6	11/03/21	05/04/22	70.90	±	3.55	0.39
TRA O-7	11/03/21	05/04/22	83.30	±	4.17	0.46

Table C-10. External radiation measurements using OSLDs.

Location	Start Date	End Date	Radiation Measurement ± 1s Uncertainty		Dose mrem/day
			Result	Sigma Uncertainty	
TRA O-8	11/03/21	05/04/22	77.80	±	3.89 0.43
TRA O-9	11/03/21	05/04/22	82.40	±	4.12 0.45
TREAT O-1	11/01/21	05/03/22	60.70	±	3.04 0.33
TREAT O-2	11/01/21	05/03/22	66.00	±	3.30 0.36
TREAT O-3	11/01/21	05/03/22	69.10	±	3.46 0.38
TREAT O-4	11/01/21	05/03/22	73.20	±	3.66 0.40
TREAT O-5	11/01/21	05/03/22	63.20	±	3.16 0.35
TREAT O-6	11/01/21	05/03/22	68.70	±	3.44 0.38
TREAT O-7	11/01/21	05/03/22	67.20	±	3.36 0.37
TREAT O-8	11/01/21	05/03/22	66.10	±	3.31 0.36
VANB O-1	11/01/21	05/02/22	65.80	±	3.29 0.36
Onsite Average			74.81		0.41
a. OSLD lost.					

Page intentionally left blank

Appendix D

Statistical Analysis Results

Table D-1. Results of the Kruskal-Wallace one-way analysis of variance by ranks between onsite, boundary, and offsite sample groups by quarter and by month.

GROSS ALPHA					
Quarter	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	91	26216.00	288.0879		
Onsite	283	71040.00	251.0247	9.350573	0.0093
Offsite	166	48814.00	294.0602		
April	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	28	2538.500	90.66071		
Onsite	87	6792.500	78.07471	2.728414	0.2556
Offsite	52	4697.000	90.32692		
May	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	28	2671.000	95.39286		
Onsite	88	6405.500	72.78977	10.78371	0.0046
Offsite	52	5119.500	98.45192		
June	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	35	3578.50	102.2429		
Onsite	108	10976.50	101.6343	0.2017146	0.9041
Offsite	62	6560.00	105.8065		
GROSS BETA					
Quarter	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	91	22238.50	244.3791		
Onsite	283	79549.00	281.0919	3.950219	0.1387
Offsite	166	44282.50	266.7620		
April	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	28	1932.500	69.01786		
Onsite	87	7754.500	89.13218	3.675262	0.1592
Offsite	52	4341.000	83.48077		
May	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	28	2164.000	77.28571		
Onsite	88	7723.000	87.76136	1.070563	0.5855
Offsite	52	4309.000	82.86538		

Table D-1. continued.

June	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	35	3368.00	96.2286		
Onsite	108	11487.50	106.3657	0.8771333	0.6450
Offsite	62	6259.50	100.9597		

a. Kruskal Wallis test statistic calculated using mean ranks. This test assumes H is approximately distributed as χ^2 .
b. A p-value (probability value) greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red.

Table D-2. Results of multiple comparisons of gross alpha results between locations during the first quarter. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red. 'R' represents the average rank for each location.

Table D-3. Results of multiple comparisons of gross beta results between locations during the first quarter. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red. 'R' represents the average rank for each location.

Page intentionally left blank